



# Full wwPDB EM Validation Report ⓘ

Feb 11, 2025 – 06:33 PM EST

PDB ID : 9CTN  
EMDB ID : EMD-45912  
Title : Modifying region of EcPKS2 - acetylated dataset  
Authors : Schubert, H.L.; Hill, C.P.; Li, F.; Schmidt, E.W.  
Deposited on : 2024-07-25  
Resolution : 3.11 Å(reported)  
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2287	
1	B	2287	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 43325 atoms, of which 21623 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyketide synthase 2.


Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	A	1374	Total	C	H	N	O	S	1	0
			21541	6862	10762	1835	2023	59		
1	B	1373	Total	C	H	N	O	S	2	0
			21542	6861	10763	1837	2022	59		

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
2	A	1	Total	C	H	N	O	P	0
			74	21	26	7	17	3	
2	B	1	Total	C	H	N	O	P	0
			74	21	26	7	17	3	

- Molecule 3 is {S}-[2-[3-[(2 {R})-3,3-dimethyl-2-oxidanyl-4-phosphonoxy-butanoyl]amino]propanoylamino]ethyl] ethanethioate (three-letter code: 6VG) (formula:  $C_{13}H_{25}N_2O_8PS$ ).




Mol	Chain	Residues	Atoms						AltConf	
			Total	C	H	N	O	P		S
3	A	1	Total	C	H	N	O	P	S	0
			47	13	23	2	7	1	1	
3	B	1	Total	C	H	N	O	P	S	0
			47	13	23	2	7	1	1	

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Polyketide synthase 2





L2257	R2165	M1977	V1764	M1439	V1291	L1184	K955	ALA	ALA	ALA	GLY	LEU	ARG	SER	GLY	LEU	VAL	GLY	GLY
R2262	Q2169	L1979	E1779	Y1443	T1294	E1185	T984	N1186	N1186	PHE	GLN	GLY	GLN	ALA	ASN	THR	VAL	THR	GLY
M2270	F2171	T1981	K1765	H1455	M1298	D1197	S986	PRO	PRO	ALA	ALA	LEU	GLY	PRO	LYS	ALA	ALA	ALA	ALA
R2273	V2174	H1983	R1803	Q1459	M1304	V1191	R889	SER	SER	ILE	ILE	VAL	HIS	LYS	LYS	THR	THR	THR	ALA
S2274	Y2192	M1985	E1814	M1460	E1308	K1195	T993	THR	THR	ASP	VAL	VAL	ASN	LEU	LEU	VAL	VAL	VAL	PHE
M2275	V2193	L1980	K1815	H1462	Y1316	E1196	D994	GLN	GLN	PRO	GLY	GLY	GLN	PRO	ARG	ILE	ILE	ILE	ALA
V2276	L2194	R1998	Y1816	H1468	Y1316	E1197	Q995	SER	SER	VAL	VAL	VAL	VAL	ASP	ARG	ASP	ASP	ASP	THR
K2277	V2195	R1998	I1817	A1468	V1337	I1198	Q995	LEU	LEU	SER	SER	VAL	VAL	THR	GLY	ASP	ASP	ASP	GLY
G2278	E2196	R2008	R1818	V1489	V1337	I1198	Q995	SER	SER	ILE	ILE	THR	THR	ALA	ALA	PHE	PHE	PHE	LYS
SER	L2008	R2008	T1821	V1489	V1337	I1198	Q995	SER	SER	ILE	ILE	THR	THR	ALA	ALA	PHE	PHE	PHE	LYS
HIS	K2031	K2031	E1821	K1512	V1343	L1202	K996	SER	SER	LYS	LYS	TRP	TRP	LYS	LYS	TRP	TRP	TRP	LYS
VAL	M2051	M2051	R1843	R1515	D1345	H1208	D1008	MET	MET	LYS	LYS	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ALA
HIS	M2052	M2052	K1847	R1515	A1346	H1209	K1009	VAL	VAL	SER	SER	VAL	VAL	SER	SER	GLY	GLY	GLY	ALA
HIS	ALA	ALA	K1847	R1515	A1346	A1209	K1009	VAL	VAL	SER	SER	VAL	VAL	SER	SER	GLY	GLY	GLY	ALA
HIS	ALA	ALA	K1847	R1515	A1346	A1209	K1009	VAL	VAL	SER	SER	VAL	VAL	SER	SER	GLY	GLY	GLY	ALA
HIS	GLY	L2056	D1859	L1531	F1356	THR	K1015	TRP	TRP	ASP	ASP	GLN	GLN	ARG	ARG	ARG	ARG	ARG	PRO
HIS	L2070	L2070	S1860	L1531	F1356	GLN	E1020	ASP	ASP	CYS	CYS	GLU	GLU	THR	THR	THR	THR	THR	GLY
HIS	L2073	L2073	Q1863	L1543	P1361	ALA	E1020	THR	THR	THR	THR	THR	THR	GLY	GLY	GLY	GLY	GLY	ASP
HIS	L2077	L2077	T1868	C1545	A1362	SER	L1023	VAL	VAL	VAL	VAL	VAL	VAL	LEU	LEU	LEU	LEU	LEU	ASP
HIS	I2077	I2077	T1868	C1545	A1362	SER	L1023	VAL	VAL	VAL	VAL	VAL	VAL	LEU	LEU	LEU	LEU	LEU	ASP
D2210	V2209	V2209	R1875	K1559	K1559	F1218	G1034	TRP	TRP	LEU	LEU	ASN	ASN	ALA	ALA	ALA	ALA	ALA	LEU
Q2211	D2210	D2210	D1879	I1560	I1560	A1219	S1039	VAL	VAL	ARG	ARG	GLU	GLU	THR	THR	THR	THR	THR	PHE
V2212	Q2211	Q2211	D1879	I1560	I1560	A1219	S1039	VAL	VAL	ARG	ARG	GLU	GLU	THR	THR	THR	THR	THR	PHE
L2213	V2212	V2212	Q1885	F1567	F1567	A1223	D1041	LEU	LEU	LYS	LYS	GLN	GLN	ALA	ALA	ALA	ALA	ALA	LYS
R2214	L2213	L2213	Q1885	F1567	F1567	A1223	D1041	LEU	LEU	LYS	LYS	GLN	GLN	ALA	ALA	ALA	ALA	ALA	LYS
V2219	R2214	R2214	E1888	K1573	K1573	T1224	I1047	GLU	GLU	ASN	ASN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	ARG
K2223	V2219	V2219	E1888	K1573	K1573	T1224	I1047	GLU	GLU	ASN	ASN	VAL	VAL	VAL	VAL	VAL	VAL	VAL	ARG
D2224	K2223	K2223	S1902	D1574	D1574	G1234	P1076	SER	SER	ALA	ALA	LEU	LEU	LEU	LEU	LEU	LEU	LEU	ARG
S2225	D2224	D2224	S1902	D1574	D1574	G1234	P1076	SER	SER	ALA	ALA	LEU	LEU	LEU	LEU	LEU	LEU	LEU	ARG
S2226	V2225	V2225	R1910	D1595	D1595	F1243	E1095	SER	SER	ALA	ALA	LEU	LEU	LEU	LEU	LEU	LEU	LEU	ARG
S2227	V2225	V2225	R1910	D1595	D1595	F1243	E1095	SER	SER	ALA	ALA	LEU	LEU	LEU	LEU	LEU	LEU	LEU	ARG
V2228	S2226	S2226	V1607	S1638	S1638	D1257	A1116	LYS	LYS	LYS	LYS	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY
D2229	V2228	V2228	V1607	S1638	S1638	D1257	A1116	LYS	LYS	LYS	LYS	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY
G2230	D2229	D2229	R1659	D1660	D1660	R1261	R1122	CYS	CYS	TYR	TYR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	HIS
D2231	G2230	G2230	R1659	D1660	D1660	R1261	R1122	CYS	CYS	TYR	TYR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	HIS
K2232	D2231	D2231	I1662	I1662	I1662	L1262	S1123	SER	SER	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	TRP
L2235	K2232	K2232	I1662	I1662	I1662	L1262	S1123	SER	SER	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	TRP
D2236	L2235	L2235	R1943	Q1944	Q1944	H1267	D1136	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	TRP
V2239	D2236	D2236	R1943	Q1944	Q1944	H1267	D1136	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	TRP
D2240	V2239	V2239	E1675	E1676	E1676	D1268	D1142	PRO	PRO	PRO	PRO	GLU	GLU	GLU	GLU	GLU	GLU	GLU	VAL
S2241	D2240	D2240	E1675	E1676	E1676	D1268	D1142	PRO	PRO	PRO	PRO	GLU	GLU	GLU	GLU	GLU	GLU	GLU	VAL
L2242	S2241	S2241	T1677	T1677	T1677	V1269	V1149	ASN	ASN	ASN	ASN	LYS	LYS	LYS	LYS	LYS	LYS	LYS	THR
M2243	L2242	L2242	T1677	T1677	T1677	V1269	V1149	ASN	ASN	ASN	ASN	LYS	LYS	LYS	LYS	LYS	LYS	LYS	THR
I2247	M2243	M2243	S1717	S1717	S1717	T1271	R1156	PRO	PRO	PRO	PRO	ILE	ILE	ILE	ILE	ILE	ILE	ILE	THR
R2253	I2247	I2247	S1717	S1717	S1717	T1271	R1156	PRO	PRO	PRO	PRO	ILE	ILE	ILE	ILE	ILE	ILE	ILE	THR
D2254	R2253	R2253	E1729	E1729	E1729	D1276	E1174	LEU	LEU	LEU	LEU	GLY	GLY	GLY	GLY	GLY	GLY	GLY	ASP
A2255	D2254	D2254	E1729	E1729	E1729	D1276	E1174	LEU	LEU	LEU	LEU	GLY	GLY	GLY	GLY	GLY	GLY	GLY	ASP
G2256	A2255	A2255	T1755	T1755	T1755	I1278	W1183	TYR	TYR	TYR	TYR	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ASP

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	93476	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.764	Depositor
Minimum map value	-0.986	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.049	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	317.99997, 317.99997, 317.99997	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, 6VG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/11010	0.49	0/14903
1	B	0.25	0/11013	0.49	0/14906
All	All	0.25	0/22023	0.49	0/29809

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10779	10762	10762	108	0
1	B	10779	10763	10764	124	0
2	A	48	26	26	1	0
2	B	48	26	26	3	0
3	A	24	23	0	0	0
3	B	24	23	0	1	0
All	All	21702	21623	21578	232	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (232) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1560:ILE:O	1:B:1560:ILE:HD12	1.69	0.92
1:B:1888:GLU:OE1	1:B:1888:GLU:N	2.06	0.88
1:B:2125:GLU:OE2	1:B:2142:GLN:NE2	2.18	0.77
1:B:1859:ASP:OD1	1:B:1860:SER:N	2.19	0.76
1:B:1814:GLU:OE2	1:B:1843:ARG:NH2	2.21	0.73
1:A:2088:ARG:NH2	1:A:2134:ASP:OD2	2.23	0.71
1:B:1439:MET:SD	1:B:1439:MET:N	2.67	0.68
1:B:1387:LEU:HD21	1:B:1443:TYR:CE1	2.29	0.68
1:A:1489:VAL:HG12	1:A:1489:VAL:O	1.91	0.68
1:B:2165:ARG:NH2	1:B:2196:GLU:O	2.26	0.68
1:B:2253:ARG:NE	1:B:2253:ARG:O	2.27	0.68
1:A:1997:SER:OG	2:A:2301:NDP:O3X	2.12	0.67
1:B:1997:SER:OG	2:B:2301:NDP:O3X	2.11	0.67
1:B:1764:VAL:HG11	1:B:1933:LYS:HE2	1.78	0.65
1:A:1384:GLN:O	1:A:1437:ARG:NH1	2.31	0.64
1:A:2253:ARG:O	1:A:2253:ARG:NE	2.31	0.63
1:B:1391:ILE:HD11	1:B:1455:HIS:ND1	2.14	0.62
1:B:1387:LEU:HD21	1:B:1443:TYR:HE1	1.62	0.62
1:B:1459:GLN:O	1:B:1573:LYS:NZ	2.33	0.61
1:B:2209:VAL:O	1:B:2213:LEU:HD23	2.00	0.61
1:A:2112:LEU:HD23	1:A:2112:LEU:H	1.66	0.61
1:B:1262:LEU:CD2	1:B:1422:ILE:HD13	2.32	0.60
1:A:1980:GLU:OE2	1:A:2005:TYR:OH	2.15	0.60
1:B:2229:ASP:OD1	1:B:2231:ASP:N	2.33	0.60
1:B:1381:LEU:HD21	1:B:1391:ILE:HG22	1.83	0.59
1:B:1971:VAL:HG21	1:B:2083:LEU:HD11	1.84	0.59
1:B:1294:THR:O	1:B:1298:ASN:ND2	2.35	0.59
1:B:1729:GLU:OE2	1:B:1910:ARG:NH2	2.36	0.59
1:A:2223:LYS:HD2	1:A:2223:LYS:N	2.18	0.59
1:B:1337:VAL:HG21	1:B:1343:VAL:HG21	1.84	0.59
1:B:1384:GLN:O	1:B:1437:ARG:NH2	2.35	0.59
1:A:1276:ASP:OD1	1:A:1278:ILE:N	2.35	0.58
1:A:1084:ILE:HG22	1:A:1084:ILE:O	2.03	0.58
1:B:1276:ASP:OD2	1:B:1278:ILE:HG22	2.03	0.58
1:B:1422:ILE:C	1:B:1422:ILE:HD12	2.24	0.58
1:B:1047:ILE:HD12	1:B:1116:ALA:CB	2.34	0.58
1:A:1298:ASN:OD1	1:A:1575:LEU:HA	2.03	0.57
1:A:2268:THR:OG1	1:A:2270:ASN:OD1	2.06	0.57
1:B:1512:LYS:O	1:B:1515:ARG:NH1	2.36	0.57
1:B:1270:ARG:NH1	1:B:1345:ASP:OD1	2.38	0.57
1:B:1531:LEU:HD21	1:B:1543:LEU:HB3	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1339:ASP:N	1:A:1339:ASP:OD1	2.37	0.57
1:B:2051:ASN:HB3	1:B:2101:MET:SD	2.45	0.57
1:B:1266:LEU:HD12	1:B:1422:ILE:HD11	1.87	0.56
1:A:1139:ILE:HD11	1:A:2194:LEU:HD22	1.88	0.55
1:A:1183:TRP:HE3	1:A:1192:LEU:HD22	1.72	0.55
1:A:1042:ALA:HB1	1:A:1066:LEU:CD1	2.37	0.55
1:A:2116:ASN:OD1	1:A:2117:TYR:N	2.40	0.54
1:B:986:SER:HB3	1:B:990:LEU:HD21	1.89	0.54
1:A:1139:ILE:CD1	1:A:2194:LEU:HD22	2.37	0.54
1:B:1944:GLN:N	1:B:1944:GLN:OE1	2.41	0.54
1:B:1012:LEU:HD11	1:B:2008:ARG:HD2	1.90	0.54
1:B:1387:LEU:HD12	1:B:1388:ASP:N	2.23	0.54
1:B:1398:ILE:HD12	1:B:1399:LYS:O	2.08	0.54
1:A:1256:GLY:O	1:A:1261:ARG:NH2	2.41	0.54
1:A:1658:LEU:HD23	1:A:1658:LEU:O	2.08	0.54
1:B:1217:ASN:N	1:B:1220:SER:HG	2.06	0.53
1:A:1756:VAL:CG2	1:A:1780:ILE:HD13	2.39	0.53
1:B:1308:GLU:OE2	1:B:1316:TYR:N	2.41	0.53
1:B:1717:SER:OG	1:B:1885:GLN:NE2	2.39	0.53
1:B:2031:LYS:HA	1:B:2031:LYS:HE2	1.90	0.53
1:B:2219:VAL:HG11	1:B:2247:ILE:HG13	1.91	0.53
1:A:1491:ASP:OD1	1:A:1492:LEU:N	2.41	0.53
1:A:1262:LEU:HD23	1:A:1422:ILE:HG21	1.91	0.52
1:B:2117:TYR:HH	2:B:2301:NDP:HO2N	1.58	0.52
1:B:2146:ILE:HD12	1:B:2174:VAL:HG21	1.90	0.52
1:B:1136:ASP:OD1	1:B:1136:ASP:N	2.41	0.52
1:B:933:GLU:O	1:B:933:GLU:HG3	2.08	0.52
1:A:1441:CYS:O	1:A:1442:PHE:HB2	2.08	0.52
1:B:1803:ARG:O	1:B:1816:TYR:OH	2.18	0.52
1:A:1198:ILE:HD12	1:A:1198:ILE:H	1.73	0.51
1:A:1717:SER:OG	1:A:1885:GLN:NE2	2.37	0.51
1:A:1773:ALA:HB3	1:A:1780:ILE:HD11	1.93	0.51
1:B:1023:LEU:HD13	1:B:1980:GLU:OE2	2.11	0.51
1:B:2165:ARG:CG	1:B:2165:ARG:O	2.58	0.51
1:A:2096:LEU:HD13	1:A:2097:ASP:N	2.26	0.51
1:B:1020:GLU:OE1	1:B:2008:ARG:NH1	2.44	0.51
1:A:1136:ASP:OD1	1:A:1136:ASP:N	2.41	0.50
1:B:1050:ASP:OD1	1:B:1050:ASP:N	2.43	0.50
1:B:993:THR:HG22	1:B:995:GLN:H	1.76	0.50
1:B:1368:LEU:HD13	1:B:1397:MET:CE	2.41	0.50
1:A:1003:LEU:O	1:A:1037:ARG:NH2	2.45	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1504:CYS:HA	1:A:1507:LEU:HD13	1.94	0.50
1:B:2235:ILE:HA	1:B:2239:VAL:HG12	1.93	0.49
1:B:1544:ARG:NE	1:B:1574:ASP:OD1	2.45	0.49
1:A:1489:VAL:O	1:A:1489:VAL:CG1	2.59	0.49
1:B:1383:MET:SD	1:B:1420:LYS:NZ	2.86	0.49
1:A:2106:ILE:HD12	1:A:2117:TYR:HD2	1.77	0.49
1:A:1301:GLN:O	1:A:1331:LYS:NZ	2.44	0.49
1:B:2087:SER:OG	1:B:2131:ARG:NH1	2.46	0.49
1:A:1978:GLY:HA2	1:A:2052:MET:SD	2.53	0.48
1:A:1042:ALA:HB1	1:A:1066:LEU:HD12	1.95	0.48
1:B:1196:GLU:OE1	1:B:1196:GLU:N	2.38	0.48
1:A:1403:PHE:CD2	1:A:1473:LEU:HD21	2.49	0.48
1:B:1012:LEU:HD12	1:B:1039:SER:O	2.14	0.48
1:A:1435:GLY:O	1:A:1443:TYR:OH	2.16	0.48
1:A:2051:ASN:HB3	1:A:2101:MET:SD	2.54	0.48
1:A:1434:GLU:OE2	1:A:1454:ARG:NH1	2.46	0.48
1:B:951:ASN:OD1	1:B:951:ASN:N	2.47	0.48
1:B:1930:GLU:OE2	1:B:1931:ALA:N	2.47	0.48
1:A:1143:PHE:HB3	1:A:2188:VAL:HG21	1.95	0.47
1:A:1465:ASP:OD2	1:A:1465:ASP:C	2.52	0.47
1:A:1345:ASP:N	1:A:1345:ASP:OD1	2.47	0.47
1:B:1291:VAL:HG22	1:B:1461:MET:CE	2.44	0.47
1:B:1910:ARG:HD3	1:B:1910:ARG:N	2.30	0.47
1:A:1756:VAL:HG23	1:A:1780:ILE:HD13	1.97	0.47
1:B:1462:HIS:CG	1:B:1462:HIS:O	2.67	0.47
1:A:1047:ILE:HD12	1:A:1116:ALA:CB	2.45	0.47
1:A:1298:ASN:OD1	1:A:1576:ALA:N	2.41	0.47
1:A:1729:GLU:OE2	1:A:1910:ARG:NH2	2.48	0.47
1:B:1361:PRO:O	1:B:1362:ALA:HB3	2.14	0.47
1:B:2239:VAL:HG13	1:B:2239:VAL:O	2.14	0.47
1:A:1644:LEU:HD11	1:A:1885:GLN:HG3	1.96	0.47
1:B:1142:ASP:OD2	1:B:1156:ARG:NH1	2.48	0.47
1:B:1978:GLY:HA2	1:B:2052:MET:SD	2.54	0.47
1:A:2150:GLY:O	1:A:2153:ALA:N	2.48	0.46
1:B:2192:TYR:CE2	1:B:2194:LEU:HD13	2.50	0.46
1:B:1184:LEU:HD13	1:B:1184:LEU:C	2.36	0.46
1:A:1531:LEU:HD12	1:A:1545:CYS:HB3	1.95	0.46
1:B:2116:ASN:OD1	1:B:2117:TYR:N	2.48	0.46
1:B:2192:TYR:HE2	1:B:2194:LEU:HD13	1.80	0.46
1:A:1185:GLU:OE2	1:A:1185:GLU:HA	2.16	0.46
1:A:1486:ILE:HD11	1:A:1567:PHE:CZ	2.51	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1489:VAL:CG1	1:B:1489:VAL:O	2.64	0.46
1:B:2229:ASP:OD1	1:B:2230:GLY:N	2.48	0.46
1:A:1845:LEU:HD11	1:A:1851:PHE:HB2	1.97	0.46
1:A:2010:ILE:HG23	1:A:2020:VAL:HG21	1.98	0.46
1:B:1489:VAL:O	1:B:1489:VAL:HG12	2.15	0.45
1:B:1755:THR:HG22	1:B:1779:GLU:HB3	1.98	0.45
1:A:1140:LEU:HA	1:A:2190:ILE:O	2.16	0.45
1:A:1969:ILE:HD11	1:A:2040:ALA:HB2	1.98	0.45
1:B:2073:LEU:HG	1:B:2077:ILE:HD12	1.97	0.45
1:B:1343:VAL:HG23	1:B:1346:ALA:HB3	1.98	0.45
1:B:1980:GLU:HB3	1:B:2171:PHE:CE2	2.52	0.45
1:A:2062:LEU:N	1:A:2062:LEU:HD22	2.32	0.45
1:A:2209:VAL:O	1:A:2213:LEU:HD23	2.16	0.45
1:B:1567:PHE:O	1:B:1571:VAL:HG23	2.16	0.45
1:A:1441:CYS:O	1:A:1442:PHE:CB	2.65	0.45
1:A:2223:LYS:N	1:A:2223:LYS:CD	2.80	0.44
1:B:1283:GLU:OE2	1:B:1378:LYS:NZ	2.43	0.44
1:A:1057:LEU:HD23	1:A:1119:VAL:HG11	2.00	0.44
1:A:1847:LYS:HE3	1:A:1847:LYS:HA	1.98	0.44
1:A:1969:ILE:HD11	1:A:2040:ALA:CB	2.48	0.44
1:A:1515:ARG:NH1	1:A:1541:GLU:O	2.50	0.44
1:A:2140:THR:HB	1:A:2188:VAL:HG12	1.99	0.44
1:A:2186:ASN:ND2	1:A:2189:THR:OG1	2.48	0.44
1:A:1171:ALA:HB1	1:A:1225:LEU:HD12	2.00	0.44
1:B:1817:ILE:O	1:B:1821:THR:HG22	2.18	0.44
1:A:1143:PHE:HB3	1:A:2188:VAL:CG2	2.48	0.44
1:A:2002:THR:HG23	1:A:2003:THR:HG23	1.98	0.44
1:B:2143:TRP:HB3	1:B:2146:ILE:HD11	1.98	0.44
1:A:1419:ILE:HD13	1:A:1419:ILE:N	2.33	0.44
1:A:1773:ALA:CB	1:A:1780:ILE:HD11	2.48	0.44
1:A:1012:LEU:HD11	1:A:2008:ARG:HD2	1.99	0.43
1:A:1191:VAL:HG12	1:A:1191:VAL:O	2.17	0.43
1:A:1755:THR:O	1:A:1827:ASP:N	2.50	0.43
1:A:2062:LEU:HD22	1:A:2062:LEU:H	1.83	0.43
1:B:1398:ILE:HG21	1:B:1404:LEU:CD1	2.48	0.43
1:B:1863:GLN:OE1	1:B:1875:ARG:NH2	2.51	0.43
1:A:1252:GLU:HG3	1:A:1262:LEU:HD13	2.01	0.43
1:A:1183:TRP:CE3	1:A:1192:LEU:HD22	2.51	0.43
1:B:1047:ILE:HD12	1:B:1116:ALA:HB1	1.99	0.43
1:B:1076:PRO:HD2	3:B:2302:6VG:S1	2.58	0.43
1:B:1977:MET:O	1:B:1981:THR:HG22	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1261:ARG:HG3	1:A:1261:ARG:HH11	1.83	0.43
1:A:1528:LEU:HD11	1:A:1579:VAL:HG11	2.00	0.43
1:B:1377:LEU:HD13	1:B:1381:LEU:HD13	2.00	0.43
1:B:2056:LEU:HD23	1:B:2056:LEU:H	1.82	0.43
1:A:2106:ILE:HD12	1:A:2117:TYR:CD2	2.53	0.43
1:B:1191:VAL:HG22	1:B:1191:VAL:O	2.19	0.43
1:B:1659:ARG:O	1:B:1662:ILE:HG22	2.19	0.43
1:B:1670:ARG:NH2	1:B:1677:THR:O	2.52	0.43
1:B:1998:ARG:NE	2:B:2301:NDP:O2X	2.48	0.43
1:A:1971:VAL:HG11	1:A:2079:MET:SD	2.58	0.43
1:A:1454:ARG:HG3	1:A:1454:ARG:HH11	1.84	0.43
1:B:1527:VAL:HG12	1:B:1545:CYS:SG	2.58	0.43
1:A:1361:PRO:O	1:A:1362:ALA:HB3	2.19	0.42
1:B:1034:GLY:HA3	1:B:1059:THR:HG21	2.01	0.42
1:B:1929:ARG:NH1	1:B:1929:ARG:HB2	2.34	0.42
1:B:891:LEU:HD22	1:B:901:LEU:CD2	2.48	0.42
1:A:1338:ALA:HB1	1:A:1356:PHE:CE1	2.54	0.42
1:A:1408:GLU:O	1:A:1470:SER:N	2.52	0.42
1:A:1391:ILE:HD13	1:A:1391:ILE:N	2.35	0.42
1:B:1008:ASP:OD2	1:B:1009:LYS:N	2.52	0.42
1:B:1055:SER:O	1:B:1059:THR:HG23	2.19	0.42
1:B:1659:ARG:NH1	1:B:1660:ASP:OD1	2.51	0.42
1:B:1814:GLU:OE1	1:B:1818[B]:ARG:NH2	2.52	0.42
1:A:1465:ASP:OD2	1:A:1467:ILE:HG13	2.19	0.42
1:A:1632:ASN:ND2	1:A:1681:GLU:OE2	2.51	0.42
1:A:1297:ASP:OD2	1:A:1532:ARG:NH2	2.52	0.42
1:A:1359:LEU:HD22	1:A:1383:MET:HB2	2.01	0.42
1:B:2241:SER:O	1:B:2242:LEU:CB	2.67	0.42
1:A:1262:LEU:HD23	1:A:1422:ILE:HD12	2.02	0.42
1:A:1398:ILE:HG22	1:A:1399:LYS:O	2.20	0.42
1:A:2045:PRO:CB	1:A:2095:THR:HG21	2.50	0.42
1:B:1868:THR:CG2	1:B:1868:THR:O	2.67	0.42
1:A:1142:ASP:N	1:A:1591:PHE:O	2.51	0.42
1:B:1413:LEU:HD12	1:B:1413:LEU:H	1.85	0.42
1:A:1490:ASP:OD1	1:A:1521:ASN:N	2.53	0.42
1:A:1534:LEU:HD21	1:A:2061:PHE:CD2	2.55	0.42
1:B:1122:ARG:O	1:B:1123:SER:C	2.58	0.41
1:B:1868:THR:O	1:B:1868:THR:HG22	2.20	0.41
1:B:1008:ASP:OD2	1:B:1008:ASP:C	2.58	0.41
1:B:1225:LEU:HD23	1:B:1243:PHE:CD1	2.55	0.41
1:A:1544:ARG:HD3	1:A:1576:ALA:HA	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2240:ASP:OD1	1:A:2240:ASP:N	2.49	0.41
1:A:1451:LEU:C	1:A:1451:LEU:HD23	2.40	0.41
1:A:2092:VAL:O	1:A:2096:LEU:N	2.44	0.41
1:B:2219:VAL:HG12	1:B:2243:MET:HG3	2.02	0.41
1:A:2194:LEU:HD23	1:A:2194:LEU:H	1.85	0.41
1:B:994:ASP:OD2	1:B:994:ASP:C	2.59	0.41
1:A:1733:VAL:N	1:A:1734:PRO:HD2	2.36	0.41
1:B:930:VAL:HG12	1:B:931:GLU:N	2.35	0.41
1:A:1489:VAL:HG13	1:A:1496:TRP:CE2	2.56	0.41
1:B:1149:VAL:HG23	1:B:1462:HIS:HB3	2.03	0.41
1:B:1661:ILE:HD13	1:B:1925:VAL:HG11	2.03	0.41
1:A:1534:LEU:HD22	1:A:1538:PHE:CE2	2.56	0.41
1:A:2239:VAL:O	1:A:2239:VAL:HG12	2.20	0.41
1:B:1198:ILE:O	1:B:1202:LEU:HD12	2.21	0.41
1:B:1257:ASP:O	1:B:1261:ARG:HB3	2.21	0.41
1:B:2128:CYS:SG	1:B:2140:THR:OG1	2.79	0.41
1:B:2169:GLN:HG2	1:B:2193:VAL:HG23	2.01	0.41
1:A:1291:VAL:HG13	1:A:1473:LEU:HD12	2.03	0.40
1:B:1638:SER:OG	1:B:1675:GLU:OE2	2.39	0.40
1:B:2165:ARG:O	1:B:2195:VAL:HG23	2.21	0.40
1:A:1661:ILE:HD13	1:A:1925:VAL:HG11	2.03	0.40
1:B:985:SER:OG	1:B:986:SER:N	2.54	0.40
1:B:1387:LEU:HD12	1:B:1388:ASP:H	1.86	0.40
1:B:1981:THR:O	1:B:1985:MET:HG3	2.22	0.40
1:A:1246:LEU:HD23	1:A:1419:ILE:HD11	2.02	0.40
1:B:1272:TYR:N	1:B:1272:TYR:CD1	2.90	0.40
1:B:1607:VAL:HG11	1:B:1956:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1367/2287 (60%)	1313 (96%)	51 (4%)	3 (0%)	44	73
1	B	1367/2287 (60%)	1314 (96%)	52 (4%)	1 (0%)	48	78
All	All	2734/4574 (60%)	2627 (96%)	103 (4%)	4 (0%)	50	78

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2240	ASP
1	A	1442	PHE
1	A	1468	ALA
1	B	1468	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1173/1930 (61%)	1132 (96%)	41 (4%)	31	59
1	B	1173/1930 (61%)	1136 (97%)	37 (3%)	34	61
All	All	2346/3860 (61%)	2268 (97%)	78 (3%)	35	60

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	888	ASP
1	A	939	MET
1	A	989	ARG
1	A	1120	GLU
1	A	1143	PHE
1	A	1218	PHE
1	A	1239	ASN
1	A	1268	ASP
1	A	1276	ASP
1	A	1300	ASN
1	A	1302	GLN
1	A	1345	ASP

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1373	ASP
1	A	1439	MET
1	A	1443	TYR
1	A	1454	ARG
1	A	1503	ARG
1	A	1532	ARG
1	A	1535	VAL
1	A	1602	ARG
1	A	1613	SER
1	A	1699	MET
1	A	1785	LYS
1	A	1788	ASP
1	A	1802	ASP
1	A	1808	SER
1	A	1811	CYS
1	A	1827	ASP
1	A	1879	ASP
1	A	1910	ARG
1	A	1915	MET
1	A	1940	ASP
1	A	1977	MET
1	A	1983	HIS
1	A	2008	ARG
1	A	2194	LEU
1	A	2213	LEU
1	A	2227	SER
1	A	2242	LEU
1	A	2257	LEU
1	A	2267	MET
1	B	884	ASP
1	B	885	ASN
1	B	933	GLU
1	B	955	LYS
1	B	984	THR
1	B	989	ARG
1	B	998	LYS
1	B	1008	ASP
1	B	1015	LYS
1	B	1041	ASP
1	B	1095	GLU
1	B	1183	TRP
1	B	1272	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	1304	MET
1	B	1353	MET
1	B	1356	PHE
1	B	1387	LEU
1	B	1393	GLU
1	B	1400	PRO
1	B	1430	LYS
1	B	1443	TYR
1	B	1461	MET
1	B	1559	LYS
1	B	1595	ASP
1	B	1785	LYS
1	B	1847	LYS
1	B	1879	ASP
1	B	1902	SER
1	B	1910	ARG
1	B	1930	GLU
1	B	1940	ASP
1	B	1943	ARG
1	B	1961	CYS
1	B	1974	MET
1	B	1983	HIS
1	B	2070	LEU
1	B	2231	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	6VG	B	2302	1	18,23,24	0.34	0	22,30,33	1.10	2 (9%)
3	6VG	A	2302	1	18,23,24	0.32	0	22,30,33	1.29	3 (13%)
2	NDP	B	2301	-	47,52,52	2.38	6 (12%)	61,80,80	1.72	13 (21%)
2	NDP	A	2301	-	47,52,52	2.42	7 (14%)	61,80,80	1.73	11 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	6VG	B	2302	1	-	13/27/29/30	-
3	6VG	A	2302	1	-	6/27/29/30	-
2	NDP	B	2301	-	-	4/30/77/77	0/5/5/5
2	NDP	A	2301	-	-	9/30/77/77	0/5/5/5

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2301	NDP	P2B-O2B	13.29	1.82	1.59
2	B	2301	NDP	P2B-O2B	13.08	1.82	1.59
2	A	2301	NDP	PA-O3	4.36	1.64	1.59
2	A	2301	NDP	PN-O5D	4.34	1.76	1.59
2	B	2301	NDP	PA-O3	4.19	1.64	1.59
2	B	2301	NDP	PN-O5D	4.15	1.75	1.59
2	B	2301	NDP	O2B-C2B	-3.26	1.32	1.44
2	A	2301	NDP	O2B-C2B	-3.23	1.33	1.44
2	B	2301	NDP	C2A-N1A	2.36	1.38	1.33
2	A	2301	NDP	C2A-N1A	2.25	1.37	1.33

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2301	NDP	O4B-C4B	-2.10	1.40	1.45
2	B	2301	NDP	O4B-C4B	-2.07	1.40	1.45
2	A	2301	NDP	O5D-C5D	-2.01	1.37	1.44

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2301	NDP	C4B-O4B-C1B	-6.70	103.79	109.92
2	B	2301	NDP	C4B-O4B-C1B	-6.31	104.15	109.92
2	A	2301	NDP	P2B-O2B-C2B	-4.63	111.08	123.43
2	B	2301	NDP	P2B-O2B-C2B	-4.57	111.24	123.43
2	B	2301	NDP	O2B-P2B-O1X	-3.59	96.53	109.33
2	A	2301	NDP	O2B-P2B-O1X	-3.57	96.60	109.33
3	A	2302	6VG	O1-C1-S1	-3.40	108.91	122.65
2	A	2301	NDP	O3-PA-O1A	-3.31	100.74	110.70
3	B	2302	6VG	O1-C1-S1	-3.27	109.43	122.65
2	B	2301	NDP	O3-PA-O1A	-3.18	101.14	110.70
2	A	2301	NDP	PA-O5B-C5B	-2.97	104.34	121.35
2	B	2301	NDP	PA-O5B-C5B	-2.94	104.51	121.35
3	A	2302	6VG	C37-C38-C39	-2.93	107.51	112.39
3	A	2302	6VG	C2-C1-S1	2.71	131.23	114.13
2	B	2301	NDP	PN-O5D-C5D	-2.69	105.94	121.35
2	A	2301	NDP	PN-O5D-C5D	-2.63	106.28	121.35
2	A	2301	NDP	O2N-PN-O3	2.57	114.23	107.27
2	A	2301	NDP	O3X-P2B-O2X	2.56	117.40	107.80
2	B	2301	NDP	O3X-P2B-O2X	2.55	117.38	107.80
2	B	2301	NDP	O2N-PN-O3	2.45	113.89	107.27
2	A	2301	NDP	O2N-PN-O1N	2.43	123.77	112.44
2	B	2301	NDP	O2N-PN-O1N	2.41	123.67	112.44
2	A	2301	NDP	O5D-PN-O1N	-2.28	99.88	108.94
2	B	2301	NDP	C5D-C4D-C3D	-2.15	107.46	115.21
2	B	2301	NDP	O3X-P2B-O2B	-2.15	97.47	105.85
2	A	2301	NDP	O3X-P2B-O2B	-2.14	97.51	105.85
2	B	2301	NDP	C5B-C4B-C3B	-2.12	107.58	115.21
3	B	2302	6VG	C43-S1-C1	2.05	111.27	101.42
2	B	2301	NDP	O5D-PN-O1N	-2.01	100.96	108.94

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2301	NDP	C5B-O5B-PA-O1A

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	2301	NDP	C5B-O5B-PA-O3
2	B	2301	NDP	O4D-C1D-N1N-C6N
3	A	2302	6VG	N41-C42-C43-S1
3	A	2302	6VG	O1-C1-S1-C43
3	A	2302	6VG	C2-C1-S1-C43
3	B	2302	6VG	C28-C29-C32-O33
3	B	2302	6VG	C28-C29-C32-C34
3	B	2302	6VG	C30-C29-C32-O33
3	B	2302	6VG	C30-C29-C32-C34
3	B	2302	6VG	C31-C29-C32-O33
3	B	2302	6VG	C31-C29-C32-C34
3	B	2302	6VG	C29-C32-C34-O35
3	B	2302	6VG	C29-C32-C34-N36
3	B	2302	6VG	O1-C1-S1-C43
2	A	2301	NDP	O4D-C1D-N1N-C6N
2	B	2301	NDP	O4D-C4D-C5D-O5D
2	A	2301	NDP	O4B-C4B-C5B-O5B
3	A	2302	6VG	C43-C42-N41-C39
2	A	2301	NDP	O4D-C4D-C5D-O5D
2	A	2301	NDP	C3D-C4D-C5D-O5D
3	B	2302	6VG	O33-C32-C34-N36
2	A	2301	NDP	C5B-O5B-PA-O2A
3	B	2302	6VG	N36-C37-C38-C39
2	A	2301	NDP	C3B-C4B-C5B-O5B
2	A	2301	NDP	C2B-O2B-P2B-O2X
3	A	2302	6VG	C29-C32-C34-N36
3	B	2302	6VG	C37-C38-C39-O40
2	B	2301	NDP	C3D-C4D-C5D-O5D
2	B	2301	NDP	O4B-C4B-C5B-O5B
3	B	2302	6VG	C37-C38-C39-N41
3	A	2302	6VG	C29-C32-C34-O35


There are no ring outliers.


3 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2302	6VG	1	0
2	B	2301	NDP	3	0
2	A	2301	NDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-45912. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 145




Y Index: 124




Z Index: 138


### 6.3.2 Raw map



X Index: 145



Y Index: 124




Z Index: 151


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_45912\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 157 nm<sup>3</sup>; this corresponds to an approximate mass of 142 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.322 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.322 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.11	-	-
Author-provided FSC curve	3.11	3.50	3.16
Unmasked-calculated*	3.86	4.51	3.95

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.86 differs from the reported value 3.11 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-45912 and PDB model 9CTN. Per-residue inclusion information can be found in section 3 on page 5.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).


## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8750	 0.5330
A	 0.8830	 0.5390
B	 0.8610	 0.5270

