

Full wwPDB X-ray Structure Validation Report (i)

May 7, 2024 – 04:28 PM EDT

PDB ID	:	8D0Y
Title	:	Crystal Structure of HIV-1 BG505 SOSIPv8 Trimer in Complex with CD4bs
		targeting antibody 21N13 and interface targeting antibody 35O22 at 4.7
		Angstrom
Authors	:	Xian, Y.; Wilson, I.A.
Deposited on	:	2022-05-26
Resolution	:	4.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 4.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\#$ Entries)	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(Å)}) \end{array}$
R_{free}	130704	1085 (5.58-3.80)
Clashscore	141614	1159(5.60-3.80)
Ramachandran outliers	138981	1094 (5.58-3.80)
Sidechain outliers	138945	1074 (5.58-3.80)
RSRZ outliers	127900	1118 (5.70-3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	D	128	7%	25%	•
2	Е	111	74%	24%	•
3	Н	225	3% 79%	21%	
4	L	213	^{2%} 84%	15%	_
5	G	455	% 58%	40%	•



Mol	Chain	Length		Quality of chain	1
6	В	146	3%	74%	26%
7	А	7	29%	71	%
8	С	2		100%	
8	Κ	2	50%		50%
9	F	7	14%	57%	29%
10	Ι	6		67%	33%
11	J	5	20%	60%	20%
11	М	5	40%	40%	20%
11	Ν	5	40%		60%
11	0	5	40%		60%
12	Р	4	50%		50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	MAN	Ι	4	-	-	-	Х
10	MAN	Ι	6	-	-	-	Х
11	NAG	J	1	-	-	-	Х
11	NAG	М	1	-	-	-	Х
11	MAN	М	5	-	-	-	Х
11	BMA	0	3	-	-	-	Х
11	MAN	0	4	-	-	-	Х
11	MAN	0	5	-	-	-	Х
13	NAG	G	601	-	-	-	Х
13	NAG	G	602	-	-	-	Х
8	NAG	С	2	-	-	-	Х
9	MAN	F	7	_	_	-	X



2 Entry composition (i)

There are 13 unique types of molecules in this entry. The entry contains 10622 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 35O22scFv Heavy Chain Variable.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1	D	128	Total 994	C 628	N 169	0 192	${ m S}{ m 5}$	0	0	0

• Molecule 2 is a protein called 35O22scFv Light Chain Variable.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Е	111	Total 845	C 530	N 140	O 169	${ m S}{ m 6}$	0	0	0

• Molecule 3 is a protein called PGT124 Fab Heavy Chain.

Mol	Chain	Residues		Atoms					AltConf	Trace
3	Н	225	Total 1715	C 1086	N 288	O 335	S 6	0	0	0

• Molecule 4 is a protein called PGT124 Fab Light Chain.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
4	L	213	Total 1643	C 1022	N 279	O 335	${ m S} 7$	0	0	0

• Molecule 5 is a protein called BG505SOSIPv8 gp120.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
5	G	455	Total 3587	$\begin{array}{c} \mathrm{C} \\ \mathrm{2255} \end{array}$	N 631	O 673	S 28	0	0	0

• Molecule 6 is a protein called BG505SOSIPv8 gp41.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	В	146	Total 1166	C 735	N 205	0 219	S 7	0	0	0



• Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
7	А	7	Total C N O 83 46 2 35	0	0	0

• Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
8	С	2	Total 28	C 16	N 2	O 10	0	0	0
8	K	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyran ose-(1-3)-[alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
9	F	7	Total 83	C 46	N 2	O 35	0	0	0

• Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyra nose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
10	Ι	6	Total 72	C 40	N 2	O 30	0	0	0

• Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyra nose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
11	I	5	Total C N O	0	0	0
11	11 0	0	61 34 2 25	0	0	0
11	М	5	Total C N O	0	0	0
		5	61 34 2 25		0	
11	N	5	Total C N O	0	0	0
			61 34 2 25			
11	11 O	5	Total C N O	0	0	0
11		5	61 34 2 25			U

• Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
12	Р	4	Total 50	C 28	N 2	O 20	0	0	0

• Molecule 13 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	A	Atoms			ZeroOcc	AltConf	
13	C	1	Total	С	Ν	0	0	0	
10	G	T	14	8	1	5	0	0	
13	G	1	Total	С	Ν	0	0	0	
10	u	I	14	8	1	5	0	0	
13	G	1	Total	С	Ν	Ο	0	0	
10	G		14	8	1	5	0	0	
13	G	1	Total	С	Ν	Ο	0	0	
10	u	I	14	8	1	5	0	0	
13	G	1	Total	С	Ν	Ο	0	0	
10	10 0	I	14	8	1	5	0	0	
13	В	1	Total	С	N	Ō	0	0	
10	D	1	14	8	1	5		0	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 35O22scFv Heavy Chain Variable



• Molecule 4: PGT124 Fab Light Chain







 \bullet Molecule 5: BG505SOSIPv8 gp120



 $\label{eq:mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-b$

Chain A: 29% 71%

• Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

NAG1 NAG2

• Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 50% 50%

NAG1 NAG2

 $\label{eq:mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]} beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy$

Chain F:	14%	57%	29%
NAG1 NAG2 BMA3 MAN4 MAN5 MAN6 MAN6 MAN7			

 $\label{eq:mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]} beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy$

Chain I:	67%	33%
0 1101111 11	0770	55,0

NAG1 NAG2 BMA3 MAN4 MAN5 MAN6 MAN6

 \bullet Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)] beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose nose

Chain J:	20%	60%	20%
<mark>NAG1</mark> NAG2 BMA3 MAN4 MAN5 MAN5			

 \bullet Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)] beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose nose

Chain M:	40%	40%	20%
NAG1 NAG2 BMA3 MAN4 MAN5			

 \bullet Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)] beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 40% 60%



NAG1 NAG2 BMA3 MAN4 MAN5

 \bullet Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)] beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose nose

Chain O: 40% 60%

NAG1 NAG2 BMA3 MAN4 MAN5 MAN5

NAC NAC BMJ MAN

 $\bullet \ {\rm Molecule \ 12: \ alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose}$

Chain P:	50%	50%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants	264.67Å 264.67Å 264.67Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	43.63 - 4.70	Depositor
Resolution (A)	49.15 - 4.68	EDS
% Data completeness	96.3 (43.63-4.70)	Depositor
(in resolution range)	84.7(49.15-4.68)	EDS
R _{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.25 (at 4.64 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
P.P.	0.268 , 0.298	Depositor
n, n_{free}	0.271 , 0.300	DCC
R_{free} test set	1573 reflections $(4.85%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	212.9	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.25 , 299.3	EDS
L-test for twinning ²	$< L >=0.44, < L^2>=0.27$	Xtriage
Estimated twinning fraction	0.056 for l,-k,h	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	10622	wwPDB-VP
Average B, all atoms $(Å^2)$	364.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 1.85% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mal Chain		lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	D	0.25	0/1021	0.49	0/1390	
2	Е	0.25	0/869	0.49	0/1187	
3	Н	0.26	0/1762	0.49	0/2405	
4	L	0.25	0/1677	0.49	0/2277	
5	G	0.31	0/3663	0.67	1/4975~(0.0%)	
6	В	0.28	0/1189	0.60	0/1614	
All	All	0.28	0/10181	0.57	1/13848~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	G	431	GLY	N-CA-C	5.76	127.51	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	994	0	953	24	0
2	Е	845	0	795	16	0
3	Н	1715	0	1651	38	0
4	L	1643	0	1592	22	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	G	3587	0	3526	150	0
6	В	1166	0	1142	28	0
7	А	83	0	70	1	0
8	С	28	0	25	4	0
8	K	28	0	25	1	0
9	F	83	0	70	4	0
10	Ι	72	0	61	7	0
11	J	61	0	52	1	0
11	М	61	0	52	1	0
11	Ν	61	0	52	0	0
11	0	61	0	52	2	0
12	Р	50	0	43	1	0
13	В	14	0	13	0	0
13	G	70	0	65	6	0
All	All	10622	0	10239	256	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (256)	close	$\operatorname{contacts}$	within	the same	asymmetric	unit	are	listed	below,	sorted	by	their	clash
magnitud	le.												

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
5:G:392:ASN:HD22	5:G:395:TRP:HD1	1.14	0.92	
5:G:280:ASN:H	5:G:456:ARG:HD2	1.38	0.87	
5:G:101:VAL:HG13	5:G:479:TRP:HB2	1.58	0.84	
5:G:83:GLU:HG3	5:G:245:VAL:HG12	1.60	0.81	
5:G:231:LYS:HE2	5:G:267:GLU:HG2	1.61	0.81	
5:G:362:ALA:HA	5:G:392:ASN:HA	1.63	0.79	
6:B:657:GLU:O	6:B:661:LEU:HG	1.88	0.73	
5:G:274:SER:H	8:C:1:NAG:H81	1.55	0.72	
5:G:309:ILE:HD13	5:G:317:PHE:HB2	1.73	0.71	
5:G:101:VAL:HG11	5:G:480:ARG:HG3	1.72	0.70	
5:G:503:ARG:NE	6:B:605:CYS:O	2.23	0.70	
1:D:49:GLY:HA3	1:D:59:LEU:HD23	1.71	0.70	
3:H:167:ALA:HA	3:H:177:LEU:HB3	1.73	0.70	
2:E:9:SER:HA	2:E:102:THR:HG23	1.75	0.69	
6:B:548:ILE:O	6:B:552:GLN:HG2	1.94	0.68	
5:G:447:SER:OG	10:I:1:NAG:O7	2.11	0.68	
5:G:227:LYS:HE2	5:G:229:LYS:HG2	1.74	0.68	
5:G:275:GLU:HG3	5:G:282:LYS:HG3	1.77	0.67	
2:E:29:SER:O	2:E:30:HIS:ND1	2.27	0.67	



8D0Y	7
------	---

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:G:37:THR:HG22	6:B:605:CYS:HA	1.75	0.67
5:G:234:ASN:HD21	8:C:1:NAG:H83	1.60	0.67
4:L:10:SER:HB3	4:L:143:GLU:HB2	1.77	0.66
5:G:445:CYS:HA	10:I:2:NAG:H83	1.76	0.66
1:D:53:TYR:OH	5:G:87:GLU:OE1	2.09	0.66
5:G:282:LYS:HZ2	13:G:602:NAG:H81	1.61	0.65
5:G:258:GLN:HB2	5:G:374:HIS:HA	1.78	0.65
6:B:544:LEU:HD23	6:B:586:TYR:HD1	1.62	0.65
6:B:570:HIS:HA	6:B:573:ILE:HD12	1.79	0.65
3:H:66:ARG:NH2	3:H:86:ASP:OD2	2.29	0.65
3:H:58:ARG:HH11	5:G:469:ARG:HH12	1.44	0.64
5:G:428:GLN:OE1	5:G:433:ALA:HA	1.97	0.64
1:D:72(D):PRO:HG3	5:G:240:PRO:HB3	1.80	0.63
5:G:241:ASN:ND2	9:F:1:NAG:O7	2.31	0.62
3:H:118:PRO:HG3	3:H:199:HIS:HB2	1.81	0.62
5:G:277:ILE:HG23	13:G:602:NAG:H2	1.81	0.61
5:G:282:LYS:NZ	13:G:602:NAG:H81	2.15	0.61
1:D:14:PRO:HA	1:D:82(C):LEU:HB3	1.83	0.61
1:D:43:ARG:NH1	1:D:46:GLU:OE2	2.34	0.61
5:G:344:LYS:HA	5:G:347:LYS:HD2	1.82	0.61
5:G:66:HIS:ND1	5:G:207:LYS:O	2.25	0.60
1:D:1:GLN:O	1:D:3:GLN:NE2	2.35	0.60
5:G:392:ASN:ND2	5:G:395:TRP:HD1	1.93	0.59
5:G:127:VAL:HG21	5:G:161:MET:HB2	1.85	0.59
6:B:536:THR:O	6:B:540:GLN:NE2	2.35	0.59
6:B:571:TRP:HA	6:B:574:LYS:HB2	1.84	0.59
1:D:28:ARG:NH2	5:G:88:ASN:O	2.36	0.59
5:G:95:MET:SD	5:G:273:ARG:HD3	2.43	0.58
5:G:474:ASP:OD2	5:G:476:ARG:NH1	2.35	0.58
6:B:621:GLU:O	6:B:625:ASN:HB3	2.04	0.58
6:B:550:GLN:O	6:B:553:SER:OG	2.22	0.58
6:B:648:GLU:O	6:B:651:ASN:HB2	2.04	0.57
3:H:71:ARG:HB3	5:G:368:ASP:OD1	2.04	0.57
5:G:254:VAL:HG11	5:G:261:LEU:HB2	1.86	0.57
5:G:275:GLU:CG	5:G:282:LYS:HG3	2.35	0.57
5:G:391:PHE:CD2	5:G:470:PRO:HG3	2.39	0.57
5:G:270:VAL:HG22	5:G:348:GLN:HG3	1.87	0.57
3:H:100(J):GLY:H	4:L:49:TYR:HB2	1.70	0.56
5:G:104:MET:O	5:G:108:ILE:HG12	2.05	0.56
10:I:4:MAN:H4	10:I:5:MAN:H5	1.85	0.56
5:G:264:SER:OG	5:G:482:GLU:OE1	2.20	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:G:232:LYS:HD3	5:G:268:GLU:HB2	1.88	0.56
3:H:56:GLY:H	5:G:367:GLY:HA3	1.70	0.56
5:G:362:ALA:HA	5:G:392:ASN:CA	2.33	0.56
2:E:89:CYS:SG	2:E:97:VAL:N	2.79	0.56
3:H:51:ILE:HA	3:H:56:GLY:HA2	1.88	0.56
5:G:230:ASP:OD2	5:G:233:PHE:HB2	2.06	0.56
5:G:263:GLY:HA3	5:G:450:THR:HG21	1.88	0.56
5:G:270:VAL:HG12	5:G:289:ASN:H	1.70	0.56
5:G:335:LYS:HD3	5:G:396:ILE:HB	1.87	0.55
5:G:95:MET:H	5:G:236:THR:HG22	1.71	0.55
5:G:256:SER:OG	5:G:259:LEU:O	2.22	0.55
5:G:112:TRP:HH2	5:G:428:GLN:HE21	1.55	0.55
5:G:313:PRO:O	5:G:316:TRP:NE1	2.40	0.55
5:G:343:GLY:O	5:G:347:LYS:HG3	2.07	0.55
5:G:366:GLY:HA3	5:G:372:THR:CG2	2.36	0.55
3:H:29:PHE:HZ	3:H:71:ARG:HG3	1.71	0.55
5:G:36:VAL:HG22	6:B:610:TRP:HE3	1.73	0.54
5:G:424:ILE:HD11	5:G:434:MET:HE2	1.90	0.54
3:H:137:LEU:HB2	3:H:210:VAL:HG11	1.90	0.54
5:G:295:ASN:OD1	5:G:446:VAL:HG13	2.08	0.54
5:G:201:ILE:HG22	5:G:433:ALA:HB3	1.90	0.53
3:H:199:HIS:CD2	3:H:201:PRO:HD2	2.43	0.53
6:B:644:GLY:HA2	6:B:647:GLU:HG2	1.90	0.53
3:H:146:PRO:HD2	3:H:201:PRO:HG2	1.90	0.53
5:G:184:ILE:HG22	11:M:1:NAG:H62	1.91	0.53
2:E:83:GLU:HA	2:E:105:SER:HB3	1.89	0.53
5:G:34:LEU:HA	5:G:500:ARG:HG2	1.90	0.53
6:B:592:LEU:HD23	6:B:595:ILE:HD11	1.91	0.53
5:G:59:LYS:HG3	5:G:61:TYR:H	1.73	0.53
5:G:206:PRO:HG3	5:G:318:TYR:CE2	2.42	0.53
5:G:184:ILE:HG13	5:G:185:ASN:H	1.73	0.53
5:G:439:ILE:HB	5:G:443:ILE:HD11	1.89	0.52
5:G:263:GLY:CA	5:G:450:THR:HG21	2.40	0.52
5:G:297:THR:HG22	5:G:444:ARG:HG3	1.91	0.52
5:G:305:LYS:HE3	5:G:321:GLY:HA2	1.90	0.52
3:H:56:GLY:N	5:G:367:GLY:HA3	2.25	0.52
4:L:91:TYR:HA	4:L:96:LEU:HD22	1.91	0.52
5:G:180:ASP:O	5:G:194:ILE:HG22	2.09	0.52
5:G:176:PHE:HE1	5:G:319:TYR:HH	1.58	0.52
5:G:62:GLU:OE1	5:G:62:GLU:N	2.38	0.51
5:G:338:TRP:CE2	5:G:390:LEU:HD22	2.46	0.51



8D0Y	
------	--

		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
5:G:478:ASN:O	5:G:481:SER:OG	2.24	0.51
3:H:100(I):TYR:HE2	4:L:50:ARG:HH21	1.57	0.51
5:G:286:VAL:HB	5:G:452:LEU:HB2	1.93	0.51
5:G:476:ARG:HA	5:G:479:TRP:CD1	2.46	0.51
1:D:72(H):PHE:HZ	6:B:629:LEU:HB2	1.76	0.50
5:G:131:CYS:O	5:G:189:LYS:HB3	2.11	0.50
6:B:557:ARG:HG2	6:B:564:HIS:NE2	2.25	0.50
3:H:95:HIS:HB3	3:H:100(K):LEU:HD23	1.93	0.50
1:D:51:ILE:HB	1:D:69:MET:HE3	1.93	0.50
3:H:87:THR:HG23	3:H:110:THR:HA	1.94	0.50
4:L:120:PRO:HD3	4:L:132:VAL:HG22	1.92	0.50
5:G:500:ARG:HH21	6:B:619:LEU:HD22	1.76	0.50
5:G:254:VAL:HG21	5:G:262:ASN:HB2	1.94	0.50
5:G:335:LYS:HE3	5:G:411:ASN:H	1.77	0.50
5:G:371:VAL:HG22	5:G:472:GLY:HA3	1.94	0.50
4:L:56:ARG:HG2	4:L:56:ARG:HH11	1.76	0.50
5:G:199:SER:HB2	5:G:431:GLY:O	2.12	0.50
5:G:176:PHE:HE1	5:G:319:TYR:OH	1.95	0.49
6:B:560:GLU:OE1	6:B:564:HIS:HE1	1.95	0.49
5:G:280:ASN:HA	5:G:456:ARG:HG3	1.94	0.49
2:E:15:LEU:HA	2:E:78:LEU:HB2	1.93	0.49
5:G:371:VAL:HG13	5:G:472:GLY:N	2.28	0.49
3:H:158:LEU:HD21	3:H:181:VAL:HG21	1.93	0.49
5:G:305:LYS:HG2	5:G:306:SER:N	2.27	0.49
1:D:11:THR:HG23	1:D:110:THR:HA	1.95	0.49
5:G:319:TYR:HD1	5:G:319:TYR:HA	1.55	0.49
5:G:335:LYS:HZ1	5:G:414:ILE:HG12	1.78	0.49
3:H:29:PHE:HE1	3:H:73:ILE:HD13	1.78	0.49
5:G:273:ARG:HA	8:C:1:NAG:H81	1.95	0.49
4:L:113:PRO:HB3	4:L:139:PHE:HB3	1.96	0.48
6:B:577:GLN:O	6:B:581:LEU:HG	2.14	0.48
5:G:502:LYS:HG3	6:B:606:THR:O	2.13	0.48
2:E:19:VAL:HG23	2:E:78:LEU:HD11	1.94	0.48
5:G:110:SER:HG	6:B:571:TRP:HE1	1.61	0.48
5:G:284:ILE:HB	5:G:454:LEU:HB2	1.96	0.48
3:H:112:SER:HB3	3:H:145:PHE:CZ	2.49	0.48
5:G:317:PHE:HZ	5:G:319:TYR:CZ	2.32	0.47
1:D:52:SER:OG	7:A:2:NAG:H81	2.15	0.47
5:G:347:LYS:O	5:G:351:LYS:HG3	2.14	0.47
3:H:71:ARG:CZ	3:H:73:ILE:HD11	2.44	0.47
5:G:40:TYR:HE1	6:B:589:ASP:HB3	1.79	0.47



8D0Y	7
------	---

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
5:G:116:LEU:HD21	5:G:434:MET:SD	2.55	0.47	
10:I:3:BMA:H4	10:I:4:MAN:H3	1.96	0.47	
5:G:366:GLY:HA3	5:G:372:THR:HG22	1.96	0.47	
3:H:151:VAL:HG22	3:H:197:VAL:HG22	1.96	0.47	
3:H:165:PHE:HA	4:L:164:THR:HG22	1.97	0.47	
5:G:276:ASN:OD1	13:G:602:NAG:N2	2.48	0.47	
1:D:7:SER:HB3	1:D:21:SER:OG	2.14	0.47	
5:G:291:PRO:HG3	12:P:1:NAG:C7	2.45	0.47	
2:E:85:THR:HA	2:E:103:LYS:HA	1.96	0.47	
3:H:12:VAL:HG21	3:H:18:LEU:HD13	1.97	0.46	
5:G:323:ILE:HG13	11:O:1:NAG:H61	1.97	0.46	
8:C:1:NAG:H61	8:C:2:NAG:N2	2.31	0.46	
3:H:168:VAL:HG11	4:L:160:GLN:HB3	1.98	0.46	
1:D:101:TYR:HD1	2:E:46:LEU:HD23	1.80	0.46	
5:G:50:THR:HG22	5:G:488:VAL:HG11	1.98	0.46	
5:G:421:LYS:HE3	5:G:423:ILE:O	2.16	0.46	
4:L:140:TYR:CG	4:L:141:PRO:HA	2.51	0.46	
5:G:33:ASN:O	5:G:500:ARG:HG2	2.15	0.46	
5:G:307:ILE:HA	5:G:317:PHE:O	2.16	0.46	
5:G:179:LEU:HD22	5:G:421:LYS:HD2	1.98	0.46	
1:D:39:GLN:HA	1:D:45:PRO:HB3	1.97	0.46	
5:G:309:ILE:HG13	5:G:312:GLY:N	2.32	0.45	
1:D:31:PHE:CD2	1:D:98:ARG:HD2	2.52	0.45	
5:G:220:PRO:HG2	5:G:223:PHE:HD2	1.81	0.45	
5:G:425:ASN:HA	5:G:428:GLN:CD	2.37	0.45	
3:H:18:LEU:HD22	3:H:109:VAL:HG11	1.98	0.45	
3:H:133:GLY:O	3:H:185:SER:HB3	2.17	0.45	
5:G:295:ASN:O	5:G:331:CYS:HA	2.17	0.45	
5:G:336:ALA:O	5:G:340:GLU:HG3	2.17	0.45	
5:G:393:SER:O	5:G:394:THR:OG1	2.29	0.45	
1:D:29:PHE:CE2	1:D:52(A):PRO:HB3	2.52	0.44	
3:H:57:VAL:HG12	3:H:58:ARG:HG2	1.98	0.44	
5:G:86:LEU:HB3	5:G:89:VAL:HG21	1.99	0.44	
2:E:27:ASN:HA	2:E:27(C):CYS:HB3	1.98	0.44	
4:L:105:ASP:OD1	4:L:105:ASP:N	2.46	0.44	
6:B:591:GLN:O	6:B:595:ILE:HG12	2.17	0.44	
4:L:16:GLY:H	4:L:78:LEU:HB3	1.82	0.44	
5:G:71:THR:HG22	5:G:71:THR:O	2.18	0.44	
1:D:37:ILE:HD12	1:D:103:TRP:CH2	2.52	0.44	
5:G:303:THR:OG1	5:G:321:GLY:HA3	2.18	0.44	
5:G:220:PRO:HG2	5:G:223:PHE:CD2	2.53	0.44	



8D0Y

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:G:397:SER:H	5:G:410:SER:H	1.66	0.44
3:H:58:ARG:HH11	5:G:469:ARG:NH1	2.13	0.43
3:H:72:ASN:HB3	3:H:75:GLU:HB2	1.99	0.43
3:H:150:THR:OG1	3:H:198:ASN:HB3	2.18	0.43
5:G:120:VAL:HG11	5:G:309:ILE:HD11	2.00	0.43
5:G:342:LEU:O	5:G:346:VAL:HG23	2.18	0.43
5:G:446:VAL:O	10:I:1:NAG:H5	2.19	0.43
1:D:47:TRP:CH2	2:E:95(A):GLY:HA3	2.54	0.43
1:D:94:LYS:HG2	1:D:102:LEU:HB3	1.99	0.43
2:E:7:SER:OG	2:E:22:SER:HB3	2.18	0.43
1:D:14:PRO:HB3	1:D:83:THR:HA	2.00	0.43
5:G:160:ASN:ND2	13:G:601:NAG:H83	2.33	0.43
4:L:1:ASP:O	4:L:3:GLN:NE2	2.52	0.43
6:B:571:TRP:CZ3	6:B:574:LYS:HD2	2.54	0.43
1:D:72(F):THR:HG22	1:D:72(G):SER:H	1.84	0.43
4:L:1:ASP:CG	4:L:2:ILE:H	2.22	0.43
5:G:355:ASN:HD22	5:G:355:ASN:HA	1.68	0.43
2:E:15:LEU:HD13	2:E:108:GLY:H	1.84	0.43
5:G:121:LYS:HA	5:G:202:THR:HA	2.00	0.43
1:D:47:TRP:HZ2	1:D:50:TRP:HD1	1.67	0.42
5:G:141:ASP:HB3	5:G:143:ARG:HH21	1.84	0.42
5:G:393:SER:OG	13:G:604:NAG:H83	2.19	0.42
2:E:6:GLN:HB3	2:E:101:GLY:H	1.85	0.42
5:G:494:LEU:HD21	6:B:593:LEU:HD11	2.01	0.42
2:E:66:LYS:HG3	2:E:71:ALA:HB2	2.00	0.42
5:G:424:ILE:HD11	5:G:434:MET:CE	2.49	0.42
9:F:4:MAN:H2	9:F:5:MAN:H2	1.79	0.42
5:G:95:MET:HE2	5:G:236:THR:HG23	2.02	0.42
3:H:33:TYR:OH	5:G:480:ARG:NH2	2.52	0.42
4:L:48:ILE:HG23	4:L:53:THR:O	2.20	0.42
5:G:275:GLU:HG3	5:G:282:LYS:NZ	2.35	0.42
5:G:301:ASN:H	5:G:322:ILE:HG23	1.84	0.42
5:G:366:GLY:HA3	5:G:372:THR:HG23	2.01	0.42
4:L:37:GLN:HB2	4:L:47:LEU:HD11	2.01	0.42
5:G:323:ILE:HG21	11:O:1:NAG:H61	2.00	0.42
5:G:299:PRO:HA	5:G:442:VAL:HG13	2.02	0.42
3:H:38:ARG:HB3	3:H:48:ILE:HD11	2.01	0.42
5:G:428:GLN:CD	5:G:433:ALA:HA	2.40	0.42
6:B:586:TYR:CZ	6:B:590:GLN:HG3	2.55	0.42
1:D:109:LEU:HB3	1:D:110:THR:H	1.67	0.41
2:E:36:TYR:CZ	2:E:46:LEU:HD13	2.54	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:H:100(B):TYR:CZ	5:G:99:ASN:ND2	2.89	0.41
5:G:424:ILE:O	5:G:428:GLN:NE2	2.53	0.41
6:B:646:LEU:HD12	6:B:646:LEU:HA	1.73	0.41
5:G:307:ILE:HG13	5:G:308:ARG:H	1.85	0.41
3:H:25:SER:OG	3:H:26:ASP:OD1	2.38	0.41
5:G:95:MET:HA	5:G:98:ASN:ND2	2.36	0.41
3:H:47:TRP:CD1	4:L:96:LEU:HD12	2.55	0.41
4:L:201:LEU:HD13	4:L:205:VAL:HG23	2.02	0.41
5:G:386:ASN:HB3	5:G:417:PRO:HD2	2.02	0.41
1:D:47:TRP:CZ3	2:E:95(A):GLY:HA3	2.56	0.41
3:H:58:ARG:HB3	4:L:94:THR:HG21	2.02	0.41
5:G:138:ILE:HG13	5:G:138:ILE:O	2.21	0.41
6:B:544:LEU:HD12	6:B:544:LEU:HA	1.67	0.41
3:H:74:HIS:HB3	5:G:198:THR:OG1	2.21	0.40
4:L:18:ARG:HA	4:L:75:ILE:O	2.21	0.40
5:G:157:CYS:O	5:G:173:TYR:HA	2.21	0.40
5:G:230:ASP:HA	9:F:1:NAG:O7	2.21	0.40
3:H:100(J):GLY:N	4:L:49:TYR:HB2	2.34	0.40
5:G:34:LEU:HD23	5:G:500:ARG:HG3	2.03	0.40
5:G:116:LEU:HA	5:G:116:LEU:HD23	1.78	0.40
10:I:1:NAG:O6	10:I:2:NAG:N2	2.55	0.40
10:I:3:BMA:H62	10:I:4:MAN:H2	1.67	0.40
11:J:2:NAG:H4	11:J:3:BMA:H2	1.72	0.40
4:L:61:ARG:CZ	4:L:79:GLN:HG3	2.52	0.40
5:G:66:HIS:CE1	5:G:207:LYS:HD2	2.56	0.40
5:G:66:HIS:HD1	5:G:207:LYS:C	2.17	0.40
5:G:231:LYS:HB3	5:G:267:GLU:HB2	2.03	0.40
8:K:1:NAG:H61	8:K:2:NAG:N2	2.37	0.40
5:G:95:MET:HB3	5:G:484:TYR:HA	2.04	0.40
5:G:202:THR:O	5:G:434:MET:HA	2.22	0.40
5:G:459:GLY:O	5:G:461:THR:N	2.54	0.40
5:G:230:ASP:OD1	9:F:1:NAG:H81	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	D	126/128~(98%)	115 (91%)	11 (9%)	0	100	100
2	Е	109/111~(98%)	101 (93%)	8 (7%)	0	100	100
3	Н	221/225~(98%)	211 (96%)	9 (4%)	1 (0%)	29	68
4	L	211/213~(99%)	206 (98%)	5 (2%)	0	100	100
5	G	449/455~(99%)	405 (90%)	38 (8%)	6 (1%)	12	48
6	В	144/146~(99%)	136 (94%)	7 (5%)	1 (1%)	22	62
All	All	1260/1278~(99%)	1174 (93%)	78 (6%)	8 (1%)	25	65

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	G	429	ARG
5	G	466	GLU
6	В	565	LEU
5	G	460	SER
5	G	154	LEU
5	G	474	ASP
5	G	278	THR
3	Н	73	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	D	107/107~(100%)	101 (94%)	6~(6%)	21 48
2	Ε	97/97~(100%)	91~(94%)	6~(6%)	18 45
3	Н	190/190~(100%)	190 (100%)	0	100 100
4	L	189/189~(100%)	186~(98%)	3~(2%)	62 79
5	G	408/408~(100%)	394~(97%)	14 (3%)	37 61



Continued	from	previous	page
-----------	------	----------	------

Mol	Chain	Analysed	Rotameric	Outliers Percentil		\mathbf{ntiles}
6	В	127/127~(100%)	127~(100%)	0	100	100
All	All	1118/1118 (100%)	1089~(97%)	29 (3%)	46	67

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	D	31	PHE
1	D	66	ARG
1	D	72(F)	THR
1	D	72(G)	SER
1	D	82(C)	LEU
1	D	83	THR
2	Е	27	ASN
2	Е	48	ILE
2	Е	49	TYR
2	Е	51	ASP
2	Е	84	THR
2	Е	103	LYS
4	L	56	ARG
4	L	103	MET
4	L	187	GLU
5	G	54	CYS
5	G	64	LYS
5	G	68	VAL
5	G	73	CYS
5	G	74	CYS
5	G	139	THR
5	G	165	LEU
5	G	197	ASN
5	G	278	THR
5	G	319	TYR
5	G	352	HIS
5	G	360	ARG
5	G	369	LEU
5	G	396	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

48 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	В	ond ang	les
	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
7	NAG	А	1	5,7	14,14,15	0.41	0	17,19,21	0.67	0
7	NAG	А	2	7	14,14,15	0.26	0	17,19,21	0.48	0
7	BMA	А	3	7	11,11,12	0.69	0	$15,\!15,\!17$	0.90	0
7	MAN	А	4	7	11,11,12	1.32	3 (27%)	$15,\!15,\!17$	1.62	2 (13%)
7	MAN	А	5	7	11,11,12	0.88	1 (9%)	$15,\!15,\!17$	1.43	2 (13%)
7	MAN	А	6	7	11,11,12	0.64	0	$15,\!15,\!17$	1.18	2 (13%)
7	MAN	А	7	7	11,11,12	1.62	2 (18%)	$15,\!15,\!17$	2.19	4 (26%)
8	NAG	С	1	5,8	14,14,15	0.42	0	17,19,21	0.50	0
8	NAG	С	2	8	14,14,15	0.31	0	17,19,21	0.37	0
9	NAG	F	1	5,9	14,14,15	0.65	0	17,19,21	0.61	0
9	NAG	F	2	9	14,14,15	0.19	0	17,19,21	0.73	0
9	BMA	F	3	9	11,11,12	1.06	1 (9%)	$15,\!15,\!17$	1.13	1 (6%)
9	MAN	F	4	9	11,11,12	0.66	0	$15,\!15,\!17$	1.11	2 (13%)
9	MAN	F	5	9	11,11,12	0.75	0	$15,\!15,\!17$	0.95	1 (6%)
9	MAN	F	6	9	11,11,12	0.65	0	$15,\!15,\!17$	1.08	2 (13%)
9	MAN	F	7	9	11,11,12	0.68	0	$15,\!15,\!17$	1.04	2 (13%)
10	NAG	Ι	1	5,10	14,14,15	0.20	0	17,19,21	0.75	0
10	NAG	Ι	2	10	14,14,15	0.22	0	17,19,21	0.42	0
10	BMA	Ι	3	10	11,11,12	0.68	0	$15,\!15,\!17$	0.77	0
10	MAN	Ι	4	10	11,11,12	0.95	1 (9%)	$15,\!15,\!17$	0.91	1 (6%)



Mal	Tuno	Chain	Dog	Tink	Bond lengths		B	Bond angles		
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	MAN	Ι	5	10	11,11,12	0.62	0	$15,\!15,\!17$	1.03	2 (13%)
10	MAN	Ι	6	10	11,11,12	0.70	0	$15,\!15,\!17$	1.05	2 (13%)
11	NAG	J	1	5,11	14,14,15	0.22	0	17,19,21	0.49	0
11	NAG	J	2	11	14,14,15	0.26	0	17,19,21	0.51	0
11	BMA	J	3	11	11,11,12	1.02	0	$15,\!15,\!17$	1.07	1 (6%)
11	MAN	J	4	11	11,11,12	0.85	0	$15,\!15,\!17$	1.10	2 (13%)
11	MAN	J	5	11	11,11,12	0.67	0	$15,\!15,\!17$	1.12	2 (13%)
8	NAG	К	1	5,8	14,14,15	1.03	1 (7%)	17,19,21	0.78	0
8	NAG	K	2	8	14,14,15	0.33	0	17,19,21	0.43	0
11	NAG	М	1	11	14,14,15	0.65	1 (7%)	17,19,21	0.53	0
11	NAG	М	2	11	14,14,15	0.23	0	17,19,21	0.39	0
11	BMA	М	3	11	11,11,12	0.68	0	$15,\!15,\!17$	0.71	0
11	MAN	М	4	11	11,11,12	0.68	0	$15,\!15,\!17$	1.11	2 (13%)
11	MAN	М	5	11	11,11,12	0.75	1 (9%)	$15,\!15,\!17$	1.06	2 (13%)
11	NAG	Ν	1	5,11	14,14,15	0.93	1 (7%)	17,19,21	0.52	0
11	NAG	N	2	11	14,14,15	0.39	0	17,19,21	0.36	0
11	BMA	N	3	11	11,11,12	0.60	0	$15,\!15,\!17$	0.66	0
11	MAN	Ν	4	11	11,11,12	0.78	1 (9%)	$15,\!15,\!17$	1.27	2 (13%)
11	MAN	Ν	5	11	11,11,12	0.71	0	$15,\!15,\!17$	1.00	2 (13%)
11	NAG	0	1	5,11	14,14,15	0.33	0	17,19,21	0.54	0
11	NAG	0	2	11	14,14,15	0.32	0	$17,\!19,\!21$	0.40	0
11	BMA	0	3	11	11,11,12	0.75	0	$15,\!15,\!17$	0.67	0
11	MAN	Ο	4	11	11,11,12	0.76	1 (9%)	$15,\!15,\!17$	1.22	2 (13%)
11	MAN	0	5	11	11,11,12	0.74	0	$15,\!15,\!17$	1.04	2 (13%)
12	NAG	Р	1	5,12	14,14,15	0.34	0	17,19,21	0.66	0
12	NAG	Р	2	12	14,14,15	0.24	0	17,19,21	0.45	0
12	BMA	P	3	12	11,11,12	0.70	0	$15,\!1\overline{5},\!1\overline{7}$	0.74	0
12	MAN	Р	4	12	11,11,12	0.71	0	$15,\!15,\!17$	1.15	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	А	1	5,7	-	2/6/23/26	0/1/1/1
7	NAG	А	2	7	-	3/6/23/26	0/1/1/1
7	BMA	А	3	7	-	0/2/19/22	0/1/1/1
7	MAN	А	4	7	-	0/2/19/22	0/1/1/1



8D0Y	
------	--

Conti	nued fro	m previoi	is page	•••			
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	А	5	7	-	0/2/19/22	0/1/1/1
7	MAN	A	6	7	-	0/2/19/22	0/1/1/1
7	MAN	А	7	7	-	2/2/19/22	0/1/1/1
8	NAG	С	1	5,8	-	2/6/23/26	0/1/1/1
8	NAG	С	2	8	-	0/6/23/26	0/1/1/1
9	NAG	F	1	5,9	-	2/6/23/26	0/1/1/1
9	NAG	F	2	9	-	0/6/23/26	0/1/1/1
9	BMA	F	3	9	-	2/2/19/22	0/1/1/1
9	MAN	F	4	9	-	0/2/19/22	0/1/1/1
9	MAN	F	5	9	-	1/2/19/22	0/1/1/1
9	MAN	F	6	9	-	0/2/19/22	0/1/1/1
9	MAN	F	7	9	-	0/2/19/22	0/1/1/1
10	NAG	Ι	1	5,10	-	2/6/23/26	0/1/1/1
10	NAG	Ι	2	10	-	4/6/23/26	0/1/1/1
10	BMA	Ι	3	10	-	1/2/19/22	0/1/1/1
10	MAN	Ι	4	10	-	0/2/19/22	0/1/1/1
10	MAN	Ι	5	10	-	0/2/19/22	0/1/1/1
10	MAN	Ι	6	10	-	0/2/19/22	0/1/1/1
11	NAG	J	1	5,11	-	2/6/23/26	0/1/1/1
11	NAG	J	2	11	-	0/6/23/26	0/1/1/1
11	BMA	J	3	11	-	1/2/19/22	0/1/1/1
11	MAN	J	4	11	-	1/2/19/22	0/1/1/1
11	MAN	J	5	11	-	0/2/19/22	0/1/1/1
8	NAG	K	1	5,8	-	0/6/23/26	0/1/1/1
8	NAG	K	2	8	-	1/6/23/26	0/1/1/1
11	NAG	М	1	11	-	2/6/23/26	0/1/1/1
11	NAG	М	2	11	-	2/6/23/26	0/1/1/1
11	BMA	М	3	11	-	0/2/19/22	0/1/1/1
11	MAN	М	4	11	-	0/2/19/22	0/1/1/1
11	MAN	М	5	11	-	1/2/19/22	0/1/1/1
11	NAG	Ν	1	5,11	-	4/6/23/26	0/1/1/1
11	NAG	N	2	11	-	0/6/23/26	0/1/1/1
11	BMA	N	3	11	-	0/2/19/22	0/1/1/1
11	MAN	N	4	11	-	0/2/19/22	0/1/1/1
11	MAN	N	5	11	-	0/2/19/22	0/1/1/1
11	NAG	0	1	5,11	-	2/6/23/26	0/1/1/1
11	NAG	О	2	11	-	0/6/23/26	0/1/1/1
11	BMA	0	3	11	-	0/2/19/22	0/1/1/1
11	MAN	0	4	11	-	0/2/19/22	0/1/1/1
11	MAN	0	5	11	-	0/2/19/22	0/1/1/1

 \sim · · 1 0 .



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	Р	1	5,12	-	2/6/23/26	0/1/1/1
12	NAG	Р	2	12	-	2/6/23/26	0/1/1/1
12	BMA	Р	3	12	-	1/2/19/22	0/1/1/1
12	MAN	Р	4	12	-	0/2/19/22	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	Κ	1	NAG	O5-C1	-3.71	1.37	1.43
7	А	7	MAN	C1-C2	3.66	1.60	1.52
7	А	7	MAN	O5-C1	3.33	1.49	1.43
11	Ν	1	NAG	O5-C1	-3.22	1.38	1.43
7	А	4	MAN	O5-C5	2.39	1.48	1.43
11	М	1	NAG	O5-C1	-2.33	1.40	1.43
9	F	3	BMA	C4-C3	2.24	1.58	1.52
7	А	4	MAN	O3-C3	2.18	1.48	1.43
7	А	4	MAN	C2-C3	2.17	1.55	1.52
11	0	4	MAN	C1-C2	2.16	1.57	1.52
10	Ι	4	MAN	O5-C1	-2.15	1.40	1.43
11	Ν	4	MAN	C1-C2	2.03	1.56	1.52
7	А	5	MAN	C1-C2	2.03	1.56	1.52
11	М	5	MAN	C1-C2	2.02	1.56	1.52

All ((42)	bond	angle	outliers	are	listed	below:
\	/	001101	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0.0101010	002.0	110000	0010111

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
7	А	7	MAN	C1-O5-C5	6.78	121.37	112.19
7	А	5	MAN	C1-O5-C5	4.55	118.35	112.19
7	А	4	MAN	O3-C3-C2	4.36	118.33	109.99
7	А	4	MAN	C1-O5-C5	4.15	117.81	112.19
11	Ν	4	MAN	C1-O5-C5	3.70	117.21	112.19
11	0	4	MAN	C1-O5-C5	3.42	116.83	112.19
7	А	6	MAN	C1-O5-C5	3.39	116.78	112.19
12	Р	4	MAN	C1-O5-C5	3.19	116.52	112.19
11	J	5	MAN	C1-O5-C5	3.09	116.39	112.19
7	А	7	MAN	C1-C2-C3	3.06	113.43	109.67
11	М	4	MAN	C1-O5-C5	2.97	116.22	112.19
9	F	6	MAN	C1-O5-C5	2.96	116.21	112.19
7	А	7	MAN	O5-C1-C2	2.76	115.03	110.77
10	Ι	5	MAN	C1-O5-C5	2.71	115.87	112.19
9	F	4	MAN	O2-C2-C3	-2.63	104.86	110.14
9	F	3	BMA	C3-C4-C5	2.62	114.91	110.24



Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
11	J	4	MAN	C1-O5-C5	2.61	115.73	112.19
9	F	7	MAN	C1-O5-C5	2.57	115.68	112.19
10	Ι	6	MAN	C1-O5-C5	2.50	115.58	112.19
9	F	4	MAN	C1-O5-C5	2.48	115.55	112.19
11	М	5	MAN	C1-O5-C5	2.46	115.52	112.19
11	0	5	MAN	C1-O5-C5	2.40	115.44	112.19
12	Р	4	MAN	O2-C2-C3	-2.29	105.55	110.14
11	N	5	MAN	C1-O5-C5	2.29	115.29	112.19
11	0	4	MAN	O2-C2-C3	-2.27	105.58	110.14
7	А	5	MAN	O2-C2-C3	-2.27	105.59	110.14
9	F	6	MAN	O2-C2-C3	-2.26	105.61	110.14
7	А	7	MAN	O2-C2-C3	-2.26	105.62	110.14
11	J	5	MAN	O2-C2-C3	-2.25	105.63	110.14
10	Ι	5	MAN	O2-C2-C3	-2.23	105.66	110.14
9	F	5	MAN	O2-C2-C3	-2.22	105.69	110.14
11	М	4	MAN	O2-C2-C3	-2.21	105.71	110.14
9	F	7	MAN	O2-C2-C3	-2.20	105.73	110.14
11	Ν	4	MAN	O2-C2-C3	-2.19	105.76	110.14
7	А	6	MAN	O2-C2-C3	-2.17	105.78	110.14
11	Ν	5	MAN	O2-C2-C3	-2.14	105.84	110.14
11	0	5	MAN	O2-C2-C3	-2.14	105.86	110.14
11	М	5	MAN	O2-C2-C3	-2.12	105.89	110.14
10	Ι	4	MAN	O2-C2-C3	-2.11	105.91	110.14
10	Ι	6	MAN	O2-C2-C3	-2.10	105.93	110.14
11	J	4	MAN	O2-C2-C3	-2.08	105.97	110.14
11	J	3	BMA	O5-C5-C6	2.03	110.39	107.20

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	F	1	NAG	C3-C2-N2-C7
11	J	1	NAG	O5-C5-C6-O6
11	М	1	NAG	O5-C5-C6-O6
7	А	1	NAG	O5-C5-C6-O6
11	Ν	1	NAG	O5-C5-C6-O6
11	Ν	1	NAG	C4-C5-C6-O6
12	Р	2	NAG	C4-C5-C6-O6
11	0	1	NAG	C4-C5-C6-O6
7	А	1	NAG	C4-C5-C6-O6
9	F	3	BMA	O5-C5-C6-O6
11	М	1	NAG	C4-C5-C6-O6



Mol	Chain	Res	Type	Atoms
7	А	2	NAG	C8-C7-N2-C2
7	А	2	NAG	O7-C7-N2-C2
8	С	1	NAG	C8-C7-N2-C2
8	С	1	NAG	O7-C7-N2-C2
10	Ι	2	NAG	C8-C7-N2-C2
10	Ι	2	NAG	O7-C7-N2-C2
11	J	1	NAG	C4-C5-C6-O6
12	Р	2	NAG	O5-C5-C6-O6
10	Ι	3	BMA	O5-C5-C6-O6
11	0	1	NAG	O5-C5-C6-O6
9	F	3	BMA	C4-C5-C6-O6
11	J	4	MAN	O5-C5-C6-O6
11	Ν	1	NAG	C1-C2-N2-C7
11	J	3	BMA	O5-C5-C6-O6
8	К	2	NAG	O5-C5-C6-O6
9	F	5	MAN	O5-C5-C6-O6
7	А	2	NAG	O5-C5-C6-O6
10	Ι	1	NAG	O5-C5-C6-O6
7	А	7	MAN	C4-C5-C6-O6
10	Ι	2	NAG	C4-C5-C6-O6
12	Р	1	NAG	C4-C5-C6-O6
10	Ι	2	NAG	O5-C5-C6-O6
11	М	2	NAG	C4-C5-C6-O6
10	Ι	1	NAG	C3-C2-N2-C7
11	М	5	MAN	C4-C5-C6-O6
12	Р	3	BMA	C4-C5-C6-O6
12	Р	1	NAG	C1-C2-N2-C7
9	F	1	NAG	C1-C2-N2-C7
11	Ν	1	NAG	C3-C2-N2-C7
11	М	2	NAG	O5-C5-C6-O6
7	А	7	MAN	O5-C5-C6-O6

Continued from previous page...

There are no ring outliers.

18 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	F	4	MAN	1	0
10	Ι	4	MAN	3	0
11	J	2	NAG	1	0
11	J	3	BMA	1	0
10	Ι	1	NAG	3	0
10	Ι	5	MAN	1	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	Р	1	NAG	1	0
11	0	1	NAG	2	0
8	С	1	NAG	4	0
9	F	1	NAG	3	0
8	С	2	NAG	1	0
10	Ι	2	NAG	2	0
9	F	5	MAN	1	0
10	Ι	3	BMA	2	0
7	А	2	NAG	1	0
8	K	2	NAG	1	0
11	М	1	NAG	1	0
8	Κ	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











































5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Funa Chain Bag		Tink	Bo	Bond lengths			Bond angles		
INIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
13	NAG	G	604	5	14,14,15	0.53	0	17,19,21	0.60	0	
13	NAG	G	602	5	14,14,15	0.53	0	17,19,21	0.50	0	
13	NAG	G	605	5	$14,\!14,\!15$	0.30	0	17,19,21	0.45	0	
13	NAG	В	701	6	14,14,15	0.24	0	17,19,21	0.35	0	
13	NAG	G	601	-	$14,\!14,\!15$	0.27	0	17,19,21	0.42	0	
13	NAG	G	603	5	14,14,15	0.19	0	17,19,21	0.64	1 (5%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	G	604	5	-	1/6/23/26	0/1/1/1
13	NAG	G	602	5	-	2/6/23/26	0/1/1/1
13	NAG	G	605	5	-	0/6/23/26	0/1/1/1
13	NAG	В	701	6	-	3/6/23/26	0/1/1/1
13	NAG	G	601	-	-	4/6/23/26	0/1/1/1
13	NAG	G	603	5	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
13	G	603	NAG	C1-O5-C5	2.19	115.16	112.19

There are no chirality outliers.

All (12) torsion outliers are listed below:



8D	0	Υ
\mathcal{L}	\mathbf{U}	-

Mol	Chain	Res	Type	Atoms
13	G	602	NAG	O5-C5-C6-O6
13	G	601	NAG	O5-C5-C6-O6
13	G	603	NAG	O5-C5-C6-O6
13	G	602	NAG	C4-C5-C6-O6
13	G	601	NAG	C4-C5-C6-O6
13	G	601	NAG	C8-C7-N2-C2
13	G	601	NAG	O7-C7-N2-C2
13	В	701	NAG	C8-C7-N2-C2
13	В	701	NAG	O7-C7-N2-C2
13	G	603	NAG	C4-C5-C6-O6
13	В	701	NAG	O5-C5-C6-O6
13	G	604	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	G	604	NAG	1	0
13	G	602	NAG	4	0
13	G	601	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
5	G	2
3	Н	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	G	397:SER	С	409:GLY	Ν	6.35
1	Н	125:PRO	С	130:THR	Ν	4.59
1	G	143:ARG	С	152:GLY	Ν	3.06



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	D	128/128~(100%)	0.34	9 (7%) 16 14	320, 381, 430, 447	0
2	Е	111/111 (100%)	-0.18	0 100 100	318, 372, 411, 428	0
3	Н	225/225~(100%)	0.05	6 (2%) 54 45	264, 345, 405, 445	0
4	L	213/213~(100%)	-0.01	5 (2%) 60 52	274, 353, 397, 447	0
5	G	455/455~(100%)	0.05	4 (0%) 84 77	260, 349, 459, 544	0
6	В	146/146~(100%)	0.09	4 (2%) 54 45	268, 337, 462, 504	0
All	All	1278/1278~(100%)	0.05	28 (2%) 62 53	260, 356, 438, 544	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Н	210	VAL	6.4
6	В	661	LEU	3.9
6	В	552	GLN	3.9
1	D	33	HIS	3.9
3	Н	136	ALA	3.7
5	G	365	SER	3.6
3	Н	137	LEU	3.3
4	L	47	LEU	3.2
1	D	18	VAL	3.0
4	L	46	LEU	3.0
1	D	35	ASN	2.8
1	D	82	ILE	2.7
1	D	100(B)	SER	2.7
3	Н	193	TYR	2.5
5	G	368	ASP	2.5
4	L	35	TRP	2.4
1	D	34	ILE	2.4
6	В	551	GLN	2.3
3	Н	123	LEU	2.3



Mol	Chain Res		Type	RSRZ	
4	L	48	ILE	2.3	
3	Н	11	ARG	2.3	
1	D	36	TRP	2.2	
5	G	366	GLY	2.2	
6	В	554	ASN	2.2	
5	G	364	SER	2.2	
1	D	17	SER	2.1	
4	L	33	LEU	2.1	
1	D	71	THR	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
11	NAG	J	1	14/15	0.52	0.44	306,430,476,521	0
11	MAN	М	5	11/12	0.56	0.59	412,435,476,491	0
11	MAN	Ν	4	11/12	0.58	0.36	441,503,566,572	0
11	MAN	0	4	11/12	0.59	0.68	447,503,575,590	0
9	MAN	F	7	11/12	0.61	0.49	465,531,569,582	0
11	BMA	0	3	11/12	0.61	0.46	483,528,564,574	0
10	MAN	Ι	6	11/12	0.61	0.55	339,364,451,493	0
11	BMA	N	3	11/12	0.65	0.31	461,507,551,590	0
7	MAN	А	4	11/12	0.66	0.22	380,421,455,486	0
11	MAN	N	5	11/12	0.66	0.31	379,452,504,514	0
8	NAG	С	2	14/15	0.70	0.47	353,384,441,450	0
11	NAG	М	1	14/15	0.70	0.42	262,354,506,523	0
11	NAG	М	2	14/15	0.70	0.32	348,424,459,717	0
8	NAG	С	1	14/15	0.71	0.30	281,419,481,529	0
11	MAN	J	4	11/12	0.72	0.33	414,473,552,566	0
9	BMA	F	3	11/12	0.72	0.34	475,519,556,583	0
9	NAG	F	1	14/15	0.72	0.24	341,403,549,549	0
12	MAN	Р	4	11/12	0.72	0.39	389,468,554,586	0
10	MAN	Ι	4	11/12	0.73	0.41	336,468,517,521	0



0001	8I	00	Υ
------	----	----	---

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\operatorname{\AA}^2)$	Q<0.9
11	MAN	0	5	11/12	0.75	0.43	359,482,504,537	0
9	MAN	F	6	11/12	0.76	0.38	438,466,551,574	0
12	BMA	Р	3	11/12	0.77	0.32	350,454,547,591	0
9	NAG	F	2	14/15	0.80	0.36	395,425,543,556	0
10	MAN	Ι	5	11/12	0.81	0.69	422,487,555,576	0
11	MAN	М	4	11/12	0.82	0.20	374,409,521,701	0
10	BMA	Ι	3	11/12	0.82	0.22	332,380,447,460	0
11	BMA	J	3	11/12	0.83	0.34	444,542,560,585	0
11	BMA	М	3	11/12	0.83	0.17	403,430,509,570	0
8	NAG	Κ	2	14/15	0.83	0.40	274,409,464,516	0
11	NAG	J	2	14/15	0.83	0.27	389,491,532,547	0
11	NAG	0	2	14/15	0.84	0.25	374,453,512,642	0
9	MAN	F	5	11/12	0.84	0.31	407,476,533,537	0
10	NAG	Ι	2	14/15	0.84	0.32	297,346,411,440	0
11	NAG	N	2	14/15	0.85	0.43	371,476,569,771	0
8	NAG	K	1	14/15	0.85	0.44	295,374,407,413	0
11	NAG	0	1	14/15	0.85	0.23	302,400,467,480	0
11	NAG	N	1	14/15	0.86	0.28	370,426,514,562	0
7	BMA	А	3	11/12	0.86	0.13	333,381,439,491	0
10	NAG	Ι	1	14/15	0.87	0.34	277,305,398,430	0
7	NAG	А	1	14/15	0.87	0.34	291,365,390,442	0
7	NAG	А	2	14/15	0.87	0.47	335,380,428,475	0
7	MAN	А	6	11/12	0.88	0.25	305,421,468,521	0
9	MAN	F	4	11/12	0.88	0.49	501,532,557,561	0
11	MAN	J	5	11/12	0.89	0.30	434,453,480,496	0
7	MAN	А	5	11/12	0.90	0.16	330,396,499,511	0
7	MAN	А	7	11/12	0.91	0.19	262,365,470,475	0
12	NAG	Р	1	14/15	0.91	0.33	321,402,480,490	0
12	NAG	Р	2	14/15	0.94	0.18	344,443,549,815	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





























6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
13	NAG	G	601	14/15	0.22	0.48	376,414,478,494	0
13	NAG	G	603	14/15	0.39	0.37	304,397,434,449	0
13	NAG	G	602	14/15	0.69	0.49	297,449,488,493	0
13	NAG	G	605	14/15	0.82	0.33	353,500,528,530	0
13	NAG	В	701	14/15	0.87	0.32	312,385,476,484	0
13	NAG	G	604	14/15	0.88	0.24	369,441,500,504	0

6.5 Other polymers (i)

There are no such residues in this entry.

