



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 02:26 am BST

PDB ID : 3D37
Title : The crystal structure of the tail protein from *Neisseria meningitidis* MC58
Authors : Zhang, R.; Li, H.; Bargassa, M.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2008-05-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	381	
1	B	381	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	A	382	-	-	X	-
2	CL	B	383	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5398 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tail protein, 43 kDa.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	326	2549	1613	449	476	11	0	0	0
1	B	316	2480	1575	432	462	11	0	0	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Cl	0	0
			3	3		
2	A	3	Total	Cl	0	0
			3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	188	Total	O	0	0
			188	188		
3	B	175	Total	O	0	0
			175	175		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tail protein, 43 kDa



- Molecule 1: Tail protein, 43 kDa



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	137.46 Å 137.46 Å 137.46 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	97.13 – 2.10 45.82 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (97.13-2.10) 99.8 (45.82-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 2.10 Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.220 , 0.273 0.222 , 0.267	Depositor DCC
R_{free} test set	2565 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	38.4	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.030 for l,-k,h	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5398	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.93	3/2608 (0.1%)	0.94	8/3537 (0.2%)
1	B	0.96	3/2537 (0.1%)	0.92	5/3442 (0.1%)
All	All	0.95	6/5145 (0.1%)	0.93	13/6979 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	168	LEU	CG-CD1	8.25	1.82	1.51
1	B	199	ASN	CB-CG	5.68	1.64	1.51
1	A	61	VAL	CB-CG1	5.53	1.64	1.52
1	B	23	GLU	CB-CG	5.25	1.62	1.52
1	A	202	ARG	CB-CG	-5.21	1.38	1.52
1	A	90	SER	CB-OG	-5.02	1.35	1.42

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	300	ARG	NE-CZ-NH2	-8.06	116.27	120.30
1	B	300	ARG	NE-CZ-NH1	7.75	124.17	120.30
1	A	319	ARG	NE-CZ-NH1	7.55	124.08	120.30
1	A	320	ARG	NE-CZ-NH2	-6.31	117.14	120.30
1	B	325	ARG	NE-CZ-NH1	6.28	123.44	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	319	ARG	NE-CZ-NH2	-6.28	117.16	120.30
1	A	24	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	A	100	ASP	CB-CG-OD1	6.13	123.82	118.30
1	A	202	ARG	CG-CD-NE	-6.05	99.09	111.80
1	B	168	LEU	CA-CB-CG	5.76	128.55	115.30
1	A	320	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	A	100	ASP	CB-CG-OD2	-5.42	113.42	118.30
1	B	24	ARG	NE-CZ-NH1	5.20	122.90	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109	LYS	Peptide
1	A	110	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2549	0	2501	67	0
1	B	2480	0	2447	67	1
2	A	3	0	0	2	0
2	B	3	0	0	3	0
3	A	188	0	0	11	0
3	B	175	0	0	9	1
All	All	5398	0	4948	131	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:LEU:CD1	1:B:168:LEU:CG	1.82	1.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11:SER:HB3	1:B:18:GLU:OE2	1.41	1.16
1:A:26:ASP:HB3	3:A:553:HOH:O	1.52	1.10
1:A:112:THR:HG23	1:A:137:ASN:OD1	1.51	1.10
1:B:62:VAL:HB	3:B:608:HOH:O	1.65	0.96
1:A:42:ILE:HD11	1:A:44:ARG:NE	1.84	0.92
1:A:108:VAL:CG2	1:A:116:ALA:HB2	2.01	0.91
1:A:108:VAL:CG2	1:A:116:ALA:CB	2.51	0.89
1:B:11:SER:CB	1:B:18:GLU:OE2	2.20	0.88
1:A:113:VAL:HA	1:A:140:LEU:HD21	1.57	0.84
1:A:107:ASN:OD1	1:A:109:LYS:HG3	1.79	0.82
1:A:108:VAL:HG22	1:A:116:ALA:HB2	1.61	0.79
1:A:23:GLU:OE2	1:A:24:ARG:NH2	2.17	0.78
1:A:113:VAL:O	3:A:557:HOH:O	2.01	0.78
1:A:42:ILE:HD11	1:A:44:ARG:HE	1.47	0.78
1:A:116:ALA:HB3	3:A:557:HOH:O	1.83	0.77
1:B:112:THR:HG22	1:B:115:ASP:H	1.51	0.76
1:B:93:ASP:HB2	1:B:168:LEU:HD12	1.67	0.76
1:A:85:ARG:NH1	3:A:558:HOH:O	2.21	0.73
1:B:199:ASN:HD22	1:B:199:ASN:H	1.35	0.73
1:A:200:ILE:HD13	1:A:203:MET:HE3	1.71	0.72
1:A:143:ILE:HG23	1:A:157:HIS:HD2	1.55	0.71
1:A:290:ARG:NH2	1:B:197:ARG:HE	1.91	0.69
1:A:145:ILE:HG22	1:A:149:GLU:OE1	1.93	0.69
1:B:168:LEU:HD23	3:B:589:HOH:O	1.91	0.69
1:B:199:ASN:ND2	1:B:199:ASN:H	1.89	0.69
1:A:112:THR:CG2	1:A:137:ASN:OD1	2.37	0.68
1:A:332:GLU:OE1	3:A:552:HOH:O	2.10	0.68
1:B:20:ARG:NH2	2:B:382:CL:CL	2.64	0.68
1:B:157:HIS:HB2	3:B:612:HOH:O	1.95	0.67
1:B:326:MET:HE3	3:B:542:HOH:O	1.94	0.67
1:A:25:TYR:OH	1:A:287:HIS:HE1	1.78	0.67
1:B:25:TYR:OH	1:B:287:HIS:HE1	1.78	0.66
1:B:112:THR:CG2	1:B:137:ASN:HD21	2.09	0.66
1:A:108:VAL:HG21	1:A:116:ALA:CB	2.24	0.66
1:A:108:VAL:CG2	1:A:116:ALA:HB1	2.25	0.65
1:A:200:ILE:HD13	1:A:203:MET:CE	2.27	0.64
1:A:186:VAL:HG11	1:A:299:LEU:HD22	1.80	0.64
1:B:112:THR:HG21	1:B:137:ASN:HD21	1.63	0.64
1:A:133:LYS:HB2	1:A:175:VAL:CG1	2.28	0.63
1:B:30:ASP:O	2:B:383:CL:CL	2.53	0.63
1:A:112:THR:HG23	1:A:137:ASN:CG	2.15	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:GLN:HB2	1:B:294:LEU:HD12	1.81	0.62
1:A:108:VAL:HG21	1:A:116:ALA:HB1	1.81	0.61
1:B:168:LEU:CG	3:B:589:HOH:O	2.49	0.61
1:B:64:ASP:CB	1:B:288:LYS:NZ	2.64	0.61
1:B:157:HIS:HD2	3:B:528:HOH:O	1.83	0.60
1:A:21:HIS:O	1:A:42:ILE:HD13	2.03	0.59
1:A:133:LYS:HB2	1:A:175:VAL:HG13	1.85	0.59
1:A:138:PRO:CG	1:A:162:VAL:HG11	2.34	0.57
1:A:290:ARG:NH2	1:B:197:ARG:NE	2.52	0.57
1:A:98:LEU:N	1:A:98:LEU:HD23	2.19	0.57
1:B:33:ILE:O	2:B:383:CL:CL	2.60	0.57
1:A:217:THR:HG22	1:A:237:VAL:HB	1.85	0.56
1:B:112:THR:HG23	1:B:137:ASN:OD1	2.05	0.56
1:A:193:ARG:HD3	1:A:307:GLU:OE2	2.05	0.56
1:B:168:LEU:HG	3:B:589:HOH:O	2.03	0.56
1:B:64:ASP:CB	1:B:288:LYS:HZ3	2.18	0.56
1:B:105:GLN:HA	1:B:145:ILE:HD11	1.89	0.55
1:B:112:THR:HG23	1:B:137:ASN:ND2	2.23	0.54
1:B:124:TRP:HB3	1:B:126:GLN:OE1	2.07	0.54
1:B:199:ASN:N	1:B:199:ASN:ND2	2.56	0.54
1:A:24:ARG:HG2	1:A:41:VAL:HB	1.90	0.53
1:B:109:LYS:HD2	1:B:142:LYS:HG2	1.91	0.53
1:A:95:ALA:HB2	1:A:168:LEU:HD23	1.91	0.53
1:A:113:VAL:HA	1:A:140:LEU:CD2	2.34	0.53
1:A:208:ASP:OD1	1:A:210:ASP:HB2	2.09	0.53
1:B:112:THR:CG2	1:B:137:ASN:ND2	2.72	0.53
1:B:168:LEU:CD1	1:B:168:LEU:CB	2.81	0.53
1:B:105:GLN:CD	1:B:145:ILE:HD11	2.29	0.52
1:A:241:PRO:HA	3:A:456:HOH:O	2.10	0.52
1:B:64:ASP:HB2	1:B:288:LYS:NZ	2.25	0.52
1:A:143:ILE:HG23	1:A:157:HIS:CD2	2.41	0.51
1:B:11:SER:HB2	1:B:62:VAL:CG2	2.40	0.51
1:B:258:ASN:ND2	1:B:260:ALA:HB3	2.25	0.51
1:A:108:VAL:HG13	1:A:140:LEU:CB	2.41	0.51
1:B:319:ARG:HD2	1:B:319:ARG:C	2.31	0.50
1:B:112:THR:HG23	1:B:137:ASN:CG	2.32	0.50
1:A:296:GLN:NE2	1:A:319:ARG:HH21	2.09	0.50
1:B:62:VAL:HG12	1:B:67:ILE:HA	1.93	0.50
1:B:105:GLN:NE2	1:B:145:ILE:HD11	2.27	0.50
1:A:296:GLN:HE22	1:A:319:ARG:HH21	1.60	0.49
1:B:190:CYS:H	1:B:199:ASN:ND2	2.10	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:ILE:HD12	1:A:43:GLY:H	1.76	0.49
1:B:143:ILE:HG23	1:B:157:HIS:CE1	2.46	0.49
1:A:30:ASP:O	2:A:382:CL:CL	2.68	0.49
1:B:9:ALA:N	1:B:64:ASP:OD1	2.44	0.49
1:A:33:ILE:O	2:A:382:CL:CL	2.68	0.48
1:B:77:ARG:NH1	1:B:79:GLY:HA3	2.29	0.48
1:B:66:GLN:HB2	1:B:294:LEU:CD1	2.43	0.48
1:A:287:HIS:CE1	1:A:329:THR:HG23	2.49	0.47
1:B:98:LEU:HD13	1:B:151:VAL:CG1	2.44	0.47
1:B:145:ILE:O	1:B:145:ILE:HD13	2.14	0.47
1:A:112:THR:HG21	1:A:137:ASN:HD21	1.80	0.46
1:B:13:ARG:HG3	1:B:18:GLU:HG2	1.97	0.46
1:B:168:LEU:CB	3:B:589:HOH:O	2.63	0.46
1:A:325:ARG:HG3	3:A:400:HOH:O	2.14	0.46
1:B:300:ARG:HD2	1:B:338:ASP:OD1	2.16	0.46
1:B:11:SER:HB2	1:B:62:VAL:HG22	1.97	0.46
1:A:143:ILE:CG2	1:A:157:HIS:HD2	2.24	0.45
1:B:76:GLN:HE21	1:B:87:LEU:HD11	1.81	0.45
1:A:290:ARG:HH21	1:B:197:ARG:HE	1.62	0.45
1:A:42:ILE:CD1	1:A:44:ARG:HE	2.25	0.45
1:B:274:ARG:NH2	1:B:337:GLU:OE2	2.50	0.45
1:B:13:ARG:NH2	1:B:62:VAL:HG21	2.32	0.45
1:A:325:ARG:HD2	3:A:523:HOH:O	2.16	0.44
1:A:71:GLY:C	1:A:72:ILE:HD12	2.38	0.44
1:A:232:HIS:N	3:A:445:HOH:O	2.51	0.44
1:A:124:TRP:CH2	1:A:151:VAL:HG21	2.53	0.44
1:A:109:LYS:CD	1:A:142:LYS:HA	2.48	0.43
1:A:138:PRO:HG2	1:A:162:VAL:HG11	2.00	0.43
1:B:275:LEU:HD11	1:B:341:TRP:HB2	2.01	0.43
1:A:108:VAL:HG13	1:A:140:LEU:HB3	2.00	0.43
1:A:23:GLU:HB3	3:A:555:HOH:O	2.19	0.42
1:B:64:ASP:CB	1:B:288:LYS:HZ1	2.33	0.42
1:B:72:ILE:HD11	1:B:97:PHE:CE2	2.55	0.42
1:B:98:LEU:HD13	1:B:151:VAL:HG11	2.01	0.42
1:B:107:ASN:HD21	1:B:142:LYS:HD3	1.84	0.42
1:A:106:LEU:HD13	1:A:119:LYS:HG2	2.02	0.42
1:B:103:ALA:HA	1:B:151:VAL:HG22	2.02	0.42
1:A:112:THR:HG21	1:A:137:ASN:ND2	2.35	0.42
1:B:72:ILE:CD1	1:B:97:PHE:CE2	3.03	0.42
1:A:85:ARG:HD2	3:A:559:HOH:O	2.20	0.41
1:B:64:ASP:CG	1:B:288:LYS:HZ1	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:SER:HB3	1:A:243:MET:HE3	2.02	0.41
1:B:64:ASP:HB3	1:B:288:LYS:HZ3	1.83	0.41
1:A:8:TYR:CD2	1:A:329:THR:HG21	2.55	0.41
1:A:112:THR:CG2	1:A:137:ASN:CG	2.86	0.40
1:B:66:GLN:N	3:B:608:HOH:O	2.52	0.40
1:B:178:GLY:HA3	1:B:345:ALA:HB2	2.03	0.40
1:A:190:CYS:C	1:A:200:ILE:HD12	2.41	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:CYS:SG	3:B:591:HOH:O[10_545]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/381 (84%)	306 (96%)	11 (4%)	1 (0%)	41	41
1	B	308/381 (81%)	295 (96%)	13 (4%)	0	100	100
All	All	626/762 (82%)	601 (96%)	24 (4%)	1 (0%)	47	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	112	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	274/314 (87%)	261 (95%)	13 (5%)	26	25
1	B	268/314 (85%)	249 (93%)	19 (7%)	14	11
All	All	542/628 (86%)	510 (94%)	32 (6%)	19	17

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASP
1	A	84	SER
1	A	102	SER
1	A	108	VAL
1	A	162	VAL
1	A	202	ARG
1	A	210	ASP
1	A	235	LYS
1	A	237	VAL
1	A	250	THR
1	A	259	LEU
1	A	290	ARG
1	A	319	ARG
1	B	11	SER
1	B	13	ARG
1	B	17	LYS
1	B	18	GLU
1	B	20	ARG
1	B	23	GLU
1	B	42	ILE
1	B	98	LEU
1	B	106	LEU
1	B	145	ILE
1	B	168	LEU
1	B	183	SER
1	B	186	VAL
1	B	199	ASN
1	B	212	ARG
1	B	219	LEU
1	B	242	THR
1	B	319	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	325	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	HIS
1	A	160	ASN
1	A	287	HIS
1	A	296	GLN
1	B	107	ASN
1	B	160	ASN
1	B	165	HIS
1	B	199	ASN
1	B	263	GLN
1	B	287	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	326/381 (85%)	0.48	24 (7%) 14 18	25, 39, 56, 64	0
1	B	316/381 (82%)	0.56	24 (7%) 13 18	25, 41, 64, 76	0
All	All	642/762 (84%)	0.52	48 (7%) 14 18	25, 40, 58, 76	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	261	ALA	8.0
1	B	234	LEU	5.9
1	B	147	PRO	5.2
1	B	242	THR	5.0
1	B	236	TRP	4.9
1	B	218	PHE	4.2
1	A	147	PRO	4.2
1	B	260	ALA	4.2
1	A	251	VAL	3.7
1	B	145	ILE	3.5
1	B	241	PRO	3.4
1	B	219	LEU	3.4
1	A	242	THR	3.4
1	B	6	TYR	3.4
1	B	253	VAL	3.4
1	A	43	GLY	3.2
1	A	325	ARG	3.2
1	B	257	ASP	3.2
1	A	241	PRO	3.1
1	A	104	PRO	3.1
1	A	145	ILE	3.1
1	A	105	GLN	3.0
1	A	259	LEU	3.0
1	A	101	CYS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	148	GLY	2.9
1	A	106	LEU	2.9
1	B	258	ASN	2.8
1	B	290	ARG	2.8
1	A	253	VAL	2.7
1	B	239	LYS	2.7
1	A	42	ILE	2.6
1	B	135	GLU	2.6
1	B	183	SER	2.6
1	B	238	TYR	2.6
1	A	347	PRO	2.5
1	B	21	HIS	2.5
1	A	6	TYR	2.5
1	A	148	GLY	2.4
1	B	251	VAL	2.4
1	A	16	GLY	2.4
1	A	223	HIS	2.3
1	A	220	ALA	2.2
1	B	243	MET	2.2
1	A	103	ALA	2.1
1	A	44	ARG	2.1
1	A	236	TRP	2.1
1	B	252	VAL	2.1
1	A	252	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CL	A	383	1/1	0.95	0.12	37,37,37,37	0
2	CL	B	382	1/1	0.97	0.12	31,31,31,31	0
2	CL	B	384	1/1	0.97	0.17	24,24,24,24	0
2	CL	B	383	1/1	0.98	0.06	22,22,22,22	0
2	CL	A	382	1/1	0.98	0.06	27,27,27,27	0
2	CL	A	384	1/1	0.99	0.13	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.