



# Full wwPDB EM Validation Report ⓘ

Dec 18, 2024 – 12:29 PM EST

PDB ID : 9D3D  
EMDB ID : EMD-46532  
Title : Cryo-EM structure of PGT145 R100aS Fab bound to HIV-1 BG505 DS-SOSIP.664 Env trimer  
Authors : Hodges, S.; Morano, N.C.; Shapiro, L.; Kwong, P.D.; Gorman, J.  
Deposited on : 2024-08-09  
Resolution : 3.41 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	<p>92% 7%</p>
1	B	481	<p>92% 7%</p>
1	C	481	<p>92% 6%</p>
2	a	153	<p>83% 17%</p>
2	b	153	<p>82% 18%</p>
2	c	153	<p>80% 20%</p>
3	H	244	<p>10% 56% 43%</p>
4	L	219	<p>13% 50% 49%</p>
5	D	2	<p>100%</p>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	2	50% 50%
5	F	2	50% 50%
5	J	2	50% 50%
5	K	2	50% 50%
5	N	2	100%
5	O	2	100%
5	S	2	100%
5	T	2	50% 50%
5	U	2	50% 50%
5	V	2	50% 50%
5	X	2	50% 50%
5	Z	2	100%
5	d	2	100%
5	e	2	50% 50%
5	f	2	100%
5	g	2	50% 50%
5	i	2	50% 50%
5	j	2	50% 50%
5	k	2	50% 50%
5	n	2	50% 50%
5	o	2	50% 100%
6	G	5	20% 60% 80%
6	h	5	20% 20% 80%
7	I	4	25% 25% 75%
7	l	4	25% 50% 75%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
8	M	3	 67% 33%
8	Q	3	 67% 33%
8	W	3	 33% 100%
8	Y	3	 67% 33%
8	q	3	 33% 67%
9	P	6	 33% 67%
9	p	6	 17% 100%
9	r	6	 33% 67%
10	R	7	 14% 29% 71%
11	m	3	 33% 67%

## 2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 17243 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 BG505 DS-SOSIP gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	C	450	3543	2222	625	666	30	0	0
1	A	448	3528	2214	623	661	30	0	0
1	B	448	3528	2214	623	661	30	0	0

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	201	CYS	ILE	conflict	UNP Q2N0S6
C	332	ASN	THR	conflict	UNP Q2N0S6
C	433	CYS	ALA	conflict	UNP Q2N0S6
C	501	CYS	ALA	conflict	UNP Q2N0S6
C	509	ARG	-	expression tag	UNP Q2N0S6
C	510	ARG	-	expression tag	UNP Q2N0S6
C	511	ARG	-	expression tag	UNP Q2N0S6
C	512	ARG	-	expression tag	UNP Q2N0S6
C	513	ARG	-	expression tag	UNP Q2N0S6
A	201	CYS	ILE	conflict	UNP Q2N0S6
A	332	ASN	THR	conflict	UNP Q2N0S6
A	433	CYS	ALA	conflict	UNP Q2N0S6
A	501	CYS	ALA	conflict	UNP Q2N0S6
A	509	ARG	-	expression tag	UNP Q2N0S6
A	510	ARG	-	expression tag	UNP Q2N0S6
A	511	ARG	-	expression tag	UNP Q2N0S6
A	512	ARG	-	expression tag	UNP Q2N0S6
A	513	ARG	-	expression tag	UNP Q2N0S6
B	201	CYS	ILE	conflict	UNP Q2N0S6
B	332	ASN	THR	conflict	UNP Q2N0S6
B	433	CYS	ALA	conflict	UNP Q2N0S6
B	501	CYS	ALA	conflict	UNP Q2N0S6
B	509	ARG	-	expression tag	UNP Q2N0S6
B	510	ARG	-	expression tag	UNP Q2N0S6

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	511	ARG	-	expression tag	UNP Q2N0S6
B	512	ARG	-	expression tag	UNP Q2N0S6
B	513	ARG	-	expression tag	UNP Q2N0S6

- Molecule 2 is a protein called BG505 DS-SOSIP glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	c	123	979	617	169	187	6	0	0
2	a	127	1007	635	174	192	6	0	0
2	b	126	1001	633	172	190	6	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	559	PRO	ILE	engineered mutation	UNP Q2N0S6
c	605	CYS	THR	engineered mutation	UNP Q2N0S6
a	559	PRO	ILE	engineered mutation	UNP Q2N0S6
a	605	CYS	THR	engineered mutation	UNP Q2N0S6
b	559	PRO	ILE	engineered mutation	UNP Q2N0S6
b	605	CYS	THR	engineered mutation	UNP Q2N0S6


- Molecule 3 is a protein called PGT145 R100aS Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	H	140	1097	682	188	220	7	0	0

- Molecule 4 is a protein called PGT145 Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	L	111	848	536	149	159	4	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	D	2	28	16	2	10	0	0
5	E	2	28	16	2	10	0	0
5	F	2	28	16	2	10	0	0
5	J	2	28	16	2	10	0	0
5	K	2	28	16	2	10	0	0
5	N	2	28	16	2	10	0	0
5	O	2	28	16	2	10	0	0
5	S	2	28	16	2	10	0	0
5	T	2	28	16	2	10	0	0
5	U	2	28	16	2	10	0	0
5	V	2	28	16	2	10	0	0
5	X	2	28	16	2	10	0	0
5	Z	2	28	16	2	10	0	0
5	d	2	28	16	2	10	0	0
5	e	2	28	16	2	10	0	0
5	f	2	28	16	2	10	0	0
5	g	2	28	16	2	10	0	0
5	i	2	28	16	2	10	0	0
5	j	2	28	16	2	10	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	k	2	28	16	2	10	0	0
5	n	2	28	16	2	10	0	0
5	o	2	28	16	2	10	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	G	5	61	34	2	25	0	0
6	h	5	61	34	2	25	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	I	4	50	28	2	20	0	0
7	l	4	50	28	2	20	0	0


- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.






Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	M	3	39	22	2	15	0	0
8	Q	3	39	22	2	15	0	0
8	W	3	39	22	2	15	0	0
8	Y	3	39	22	2	15	0	0
8	q	3	39	22	2	15	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	P	6	72	40	2	30	0	0
9	p	6	72	40	2	30	0	0
9	r	6	72	40	2	30	0	0

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	R	7	83	46	2	35	0	0

- Molecule 11 is an oligosaccharide called beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	m	3	39	22	2	15	0	0

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
12	C	1	14	8	1	5	0
12	C	1	14	8	1	5	0
12	C	1	14	8	1	5	0
12	C	1	14	8	1	5	0
12	C	1	14	8	1	5	0
12	C	1	14	8	1	5	0
12	A	1	14	8	1	5	0
12	A	1	14	8	1	5	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
12	A	1	Total 14	C 8	N 1	O 5	0
12	A	1	Total 14	C 8	N 1	O 5	0
12	A	1	Total 14	C 8	N 1	O 5	0
12	A	1	Total 14	C 8	N 1	O 5	0
12	A	1	Total 14	C 8	N 1	O 5	0
12	B	1	Total 14	C 8	N 1	O 5	0
12	B	1	Total 14	C 8	N 1	O 5	0
12	B	1	Total 14	C 8	N 1	O 5	0
12	B	1	Total 14	C 8	N 1	O 5	0
12	B	1	Total 14	C 8	N 1	O 5	0
12	c	1	Total 14	C 8	N 1	O 5	0
12	c	1	Total 14	C 8	N 1	O 5	0
12	a	1	Total 14	C 8	N 1	O 5	0
12	a	1	Total 14	C 8	N 1	O 5	0
12	b	1	Total 14	C 8	N 1	O 5	0
12	b	1	Total 14	C 8	N 1	O 5	0

- Molecule 13 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).




Mol	Chain	Residues	Atoms			AltConf
			Total	O	P	
13	A	1	5	4	1	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HIV-1 BG505 DS-SOSIP gp120

Chain C:  92% • 6%




- Molecule 1: HIV-1 BG505 DS-SOSIP gp120

Chain A:  92% • 7%




- Molecule 1: HIV-1 BG505 DS-SOSIP gp120

Chain B:  92% • 7%





- Molecule 2: BG505 DS-SOSIP glycoprotein gp41



Chain c:  80% 20%






- Molecule 2: BG505 DS-SOSIP glycoprotein gp41





● Molecule 2: BG505 DS-SOSIP glycoprotein gp41



● Molecule 3: PGT145 R100aS Heavy Chain



● Molecule 4: PGT145 Light Chain



● Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O: 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



Chain e:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50% 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  50% 50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 100% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n: 

  
MAG1  
MAG2


- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o: 

  
MAG1  
MAG2


- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 

  
MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h: 

  
MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 

  
MAG1  
MAG2  
BMA3  
MAN4

- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l: 

  
MAG1  
MAG2  
BMA3  
MAN4

- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	111484	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	58.06	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.115	Depositor
Minimum map value	-0.584	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.026	Depositor
Recommended contour level	0.12	Depositor
Map size ( $\text{\AA}$ )	348.6, 348.6, 348.6	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.83000004, 0.83000004, 0.83000004	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, TYS, NAG, PO4, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/3602	0.49	0/4890
1	B	0.26	0/3602	0.50	0/4890
1	C	0.26	0/3617	0.50	0/4910
2	a	0.24	0/1024	0.43	0/1389
2	b	0.24	0/1019	0.44	0/1382
2	c	0.24	0/996	0.43	0/1351
3	H	0.24	0/1088	0.47	0/1471
4	L	0.25	0/871	0.50	0/1185
All	All	0.25	0/15819	0.49	0/21468

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/481 (92%)	431 (98%)	11 (2%)	0	100	100
1	B	442/481 (92%)	422 (96%)	20 (4%)	0	100	100
1	C	444/481 (92%)	432 (97%)	12 (3%)	0	100	100
2	a	123/153 (80%)	121 (98%)	2 (2%)	0	100	100
2	b	122/153 (80%)	117 (96%)	5 (4%)	0	100	100
2	c	119/153 (78%)	118 (99%)	1 (1%)	0	100	100
3	H	136/244 (56%)	133 (98%)	3 (2%)	0	100	100
4	L	109/219 (50%)	105 (96%)	4 (4%)	0	100	100
All	All	1937/2365 (82%)	1879 (97%)	58 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	401/429 (94%)	395 (98%)	6 (2%)	60	76
1	B	401/429 (94%)	396 (99%)	5 (1%)	67	79
1	C	403/429 (94%)	397 (98%)	6 (2%)	60	76
2	a	109/129 (84%)	109 (100%)	0	100	100
2	b	108/129 (84%)	108 (100%)	0	100	100
2	c	106/129 (82%)	106 (100%)	0	100	100
3	H	113/203 (56%)	112 (99%)	1 (1%)	75	86
4	L	94/191 (49%)	93 (99%)	1 (1%)	70	81
All	All	1735/2068 (84%)	1716 (99%)	19 (1%)	69	81

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	137	ASN
1	C	160	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	166	ARG
1	C	296	CYS
1	C	378	CYS
1	C	448	ASN
1	A	125	LEU
1	A	166	ARG
1	A	192	ARG
1	A	203	GLN
1	A	330	HIS
1	A	378	CYS
1	B	69	TRP
1	B	88	ASN
1	B	123	THR
1	B	296	CYS
1	B	330	HIS
3	H	57	LEU
4	L	27(B)	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	80	ASN
1	C	82	GLN
1	C	374	HIS
1	A	33	ASN
1	A	99	ASN
1	A	478	ASN
1	B	249	HIS
1	B	330	HIS
2	c	640	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	TYS	H	100(F)	3	15,16,17	1.21	1 (6%)	15,22,24	1.23	2 (13%)
3	TYS	H	100(I)	3	15,16,17	1.27	1 (6%)	15,22,24	1.07	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	H	100(F)	3	-	6/10/11/13	0/1/1/1
3	TYS	H	100(I)	3	-	4/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	100(I)	TYS	OH-S	3.72	1.65	1.58
3	H	100(F)	TYS	OH-S	3.66	1.65	1.58

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	100(F)	TYS	O2-S-O1	-3.03	100.57	112.24
3	H	100(I)	TYS	O2-S-O1	-2.85	101.23	112.24
3	H	100(F)	TYS	OH-S-O2	2.15	114.11	107.56

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	H	100(F)	TYS	CE1-CZ-OH-S
3	H	100(F)	TYS	CE2-CZ-OH-S
3	H	100(F)	TYS	CZ-OH-S-O1
3	H	100(I)	TYS	O-C-CA-CB
3	H	100(I)	TYS	CZ-OH-S-O2
3	H	100(F)	TYS	CZ-OH-S-O3

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	H	100(I)	TYS	CZ-OH-S-O3
3	H	100(F)	TYS	CZ-OH-S-O2
3	H	100(I)	TYS	CZ-OH-S-O1
3	H	100(F)	TYS	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates (i)

105 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	D	1	5,1	14,14,15	0.76	0	17,19,21	0.81	0
5	NAG	D	2	5	14,14,15	0.72	0	17,19,21	0.87	0
5	NAG	E	1	5,1	14,14,15	0.70	0	17,19,21	1.40	3 (17%)
5	NAG	E	2	5	14,14,15	0.74	0	17,19,21	0.76	0
5	NAG	F	1	5,1	14,14,15	0.73	0	17,19,21	1.46	3 (17%)
5	NAG	F	2	5	14,14,15	0.73	0	17,19,21	0.95	0
6	NAG	G	1	1,6	14,14,15	0.76	0	17,19,21	0.96	1 (5%)
6	NAG	G	2	6	14,14,15	0.70	0	17,19,21	0.89	0
6	BMA	G	3	6	11,11,12	0.83	0	15,15,17	2.39	6 (40%)
6	MAN	G	4	6	11,11,12	0.65	0	15,15,17	1.26	1 (6%)
6	MAN	G	5	6	11,11,12	0.66	0	15,15,17	1.19	1 (6%)
7	NAG	I	1	7,1	14,14,15	0.73	0	17,19,21	1.23	2 (11%)
7	NAG	I	2	7	14,14,15	0.75	0	17,19,21	0.81	0
7	BMA	I	3	7	11,11,12	0.78	0	15,15,17	1.92	3 (20%)
7	MAN	I	4	7	11,11,12	0.66	0	15,15,17	1.14	1 (6%)
5	NAG	J	1	5,1	14,14,15	0.73	0	17,19,21	0.93	1 (5%)
5	NAG	J	2	5	14,14,15	0.70	0	17,19,21	0.83	0
5	NAG	K	1	5,1	14,14,15	0.66	0	17,19,21	1.14	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	K	2	5	14,14,15	0.72	0	17,19,21	0.84	0
8	NAG	M	1	8,1	14,14,15	0.72	0	17,19,21	0.78	0
8	NAG	M	2	8	14,14,15	0.71	0	17,19,21	0.86	0
8	BMA	M	3	8	11,11,12	0.80	0	15,15,17	1.88	1 (6%)
5	NAG	N	1	5,1	14,14,15	0.76	0	17,19,21	0.72	0
5	NAG	N	2	5	14,14,15	0.72	0	17,19,21	0.80	0
5	NAG	O	1	5,1	14,14,15	0.81	0	17,19,21	1.46	3 (17%)
5	NAG	O	2	5	14,14,15	0.71	0	17,19,21	0.95	1 (5%)
9	NAG	P	1	9,1	14,14,15	0.78	0	17,19,21	0.94	0
9	NAG	P	2	9	14,14,15	0.73	0	17,19,21	0.92	0
9	BMA	P	3	9	11,11,12	0.81	0	15,15,17	2.24	4 (26%)
9	MAN	P	4	9	11,11,12	0.64	0	15,15,17	1.17	1 (6%)
9	MAN	P	5	9	11,11,12	0.68	0	15,15,17	1.12	1 (6%)
9	MAN	P	6	9	11,11,12	0.65	0	15,15,17	1.24	1 (6%)
8	NAG	Q	1	8,1	14,14,15	0.71	0	17,19,21	0.96	0
8	NAG	Q	2	8	14,14,15	0.70	0	17,19,21	0.89	0
8	BMA	Q	3	8	11,11,12	0.80	0	15,15,17	1.81	1 (6%)
10	NAG	R	1	10,1	14,14,15	0.77	0	17,19,21	1.32	2 (11%)
10	NAG	R	2	10	14,14,15	0.76	0	17,19,21	0.88	0
10	BMA	R	3	10	11,11,12	0.79	0	15,15,17	2.42	5 (33%)
10	MAN	R	4	10	11,11,12	0.70	0	15,15,17	1.05	1 (6%)
10	MAN	R	5	10	11,11,12	0.74	0	15,15,17	0.86	0
10	MAN	R	6	10	11,11,12	0.76	0	15,15,17	1.15	1 (6%)
10	MAN	R	7	10	11,11,12	0.67	0	15,15,17	0.98	1 (6%)
5	NAG	S	1	5,1	14,14,15	0.78	0	17,19,21	0.79	0
5	NAG	S	2	5	14,14,15	0.70	0	17,19,21	0.81	0
5	NAG	T	1	5,1	14,14,15	0.74	0	17,19,21	1.25	2 (11%)
5	NAG	T	2	5	14,14,15	0.71	0	17,19,21	0.92	0
5	NAG	U	1	5,1	14,14,15	0.72	0	17,19,21	1.63	3 (17%)
5	NAG	U	2	5	14,14,15	0.74	0	17,19,21	0.84	0
5	NAG	V	1	5,1	14,14,15	0.68	0	17,19,21	1.24	1 (5%)
5	NAG	V	2	5	14,14,15	0.71	0	17,19,21	0.85	0
8	NAG	W	1	8,1	14,14,15	0.77	0	17,19,21	1.12	2 (11%)
8	NAG	W	2	8	14,14,15	0.68	0	17,19,21	1.09	1 (5%)
8	BMA	W	3	8	11,11,12	0.81	0	15,15,17	1.87	1 (6%)
5	NAG	X	1	5,1	14,14,15	0.74	0	17,19,21	0.90	1 (5%)
5	NAG	X	2	5	14,14,15	0.71	0	17,19,21	0.85	0
8	NAG	Y	1	8,1	14,14,15	0.74	0	17,19,21	0.88	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	NAG	Y	2	8	14,14,15	0.71	0	17,19,21	0.88	0
8	BMA	Y	3	8	11,11,12	0.80	0	15,15,17	1.90	1 (6%)
5	NAG	Z	1	5,1	14,14,15	0.76	0	17,19,21	0.73	0
5	NAG	Z	2	5	14,14,15	0.72	0	17,19,21	0.79	0
5	NAG	d	1	5,1	14,14,15	0.74	0	17,19,21	0.79	0
5	NAG	d	2	5	14,14,15	0.72	0	17,19,21	0.78	0
5	NAG	e	1	5,1	14,14,15	0.69	0	17,19,21	1.17	2 (11%)
5	NAG	e	2	5	14,14,15	0.72	0	17,19,21	0.84	0
5	NAG	f	1	5,1	14,14,15	0.78	0	17,19,21	0.86	0
5	NAG	f	2	5	14,14,15	0.72	0	17,19,21	0.81	0
5	NAG	g	1	5,1	14,14,15	0.71	0	17,19,21	0.90	1 (5%)
5	NAG	g	2	5	14,14,15	0.71	0	17,19,21	0.85	0
6	NAG	h	1	1,6	14,14,15	0.81	0	17,19,21	1.07	1 (5%)
6	NAG	h	2	6	14,14,15	0.70	0	17,19,21	0.80	0
6	BMA	h	3	6	11,11,12	0.77	0	15,15,17	2.39	3 (20%)
6	MAN	h	4	6	11,11,12	0.64	0	15,15,17	1.27	1 (6%)
6	MAN	h	5	6	11,11,12	0.73	0	15,15,17	0.90	1 (6%)
5	NAG	i	1	5,1	14,14,15	0.76	0	17,19,21	0.79	0
5	NAG	i	2	5	14,14,15	0.69	0	17,19,21	1.13	1 (5%)
5	NAG	j	1	5,1	14,14,15	0.73	0	17,19,21	0.79	0
5	NAG	j	2	5	14,14,15	0.71	0	17,19,21	0.99	1 (5%)
5	NAG	k	1	5,1	14,14,15	0.71	0	17,19,21	0.82	1 (5%)
5	NAG	k	2	5	14,14,15	0.71	0	17,19,21	0.82	0
7	NAG	l	1	7,1	14,14,15	0.72	0	17,19,21	0.96	1 (5%)
7	NAG	l	2	7	14,14,15	0.70	0	17,19,21	0.85	0
7	BMA	l	3	7	11,11,12	0.80	0	15,15,17	1.92	3 (20%)
7	MAN	l	4	7	11,11,12	0.68	0	15,15,17	1.11	1 (6%)
11	NAG	m	1	11,1	14,14,15	0.73	0	17,19,21	0.93	0
11	NAG	m	2	11	14,14,15	0.69	0	17,19,21	1.02	1 (5%)
11	BMA	m	3	11	11,11,12	0.82	0	15,15,17	1.85	2 (13%)
5	NAG	n	1	5,1	14,14,15	0.69	0	17,19,21	1.34	2 (11%)
5	NAG	n	2	5	14,14,15	0.71	0	17,19,21	0.97	0
5	NAG	o	1	5,1	14,14,15	0.78	0	17,19,21	1.44	4 (23%)
5	NAG	o	2	5	14,14,15	0.73	0	17,19,21	1.06	1 (5%)
9	NAG	p	1	9,1	14,14,15	0.73	0	17,19,21	0.97	1 (5%)
9	NAG	p	2	9	14,14,15	0.73	0	17,19,21	0.90	1 (5%)
9	BMA	p	3	9	11,11,12	0.83	0	15,15,17	2.33	6 (40%)
9	MAN	p	4	9	11,11,12	0.65	0	15,15,17	1.15	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	MAN	p	5	9	11,11,12	0.72	0	15,15,17	0.95	1 (6%)
9	MAN	p	6	9	11,11,12	0.66	0	15,15,17	1.28	1 (6%)
8	NAG	q	1	8,1	14,14,15	0.75	0	17,19,21	0.92	1 (5%)
8	NAG	q	2	8	14,14,15	0.72	0	17,19,21	0.78	0
8	BMA	q	3	8	11,11,12	0.82	0	15,15,17	1.78	1 (6%)
9	NAG	r	1	9,1	14,14,15	0.77	0	17,19,21	0.88	0
9	NAG	r	2	9	14,14,15	0.75	0	17,19,21	0.83	0
9	BMA	r	3	9	11,11,12	0.80	0	15,15,17	2.34	3 (20%)
9	MAN	r	4	9	11,11,12	0.64	0	15,15,17	1.02	1 (6%)
9	MAN	r	5	9	11,11,12	0.73	0	15,15,17	1.02	1 (6%)
9	MAN	r	6	9	11,11,12	0.67	0	15,15,17	1.13	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	D	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	D	2	5	-	3/6/23/26	0/1/1/1
5	NAG	E	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	E	2	5	-	0/6/23/26	0/1/1/1
5	NAG	F	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
6	NAG	G	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	G	2	6	-	2/6/23/26	0/1/1/1
6	BMA	G	3	6	-	0/2/19/22	0/1/1/1
6	MAN	G	4	6	-	1/2/19/22	0/1/1/1
6	MAN	G	5	6	-	0/2/19/22	0/1/1/1
7	NAG	I	1	7,1	-	1/6/23/26	0/1/1/1
7	NAG	I	2	7	-	0/6/23/26	0/1/1/1
7	BMA	I	3	7	-	1/2/19/22	0/1/1/1
7	MAN	I	4	7	-	0/2/19/22	0/1/1/1
5	NAG	J	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	J	2	5	-	2/6/23/26	0/1/1/1
5	NAG	K	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	0/6/23/26	0/1/1/1
8	NAG	M	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	M	2	8	-	2/6/23/26	0/1/1/1
8	BMA	M	3	8	-	0/2/19/22	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	N	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	N	2	5	-	0/6/23/26	0/1/1/1
5	NAG	O	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	O	2	5	-	2/6/23/26	0/1/1/1
9	NAG	P	1	9,1	-	0/6/23/26	0/1/1/1
9	NAG	P	2	9	-	0/6/23/26	0/1/1/1
9	BMA	P	3	9	-	2/2/19/22	0/1/1/1
9	MAN	P	4	9	-	0/2/19/22	0/1/1/1
9	MAN	P	5	9	-	0/2/19/22	0/1/1/1
9	MAN	P	6	9	-	0/2/19/22	0/1/1/1
8	NAG	Q	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	1/2/19/22	0/1/1/1
10	NAG	R	1	10,1	-	2/6/23/26	0/1/1/1
10	NAG	R	2	10	-	2/6/23/26	0/1/1/1
10	BMA	R	3	10	-	0/2/19/22	0/1/1/1
10	MAN	R	4	10	-	0/2/19/22	0/1/1/1
10	MAN	R	5	10	-	1/2/19/22	0/1/1/1
10	MAN	R	6	10	-	0/2/19/22	0/1/1/1
10	MAN	R	7	10	-	0/2/19/22	0/1/1/1
5	NAG	S	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	S	2	5	-	0/6/23/26	0/1/1/1
5	NAG	T	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	T	2	5	-	2/6/23/26	0/1/1/1
5	NAG	U	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	U	2	5	-	0/6/23/26	0/1/1/1
5	NAG	V	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	V	2	5	-	0/6/23/26	0/1/1/1
8	NAG	W	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	W	2	8	-	1/6/23/26	0/1/1/1
8	BMA	W	3	8	-	0/2/19/22	0/1/1/1
5	NAG	X	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	X	2	5	-	2/6/23/26	0/1/1/1
8	NAG	Y	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	Y	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Y	3	8	-	0/2/19/22	0/1/1/1
5	NAG	Z	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	0/6/23/26	0/1/1/1
5	NAG	d	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	d	2	5	-	1/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	e	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	e	2	5	-	0/6/23/26	0/1/1/1
5	NAG	f	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	f	2	5	-	1/6/23/26	0/1/1/1
5	NAG	g	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	g	2	5	-	0/6/23/26	0/1/1/1
6	NAG	h	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	h	2	6	-	0/6/23/26	0/1/1/1
6	BMA	h	3	6	-	0/2/19/22	0/1/1/1
6	MAN	h	4	6	-	0/2/19/22	0/1/1/1
6	MAN	h	5	6	-	1/2/19/22	0/1/1/1
5	NAG	i	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	i	2	5	-	1/6/23/26	0/1/1/1
5	NAG	j	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	j	2	5	-	1/6/23/26	0/1/1/1
5	NAG	k	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	k	2	5	-	0/6/23/26	0/1/1/1
7	NAG	l	1	7,1	-	3/6/23/26	0/1/1/1
7	NAG	l	2	7	-	0/6/23/26	0/1/1/1
7	BMA	l	3	7	-	1/2/19/22	0/1/1/1
7	MAN	l	4	7	-	0/2/19/22	0/1/1/1
11	NAG	m	1	11,1	-	0/6/23/26	0/1/1/1
11	NAG	m	2	11	-	1/6/23/26	0/1/1/1
11	BMA	m	3	11	-	0/2/19/22	0/1/1/1
5	NAG	n	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	n	2	5	-	1/6/23/26	0/1/1/1
5	NAG	o	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	o	2	5	-	0/6/23/26	0/1/1/1
9	NAG	p	1	9,1	-	0/6/23/26	0/1/1/1
9	NAG	p	2	9	-	1/6/23/26	0/1/1/1
9	BMA	p	3	9	-	2/2/19/22	0/1/1/1
9	MAN	p	4	9	-	0/2/19/22	0/1/1/1
9	MAN	p	5	9	-	0/2/19/22	0/1/1/1
9	MAN	p	6	9	-	1/2/19/22	0/1/1/1
8	NAG	q	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	q	3	8	-	1/2/19/22	0/1/1/1
9	NAG	r	1	9,1	-	0/6/23/26	0/1/1/1
9	NAG	r	2	9	-	1/6/23/26	0/1/1/1
9	BMA	r	3	9	-	2/2/19/22	0/1/1/1
9	MAN	r	4	9	-	0/2/19/22	0/1/1/1

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	MAN	r	5	9	-	1/2/19/22	0/1/1/1
9	MAN	r	6	9	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (105) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	h	3	BMA	C1-O5-C5	7.11	121.72	112.19
10	R	3	BMA	C1-O5-C5	6.39	120.75	112.19
9	r	3	BMA	C1-O5-C5	6.38	120.73	112.19
9	P	3	BMA	C1-O5-C5	6.20	120.50	112.19
6	G	3	BMA	C1-O5-C5	6.09	120.34	112.19
9	p	3	BMA	C1-O5-C5	5.89	120.07	112.19
8	Y	3	BMA	C1-O5-C5	5.78	119.93	112.19
8	M	3	BMA	C1-O5-C5	5.77	119.92	112.19
8	W	3	BMA	C1-O5-C5	5.74	119.89	112.19
7	I	3	BMA	C1-O5-C5	5.72	119.85	112.19
7	l	3	BMA	C1-O5-C5	5.55	119.62	112.19
11	m	3	BMA	C1-O5-C5	5.53	119.60	112.19
8	q	3	BMA	C1-O5-C5	5.40	119.42	112.19
8	Q	3	BMA	C1-O5-C5	5.38	119.40	112.19
6	G	3	BMA	C3-C4-C5	4.29	118.02	110.23
9	p	3	BMA	C3-C4-C5	4.23	117.90	110.23
10	R	3	BMA	C3-C4-C5	4.06	117.59	110.23
9	r	3	BMA	C3-C4-C5	4.01	117.50	110.23
5	T	1	NAG	O5-C1-C2	-3.89	105.27	111.29
9	p	6	MAN	C1-O5-C5	3.89	117.39	112.19
5	U	1	NAG	C2-N2-C7	3.85	128.06	122.90
10	R	1	NAG	O5-C1-C2	-3.79	105.43	111.29
9	P	6	MAN	C1-O5-C5	3.78	117.25	112.19
6	G	4	MAN	C1-O5-C5	3.71	117.15	112.19
6	h	4	MAN	C1-O5-C5	3.64	117.07	112.19
5	n	1	NAG	C2-N2-C7	3.61	127.74	122.90
9	P	4	MAN	C1-O5-C5	3.57	116.97	112.19
9	P	3	BMA	C3-C4-C5	3.44	116.46	110.23
6	h	3	BMA	C3-C4-C5	3.43	116.46	110.23
5	U	1	NAG	C4-C3-C2	-3.43	105.99	111.02
5	F	1	NAG	C2-N2-C7	3.38	127.43	122.90
9	p	4	MAN	C1-O5-C5	3.37	116.70	112.19
6	G	5	MAN	C1-O5-C5	3.27	116.57	112.19
9	P	5	MAN	C1-O5-C5	3.26	116.56	112.19
9	r	6	MAN	C1-O5-C5	3.24	116.53	112.19

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	V	1	NAG	C2-N2-C7	3.23	127.23	122.90
5	E	1	NAG	C2-N2-C7	3.20	127.19	122.90
7	I	4	MAN	C1-O5-C5	3.18	116.44	112.19
9	r	4	MAN	C1-O5-C5	3.08	116.32	112.19
5	F	1	NAG	O5-C1-C2	-3.05	106.57	111.29
10	R	4	MAN	C1-O5-C5	3.01	116.22	112.19
5	O	1	NAG	O4-C4-C3	-3.01	103.28	110.38
5	O	1	NAG	O5-C1-C2	-2.97	106.70	111.29
5	o	1	NAG	C2-N2-C7	2.94	126.84	122.90
5	o	1	NAG	C1-C2-N2	2.93	115.06	110.43
7	l	4	MAN	C1-O5-C5	2.91	116.08	112.19
5	K	1	NAG	C1-O5-C5	2.91	116.08	112.19
7	I	1	NAG	C2-N2-C7	2.78	126.63	122.90
10	R	3	BMA	O4-C4-C3	-2.78	103.83	110.38
5	U	1	NAG	C1-O5-C5	2.78	115.91	112.19
6	G	3	BMA	O4-C4-C3	-2.77	103.84	110.38
5	i	2	NAG	C2-N2-C7	2.75	126.58	122.90
5	o	2	NAG	O5-C1-C2	-2.73	107.07	111.29
5	e	1	NAG	C1-O5-C5	2.72	115.83	112.19
10	R	6	MAN	O3-C3-C4	2.72	116.78	110.38
9	p	3	BMA	O4-C4-C3	-2.68	104.06	110.38
6	G	3	BMA	C2-C3-C4	2.68	115.57	110.86
5	F	1	NAG	C1-C2-N2	2.66	114.62	110.43
6	h	1	NAG	C1-O5-C5	2.61	115.68	112.19
9	r	3	BMA	O4-C4-C3	-2.61	104.23	110.38
8	W	1	NAG	O5-C1-C2	-2.56	107.33	111.29
5	E	1	NAG	O5-C1-C2	-2.53	107.38	111.29
5	K	1	NAG	O5-C1-C2	-2.48	107.45	111.29
7	l	3	BMA	C3-C4-C5	2.48	114.73	110.23
6	h	3	BMA	O4-C4-C3	-2.46	104.57	110.38
10	R	7	MAN	C1-O5-C5	2.45	115.47	112.19
9	r	5	MAN	C1-O5-C5	2.45	115.47	112.19
11	m	2	NAG	O3-C3-C4	2.42	116.08	110.38
5	O	1	NAG	C4-C3-C2	2.41	114.55	111.02
9	p	5	MAN	C1-O5-C5	2.40	115.41	112.19
8	W	2	NAG	C2-N2-C7	2.40	126.12	122.90
7	I	1	NAG	O5-C1-C2	-2.40	107.58	111.29
10	R	3	BMA	C2-C3-C4	2.40	115.08	110.86
5	g	1	NAG	O5-C1-C2	-2.38	107.61	111.29
10	R	3	BMA	O5-C5-C4	2.38	116.61	110.83
9	P	3	BMA	O4-C4-C3	-2.37	104.79	110.38
5	o	1	NAG	O5-C1-C2	-2.36	107.64	111.29

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	p	2	NAG	O5-C1-C2	-2.35	107.65	111.29
7	I	3	BMA	C3-C4-C5	2.33	114.45	110.23
9	p	3	BMA	C2-C3-C4	2.28	114.88	110.86
7	l	1	NAG	O5-C1-C2	-2.26	107.79	111.29
5	n	1	NAG	O5-C1-C2	-2.22	107.86	111.29
6	G	3	BMA	O5-C5-C4	2.19	116.16	110.83
5	e	1	NAG	C4-C3-C2	-2.19	107.81	111.02
5	E	1	NAG	C4-C3-C2	-2.17	107.84	111.02
5	j	2	NAG	C2-N2-C7	2.16	125.80	122.90
9	P	3	BMA	O3-C3-C2	-2.14	105.68	110.05
7	l	3	BMA	O4-C4-C3	-2.14	105.34	110.38
5	T	1	NAG	O4-C4-C3	-2.13	105.34	110.38
5	k	1	NAG	O5-C1-C2	-2.13	107.99	111.29
5	X	1	NAG	O5-C1-C2	-2.10	108.05	111.29
7	I	3	BMA	O4-C4-C3	-2.09	105.45	110.38
5	o	1	NAG	O4-C4-C5	2.09	114.47	109.32
8	q	1	NAG	C1-O5-C5	2.06	114.95	112.19
6	G	1	NAG	O5-C1-C2	-2.05	108.12	111.29
9	p	1	NAG	O5-C1-C2	-2.05	108.12	111.29
10	R	1	NAG	O4-C4-C3	-2.05	105.55	110.38
6	G	3	BMA	O3-C3-C2	-2.04	105.88	110.05
6	h	5	MAN	C1-O5-C5	2.04	114.92	112.19
8	W	1	NAG	C1-O5-C5	2.04	114.92	112.19
11	m	3	BMA	C3-C4-C5	2.03	113.92	110.23
5	J	1	NAG	O5-C1-C2	-2.03	108.14	111.29
9	p	3	BMA	O3-C3-C2	-2.02	105.92	110.05
5	O	2	NAG	C2-N2-C7	2.01	125.59	122.90
9	p	3	BMA	O5-C5-C4	2.00	115.70	110.83

There are no chirality outliers.

All (65) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	2	NAG	C1-C2-N2-C7
5	E	1	NAG	C3-C2-N2-C7
5	F	1	NAG	C1-C2-N2-C7
5	O	2	NAG	C1-C2-N2-C7
5	U	1	NAG	C3-C2-N2-C7
5	V	1	NAG	C1-C2-N2-C7
5	i	2	NAG	C1-C2-N2-C7
5	j	2	NAG	C1-C2-N2-C7
5	n	1	NAG	C1-C2-N2-C7

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	o	1	NAG	C1-C2-N2-C7
7	I	1	NAG	C1-C2-N2-C7
10	R	1	NAG	C1-C2-N2-C7
9	P	3	BMA	O5-C5-C6-O6
9	p	3	BMA	O5-C5-C6-O6
9	P	3	BMA	C4-C5-C6-O6
9	p	3	BMA	C4-C5-C6-O6
7	I	3	BMA	O5-C5-C6-O6
7	l	3	BMA	O5-C5-C6-O6
9	r	3	BMA	C4-C5-C6-O6
7	l	1	NAG	C4-C5-C6-O6
8	Q	3	BMA	O5-C5-C6-O6
7	l	1	NAG	O5-C5-C6-O6
8	q	3	BMA	O5-C5-C6-O6
10	R	5	MAN	O5-C5-C6-O6
5	f	2	NAG	O5-C5-C6-O6
11	m	2	NAG	O5-C5-C6-O6
5	D	2	NAG	O5-C5-C6-O6
6	G	4	MAN	O5-C5-C6-O6
9	r	5	MAN	O5-C5-C6-O6
6	h	5	MAN	O5-C5-C6-O6
9	p	6	MAN	O5-C5-C6-O6
9	r	2	NAG	O5-C5-C6-O6
5	d	2	NAG	O5-C5-C6-O6
7	l	1	NAG	C3-C2-N2-C7
8	W	2	NAG	C3-C2-N2-C7
5	O	1	NAG	C4-C5-C6-O6
5	J	1	NAG	C1-C2-N2-C7
5	J	2	NAG	C1-C2-N2-C7
5	T	2	NAG	C1-C2-N2-C7
5	X	1	NAG	C1-C2-N2-C7
5	X	2	NAG	C1-C2-N2-C7
6	G	2	NAG	C1-C2-N2-C7
8	M	2	NAG	C1-C2-N2-C7
8	W	1	NAG	C1-C2-N2-C7
10	R	2	NAG	C1-C2-N2-C7
5	D	2	NAG	C3-C2-N2-C7
5	J	2	NAG	C3-C2-N2-C7
5	T	2	NAG	C3-C2-N2-C7
5	X	1	NAG	C3-C2-N2-C7
5	e	1	NAG	C3-C2-N2-C7
5	n	2	NAG	C3-C2-N2-C7

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
10	R	1	NAG	C3-C2-N2-C7
10	R	2	NAG	C3-C2-N2-C7
5	T	1	NAG	O5-C5-C6-O6
9	p	2	NAG	O5-C5-C6-O6
5	Z	1	NAG	C1-C2-N2-C7
5	e	1	NAG	C1-C2-N2-C7
9	r	3	BMA	O5-C5-C6-O6
5	J	1	NAG	C3-C2-N2-C7
5	O	2	NAG	C3-C2-N2-C7
5	X	2	NAG	C3-C2-N2-C7
6	G	2	NAG	C3-C2-N2-C7
8	M	2	NAG	C3-C2-N2-C7
8	W	1	NAG	C3-C2-N2-C7
5	O	1	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







































































































## 5.6 Ligand geometry [i](#)

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
12	NAG	b	702	2	14,14,15	0.72	0	17,19,21	0.82	0
13	PO4	A	608	-	4,4,4	1.56	1 (25%)	6,6,6	0.49	0
12	NAG	B	603	1	14,14,15	0.72	0	17,19,21	0.80	0
12	NAG	C	606	1	14,14,15	0.73	0	17,19,21	0.83	0
12	NAG	A	604	1	14,14,15	0.72	0	17,19,21	0.83	0
12	NAG	B	602	1	14,14,15	0.74	0	17,19,21	0.83	0
12	NAG	C	603	1	14,14,15	0.72	0	17,19,21	0.81	0
12	NAG	A	603	1	14,14,15	0.70	0	17,19,21	1.50	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
12	NAG	c	701	2	14,14,15	0.72	0	17,19,21	0.87	0
12	NAG	A	602	1	14,14,15	0.70	0	17,19,21	0.79	0
12	NAG	C	602	1	14,14,15	0.72	0	17,19,21	0.74	0
12	NAG	C	601	1	14,14,15	0.73	0	17,19,21	0.86	0
12	NAG	b	701	2	14,14,15	0.71	0	17,19,21	0.80	0
12	NAG	a	702	2	14,14,15	0.71	0	17,19,21	0.82	0
12	NAG	C	605	1	14,14,15	0.72	0	17,19,21	0.77	0
12	NAG	B	601	1	14,14,15	0.74	0	17,19,21	0.90	0
12	NAG	A	601	1	14,14,15	0.72	0	17,19,21	0.92	0
12	NAG	C	604	1	14,14,15	0.74	0	17,19,21	0.79	0
12	NAG	B	605	1	14,14,15	0.72	0	17,19,21	0.83	0
12	NAG	a	701	2	14,14,15	0.71	0	17,19,21	0.83	0
12	NAG	A	605	1	14,14,15	0.73	0	17,19,21	0.95	1 (5%)
12	NAG	A	607	1	14,14,15	0.70	0	17,19,21	0.80	0
12	NAG	B	604	1	14,14,15	0.71	0	17,19,21	0.77	0
12	NAG	c	702	2	14,14,15	0.71	0	17,19,21	0.85	0
12	NAG	A	606	1	14,14,15	0.72	0	17,19,21	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	b	702	2	-	1/6/23/26	0/1/1/1
12	NAG	B	603	1	-	0/6/23/26	0/1/1/1
12	NAG	C	606	1	-	0/6/23/26	0/1/1/1
12	NAG	A	604	1	-	1/6/23/26	0/1/1/1
12	NAG	B	602	1	-	0/6/23/26	0/1/1/1
12	NAG	C	603	1	-	0/6/23/26	0/1/1/1
12	NAG	A	603	1	-	1/6/23/26	0/1/1/1
12	NAG	c	701	2	-	0/6/23/26	0/1/1/1
12	NAG	A	602	1	-	0/6/23/26	0/1/1/1
12	NAG	C	602	1	-	0/6/23/26	0/1/1/1
12	NAG	C	601	1	-	1/6/23/26	0/1/1/1
12	NAG	b	701	2	-	0/6/23/26	0/1/1/1
12	NAG	a	702	2	-	0/6/23/26	0/1/1/1
12	NAG	C	605	1	-	1/6/23/26	0/1/1/1
12	NAG	B	601	1	-	2/6/23/26	0/1/1/1
12	NAG	A	601	1	-	1/6/23/26	0/1/1/1
12	NAG	C	604	1	-	0/6/23/26	0/1/1/1
12	NAG	B	605	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	a	701	2	-	0/6/23/26	0/1/1/1
12	NAG	A	605	1	-	2/6/23/26	0/1/1/1
12	NAG	A	607	1	-	0/6/23/26	0/1/1/1
12	NAG	B	604	1	-	1/6/23/26	0/1/1/1
12	NAG	c	702	2	-	1/6/23/26	0/1/1/1
12	NAG	A	606	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	A	608	PO4	P-O1	2.72	1.56	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	A	603	NAG	C2-N2-C7	3.95	128.20	122.90
12	A	603	NAG	C1-C2-N2	2.51	114.40	110.43
12	A	605	NAG	C2-N2-C7	2.02	125.61	122.90

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	A	603	NAG	C1-C2-N2-C7
12	A	605	NAG	C1-C2-N2-C7
12	C	601	NAG	O5-C5-C6-O6
12	A	604	NAG	O5-C5-C6-O6
12	C	605	NAG	O5-C5-C6-O6
12	c	702	NAG	O5-C5-C6-O6
12	A	601	NAG	O5-C5-C6-O6
12	b	702	NAG	O5-C5-C6-O6
12	B	604	NAG	O5-C5-C6-O6
12	B	601	NAG	C1-C2-N2-C7
12	A	605	NAG	C3-C2-N2-C7
12	B	601	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-46532. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 202




Y Index: 225




Z Index: 201


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_46532\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 147  $\text{nm}^3$ ; this corresponds to an approximate mass of 133 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.293 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.293 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.41	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.30	7.50	4.40

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.30 differs from the reported value 3.41 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-46532 and PDB model 9D3D. Per-residue inclusion information can be found in section 3 on page 13.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8320	 0.4740
A	 0.8880	 0.5100
B	 0.8870	 0.5160
C	 0.8740	 0.5070
D	 0.7500	 0.4220
E	 0.8570	 0.4630
F	 0.6430	 0.3630
G	 0.3930	 0.3610
H	 0.6990	 0.3510
I	 0.6600	 0.4460
J	 0.7140	 0.4260
K	 0.5360	 0.3350
L	 0.5960	 0.2640
M	 0.3590	 0.3110
N	 0.8570	 0.4730
O	 0.8210	 0.3610
P	 0.7360	 0.4490
Q	 0.7440	 0.4200
R	 0.7950	 0.4680
S	 0.7500	 0.4850
T	 0.7860	 0.4180
U	 0.7500	 0.4020
V	 0.6070	 0.3720
W	 0.5130	 0.3740
X	 0.6430	 0.3860
Y	 0.3330	 0.3250
Z	 0.9640	 0.5490
a	 0.8370	 0.4700
b	 0.8380	 0.4740
c	 0.8540	 0.4830
d	 0.8930	 0.4690
e	 0.7500	 0.3600
f	 0.8210	 0.4230
g	 0.5000	 0.3130
h	 0.6890	 0.4260



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
i	 0.7500	 0.4960
j	 0.4640	 0.3100
k	 0.1790	 0.2680
l	 0.6000	 0.3800
m	 0.5130	 0.3860
n	 0.7500	 0.3790
o	 0.6070	 0.2890
p	 0.7080	 0.4360
q	 0.5130	 0.3170
r	 0.7360	 0.4130