

Feb 20, 2025 – 07:46 AM EST

PDB ID	:	2D57
Title	:	Double layered 2D crystal structure of AQUAPORIN-4 (AQP4M23) at 3.2 a
		resolution by electron crystallography
Authors	:	Hiroaki, Y.; Tani, K.; Kamegawa, A.; Gyobu, N.; Nishikawa, K.; Suzuki, H.;
		Walz, T.; Sasaki, S.; Mitsuoka, K.; Kimura, K.; Mizoguchi, A.; Fujiyoshi, Y.
Deposited on	:	2005-10-29
Resolution	:	3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB/EMDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ CRYSTALLOGRAPHY$

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
R_{free}	164678	53
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RSRZ outliers	164674	54

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain			
			4%			
1	A	301	20%	45%	10%	26%



2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 1659 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Aquaporin-4.

Mol	Chain	Residues	Atoms			AltConf	Trace		
1	А	224	Total 1659	C 1092	N 266	O 289	${ m S}$ 12	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Aquaporin-4



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants	69.00Å 69.00Å 160.00Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	22.21 - 3.20	Depositor
Resolution (A)	22.21 - 3.20	EDS
% Data completeness	87.0 (22.21-3.20)	Depositor
(in resolution range)	86.6 (22.21-3.20)	EDS
R_{merge}	0.22	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.78 (at 3.23 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
B B.	0.283 , 0.338	Depositor
It, Itfree	0.298 , 0.360	DCC
R_{free} test set	337 reflections $(5.62%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	72.9	Xtriage
Anisotropy	0.764	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, 150.0	EDS
L-test for $twinning^2$	$ < L >=0.37, < L^2>=0.20$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	1659	wwPDB-VP
Average B, all atoms $(Å^2)$	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.55	0/1702	0.75	0/2328	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	233	TYR	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1659	0	1688	220	1
All	All	1659	0	1688	220	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 66.



2D57

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:242:VAL:HG23	1:A:243:LEU:HD22	1.40	1.01
1:A:34:PHE:HE2	1:A:114:LYS:HG3	1.24	0.98
1:A:171:VAL:HG21	1:A:241:ALA:HA	1.49	0.92
1:A:245:GLY:O	1:A:249:GLU:HG2	1.70	0.91
1:A:99:ALA:HB1	1:A:241:ALA:HB2	1.51	0.90
1:A:66:LEU:HB3	1:A:67:PRO:HD2	1.54	0.89
1:A:98:PRO:HG2	1:A:214:PRO:HB2	1.55	0.87
1:A:59:TRP:CZ2	1:A:65:PRO:HB3	2.10	0.86
1:A:217:SER:O	1:A:220:PRO:HD2	1.78	0.84
1:A:40:ALA:HB2	1:A:91:ILE:HD12	1.59	0.84
1:A:145:LEU:HD13	1:A:145:LEU:O	1.78	0.84
1:A:34:PHE:CE2	1:A:114:LYS:HG3	2.12	0.84
1:A:166:ILE:HB	1:A:212:MET:HE2	1.63	0.80
1:A:160:LEU:C	1:A:160:LEU:HD23	2.03	0.78
1:A:57:ILE:HD13	1:A:58:ASN:N	1.98	0.78
1:A:117:PHE:HA	1:A:120:THR:HG22	1.63	0.78
1:A:161:LEU:O	1:A:164:LEU:HB3	1.83	0.77
1:A:127:ILE:HG12	1:A:222:VAL:HG21	1.66	0.76
1:A:47:ILE:O	1:A:51:LEU:HB2	1.85	0.76
1:A:167:THR:O	1:A:171:VAL:HG23	1.85	0.74
1:A:84:MET:HE3	1:A:84:MET:HA	1.69	0.74
1:A:52:SER:HB3	1:A:77:PHE:CZ	2.22	0.74
1:A:128:ILE:O	1:A:132:ILE:HG23	1.87	0.74
1:A:40:ALA:CB	1:A:91:ILE:HD12	2.17	0.74
1:A:57:ILE:HD13	1:A:57:ILE:C	2.09	0.73
1:A:53:VAL:O	1:A:57:ILE:HG22	1.89	0.73
1:A:98:PRO:CG	1:A:214:PRO:HB2	2.18	0.72
1:A:195:PHE:O	1:A:198:ALA:HB3	1.89	0.72
1:A:230:HIS:CD2	1:A:234:TRP:HE1	2.08	0.72
1:A:113:ALA:O	1:A:116:VAL:HG22	1.88	0.72
1:A:117:PHE:O	1:A:120:THR:HG22	1.89	0.72
1:A:165:ILE:O	1:A:168:PHE:HB3	1.88	0.72
1:A:224:MET:SD	1:A:226:ASN:HB3	2.30	0.71
1:A:41:GLU:OE1	1:A:41:GLU:HA	1.90	0.70
1:A:66:LEU:HB2	1:A:68:VAL:HG12	1.72	0.70
1:A:221:ALA:HB1	1:A:227:TRP:CD1	2.26	0.70
1:A:148:THR:HG21	1:A:211:SER:HA	1.74	0.70
1:A:243:LEU:O	1:A:247:LEU:HD13	1.90	0.70
1:A:194:GLY:O	1:A:197:VAL:HB	1.92	0.69
1:A:91:ILE:HD13	1:A:91:ILE:O	1.93	0.69

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



	loue page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:182:ARG:C	1:A:184:ASP:H	1.97	0.69
1:A:221:ALA:HB1	1:A:227:TRP:HD1	1.58	0.68
1:A:31:THR:O	1:A:33:ALA:N	2.27	0.68
1:A:144:GLY:O	1:A:147:VAL:HG13	1.94	0.68
1:A:166:ILE:HB	1:A:212:MET:CE	2.23	0.68
1:A:57:ILE:O	1:A:60:GLY:N	2.26	0.68
1:A:50:LEU:HD23	1:A:50:LEU:C	2.15	0.67
1:A:35:TRP:HA	1:A:35:TRP:CE3	2.29	0.67
1:A:65:PRO:O	1:A:66:LEU:HD23	1.95	0.67
1:A:235:VAL:HG23	1:A:236:GLY:N	2.10	0.67
1:A:170:LEU:O	1:A:174:ILE:HD12	1.95	0.66
1:A:231:TRP:HE3	1:A:235:VAL:HG11	1.59	0.66
1:A:135:LEU:HD13	1:A:135:LEU:C	2.16	0.66
1:A:117:PHE:CA	1:A:120:THR:HG22	2.28	0.64
1:A:174:ILE:O	1:A:178:CYS:SG	2.55	0.64
1:A:102:VAL:O	1:A:105:VAL:HG12	1.98	0.63
1:A:35:TRP:HA	1:A:35:TRP:HE3	1.62	0.63
1:A:160:LEU:HD23	1:A:161:LEU:N	2.13	0.63
1:A:124:LEU:O	1:A:128:ILE:HG22	1.99	0.63
1:A:227:TRP:HB3	1:A:230:HIS:HB2	1.79	0.63
1:A:69:ASP:O	1:A:73:ILE:HG13	1.99	0.63
1:A:97:ASN:HB2	1:A:213:ASN:HD21	1.64	0.62
1:A:97:ASN:HB2	1:A:213:ASN:ND2	2.14	0.62
1:A:96:ILE:HG12	1:A:96:ILE:O	2.00	0.61
1:A:34:PHE:HE2	1:A:114:LYS:CG	2.07	0.61
1:A:95:HIS:ND1	1:A:104:MET:HG3	2.15	0.61
1:A:49:VAL:HG23	1:A:50:LEU:H	1.67	0.60
1:A:141:VAL:HG22	1:A:145:LEU:HB2	1.82	0.60
1:A:95:HIS:CE1	1:A:104:MET:HG3	2.37	0.59
1:A:141:VAL:CG2	1:A:145:LEU:HB2	2.31	0.59
1:A:97:ASN:HB3	1:A:100:VAL:CG2	2.32	0.59
1:A:166:ILE:HA	1:A:169:GLN:NE2	2.17	0.59
1:A:34:PHE:HE1	1:A:35:TRP:CZ3	2.21	0.59
1:A:144:GLY:O	1:A:145:LEU:HB3	2.01	0.59
1:A:149:THR:O	1:A:151:HIS:N	2.36	0.59
1:A:188:SER:HB3	1:A:191:LEU:HD12	1.83	0.59
1:A:219:GLY:O	1:A:222:VAL:HG23	2.02	0.58
1:A:127:ILE:CG1	1:A:222:VAL:HG21	2.33	0.58
1:A:235:VAL:HG23	1:A:236:GLY:H	1.66	0.58
1:A:97:ASN:HB3	1:A:100:VAL:HG23	1.86	0.58
1:A:54:GLY:O	1:A:57:ILE:HG23	2.04	0.58



Interatomic Clash				
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:98:PRO:CB	1:A:214:PRO:HB2	2.34	0.58	
1:A:59:TRP:O	1:A:61:GLY:N	2.32	0.57	
1:A:149:THR:OG1	1:A:228:GLU:HB3	2.05	0.56	
1:A:150:VAL:N	1:A:233:TYR:OH	2.39	0.55	
1:A:239:ILE:O	1:A:242:VAL:HG22	2.07	0.55	
1:A:49:VAL:HG23	1:A:50:LEU:N	2.21	0.55	
1:A:156:ALA:O	1:A:160:LEU:HB3	2.07	0.55	
1:A:183:THR:O	1:A:183:THR:HG22	2.06	0.55	
1:A:162:VAL:O	1:A:165:ILE:HG22	2.06	0.55	
1:A:233:TYR:O	1:A:237:PRO:HD2	2.06	0.55	
1:A:170:LEU:HA	1:A:196:SER:OG	2.07	0.55	
1:A:131:GLY:O	1:A:134:TYR:HB3	2.06	0.55	
1:A:52:SER:HB3	1:A:77:PHE:CE2	2.42	0.54	
1:A:201:HIS:O	1:A:205:ILE:HG13	2.08	0.53	
1:A:231:TRP:CE3	1:A:235:VAL:HG11	2.43	0.53	
1:A:232:ILE:HA	1:A:235:VAL:HG22	1.91	0.53	
1:A:196:SER:HA	1:A:199:ILE:HD11	1.90	0.53	
1:A:130:ALA:O	1:A:133:LEU:HB3	2.09	0.53	
1:A:228:GLU:OE1	1:A:228:GLU:HA	2.08	0.53	
1:A:231:TRP:O	1:A:235:VAL:HG22	2.09	0.53	
1:A:229:ASN:OD1	1:A:229:ASN:O	2.27	0.53	
1:A:100:VAL:O	1:A:104:MET:HG2	2.08	0.53	
1:A:148:THR:HG23	1:A:216:ARG:NH2	2.24	0.52	
1:A:182:ARG:O	1:A:184:ASP:N	2.42	0.52	
1:A:165:ILE:HG23	1:A:166:ILE:N	2.25	0.52	
1:A:105:VAL:HG23	1:A:110:ILE:O	2.10	0.51	
1:A:138:PRO:HG2	1:A:139:PRO:HD3	1.91	0.51	
1:A:195:PHE:O	1:A:199:ILE:HG12	2.10	0.51	
1:A:201:HIS:HB3	1:A:205:ILE:HD11	1.90	0.51	
1:A:50:LEU:HD12	1:A:132:ILE:HD11	1.92	0.51	
1:A:78:GLY:HA2	1:A:197:VAL:CG1	2.40	0.51	
1:A:117:PHE:HA	1:A:120:THR:CG2	2.36	0.51	
1:A:232:ILE:HA	1:A:235:VAL:CG2	2.39	0.51	
1:A:117:PHE:C	1:A:120:THR:HG22	2.31	0.50	
1:A:243:LEU:HD22	1:A:243:LEU:N	2.26	0.50	
1:A:151:HIS:O	1:A:152:GLY:C	2.49	0.50	
1:A:168:PHE:CG	1:A:244:ALA:HB2	2.46	0.50	
1:A:59:TRP:C	1:A:61:GLY:H	2.13	0.50	
1:A:90:HIS:ND1	1:A:90:HIS:N	2.58	0.50	
1:A:201:HIS:O	1:A:202:LEU:C	2.49	0.50	
1:A:196:SER:O	1:A:199:ILE:HG13	2.12	0.50	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:243:LEU:HD22	1:A:243:LEU:H	1.77	0.50
1:A:71:VAL:CG1	1:A:72:LEU:N	2.75	0.49
1:A:149:THR:O	1:A:150:VAL:C	2.50	0.49
1:A:91:ILE:HD13	1:A:91:ILE:C	2.33	0.49
1:A:34:PHE:HE1	1:A:35:TRP:HZ3	1.60	0.49
1:A:155:THR:O	1:A:157:GLY:N	2.46	0.49
1:A:176:ALA:HA	1:A:248:TYR:CZ	2.47	0.49
1:A:247:LEU:HD12	1:A:247:LEU:N	2.27	0.49
1:A:83:THR:O	1:A:86:GLN:HB2	2.12	0.49
1:A:238:ILE:O	1:A:241:ALA:HB3	2.12	0.49
1:A:230:HIS:CD2	1:A:234:TRP:NE1	2.80	0.49
1:A:135:LEU:HD22	1:A:135:LEU:O	2.12	0.49
1:A:239:ILE:HA	1:A:242:VAL:HG22	1.94	0.49
1:A:132:ILE:O	1:A:136:VAL:HG23	2.14	0.48
1:A:97:ASN:C	1:A:97:ASN:OD1	2.52	0.48
1:A:242:VAL:HG23	1:A:243:LEU:N	2.29	0.48
1:A:171:VAL:O	1:A:175:PHE:HD1	1.96	0.48
1:A:52:SER:HB3	1:A:77:PHE:CE1	2.48	0.48
1:A:141:VAL:O	1:A:143:GLY:N	2.47	0.48
1:A:34:PHE:CE2	1:A:114:LYS:HE3	2.49	0.48
1:A:128:ILE:HG23	1:A:129:GLY:N	2.29	0.48
1:A:160:LEU:C	1:A:160:LEU:CD2	2.76	0.48
1:A:54:GLY:HA2	1:A:57:ILE:CG2	2.43	0.47
1:A:57:ILE:HD13	1:A:58:ASN:CA	2.43	0.47
1:A:98:PRO:HB2	1:A:214:PRO:HB2	1.96	0.47
1:A:166:ILE:CB	1:A:212:MET:HE2	2.39	0.47
1:A:166:ILE:HA	1:A:169:GLN:HE21	1.77	0.47
1:A:174:ILE:HG13	1:A:193:ILE:HG12	1.97	0.47
1:A:197:VAL:HG13	1:A:201:HIS:CE1	2.49	0.47
1:A:71:VAL:HG13	1:A:72:LEU:N	2.30	0.47
1:A:128:ILE:HG23	1:A:129:GLY:H	1.79	0.47
1:A:242:VAL:CG2	1:A:243:LEU:HD22	2.29	0.47
1:A:127:ILE:CD1	1:A:222:VAL:HG21	2.44	0.47
1:A:64:ASN:O	1:A:66:LEU:HG	2.14	0.47
1:A:66:LEU:HB3	1:A:67:PRO:CD	2.33	0.47
1:A:88:PHE:HA	1:A:91:ILE:HG22	1.96	0.47
1:A:164:LEU:O	1:A:240:GLY:HA3	2.15	0.47
1:A:88:PHE:N	1:A:88:PHE:CD1	2.83	0.47
1:A:231:TRP:O	1:A:235:VAL:HG13	2.15	0.47
1:A:235:VAL:CG2	1:A:236:GLY:N	2.78	0.47
1:A:237:PRO:O	1:A:241:ALA:HB2	2.15	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:88:PHE:CA	1:A:91:ILE:HG22	2.45	0.46
1:A:148:THR:HG21	1:A:211:SER:CA	2.43	0.46
1:A:239:ILE:O	1:A:243:LEU:HD23	2.14	0.46
1:A:171:VAL:HG13	1:A:175:PHE:CE1	2.51	0.46
1:A:83:THR:O	1:A:87:CYS:N	2.45	0.46
1:A:182:ARG:C	1:A:184:ASP:N	2.66	0.46
1:A:46:LEU:HA	1:A:125:GLY:O	2.16	0.45
1:A:148:THR:O	1:A:233:TYR:CE2	2.69	0.45
1:A:228:GLU:HG3	1:A:229:ASN:HD22	1.81	0.45
1:A:247:LEU:N	1:A:247:LEU:CD1	2.78	0.45
1:A:98:PRO:HD3	1:A:215:ALA:HB2	1.97	0.45
1:A:34:PHE:CE1	1:A:35:TRP:CZ3	3.04	0.45
1:A:56:THR:HG22	1:A:73:ILE:HG23	1.99	0.45
1:A:34:PHE:CE1	1:A:38:VAL:HG21	2.52	0.44
1:A:165:ILE:CG2	1:A:166:ILE:N	2.81	0.44
1:A:46:LEU:HD22	1:A:128:ILE:HD13	1.97	0.44
1:A:167:THR:O	1:A:171:VAL:CG2	2.61	0.44
1:A:195:PHE:N	1:A:195:PHE:CD1	2.85	0.44
1:A:142:VAL:O	1:A:144:GLY:N	2.51	0.43
1:A:36:LYS:H	1:A:36:LYS:HD2	1.84	0.43
1:A:84:MET:HE1	1:A:87:CYS:SG	2.58	0.43
1:A:164:LEU:HD12	1:A:240:GLY:CA	2.49	0.43
1:A:142:VAL:C	1:A:144:GLY:N	2.72	0.43
1:A:147:VAL:O	1:A:149:THR:N	2.51	0.43
1:A:34:PHE:CD2	1:A:114:LYS:HE3	2.54	0.43
1:A:171:VAL:O	1:A:175:PHE:CD1	2.71	0.43
1:A:163:GLU:HA	1:A:166:ILE:HD11	2.02	0.42
1:A:188:SER:HB3	1:A:191:LEU:HB2	2.02	0.42
1:A:84:MET:HA	1:A:84:MET:CE	2.40	0.42
1:A:104:MET:CE	1:A:109:LYS:HD2	2.50	0.42
1:A:195:PHE:N	1:A:195:PHE:HD1	2.18	0.42
1:A:96:ILE:O	1:A:96:ILE:CG1	2.63	0.42
1:A:50:LEU:C	1:A:50:LEU:CD2	2.86	0.42
1:A:142:VAL:C	1:A:144:GLY:H	2.23	0.42
1:A:232:ILE:CA	1:A:235:VAL:HG22	2.49	0.42
1:A:234:TRP:O	1:A:238:ILE:HD12	2.20	0.42
1:A:125:GLY:HA2	1:A:128:ILE:CG2	2.50	0.41
1:A:179:ASP:HB3	1:A:248:TYR:HE2	1.85	0.41
1:A:39:THR:O	1:A:40:ALA:C	2.56	0.41
1:A:135:LEU:HD13	1:A:135:LEU:O	2.20	0.41
1:A:168:PHE:CD2	1:A:244:ALA:HB2	2.55	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:57:ILE:HD13	1:A:58:ASN:HA	2.03	0.41
1:A:59:TRP:CE2	1:A:65:PRO:HB3	2.54	0.41
1:A:117:PHE:O	1:A:120:THR:CG2	2.65	0.41
1:A:166:ILE:HG13	1:A:167:THR:N	2.36	0.41
1:A:228:GLU:HG3	1:A:229:ASN:ND2	2.35	0.41
1:A:235:VAL:CG2	1:A:236:GLY:H	2.32	0.41
1:A:173:THR:O	1:A:177:SER:HB2	2.21	0.41
1:A:110:ILE:HD12	1:A:114:LYS:CE	2.51	0.41
1:A:217:SER:C	1:A:220:PRO:HD2	2.39	0.41
1:A:46:LEU:HD12	1:A:46:LEU:C	2.40	0.40
1:A:141:VAL:HG13	1:A:142:VAL:N	2.35	0.40
1:A:216:ARG:HG2	1:A:216:ARG:HH11	1.86	0.40
1:A:59:TRP:C	1:A:61:GLY:N	2.75	0.40
1:A:168:PHE:HA	1:A:240:GLY:O	2.20	0.40
1:A:216:ARG:O	1:A:220:PRO:CD	2.70	0.40
1:A:54:GLY:O	1:A:58:ASN:HB2	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:VAL:CG1	1:A:142:VAL:CG1[8_667]	2.06	0.14

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Per	centil	\mathbf{es}
1	А	222/301 (74%)	177 (80%)	32 (14%)	13~(6%)	1	10	

All (13) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	А	32	GLN
1	А	150	VAL
1	А	156	ALA
1	А	181	LYS
1	А	212	MET
1	А	142	VAL
1	А	148	THR
1	А	183	THR
1	А	250	TYR
1	А	251	VAL
1	А	179	ASP
1	А	60	GLY
1	A	96	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	176/243~(72%)	149~(85%)	27~(15%)	2 11

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	35	TRP
1	А	46	LEU
1	А	57	ILE
1	А	58	ASN
1	А	63	GLU
1	А	64	ASN
1	А	84	MET
1	А	88	PHE
1	А	90	HIS
1	А	91	ILE
1	А	118	TYR
1	А	119	ILE
1	А	124	LEU
1	А	128	ILE



Mol	Chain	Res	Type
1	А	134	TYR
1	А	148	THR
1	А	154	LEU
1	А	160	LEU
1	А	169	GLN
1	А	177	SER
1	А	181	LYS
1	А	182	ARG
1	А	186	THR
1	А	208	THR
1	А	214	PRO
1	А	216	ARG
1	А	222	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	151	HIS
1	А	169	GLN
1	А	206	ASN
1	А	230	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

