

Full wwPDB X-ray Structure Validation Report (i)

Oct 9, 2023 – 05:48 PM EDT

:	8D6S
:	Rana catesbeiana saxiphilin mutant - Y558A:STX (co-crystal)
:	Chen, Z.; Zakrzewska, S.; Minor, D.L.
:	2022-06-06
:	2.60 Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution		
wiethe	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	130704	3163 (2.60-2.60)		
Clashscore	141614	3518 (2.60-2.60)		
Ramachandran outliers	138981	3455 (2.60-2.60)		
Sidechain outliers	138945	3455 (2.60-2.60)		
RSRZ outliers	127900	3104 (2.60-2.60)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	851	<mark>6%</mark> 81%	14%	•••
1	В	851	6%	19%	• •



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12718 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	818	Total 6308	C 3939	N 1090	O 1220	S 59	0	0	0
1	В	818	Total 6308	C 3939	N 1090	O 1220	S 59	0	0	0

• Molecule 1 is a protein called Saxiphilin.

Chain	Residue	Modelled	Actual Comment		Reference
А	558	ALA	TYR	engineered mutation	UNP P31226
А	826	SER	-	expression tag	UNP P31226
А	827	ASN	-	expression tag	UNP P31226
А	828	SER	-	expression tag	UNP P31226
А	829	LEU	-	expression tag	UNP P31226
А	830	GLU	-	expression tag	UNP P31226
А	831	VAL	-	expression tag	UNP P31226
А	832	LEU	-	expression tag	UNP P31226
В	558	ALA	TYR	engineered mutation	UNP P31226
В	826	SER	-	expression tag	UNP P31226
В	827	ASN	-	expression tag	UNP P31226
В	828	SER	-	expression tag	UNP P31226
В	829	LEU	-	expression tag	UNP P31226
В	830	GLU	-	expression tag	UNP P31226
В	831	VAL	-	expression tag	UNP P31226
В	832	LEU	-	expression tag	UNP P31226

There are 16 discrepancies between the modelled and reference sequences:

• Molecule 2 is [(3aS,4R,10aS)-2,6-diamino-10,10-dihydroxy-3a,4,9,10-tetrahydro-3H,8H-pyrrolo[1,2-c]purin-4-yl]methyl carbamate (three-letter code: 9SL) (formula: $C_{10}H_{17}N_7O_4$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	А	1	Total	С	Ν	Ο	0	0	
	2 11	-	21	10	7	4	Ŭ	Ŭ	
9	В	1	Total	С	Ν	Ο	0	0	
2 B			21	10	7	4	0	0	

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	36	Total O 36 36	0	0
3	В	24	Total O 24 24	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Saxiphilin

<mark>\$362</mark> L428 M429 F430 1405 1406 1406 1408 1409 1409 1410 414 8415 Y 542 H 543 N 544 F561 K586 S587 K641 N642 S643 T628 K629 S630 N631 A674 F675 T73 1817 5818 E703 L704 S710 R711 A712 G755 F756 E757 K758 Y800 Y801 T802 T803 V804 Y805 **G806** A807 T783 F784 D785 R786 V676 P677 /831 /832



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	95.98Å 107.14Å 253.04Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	47.37 - 2.60	Depositor
Resolution (A)	47.37 - 2.60	EDS
% Data completeness	99.8 (47.37-2.60)	Depositor
(in resolution range)	99.8 (47.37 - 2.60)	EDS
R_{merge}	0.12	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.25 (at 2.61 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
D D.	0.232 , 0.262	Depositor
Λ, Λ_{free}	0.230 , 0.260	DCC
R_{free} test set	3933 reflections $(4.86%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	84.8	Xtriage
Anisotropy	0.528	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.28 , 86.9	EDS
L-test for $twinning^2$	$ \langle L \rangle = 0.49, \langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12718	wwPDB-VP
Average B, all atoms $(Å^2)$	135.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: $9\mathrm{SL}$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.25	0/6433	0.46	0/8682	
1	В	0.25	0/6433	0.45	0/8682	
All	All	0.25	0/12866	0.45	0/17364	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6308	0	6177	72	0
1	В	6308	0	6177	90	0
2	А	21	0	0	1	0
2	В	21	0	0	2	0
3	А	36	0	0	3	0
3	В	24	0	0	0	0
All	All	12718	0	12354	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:607:ARG:NH2	1:A:803:THR:O	2.14	0.81	
1:A:602:VAL:HG23	1:A:614:ILE:HG13	1.63	0.81	
1:A:703:GLU:HB2	1:A:711:ARG:HH21	1.49	0.76	
1:A:590:THR:HG22	1:A:597:GLY:HA3	1.69	0.74	
1:B:24:VAL:HG22	1:B:34:LEU:HB3	1.73	0.70	
1:A:199:GLY:O	3:A:1001:HOH:O	2.10	0.69	
1:A:606:ARG:HG2	1:A:612:SER:HB3	1.75	0.69	
1:B:539:VAL:HG12	1:B:783:THR:HA	1.75	0.68	
1:B:802:THR:HG22	1:B:807:ALA:HB2	1.76	0.67	
1:A:636:CYS:SG	3:A:1003:HOH:O	2.54	0.66	
1:B:199:GLY:HA3	1:B:218:PRO:HB3	1.76	0.66	
1:A:56:ALA:HB2	1:A:405:ILE:HD13	1.80	0.64	
1:A:539:VAL:HG12	1:A:783:THR:HA	1.80	0.64	
1:A:135:MET:HG3	1:A:829:LEU:HD22	1.79	0.63	
1:B:785:ASP:O	2:B:901:9SL:N15	2.32	0.63	
1:B:95:ARG:HA	1:B:109:PRO:HD2	1.80	0.63	
1:B:278:LYS:NZ	1:B:370:PRO:O	2.33	0.61	
1:B:527:MET:HG2	1:B:795:TYR:CE2	2.36	0.61	
1:B:635:LEU:HD22	1:B:670:LYS:HE2	1.81	0.61	
1:A:685:THR:HG21	1:A:699:SER:HB3	1.83	0.60	
1:B:146:PRO:HA	1:B:150:ARG:HH12	1.66	0.60	
1:B:703:GLU:OE2	1:B:712:ALA:N	2.34	0.60	
1:A:574:ASN:O	1:A:711:ARG:NH1	2.33	0.60	
1:A:94:GLU:HB3	1:A:109:PRO:HG2	1.84	0.59	
1:A:411:GLU:OE1	1:A:415:ARG:NH1	2.35	0.59	
1:B:354:SER:HA	1:B:357:LEU:HD23	1.84	0.58	
1:A:569:LEU:HD22	1:A:681:VAL:HG22	1.86	0.58	
1:A:119:PRO:HG3	1:A:155:ARG:HG3	1.87	0.57	
1:B:56:ALA:HB2	1:B:405:ILE:HD13	1.85	0.57	
1:B:75:LYS:HG2	1:B:397:LYS:HA	1.87	0.56	
1:B:139:ILE:HD12	1:B:832:LEU:HB3	1.85	0.56	
1:A:569:LEU:HD11	1:A:702:PHE:HB3	1.88	0.56	
1:B:192:GLN:HB2	1:B:809:ARG:HH21	1.69	0.55	
1:A:184:ASP:OD1	1:A:188:ASN:N	2.40	0.55	
1:A:692:VAL:HG13	1:A:693:TRP:H	1.71	0.55	
1:A:78:ILE:HB	1:A:393:VAL:HB	1.88	0.55	
1:B:195:HIS:NE2	1:B:197:SER:OG	2.39	0.55	
1:A:357:LEU:HD22	1:A:377:LEU:HD12	1.90	0.54	
1:B:684:ASN:OD1	1:B:689:ASN:ND2	2.39	0.54	
1:A:454:LEU:O	1:A:458:MET:HG2	2.08	0.54	
1:B:40:SER:OG	1:B:44:ASP:OD2	2.26	0.54	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:191:PRO:HD2	1:B:809:ARG:HG3	1.90	0.54	
1:B:575:LYS:HA	1:B:711:ARG:HH12	1.72	0.54	
1:A:758:LYS:O	1:A:762:GLN:NE2	2.40	0.54	
1:A:665:ARG:HD2	1:A:693:TRP:CE2	2.43	0.53	
1:A:32:ILE:HG21	1:A:408:PHE:HB2	1.90	0.53	
1:A:362:SER:HA	1:A:377:LEU:HD23	1.90	0.52	
1:A:274:VAL:HG21	1:A:385:LEU:HD12	1.90	0.52	
1:B:95:ARG:HE	1:B:108:ILE:HG22	1.73	0.52	
1:B:23:LEU:HD13	1:B:419:LEU:HD23	1.91	0.52	
1:B:164:GLU:OE1	1:B:189:TYR:OH	2.22	0.52	
1:A:473:VAL:HG23	1:A:743:ILE:HD13	1.92	0.52	
1:A:539:VAL:HG23	1:A:730:ILE:HB	1.92	0.52	
1:A:676:VAL:HG12	1:A:677:PRO:HD2	1.90	0.52	
1:B:8:ARG:NH2	1:B:52:GLY:O	2.42	0.51	
1:B:818:SER:O	1:B:823:LYS:NZ	2.41	0.51	
1:B:525:GLN:HG3	1:B:595:ILE:HD11	1.92	0.51	
1:A:588:CYS:HB2	1:A:674:ALA:HA	1.92	0.51	
1:A:133:ASN:HD21	1:A:137:GLU:HB2	1.75	0.50	
1:B:75:LYS:HB3	1:B:397:LYS:HD2	1.93	0.50	
1:B:248:GLN:HA	1:B:368:LEU:HD11	1.93	0.50	
1:A:259:HIS:CD2	1:A:304:ILE:HG12	2.47	0.50	
1:B:450:LEU:HD22	1:B:454:LEU:HD12	1.93	0.50	
1:B:29:VAL:HG23	1:B:411:GLU:HG2	1.93	0.50	
1:A:484:MET:HE3	1:A:768:LYS:HD2	1.92	0.49	
1:B:322:LYS:HD3	1:B:329:ASP:HB3	1.94	0.49	
1:B:538:ALA:HB2	1:B:732:THR:HG22	1.93	0.49	
1:B:342:LEU:HB2	1:B:350:ALA:HB2	1.94	0.49	
1:B:676:VAL:HG12	1:B:677:PRO:O	2.12	0.49	
1:B:57:MET:O	1:B:393:VAL:HA	2.12	0.49	
1:B:627:ASP:HB3	1:B:630:SER:HB2	1.94	0.49	
1:A:62:GLY:HA2	1:A:458:MET:HE1	1.95	0.49	
1:B:603:SER:OG	1:B:803:THR:O	2.31	0.48	
1:A:734:GLU:O	1:A:737:ILE:HG12	2.13	0.48	
1:B:532:MET:HG2	1:B:817:ILE:HG23	1.95	0.48	
1:A:450:LEU:HD23	1:A:454:LEU:HG	1.95	0.48	
1:B:361:HIS:HB3	1:B:365:TYR:HD2	1.78	0.48	
1:B:579:TRP:HE1	1:B:608:GLN:HE22	1.61	0.48	
1:B:624:PRO:HG2	1:B:658:TYR:HA	1.96	0.48	
1:A:785:ASP:O	2:A:901:9SL:N15	2.47	0.48	
1:B:542:TYR:CZ	1:B:544:ASN:HB3	2.48	0.48	
1:A:641:LYS:O	1:A:642:ASN:ND2	2.47	0.48	



	loue page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:57:MET:O	1:A:393:VAL:HA	2.14	0.48
1:A:195:HIS:HB3	1:A:198:THR:O	2.13	0.47
1:B:140:SER:HB3	1:B:831:VAL:HG13	1.96	0.47
1:B:69:LYS:HE3	1:B:69:LYS:HB2	1.77	0.47
1:A:607:ARG:CZ	1:A:607:ARG:HB2	2.44	0.47
1:A:190:GLU:OE2	1:A:808:SER:HA	2.15	0.47
1:A:603:SER:HB3	1:A:607:ARG:HH22	1.78	0.47
1:B:256:ARG:HG2	1:B:301:VAL:HG23	1.96	0.47
1:B:586:LYS:HB3	1:B:635:LEU:HD11	1.97	0.47
1:B:414:LYS:HB2	1:B:414:LYS:HE3	1.78	0.47
1:B:216:THR:HG21	1:B:222:PRO:HA	1.96	0.46
1:B:94:GLU:HB3	1:B:109:PRO:HG2	1.97	0.46
1:B:93:LYS:O	1:B:97:GLN:HG2	2.15	0.46
1:B:800:TYR:O	1:B:804:VAL:HG22	2.16	0.46
1:A:76:PRO:HA	1:A:394:VAL:HG12	1.97	0.46
1:A:489:TRP:O	1:A:493:SER:HB3	2.16	0.46
1:B:362:SER:HA	1:B:377:LEU:HD13	1.97	0.46
1:A:236:TYR:CE2	1:A:387:THR:HG22	2.51	0.46
1:A:218:PRO:HD3	3:A:1001:HOH:O	2.16	0.46
1:A:477:THR:HG22	1:A:773:LEU:HD21	1.96	0.46
1:B:710:SER:OG	1:B:711:ARG:N	2.49	0.46
1:B:182:GLN:NE2	1:B:194:PHE:H	2.13	0.45
1:B:18:LYS:HA	1:B:18:LYS:HD3	1.79	0.45
1:B:543:HIS:ND1	1:B:777:ASN:OD1	2.49	0.45
1:B:104:ILE:H	1:B:104:ILE:HG13	1.34	0.45
1:B:221:ILE:HD12	1:B:786:ARG:HG3	1.99	0.45
1:B:707:LEU:HD11	1:B:722:LEU:HA	1.99	0.45
1:A:50:LYS:HE3	1:A:50:LYS:HB3	1.82	0.45
1:B:32:ILE:HG21	1:B:408:PHE:HB2	1.99	0.45
1:A:622:CYS:HB2	1:A:635:LEU:HD12	1.99	0.44
1:B:261:GLY:HA2	1:B:305:PRO:HG2	1.99	0.44
1:B:755:GLY:O	1:B:758:LYS:NZ	2.44	0.44
1:A:761:PHE:HE2	1:A:763:LEU:HD23	1.82	0.44
1:B:60:ASP:OD1	1:B:61:SER:N	2.51	0.44
1:A:759:ASP:N	1:A:759:ASP:OD1	2.50	0.44
1:B:259:HIS:CD2	1:B:304:ILE:HG12	2.53	0.44
1:B:411:GLU:HG3	1:B:415:ARG:HD2	1.99	0.44
1:B:727:PRO:HD2	2:B:901:9SL:N08	2.33	0.44
1:A:552:LYS:HG3	1:A:553:THR:H	1.81	0.44
1:A:567:VAL:HG12	1:A:721:LYS:HA	2.00	0.44
1:B:195:HIS:CE1	1:B:197:SER:HG	2.36	0.44



	loue page	Interatomic	Clash		
Atom-1	Atom-2	distance $(Å)$	overlap (Å)		
1:B:406:ASN:OD1	1:B:439:LEU:HB2	2.18	0.44		
1:B:428:LEU:O	1:B:430:PHE:N	2.51	0.44		
1:B:332:TYR:CG	1:B:341:CYS:HB2	2.53	0.43		
1:A:8:ARG:HG2	1:A:35:VAL:HB	1.99	0.43		
1:B:279:LYS:HE2	1:B:279:LYS:HB3	1.79	0.43		
1:A:739:ASP:O	1:A:742:ARG:HB2	2.18	0.43		
1:A:540:GLU:HG2	1:A:727:PRO:HG2	2.00	0.43		
1:A:377:LEU:HD22	1:A:377:LEU:H	1.83	0.43		
1:A:552:LYS:HG3	1:A:553:THR:N	2.34	0.42		
1:B:127:GLY:O	1:B:150:ARG:NH2	2.52	0.42		
1:B:162:LEU:HD13	1:B:187:GLY:HA2	2.00	0.42		
1:B:592:VAL:HG23	1:B:598:TRP:CE2	2.54	0.42		
1:A:322:LYS:HD2	1:A:329:ASP:HB3	2.02	0.42		
1:B:200:TYR:CD1	1:B:217:PRO:HA	2.55	0.42		
1:A:76:PRO:HB3	1:A:392:THR:HG21	2.01	0.42		
1:A:79:ALA:HB3	1:A:440:LEU:HD21	2.02	0.42		
1:B:135:MET:HB3	1:B:232:THR:HG21	2.01	0.42		
1:B:538:ALA:N	1:B:730:ILE:O	2.53	0.42		
1:B:63:GLU:HG2	1:B:263:SER:HB2	2.02	0.42		
1:B:480:LYS:O	1:B:484:MET:HG3	2.19	0.42		
1:B:532:MET:HE3	1:B:809:ARG:HD2	2.02	0.42		
1:A:577:ILE:HG22	1:A:705:LEU:HD11	2.01	0.42		
1:A:198:THR:O	1:A:200:TYR:N	2.53	0.42		
1:A:772:LEU:O	1:A:774:PHE:N	2.47	0.41		
1:A:205:ASN:N	1:A:209:GLU:O	2.45	0.41		
1:B:89:GLN:HB3	1:B:92:LEU:HD12	2.02	0.41		
1:B:804:VAL:HG23	1:B:805:TYR:CD2	2.56	0.41		
1:A:692:VAL:HG22	1:A:693:TRP:N	2.35	0.41		
1:A:569:LEU:HD12	1:A:703:GLU:O	2.21	0.41		
1:B:536:LEU:HD22	1:B:791:ILE:HG12	2.02	0.41		
1:A:69:LYS:HB3	1:A:69:LYS:HE3	1.94	0.40		
1:B:477:THR:HG22	1:B:773:LEU:HD21	2.03	0.40		
1:B:615:ASP:N	1:B:615:ASP:OD1	2.53	0.40		
1:A:166:GLN:HG2	1:A:167:VAL:H	1.85	0.40		
1:A:737:ILE:HG13	1:A:738:SER:N	2.37	0.40		
1:B:224:THR:HG21	1:B:536:LEU:HD21	2.03	0.40		
1:B:406:ASN:O	1:B:410:MET:HG2	2.22	0.40		
1:B:667:LEU:HB2	1:B:674:ALA:HB2	2.02	0.40		
1:B:584:GLY:N	1:B:617:PHE:O	2.53	0.40		

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles		
1	А	814/851~(96%)	771 (95%)	40 (5%)	3~(0%)	34 57		
1	В	814/851~(96%)	764 (94%)	49 (6%)	1 (0%)	51 75		
All	All	1628/1702~(96%)	1535~(94%)	89~(6%)	4 (0%)	47 71		

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	692	VAL
1	А	199	GLY
1	В	429	MET
1	А	639	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	703/728~(97%)	688~(98%)	15 (2%)	53	77	
1	В	703/728~(97%)	689~(98%)	14 (2%)	55	78	
All	All	1406/1456~(97%)	1377 (98%)	29 (2%)	53	77	

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	14	ASP
1	А	132	VAL



Mol	Chain	Res	Type
1	А	284	ASP
1	А	352	LEU
1	А	363	GLU
1	А	367	LEU
1	А	561	PHE
1	А	586	LYS
1	А	607	ARG
1	А	610	ASP
1	A	649	CYS
1	А	676	VAL
1	А	685	THR
1	А	785	ASP
1	А	823	LYS
1	В	34	LEU
1	В	94	GLU
1	В	104	ILE
1	В	120	GLN
1	В	158	LEU
1	В	301	VAL
1	В	561	PHE
1	В	615	ASP
1	В	631	ASN
1	В	704	LEU
1	В	757	GLU
1	В	825	CYS
1	В	830	GLU
1	В	831	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	642	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Ма	Turne	Chain Deg Link		Tinle	Bo	ond leng	$_{\rm sths}$	Bond angles		
MOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	9SL	В	901	-	17,23,23	<mark>3.39</mark>	9 (52%)	13,37,37	2.88	5 (38%)
2	9SL	А	901	1	17,23,23	3.44	9 (52%)	13,37,37	2.98	6 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	9SL	В	901	-	-	2/5/53/53	0/3/3/3
2	9SL	А	901	1	-	4/5/53/53	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(\text{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
2	В	901	9SL	C12-N13	6.98	1.46	1.35
2	А	901	9SL	C12-N13	6.97	1.46	1.35
2	В	901	9SL	C02-N21	6.53	1.45	1.33
2	А	901	9SL	C07-N08	6.46	1.45	1.34
2	А	901	9SL	C02-N21	6.44	1.45	1.33
2	В	901	9SL	C07-N08	6.22	1.45	1.34
2	А	901	9SL	C12-N15	4.75	1.45	1.34
2	В	901	9SL	C12-N15	4.69	1.45	1.34
2	В	901	9SL	O03-C02	3.50	1.40	1.35
2	А	901	9SL	O03-C02	3.39	1.40	1.35



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	А	901	9SL	C05-C14	3.09	1.59	1.52
2	В	901	9SL	C05-C14	3.00	1.59	1.52
2	А	901	9SL	C07-N09	2.55	1.40	1.35
2	А	901	9SL	O01-C02	-2.19	1.19	1.21
2	В	901	9SL	O01-C02	-2.14	1.19	1.21
2	В	901	9SL	C07-N09	2.11	1.39	1.35
2	А	901	9SL	O03-C04	-2.01	1.40	1.45
2	В	901	9SL	O03-C04	-2.00	1.40	1.45

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	901	9SL	O03-C02-N21	7.36	120.21	111.08
2	В	901	9SL	O03-C02-N21	7.32	120.17	111.08
2	А	901	9SL	N09-C07-N06	-4.21	119.56	125.42
2	В	901	9SL	N09-C07-N06	-4.14	119.66	125.42
2	А	901	9SL	O03-C02-O01	-3.49	119.77	123.07
2	В	901	9SL	O03-C02-O01	-3.43	119.83	123.07
2	В	901	9SL	O01-C02-N21	-3.34	120.00	125.51
2	А	901	9SL	O01-C02-N21	-3.33	120.02	125.51
2	А	901	9SL	C04-C05-N06	-3.14	103.78	108.57
2	A	901	9SL	C19-C20-N09	-2.33	101.19	103.83
2	В	901	9SL	C19-C20-N09	-2.26	101.28	103.83

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	901	9SL	O01-C02-O03-C04
2	А	901	9SL	N21-C02-O03-C04
2	А	901	9SL	O03-C04-C05-N06
2	А	901	9SL	O03-C04-C05-C14
2	В	901	9SL	O01-C02-O03-C04
2	В	901	9SL	N21-C02-O03-C04

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	901	9SL	2	0
2	А	901	9SL	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RS	\mathbf{RZ} >	≥ 2	$OWAB(Å^2)$	Q<0.9
1	А	818/851~(96%)	0.42	52 (6%)	19	14	80, 120, 202, 248	0
1	В	818/851~(96%)	0.47	47 (5%)	23	18	84, 129, 208, 256	0
All	All	1636/1702~(96%)	0.44	99 (6%)	21	16	80, 126, 206, 256	0

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	830	GLU	8.5
1	А	569	LEU	7.7
1	В	641	LYS	7.4
1	В	664	PHE	6.6
1	В	831	VAL	6.3
1	А	674	ALA	6.3
1	А	570	VAL	6.3
1	А	684	ASN	5.9
1	В	674	ALA	5.6
1	А	582	ILE	5.2
1	А	693	TRP	5.1
1	В	668	VAL	5.0
1	В	644	ALA	5.0
1	А	664	PHE	5.0
1	А	688	LYS	4.9
1	В	640	PRO	4.7
1	В	832	LEU	4.6
1	А	579	TRP	4.4
1	А	637	ILE	4.2
1	В	829	LEU	4.1
1	А	194	PHE	4.1
1	А	675	PHE	4.1
1	В	647	THR	4.0
1	А	704	LEU	3.9



8D6S

Mol	Chain	Res	Type	RSRZ
1	А	641	LYS	3.9
1	В	642	ASN	3.8
1	В	690	PRO	3.8
1	А	687	GLY	3.8
1	В	207	ILE	3.8
1	А	702	PHE	3.7
1	А	162	LEU	3.6
1	В	166	GLN	3.4
1	А	691	ALA	3.3
1	А	639	ASP	3.3
1	В	613	ASP	3.3
1	В	773	LEU	3.3
1	А	681	VAL	3.2
1	А	568	ALA	3.2
1	А	722	LEU	3.2
1	В	673	VAL	3.2
1	А	647	THR	3.1
1	В	569	LEU	3.0
1	В	82	TYR	3.0
1	А	676	VAL	3.0
1	В	88	LEU	3.0
1	В	635	LEU	3.0
1	А	700	GLU	2.9
1	А	605	ILE	2.9
1	А	705	LEU	2.9
1	В	156	HIS	2.8
1	А	586	LYS	2.8
1	В	694	ALA	2.7
1	А	714	VAL	2.7
1	В	675	PHE	2.6
1	А	673	VAL	2.5
1	А	554	PRO	2.5
1	А	192	GLN	2.5
1	В	155	ARG	2.5
1	A	711	ARG	2.5
1	В	617	PHE	2.4
1	В	618	PHE	2.4
1	В	579	TRP	2.4
1	В	661	GLN	2.4
1	A	196	GLY	2.4
1	А	542	TYR	2.4
1	А	645	ALA	2.4



Mol	Chain	Res	Type	RSRZ
1	В	162	LEU	2.4
1	А	555	GLY	2.4
1	В	99	LEU	2.3
1	В	179	PHE	2.3
1	А	703	GLU	2.3
1	В	429	MET	2.3
1	В	95	ARG	2.3
1	А	618	PHE	2.2
1	А	668	VAL	2.2
1	А	781	LEU	2.2
1	А	707	LEU	2.2
1	А	686	ASP	2.2
1	А	197	SER	2.2
1	А	683	GLU	2.2
1	В	629	LYS	2.2
1	В	624	PRO	2.2
1	В	117	TYR	2.2
1	В	106	HIS	2.2
1	А	561	PHE	2.2
1	В	357	LEU	2.1
1	А	588	CYS	2.1
1	А	629	LYS	2.1
1	В	586	LYS	2.1
1	A	680	VAL	2.1
1	В	34	LEU	2.1
1	A	524	VAL	2.1
1	В	368	LEU	2.1
1	В	157	GLU	2.0
1	В	390	ALA	2.0
1	A	800	TYR	2.0
1	В	587	SER	2.0
1	В	408	PHE	2.0
1	А	640	PRO	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	9SL	А	901	21/21	0.71	0.37	177,196,207,215	0
2	9SL	В	901	21/21	0.93	0.23	116,147,157,158	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

