



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 08:50 pm GMT

PDB ID : 4DA9
Title : Crystal structure of putative Short-chain dehydrogenase/reductase from *Sinorhizobium meliloti* 1021
Authors : Malashkevich, V.N.; Bhosle, R.; Toro, R.; Seidel, R.; Almo, S.C.; New York Structural Genomics Research Consortium (NYSGRG)
Deposited on : 2012-01-12
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	 5% 67% 10% • 22%
1	B	280	 5% 62% 14% • 23%
1	C	280	 5% 62% 16% • 21%
1	D	280	 5% 67% 10% • 22%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Short-chain dehydrogenase/reductase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	219	1587	998	283	301	2	3	0	0	0
1	B	216	1562	985	277	296	2	2	0	0	0
1	C	220	1593	1000	287	301	2	3	0	0	0
1	D	219	1593	1004	283	301	2	3	0	0	0

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MSE	-	EXPRESSION TAG	UNP Q92L02
A	-21	HIS	-	EXPRESSION TAG	UNP Q92L02
A	-20	HIS	-	EXPRESSION TAG	UNP Q92L02
A	-19	HIS	-	EXPRESSION TAG	UNP Q92L02
A	-18	HIS	-	EXPRESSION TAG	UNP Q92L02
A	-17	HIS	-	EXPRESSION TAG	UNP Q92L02
A	-16	HIS	-	EXPRESSION TAG	UNP Q92L02
A	-15	SER	-	EXPRESSION TAG	UNP Q92L02
A	-14	SER	-	EXPRESSION TAG	UNP Q92L02
A	-13	GLY	-	EXPRESSION TAG	UNP Q92L02
A	-12	VAL	-	EXPRESSION TAG	UNP Q92L02
A	-11	ASP	-	EXPRESSION TAG	UNP Q92L02
A	-10	LEU	-	EXPRESSION TAG	UNP Q92L02
A	-9	GLY	-	EXPRESSION TAG	UNP Q92L02
A	-8	THR	-	EXPRESSION TAG	UNP Q92L02
A	-7	GLU	-	EXPRESSION TAG	UNP Q92L02
A	-6	ASN	-	EXPRESSION TAG	UNP Q92L02
A	-5	LEU	-	EXPRESSION TAG	UNP Q92L02
A	-4	TYR	-	EXPRESSION TAG	UNP Q92L02
A	-3	PHE	-	EXPRESSION TAG	UNP Q92L02
A	-2	GLN	-	EXPRESSION TAG	UNP Q92L02

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	EXPRESSION TAG	UNP Q92L02
A	0	MSE	-	EXPRESSION TAG	UNP Q92L02
B	-22	MSE	-	EXPRESSION TAG	UNP Q92L02
B	-21	HIS	-	EXPRESSION TAG	UNP Q92L02
B	-20	HIS	-	EXPRESSION TAG	UNP Q92L02
B	-19	HIS	-	EXPRESSION TAG	UNP Q92L02
B	-18	HIS	-	EXPRESSION TAG	UNP Q92L02
B	-17	HIS	-	EXPRESSION TAG	UNP Q92L02
B	-16	HIS	-	EXPRESSION TAG	UNP Q92L02
B	-15	SER	-	EXPRESSION TAG	UNP Q92L02
B	-14	SER	-	EXPRESSION TAG	UNP Q92L02
B	-13	GLY	-	EXPRESSION TAG	UNP Q92L02
B	-12	VAL	-	EXPRESSION TAG	UNP Q92L02
B	-11	ASP	-	EXPRESSION TAG	UNP Q92L02
B	-10	LEU	-	EXPRESSION TAG	UNP Q92L02
B	-9	GLY	-	EXPRESSION TAG	UNP Q92L02
B	-8	THR	-	EXPRESSION TAG	UNP Q92L02
B	-7	GLU	-	EXPRESSION TAG	UNP Q92L02
B	-6	ASN	-	EXPRESSION TAG	UNP Q92L02
B	-5	LEU	-	EXPRESSION TAG	UNP Q92L02
B	-4	TYR	-	EXPRESSION TAG	UNP Q92L02
B	-3	PHE	-	EXPRESSION TAG	UNP Q92L02
B	-2	GLN	-	EXPRESSION TAG	UNP Q92L02
B	-1	SER	-	EXPRESSION TAG	UNP Q92L02
B	0	MSE	-	EXPRESSION TAG	UNP Q92L02
C	-22	MSE	-	EXPRESSION TAG	UNP Q92L02
C	-21	HIS	-	EXPRESSION TAG	UNP Q92L02
C	-20	HIS	-	EXPRESSION TAG	UNP Q92L02
C	-19	HIS	-	EXPRESSION TAG	UNP Q92L02
C	-18	HIS	-	EXPRESSION TAG	UNP Q92L02
C	-17	HIS	-	EXPRESSION TAG	UNP Q92L02
C	-16	HIS	-	EXPRESSION TAG	UNP Q92L02
C	-15	SER	-	EXPRESSION TAG	UNP Q92L02
C	-14	SER	-	EXPRESSION TAG	UNP Q92L02
C	-13	GLY	-	EXPRESSION TAG	UNP Q92L02
C	-12	VAL	-	EXPRESSION TAG	UNP Q92L02
C	-11	ASP	-	EXPRESSION TAG	UNP Q92L02
C	-10	LEU	-	EXPRESSION TAG	UNP Q92L02
C	-9	GLY	-	EXPRESSION TAG	UNP Q92L02
C	-8	THR	-	EXPRESSION TAG	UNP Q92L02
C	-7	GLU	-	EXPRESSION TAG	UNP Q92L02
C	-6	ASN	-	EXPRESSION TAG	UNP Q92L02

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	LEU	-	EXPRESSION TAG	UNP Q92L02
C	-4	TYR	-	EXPRESSION TAG	UNP Q92L02
C	-3	PHE	-	EXPRESSION TAG	UNP Q92L02
C	-2	GLN	-	EXPRESSION TAG	UNP Q92L02
C	-1	SER	-	EXPRESSION TAG	UNP Q92L02
C	0	MSE	-	EXPRESSION TAG	UNP Q92L02
D	-22	MSE	-	EXPRESSION TAG	UNP Q92L02
D	-21	HIS	-	EXPRESSION TAG	UNP Q92L02
D	-20	HIS	-	EXPRESSION TAG	UNP Q92L02
D	-19	HIS	-	EXPRESSION TAG	UNP Q92L02
D	-18	HIS	-	EXPRESSION TAG	UNP Q92L02
D	-17	HIS	-	EXPRESSION TAG	UNP Q92L02
D	-16	HIS	-	EXPRESSION TAG	UNP Q92L02
D	-15	SER	-	EXPRESSION TAG	UNP Q92L02
D	-14	SER	-	EXPRESSION TAG	UNP Q92L02
D	-13	GLY	-	EXPRESSION TAG	UNP Q92L02
D	-12	VAL	-	EXPRESSION TAG	UNP Q92L02
D	-11	ASP	-	EXPRESSION TAG	UNP Q92L02
D	-10	LEU	-	EXPRESSION TAG	UNP Q92L02
D	-9	GLY	-	EXPRESSION TAG	UNP Q92L02
D	-8	THR	-	EXPRESSION TAG	UNP Q92L02
D	-7	GLU	-	EXPRESSION TAG	UNP Q92L02
D	-6	ASN	-	EXPRESSION TAG	UNP Q92L02
D	-5	LEU	-	EXPRESSION TAG	UNP Q92L02
D	-4	TYR	-	EXPRESSION TAG	UNP Q92L02
D	-3	PHE	-	EXPRESSION TAG	UNP Q92L02
D	-2	GLN	-	EXPRESSION TAG	UNP Q92L02
D	-1	SER	-	EXPRESSION TAG	UNP Q92L02
D	0	MSE	-	EXPRESSION TAG	UNP Q92L02

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	51	Total	O	0	0
			51	51		
3	B	29	Total	O	0	0
			29	29		
3	C	44	Total	O	0	0
			44	44		
3	D	25	Total	O	0	0
			25	25		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Short-chain dehydrogenase/reductase




- Molecule 1: Short-chain dehydrogenase/reductase





- Molecule 1: Short-chain dehydrogenase/reductase





- Molecule 1: Short-chain dehydrogenase/reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.33Å 126.59Å 127.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.98 – 2.50 19.98 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.7 (19.98-2.50) 100.0 (19.98-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.50Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.177 , 0.231 0.180 , 0.233	Depositor DCC
R_{free} test set	2034 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	64.5	Xtrriage
Anisotropy	0.076	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.005 for -h,l,k	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6504	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	1/1600 (0.1%)	0.64	0/2155
1	B	0.50	1/1576 (0.1%)	0.67	0/2125
1	C	0.52	1/1605 (0.1%)	0.68	0/2160
1	D	0.47	1/1608 (0.1%)	0.61	0/2168
All	All	0.50	4/6389 (0.1%)	0.65	0/8608

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	220	TRP	CD2-CE2	5.26	1.47	1.41
1	B	220	TRP	CD2-CE2	5.24	1.47	1.41
1	D	220	TRP	CD2-CE2	5.11	1.47	1.41
1	C	220	TRP	CD2-CE2	5.11	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1587	0	1609	24	0
1	B	1562	0	1584	32	0
1	C	1593	0	1619	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1593	0	1623	22	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
3	A	51	0	0	2	0
3	B	29	0	0	1	0
3	C	44	0	0	2	0
3	D	25	0	0	2	0
All	All	6504	0	6435	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:ARG:HG3	1:B:141:ARG:HH11	1.03	1.10
1:B:141:ARG:CG	1:B:141:ARG:HH11	1.78	0.97
1:B:141:ARG:NH1	1:B:141:ARG:HG3	1.70	0.93
1:A:135:SER:O	1:A:136:ASP:HB3	1.69	0.92
1:B:41:ALA:O	1:B:44:VAL:HG12	1.71	0.91
1:D:159:LEU:O	1:D:163:MSE:HG3	1.72	0.90
1:D:15:ARG:HH22	1:D:39:GLY:HA3	1.52	0.73
1:D:15:ARG:HD3	1:D:43:GLY:O	1.90	0.72
1:D:135:SER:O	1:D:136:ASP:HB3	1.88	0.71
1:B:36:THR:HG21	1:B:65:LEU:HD11	1.73	0.71
1:B:136:ASP:C	1:B:136:ASP:OD1	2.30	0.68
1:B:132:MSE:CE	1:B:141:ARG:HB3	2.23	0.68
1:C:136:ASP:HB2	1:C:141:ARG:HH12	1.63	0.64
1:C:110:PHE:CE2	1:C:114:VAL:HG21	2.33	0.63
1:A:59:ILE:HD12	1:A:61:LEU:HD21	1.80	0.63
1:C:66:ALA:HB1	1:C:116:VAL:HG12	1.81	0.61
1:B:149:VAL:HG23	1:B:190:ARG:O	2.00	0.60
1:C:136:ASP:HA	1:C:141:ARG:HH22	1.67	0.59
1:D:136:ASP:C	1:D:136:ASP:OD1	2.41	0.59
1:B:7:PRO:HB2	1:B:31:PHE:CE2	2.39	0.58
1:A:241:ALA:HA	1:C:247:GLN:O	2.04	0.58
1:C:6:ARG:NH2	3:C:431:HOH:O	2.36	0.57
1:C:110:PHE:CZ	1:C:114:VAL:HG11	2.40	0.56
1:B:159:LEU:HD21	1:C:174:GLY:HA3	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:149:VAL:HB	1:C:190:ARG:HB3	1.86	0.55
1:D:40:ASP:O	1:D:44:VAL:HG23	2.07	0.55
1:A:1:MSE:SE	1:A:1:MSE:O	2.76	0.53
1:C:8:VAL:HG21	1:C:82:PHE:HB3	1.91	0.53
1:B:247:GLN:O	1:D:241:ALA:HA	2.08	0.53
1:B:132:MSE:HE3	1:B:141:ARG:HB3	1.90	0.53
1:D:135:SER:O	1:D:136:ASP:CB	2.53	0.53
1:C:51:LEU:HB2	1:C:58:VAL:HG21	1.91	0.52
1:B:135:SER:O	1:B:136:ASP:CB	2.56	0.51
1:C:189:VAL:O	1:C:191:PRO:HD3	2.10	0.51
1:B:8:VAL:HG21	1:B:82:PHE:HB3	1.92	0.51
1:A:141:ARG:HB2	1:A:184:ILE:HG12	1.91	0.51
1:D:136:ASP:O	1:D:136:ASP:OD1	2.29	0.51
1:A:136:ASP:C	1:A:136:ASP:OD2	2.50	0.50
1:B:135:SER:O	1:B:136:ASP:OD1	2.29	0.50
1:B:174:GLY:HA3	1:C:159:LEU:HD21	1.92	0.50
1:A:163:MSE:HE2	1:D:118:LEU:HD21	1.92	0.50
1:C:62:ARG:HD2	3:C:443:HOH:O	2.12	0.49
1:C:66:ALA:HB1	1:C:116:VAL:CG1	2.40	0.49
1:A:136:ASP:O	1:A:136:ASP:CG	2.50	0.49
1:A:147:THR:HG22	1:A:168:LEU:HD23	1.94	0.49
1:A:1:MSE:SE	1:A:1:MSE:C	3.00	0.49
1:B:163:MSE:HE2	1:C:118:LEU:HD21	1.94	0.49
1:A:136:ASP:O	1:A:136:ASP:OD2	2.30	0.49
1:A:229:ILE:HG21	1:A:246:ILE:HG21	1.95	0.48
1:C:136:ASP:C	1:C:138:ARG:H	2.16	0.48
1:B:86:ASP:HA	1:B:141:ARG:HD2	1.96	0.48
1:B:249:ASP:OD2	1:B:253:SER:N	2.47	0.48
1:D:1:MSE:N	3:D:408:HOH:O	2.47	0.47
1:D:175:LEU:HB3	1:D:186:VAL:HG21	1.96	0.47
1:B:241:ALA:HA	1:D:247:GLN:O	2.14	0.46
1:C:100:ASP:HB2	1:C:158:ARG:HD2	1.98	0.46
1:B:118:LEU:HD11	1:C:163:MSE:CE	2.46	0.46
1:A:163:MSE:HE3	1:D:171:PHE:HB2	1.97	0.46
1:B:147:THR:HG22	1:B:148:SER:N	2.31	0.46
1:D:38:ILE:HG22	1:D:38:ILE:O	2.16	0.46
1:A:224:GLU:HB2	3:A:401:HOH:O	2.15	0.45
1:A:247:GLN:O	1:C:241:ALA:HA	2.16	0.45
1:C:68:LEU:HD12	1:C:71:HIS:CE1	2.51	0.45
1:A:12:THR:O	1:A:91:ASN:HB3	2.17	0.45
1:D:194:ILE:HA	1:D:221:GLY:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:6:ARG:NH2	1:D:30:GLY:HA2	2.32	0.45
1:D:158:ARG:HB3	1:D:161:TYR:HD1	1.81	0.45
1:A:136:ASP:O	1:A:137:ALA:C	2.55	0.45
1:C:39:GLY:O	1:C:62:ARG:HD3	2.16	0.44
1:A:176:ALA:HB2	1:A:186:VAL:HB	1.99	0.44
1:C:233:LEU:HD11	1:C:246:ILE:HD13	1.98	0.44
1:A:8:VAL:HG21	1:A:82:PHE:HB3	1.99	0.44
1:B:193:ILE:HG12	1:B:221:GLY:HA3	1.99	0.44
1:C:161:TYR:HB3	1:C:165:LYS:NZ	2.32	0.44
1:B:129:LEU:HD21	1:B:179:LEU:HD21	2.00	0.43
1:A:51:LEU:HB2	1:A:58:VAL:HG21	1.99	0.43
1:A:135:SER:O	1:A:136:ASP:CB	2.45	0.43
1:D:141:ARG:HB2	1:D:184:ILE:HG12	1.99	0.43
1:D:192:GLY:HA3	1:D:249:ASP:HB3	2.01	0.42
1:A:165:LYS:HE2	1:A:165:LYS:HB3	1.85	0.42
1:A:147:THR:O	1:A:148:SER:HB3	2.19	0.42
1:B:138:ARG:HA	1:B:141:ARG:NH1	2.35	0.42
1:C:87:CYS:HA	1:C:142:SER:O	2.20	0.42
1:C:111:ASP:O	1:C:115:GLY:CA	2.68	0.42
1:B:107:PRO:HA	1:C:123:PHE:CZ	2.55	0.42
1:B:149:VAL:HG21	1:B:249:ASP:HB3	2.02	0.41
1:B:159:LEU:HD23	1:B:159:LEU:HA	1.69	0.41
1:C:40:ASP:C	1:C:42:GLU:H	2.23	0.41
1:D:15:ARG:HB2	3:D:403:HOH:O	2.20	0.41
1:B:12:THR:HA	1:B:36:THR:HB	2.03	0.41
1:B:87:CYS:HA	1:B:142:SER:O	2.21	0.41
1:D:165:LYS:HE2	1:D:165:LYS:HB3	1.90	0.40
1:A:6:ARG:NH2	3:A:432:HOH:O	2.54	0.40
1:B:118:LEU:HD12	1:B:168:LEU:HD13	2.04	0.40
1:B:6:ARG:NH2	3:B:419:HOH:O	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/280 (75%)	203 (96%)	8 (4%)	0	100	100
1	B	208/280 (74%)	201 (97%)	7 (3%)	0	100	100
1	C	212/280 (76%)	207 (98%)	5 (2%)	0	100	100
1	D	211/280 (75%)	202 (96%)	9 (4%)	0	100	100
All	All	842/1120 (75%)	813 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/202 (78%)	151 (96%)	7 (4%)	31	55
1	B	155/202 (77%)	144 (93%)	11 (7%)	16	31
1	C	158/202 (78%)	150 (95%)	8 (5%)	26	48
1	D	160/202 (79%)	156 (98%)	4 (2%)	50	77
All	All	631/808 (78%)	601 (95%)	30 (5%)	28	51

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MSE
1	A	100	ASP
1	A	135	SER
1	A	136	ASP
1	A	172	SER
1	A	181	GLU
1	A	252	LEU
1	B	3	GLN
1	B	4	LYS
1	B	36	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	42	GLU
1	B	94	ILE
1	B	135	SER
1	B	136	ASP
1	B	141	ARG
1	B	149	VAL
1	B	172	SER
1	B	254	ILE
1	C	1	MSE
1	C	6	ARG
1	C	16	ARG
1	C	101	ASP
1	C	147	THR
1	C	165	LYS
1	C	168	LEU
1	C	252	LEU
1	D	135	SER
1	D	136	ASP
1	D	148	SER
1	D	252	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	3	GLN
1	C	109	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	301	-	4,4,4	0.38	0	6,6,6	0.26	0
2	SO4	B	301	-	4,4,4	0.44	0	6,6,6	0.28	0
2	SO4	C	301	-	4,4,4	0.49	0	6,6,6	0.26	0
2	SO4	D	301	-	4,4,4	0.46	0	6,6,6	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	301	-	-	0/0/0/0	0/0/0/0
2	SO4	B	301	-	-	0/0/0/0	0/0/0/0
2	SO4	C	301	-	-	0/0/0/0	0/0/0/0
2	SO4	D	301	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	215/280 (76%)	-0.21	13 (6%) 22 23	43, 58, 113, 159	0
1	B	214/280 (76%)	0.01	14 (6%) 19 20	49, 68, 129, 173	0
1	C	216/280 (77%)	-0.10	15 (6%) 17 17	43, 63, 118, 154	0
1	D	216/280 (77%)	-0.04	13 (6%) 22 23	53, 73, 126, 158	0
All	All	861/1120 (76%)	-0.09	55 (6%) 19 20	43, 66, 123, 173	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	254	ILE	7.0
1	B	254	ILE	6.2
1	A	195	ARG	5.9
1	B	94	ILE	5.8
1	C	220	TRP	5.5
1	B	3	GLN	5.1
1	B	137	ALA	4.9
1	D	196	SER	4.6
1	C	99	ARG	4.6
1	D	195	ARG	4.5
1	D	149	VAL	4.4
1	B	256	ARG	4.4
1	C	149	VAL	4.3
1	C	219	ARG	4.0
1	D	194	ILE	4.0
1	B	4	LYS	4.0
1	B	255	GLY	4.0
1	B	220	TRP	3.9
1	B	149	VAL	3.9
1	B	138	ARG	3.9
1	C	137	ALA	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	149	VAL	3.6
1	B	253	SER	3.6
1	A	136	ASP	3.4
1	C	92	ALA	3.4
1	D	220	TRP	3.3
1	D	54	LEU	3.3
1	D	219	ARG	3.3
1	A	220	TRP	3.2
1	A	253	SER	3.2
1	C	93	GLY	3.0
1	B	40	ASP	3.0
1	A	34	ALA	3.0
1	C	195	ARG	2.9
1	C	138	ARG	2.9
1	B	136	ASP	2.9
1	A	196	SER	2.8
1	A	177	LEU	2.8
1	A	138	ARG	2.7
1	C	136	ASP	2.7
1	D	161	TYR	2.5
1	B	161	TYR	2.4
1	C	34	ALA	2.4
1	C	196	SER	2.4
1	D	138	ARG	2.4
1	D	253	SER	2.4
1	D	100	ASP	2.3
1	A	100	ASP	2.3
1	C	9	ALA	2.2
1	A	122	VAL	2.2
1	C	158	ARG	2.2
1	D	241	ALA	2.1
1	A	35	ILE	2.1
1	C	181	GLU	2.0
1	A	33	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	C	301	5/5	0.86	0.18	90,113,142,156	0
2	SO4	D	301	5/5	0.94	0.17	108,111,117,136	0
2	SO4	B	301	5/5	0.96	0.09	90,102,114,117	0
2	SO4	A	301	5/5	0.98	0.07	66,69,78,79	0

6.5 Other polymers [i](#)

There are no such residues in this entry.