



Full wwPDB X-ray Structure Validation Report i

Nov 2, 2024 – 10:07 AM EDT

PDB ID : 2DBU
Title : Crystal Structure of Gamma-glutamyltranspeptidase from Escherichia coli
Authors : Okada, T.; Wada, K.; Fukuyama, K.
Deposited on : 2005-12-16
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3187 (1.96-1.96)
Clashscore	180529	3412 (1.96-1.96)
Ramachandran outliers	177936	3390 (1.96-1.96)
Sidechain outliers	177891	3390 (1.96-1.96)
RSRZ outliers	164620	3186 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 8846 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-glutamyltranspeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	359	Total	C 2716	N 1717	O 456	Se 532	11	0	0
1	C	358	Total	C 2711	N 1714	O 455	Se 531	11	0	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50	MSE	MET	modified residue	UNP P18956
A	99	MSE	MET	modified residue	UNP P18956
A	116	MSE	MET	modified residue	UNP P18956
A	125	MSE	MET	modified residue	UNP P18956
A	164	MSE	MET	modified residue	UNP P18956
A	233	MSE	MET	modified residue	UNP P18956
A	255	MSE	MET	modified residue	UNP P18956
A	290	MSE	MET	modified residue	UNP P18956
A	312	MSE	MET	modified residue	UNP P18956
A	323	MSE	MET	modified residue	UNP P18956
A	326	MSE	MET	modified residue	UNP P18956
C	50	MSE	MET	modified residue	UNP P18956
C	99	MSE	MET	modified residue	UNP P18956
C	116	MSE	MET	modified residue	UNP P18956
C	125	MSE	MET	modified residue	UNP P18956
C	164	MSE	MET	modified residue	UNP P18956
C	233	MSE	MET	modified residue	UNP P18956
C	255	MSE	MET	modified residue	UNP P18956
C	290	MSE	MET	modified residue	UNP P18956
C	312	MSE	MET	modified residue	UNP P18956
C	323	MSE	MET	modified residue	UNP P18956
C	326	MSE	MET	modified residue	UNP P18956

- Molecule 2 is a protein called Gamma-glutamyltranspeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	190	Total	C	N	O	Se	0	0	0
			1407	882	238	282	5			
2	D	190	Total	C	N	O	Se	0	0	0
			1407	882	238	282	5			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	431	MSE	MET	modified residue	UNP P18956
B	464	MSE	MET	modified residue	UNP P18956
B	494	MSE	MET	modified residue	UNP P18956
B	550	MSE	MET	modified residue	UNP P18956
B	557	MSE	MET	modified residue	UNP P18956
D	431	MSE	MET	modified residue	UNP P18956
D	464	MSE	MET	modified residue	UNP P18956
D	494	MSE	MET	modified residue	UNP P18956
D	550	MSE	MET	modified residue	UNP P18956
D	557	MSE	MET	modified residue	UNP P18956


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	201	Total O 201 201	0	0
3	B	105	Total O 105 105	0	0
3	C	198	Total O 198 198	0	0
3	D	101	Total O 101 101	0	0


3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gamma-glutamyltranspeptidase



- Molecule 1: Gamma-glutamyltranspeptidase




- Molecule 2: Gamma-glutamyltranspeptidase





- Molecule 2: Gamma-glutamyltranspeptidase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.70 Å 126.90 Å 128.80 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.39 – 1.95 46.39 – 1.95	Depositor EDS
% Data completeness (in resolution range)	96.7 (46.39-1.95) 96.7 (46.39-1.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.80 (at 1.95 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R , R_{free}	0.207 , 0.231 0.207 , 0.232	Depositor DCC
R_{free} test set	4757 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.656	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.009 for -h,l,k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8846	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/2761	0.56	0/3721
1	C	0.31	0/2756	0.57	0/3713
2	B	0.31	0/1429	0.67	0/1937
2	D	0.31	0/1429	0.66	0/1937
All	All	0.30	0/8375	0.60	0/11308

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2716	0	2680	79	0
1	C	2711	0	2676	44	0
2	B	1407	0	1392	27	0
2	D	1407	0	1392	33	0
3	A	201	0	0	5	0
3	B	105	0	0	4	0
3	C	198	0	0	3	0
3	D	101	0	0	2	0
All	All	8846	0	8140	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:ASP:HB3	1:A:164:MSE:HE3	1.20	1.13
1:A:70:GLY:HA3	1:A:164:MSE:HE2	1.16	1.13
1:A:34:TYR:HA	2:B:557:MSE:HE1	1.30	1.12
1:A:65:ILE:HG23	1:A:164:MSE:HE1	1.26	1.08
1:A:74:ASP:CB	1:A:164:MSE:HE3	1.92	0.98
1:A:70:GLY:CA	1:A:164:MSE:HE2	1.95	0.97
1:A:70:GLY:HA3	1:A:164:MSE:CE	1.98	0.94
1:A:65:ILE:CG2	1:A:164:MSE:HE1	2.01	0.90
1:A:34:TYR:CD2	2:B:557:MSE:HE3	2.09	0.87
2:B:557:MSE:HE2	3:B:1119:HOH:O	1.80	0.82
1:A:312:MSE:HA	1:A:312:MSE:HE2	1.61	0.82
1:A:34:TYR:HA	2:B:557:MSE:CE	2.10	0.81
2:B:532:ASP:O	2:B:535:LYS:HG2	1.81	0.80
2:D:504:ASN:ND2	2:D:507:GLU:H	1.82	0.78
1:A:30:PRO:HD3	1:A:313:LYS:HE2	1.67	0.77
2:D:493:GLN:HE22	2:D:514:PHE:H	1.30	0.76
1:C:290:MSE:HE3	2:D:466:PRO:HG2	1.66	0.75
1:A:98:PHE:CD1	1:A:290:MSE:HE2	2.22	0.74
1:C:249:GLU:OE1	1:C:264:LYS:HD2	1.88	0.73
1:A:310:PHE:HB3	1:A:312:MSE:HE3	1.69	0.72
1:A:290:MSE:HE3	1:A:291:PRO:HD2	1.71	0.72
1:A:310:PHE:CB	1:A:312:MSE:HE3	2.21	0.71
2:D:411:ASN:HB3	2:D:429:ASN:OD1	1.92	0.69
1:A:204:ASN:HD22	1:A:205:SER:H	1.42	0.68
1:A:30:PRO:CD	1:A:313:LYS:HE2	2.25	0.67
1:A:369:ILE:HG23	1:A:370:ASN:OD1	1.95	0.66
1:C:164:MSE:HE2	1:C:168:LYS:HB3	1.78	0.66
2:D:504:ASN:HD21	2:D:507:GLU:H	1.45	0.65
1:C:99:MSE:HG3	2:D:406:VAL:HG22	1.81	0.62
1:A:278:ILE:HG12	1:A:291:PRO:HB3	1.80	0.62
2:B:411:ASN:HB3	2:B:429:ASN:OD1	2.00	0.62
1:C:255:MSE:HG3	1:C:262:ILE:HB	1.83	0.61
1:A:136:LYS:HD3	1:A:137:LYS:N	2.16	0.61
1:A:36:VAL:HB	1:A:38:GLU:OE2	2.01	0.61
1:A:136:LYS:HD3	1:A:136:LYS:C	2.21	0.60
2:D:504:ASN:HD22	2:D:504:ASN:C	2.05	0.60
2:D:393:HIS:HD2	2:D:407:THR:OG1	1.85	0.58
2:B:452:ASN:HD21	2:B:461:LEU:H	1.51	0.58
1:C:89:GLN:HB2	2:D:413:THR:HG23	1.85	0.58
1:C:164:MSE:CE	1:C:168:LYS:HB3	2.33	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:124:ASP:HB3	1:C:127:LEU:HD12	1.84	0.57
1:A:36:VAL:HG23	1:A:38:GLU:HG2	1.87	0.57
1:A:34:TYR:HD2	2:B:557:MSE:HE3	1.67	0.56
1:A:34:TYR:CE2	2:B:559:GLY:HA2	2.41	0.56
1:C:296:GLY:HA3	2:D:465:SER:OG	2.05	0.56
1:A:204:ASN:HD22	1:A:205:SER:N	2.04	0.55
1:A:255:MSE:HG3	1:A:262:ILE:HB	1.90	0.54
1:C:87:HIS:HE1	3:D:1502:HOH:O	1.91	0.54
1:A:334:TYR:CD2	2:B:517:GLN:HA	2.43	0.53
1:A:289:SER:HB3	1:A:297:GLY:HA2	1.90	0.53
1:C:210:TRP:CH2	1:C:215:PRO:HB3	2.44	0.53
1:C:290:MSE:HE3	2:D:466:PRO:CG	2.36	0.53
1:A:383:LEU:O	1:A:387:GLU:HG3	2.10	0.52
1:C:292:PRO:HA	1:C:294:SER:N	2.25	0.52
2:D:518:TRP:O	2:D:519:LEU:HD12	2.09	0.52
1:A:202:HIS:HE1	3:A:1026:HOH:O	1.92	0.52
1:C:98:PHE:HB3	1:C:290:MSE:SE	2.59	0.52
2:B:393:HIS:HD2	2:B:407:THR:OG1	1.91	0.52
1:C:373:LYS:NZ	1:C:373:LYS:HB2	2.24	0.52
1:A:265:GLU:HG3	3:A:1263:HOH:O	2.09	0.52
1:C:32:VAL:HG12	1:C:33:SER:N	2.25	0.51
1:C:156:LEU:C	1:C:156:LEU:HD23	2.30	0.51
1:A:310:PHE:HB2	1:A:312:MSE:HE3	1.93	0.51
1:C:142:HIS:HD2	1:C:255:MSE:HE2	1.76	0.51
2:B:557:MSE:CE	3:B:1119:HOH:O	2.47	0.51
2:D:518:TRP:CD2	2:D:519:LEU:HD13	2.46	0.50
1:C:311:ASP:CG	1:C:314:LYS:HG3	2.31	0.50
1:A:156:LEU:C	1:A:156:LEU:HD23	2.31	0.50
1:A:32:VAL:HG12	1:A:33:SER:N	2.27	0.50
1:A:242:PHE:HA	1:A:247:ILE:HB	1.93	0.50
2:B:489:THR:OG1	2:B:515:HIS:HD2	1.95	0.49
1:C:289:SER:HB3	1:C:297:GLY:HA2	1.94	0.49
1:A:38:GLU:H	1:A:38:GLU:CD	2.14	0.49
1:A:120:LYS:HD3	3:A:1149:HOH:O	2.11	0.49
1:A:353:ALA:HB2	1:A:387:GLU:HG2	1.94	0.49
1:C:255:MSE:SE	1:C:260:GLY:HA3	2.63	0.49
1:A:311:ASP:HB3	1:A:314:LYS:HE3	1.93	0.49
1:A:56:ALA:O	1:A:60:GLN:HG3	2.12	0.49
1:A:204:ASN:HD22	1:A:204:ASN:N	2.11	0.49
1:C:32:VAL:CG1	1:C:33:SER:N	2.75	0.49
1:A:185:ASP:HB3	1:C:45:ARG:NH1	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:533:THR:O	2:B:537:LEU:HD23	2.13	0.48
1:A:98:PHE:HB3	1:A:290:MSE:SE	2.64	0.48
1:C:99:MSE:SE	1:C:101:ILE:HD11	2.64	0.48
1:C:369:ILE:N	1:C:369:ILE:HD13	2.29	0.48
2:D:504:ASN:HD22	2:D:506:ALA:N	2.12	0.48
1:A:114:ARG:CZ	2:B:462:SER:HB2	2.44	0.47
1:A:312:MSE:HE2	1:A:315:TYR:HD2	1.79	0.47
1:A:87:HIS:HE1	3:B:1198:HOH:O	1.98	0.47
2:D:441:PRO:HA	2:D:446:LEU:O	2.14	0.47
1:A:356:ASN:OD1	1:A:358:ALA:N	2.48	0.47
1:C:56:ALA:O	1:C:60:GLN:HG3	2.16	0.46
1:A:290:MSE:HG2	2:B:466:PRO:HG2	1.97	0.46
1:A:320:ALA:HA	2:B:537:LEU:HD21	1.96	0.46
2:D:393:HIS:HE1	2:D:395:SER:OG	1.97	0.46
1:C:279:SER:HA	1:C:287:VAL:O	2.15	0.46
1:A:87:HIS:HD2	3:A:1046:HOH:O	1.99	0.45
1:A:124:ASP:HB3	1:A:127:LEU:HD12	1.98	0.45
1:A:312:MSE:HE1	1:A:325:ILE:HD12	1.97	0.45
2:B:413:THR:O	2:B:414:PHE:HB2	2.16	0.45
2:B:391:THR:HA	2:B:409:THR:HB	1.99	0.45
1:A:296:GLY:HA3	2:B:465:SER:OG	2.16	0.45
2:B:517:GLN:O	2:B:518:TRP:HB3	2.17	0.45
1:C:42:HIS:HD2	3:C:1511:HOH:O	2.00	0.45
1:C:171:GLN:HB3	1:C:172:PRO:HD3	1.98	0.45
1:C:377:GLU:O	1:C:377:GLU:HG2	2.16	0.45
2:D:504:ASN:HD22	2:D:506:ALA:H	1.63	0.45
2:D:504:ASN:ND2	2:D:504:ASN:C	2.70	0.45
1:A:245:GLY:O	1:A:249:GLU:HG3	2.16	0.45
1:A:255:MSE:SE	1:A:260:GLY:HA3	2.67	0.45
1:A:186:ALA:HB2	2:B:573:VAL:HG23	1.99	0.44
2:B:566:GLY:HA3	2:B:577:THR:HG21	2.00	0.44
2:D:452:ASN:HD21	2:D:461:LEU:H	1.65	0.44
2:D:566:GLY:HA3	2:D:577:THR:HG21	2.00	0.44
1:A:32:VAL:CG1	1:A:33:SER:N	2.80	0.44
2:D:517:GLN:O	2:D:518:TRP:HB3	2.17	0.44
1:C:310:PHE:CZ	1:C:367:ILE:HD11	2.53	0.44
1:C:334:TYR:CD2	2:D:517:GLN:HA	2.54	0.43
1:A:30:PRO:HB3	1:A:313:LYS:HE2	1.99	0.43
1:C:34:TYR:CE2	2:D:559:GLY:HA2	2.53	0.43
1:A:32:VAL:HG13	3:B:1183:HOH:O	2.19	0.43
1:A:290:MSE:CE	1:A:291:PRO:HD2	2.46	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:PRO:HA	1:A:294:SER:N	2.33	0.43
1:C:32:VAL:HG13	3:D:1431:HOH:O	2.18	0.43
1:C:114:ARG:CZ	2:D:462:SER:HB2	2.49	0.43
1:A:204:ASN:ND2	1:A:205:SER:N	2.68	0.42
1:A:111:ILE:HD12	1:A:156:LEU:HD22	2.01	0.42
1:A:278:ILE:HG12	1:A:291:PRO:CB	2.46	0.42
1:C:293:PRO:O	2:D:461:LEU:HD12	2.18	0.42
1:A:168:LYS:HB2	1:A:168:LYS:NZ	2.33	0.42
1:A:356:ASN:OD1	1:A:358:ALA:HB3	2.20	0.42
1:C:242:PHE:HA	1:C:247:ILE:HB	2.02	0.42
1:A:42:HIS:HD2	3:A:1490:HOH:O	2.03	0.42
1:A:312:MSE:HA	1:A:312:MSE:CE	2.40	0.42
1:C:132:ASN:HA	1:C:133:PRO:HD3	1.96	0.42
2:D:413:THR:O	2:D:414:PHE:HB2	2.20	0.42
1:A:298:ILE:HD12	1:A:341:LEU:HD11	2.02	0.41
1:C:87:HIS:HD2	3:C:1087:HOH:O	2.01	0.41
1:A:338:SER:HB2	2:B:447:VAL:HG23	2.02	0.41
3:C:1037:HOH:O	2:D:459:ARG:HD2	2.19	0.41
2:D:519:LEU:HA	2:D:520:PRO:C	2.40	0.41
1:A:112:ASP:OD1	1:A:112:ASP:C	2.59	0.41
1:C:369:ILE:O	2:D:540:LYS:HD3	2.19	0.41
2:D:393:HIS:CD2	2:D:480:GLY:HA3	2.55	0.41
2:D:573:VAL:O	2:D:574:ASP:HB2	2.21	0.41
1:A:312:MSE:HE2	1:A:312:MSE:CA	2.41	0.41
1:C:186:ALA:HB2	2:D:573:VAL:HG23	2.02	0.41
1:A:317:PHE:CZ	2:B:511:ALA:HB1	2.56	0.41
1:C:46:ALA:HB3	1:C:50:MSE:HE3	2.03	0.41
1:A:271:LYS:NZ	1:A:271:LYS:CB	2.83	0.40
1:A:369:ILE:O	1:A:369:ILE:HG12	2.22	0.40
1:A:384:ALA:N	1:A:385:PRO:HD2	2.36	0.40
2:B:452:ASN:ND2	2:B:461:LEU:H	2.17	0.40
1:A:147:THR:HA	1:A:148:PRO:HD3	1.92	0.40
2:B:393:HIS:HE1	2:B:395:SER:OG	2.05	0.40
2:D:391:THR:HA	2:D:409:THR:HB	2.02	0.40
1:C:270:TYR:CD2	1:C:271:LYS:N	2.90	0.40
1:C:310:PHE:CE2	1:C:367:ILE:HD11	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	357/366 (98%)	348 (98%)	9 (2%)	0	100 100
1	C	356/366 (97%)	348 (98%)	8 (2%)	0	100 100
2	B	188/190 (99%)	181 (96%)	6 (3%)	1 (0%)	25 16
2	D	188/190 (99%)	182 (97%)	5 (3%)	1 (0%)	25 16
All	All	1089/1112 (98%)	1059 (97%)	28 (3%)	2 (0%)	44 37

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	411	ASN
2	D	411	ASN

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	282/276 (102%)	277 (98%)	5 (2%)	54 49
1	C	282/276 (102%)	278 (99%)	4 (1%)	62 59
2	B	154/149 (103%)	150 (97%)	4 (3%)	41 33
2	D	154/149 (103%)	151 (98%)	3 (2%)	52 47
All	All	872/850 (103%)	856 (98%)	16 (2%)	54 49

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	120	LYS
1	A	168	LYS
1	A	204	ASN
1	A	210	TRP
1	A	271	LYS
2	B	408	TYR
2	B	430	GLN
2	B	486	ARG
2	B	519	LEU
1	C	107	ASN
1	C	210	TRP
1	C	369	ILE
1	C	379	ARG
2	D	408	TYR
2	D	486	ARG
2	D	504	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	87	HIS
1	A	107	ASN
1	A	201	ASN
1	A	202	HIS
1	A	204	ASN
1	A	250	GLN
1	A	253	GLN
2	B	393	HIS
2	B	452	ASN
2	B	515	HIS
1	C	42	HIS
1	C	87	HIS
1	C	107	ASN
1	C	132	ASN
1	C	171	GLN
1	C	201	ASN
1	C	237	ASN
1	C	366	GLN
2	D	393	HIS
2	D	452	ASN
2	D	493	GLN
2	D	497	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	504	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/366 (95%)	0.41	22 (6%) 27 33	21, 32, 51, 60	0
1	C	347/366 (94%)	0.51	26 (7%) 22 26	19, 31, 57, 76	0
2	B	185/190 (97%)	0.39	17 (9%) 16 20	20, 28, 48, 60	0
2	D	185/190 (97%)	0.43	21 (11%) 11 14	19, 29, 51, 62	0
All	All	1065/1112 (95%)	0.44	86 (8%) 19 24	19, 31, 53, 76	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	30	PRO	5.3
1	C	35	GLY	4.9
1	C	32	VAL	4.9
1	C	36	VAL	4.8
2	D	440	VAL	4.8
1	C	369	ILE	4.4
1	C	367	ILE	4.2
2	D	443	VAL	4.2
2	D	561	ASP	4.0
1	C	368	ASP	4.0
1	A	372	ALA	4.0
2	D	560	PRO	3.9
2	B	447	VAL	3.8
2	B	537	LEU	3.8
2	B	448	GLY	3.7
2	B	536	LEU	3.6
2	B	440	VAL	3.6
2	B	444	TYR	3.6
1	A	36	VAL	3.5
2	D	447	VAL	3.5
2	B	539	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	369	ILE	3.3
1	A	35	GLY	3.1
1	C	37	GLU	3.1
1	C	34	TYR	3.1
1	C	315	TYR	3.1
1	C	372	ALA	3.1
2	D	544	VAL	3.1
2	B	438	PRO	3.0
2	D	444	TYR	3.0
2	D	445	GLY	2.9
2	B	561	ASP	2.9
1	A	378	ILE	2.8
2	B	519	LEU	2.8
2	D	442	ASN	2.8
2	D	537	LEU	2.8
1	C	379	ARG	2.8
1	C	31	PRO	2.8
2	B	548	GLU	2.8
1	A	370	ASN	2.7
1	A	30	PRO	2.7
2	B	450	ASP	2.7
1	A	34	TYR	2.7
2	D	539	ALA	2.7
1	A	385	PRO	2.7
2	D	536	LEU	2.7
1	C	33	SER	2.6
1	A	31	PRO	2.6
1	A	236	GLU	2.6
2	D	523	LEU	2.6
1	C	375	SER	2.6
2	B	441	PRO	2.5
1	A	136	LYS	2.5
1	A	379	ARG	2.5
2	D	450	ASP	2.4
1	A	32	VAL	2.4
1	A	131	GLY	2.4
1	C	371	LYS	2.4
2	B	520	PRO	2.3
2	D	543	LYS	2.3
1	A	387	GLU	2.3
2	D	519	LEU	2.3
1	A	249	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	320	ALA	2.3
2	B	443	VAL	2.3
1	A	334	TYR	2.3
2	B	523	LEU	2.3
2	D	441	PRO	2.2
1	C	370	ASN	2.2
1	C	310	PHE	2.2
1	C	105	ASN	2.2
1	A	130	GLN	2.2
1	C	45	ARG	2.2
1	A	338	SER	2.2
1	C	313	LYS	2.2
1	C	373	LYS	2.2
2	D	538	GLU	2.2
1	C	366	GLN	2.1
2	D	534	LEU	2.1
1	A	375	SER	2.1
1	C	383	LEU	2.1
1	C	378	ILE	2.1
2	D	535	LYS	2.0
1	C	203	GLU	2.0
2	B	544	VAL	2.0
2	D	438	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.