



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2021 – 03:02 PM EDT

PDB ID : 1DED  
Title : CRYSTAL STRUCTURE OF ALKALOPHILIC ASPARAGINE 233-REPLACED CYCLODEXTRIN GLUCANOTRANSFERASE COMPLEXED WITH AN INHIBITOR, ACARBOSE, AT 2.0 Å RESOLUTION  
Authors : Ishii, N.; Haga, K.; Yamane, K.; Harata, K.  
Deposited on : 1999-11-14  
Resolution : 2.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	686	
1	B	686	
2	C	3	
2	D	3	
2	E	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GLC	C	2	-	-	-	X
2	GLC	D	2	-	-	-	X
2	AC1	D	3[A]	-	-	-	X
2	AC1	D	3[B]	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15555 atoms, of which 4040 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYCLODEXTRIN GLUCANOTRANSFERASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	686	6505	3352	1195	905	1037	16	1195	0	0
1	B	686	6505	3352	1195	905	1037	16	1195	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	233	ASN	HIS	engineered mutation	UNP P05618
A	452	PRO	ARG	conflict	UNP P05618
A	454	GLY	ALA	conflict	UNP P05618
B	233	ASN	HIS	engineered mutation	UNP P05618
B	452	PRO	ARG	conflict	UNP P05618
B	454	GLY	ALA	conflict	UNP P05618

- Molecule 2 is an oligosaccharide called 4,6-dideoxy-4-[[{(1S,4R,5S,6S)-4,5,6-trihydroxy-3-(hydroxymethyl)cyclohex-2-en-1-yl]amino}-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	H	N	O			
2	C	3	88	25	44	1	18	44	1	0
2	D	3	88	25	44	1	18	44	1	0
2	E	3	88	25	44	1	18	44	1	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ca	0	0
			2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Ca	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	405	Total	H	O	810	0
			1215	810	405		
4	B	354	Total	H	O	708	0
			1062	708	354		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without an outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CYCLODEXTRIN GLUCANOTRANSFERASE



#### • Molecule 1: CYCLODEXTRIN GLUCANOTRANSFERASE



- Molecule 2: 4,6-dideoxy-4- $\{[(1S,4R,5S,6S)-4,5,6\text{-trihydroxy-3-(hydroxymethyl)cyclohex-2-en-1-yl]amino}\}$ - $\alpha$ -D-glucopyranose-(1-4)- $\alpha$ -D-glucopyranose-(1-4)- $\beta$ -D-glucopyranose

Chain C:  33% 67%


BGC1  
GLC2  
AC13

- Molecule 2: 4,6-dideoxy-4- $\{[(1S,4R,5S,6S)-4,5,6\text{-trihydroxy-3-(hydroxymethyl)cyclohex-2-en-1-yl]amino}\}$ - $\alpha$ -D-glucopyranose-(1-4)- $\alpha$ -D-glucopyranose-(1-4)- $\beta$ -D-glucopyranose

Chain D:  33% 67%

BGC1  
GLC2  
AC13

- Molecule 2: 4,6-dideoxy-4- $\{[(1S,4R,5S,6S)-4,5,6\text{-trihydroxy-3-(hydroxymethyl)cyclohex-2-en-1-yl]amino}\}$ - $\alpha$ -D-glucopyranose-(1-4)- $\alpha$ -D-glucopyranose-(1-4)- $\beta$ -D-glucopyranose

Chain E:  33% 67%

BGC1  
GLC2  
AC13

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.93Å 73.83Å 79.05Å 85.10° 105.40° 100.50°	Depositor
Resolution (Å)	10.00 – 2.00 20.27 – 1.85	Depositor EDS
% Data completeness (in resolution range)	62.3 (10.00-2.00) 80.8 (20.27-1.85)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.72 (at 1.85Å)	Xtrriage
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.163 , 0.222 0.201 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.4	Xtrriage
Anisotropy	0.105	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 76.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	15555	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	16.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, CA, BGC, AC1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.79	1/5443 (0.0%)	1.49	79/7425 (1.1%)
1	B	0.78	1/5443 (0.0%)	1.52	79/7425 (1.1%)
All	All	0.78	2/10886 (0.0%)	1.51	158/14850 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	420	ILE	CA-CB	5.46	1.67	1.54
1	B	228	VAL	CA-CB	5.14	1.65	1.54

All (158) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	331	ARG	NE-CZ-NH2	-17.15	111.73	120.30
1	B	331	ARG	NE-CZ-NH1	12.86	126.73	120.30
1	B	227	ARG	NE-CZ-NH1	10.70	125.65	120.30
1	A	662	TRP	CD1-CG-CD2	9.93	114.25	106.30
1	A	590	ARG	NE-CZ-NH1	9.70	125.15	120.30
1	A	590	ARG	NE-CZ-NH2	-9.53	115.53	120.30
1	B	662	TRP	CD1-CG-CD2	9.21	113.67	106.30
1	B	590	ARG	NE-CZ-NH1	9.07	124.83	120.30
1	B	413	TRP	CD1-CG-CD2	9.01	113.51	106.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	227	ARG	NE-CZ-NH1	8.92	124.76	120.30
1	B	616	TRP	CD1-CG-CD2	8.51	113.11	106.30
1	B	54	TRP	CD1-CG-CD2	8.33	112.97	106.30
1	B	413	TRP	CE2-CD2-CG	-8.25	100.70	107.30
1	A	684	TRP	CD1-CG-CD2	8.21	112.87	106.30
1	A	616	TRP	CD1-CG-CD2	8.16	112.83	106.30
1	A	684	TRP	CE2-CD2-CG	-8.15	100.78	107.30
1	A	75	TRP	CD1-CG-CD2	8.14	112.81	106.30
1	A	662	TRP	CE2-CD2-CG	-8.12	100.81	107.30
1	A	490	TRP	CD1-CG-CD2	8.10	112.78	106.30
1	A	564	ARG	NE-CZ-NH1	-8.04	116.28	120.30
1	A	101	TRP	CD1-CG-CD2	8.00	112.70	106.30
1	B	238	TRP	CD1-CG-CD2	7.93	112.64	106.30
1	B	616	TRP	CE2-CD2-CG	-7.91	100.97	107.30
1	B	662	TRP	CE2-CD2-CG	-7.89	100.99	107.30
1	B	75	TRP	CD1-CG-CD2	7.80	112.54	106.30
1	B	564	ARG	NE-CZ-NH2	-7.74	116.43	120.30
1	A	54	TRP	CD1-CG-CD2	7.61	112.39	106.30
1	B	238	TRP	CE2-CD2-CG	-7.60	101.22	107.30
1	B	436	ARG	NE-CZ-NH1	7.59	124.09	120.30
1	A	490	TRP	CE2-CD2-CG	-7.56	101.25	107.30
1	B	54	TRP	CE2-CD2-CG	-7.50	101.30	107.30
1	A	636	TRP	CD1-CG-CD2	7.44	112.25	106.30
1	A	258	TRP	CD1-CG-CD2	7.44	112.25	106.30
1	B	284	ARG	NE-CZ-NH1	7.34	123.97	120.30
1	B	684	TRP	CE2-CD2-CG	-7.34	101.43	107.30
1	A	339	ARG	NE-CZ-NH2	7.32	123.96	120.30
1	A	636	TRP	CE2-CD2-CG	-7.32	101.45	107.30
1	B	490	TRP	CE2-CD2-CG	-7.29	101.47	107.30
1	A	258	TRP	CE2-CD2-CG	-7.24	101.51	107.30
1	B	684	TRP	CD1-CG-CD2	7.23	112.08	106.30
1	B	360	TYR	CB-CG-CD2	-7.22	116.67	121.00
1	A	616	TRP	CE2-CD2-CG	-7.21	101.53	107.30
1	B	490	TRP	CD1-CG-CD2	7.21	112.07	106.30
1	A	375	ARG	NE-CZ-NH1	7.20	123.90	120.30
1	B	89	TYR	CB-CG-CD2	-7.17	116.70	121.00
1	B	413	TRP	CG-CD2-CE3	7.16	140.34	133.90
1	A	75	TRP	CE2-CD2-CG	-7.13	101.60	107.30
1	A	103	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	A	218	TRP	CE2-CD2-CG	-7.07	101.65	107.30
1	A	413	TRP	CD1-CG-CD2	7.07	111.95	106.30
1	B	227	ARG	NE-CZ-NH2	-7.06	116.77	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	544	TRP	CD1-CG-CD2	7.04	111.94	106.30
1	A	668	ARG	NE-CZ-NH2	7.03	123.81	120.30
1	B	258	TRP	CD1-CG-CD2	7.02	111.92	106.30
1	B	398	ARG	NE-CZ-NH1	6.99	123.79	120.30
1	A	307	LEU	CA-CB-CG	6.98	131.35	115.30
1	B	75	TRP	CE2-CD2-CG	-6.96	101.73	107.30
1	A	54	TRP	CE2-CD2-CG	-6.96	101.73	107.30
1	A	544	TRP	CE2-CD2-CG	-6.92	101.76	107.30
1	B	544	TRP	CE2-CD2-CG	-6.92	101.77	107.30
1	A	227	ARG	NE-CZ-NH2	-6.92	116.84	120.30
1	B	218	TRP	CE2-CD2-CG	-6.88	101.80	107.30
1	A	340	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	B	413	TRP	CB-CG-CD1	-6.80	118.16	127.00
1	B	636	TRP	CD1-CG-CD2	6.79	111.73	106.30
1	B	141	THR	N-CA-CB	-6.76	97.46	110.30
1	B	636	TRP	CE2-CD2-CG	-6.73	101.92	107.30
1	A	413	TRP	CE2-CD2-CG	-6.69	101.95	107.30
1	B	218	TRP	CD1-CG-CD2	6.69	111.65	106.30
1	A	434	ILE	CB-CG1-CD1	-6.66	95.25	113.90
1	B	216	LYS	CB-CG-CD	-6.59	94.46	111.60
1	B	238	TRP	CG-CD2-CE3	6.59	139.83	133.90
1	A	284	ARG	NE-CZ-NH1	6.53	123.56	120.30
1	A	544	TRP	CD1-CG-CD2	6.51	111.51	106.30
1	B	436	ARG	NE-CZ-NH2	-6.45	117.07	120.30
1	A	383	THR	N-CA-CB	-6.43	98.08	110.30
1	A	238	TRP	CE2-CD2-CG	-6.41	102.18	107.30
1	B	101	TRP	CE2-CD2-CG	-6.40	102.18	107.30
1	B	353	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	A	218	TRP	CD1-CG-CD2	6.40	111.42	106.30
1	B	258	TRP	CE2-CD2-CG	-6.36	102.21	107.30
1	A	84	TYR	CB-CG-CD1	-6.35	117.19	121.00
1	B	49	TYR	CB-CG-CD1	-6.31	117.21	121.00
1	B	24	ARG	NE-CZ-NH1	6.29	123.44	120.30
1	B	339	ARG	NE-CZ-NH1	-6.27	117.16	120.30
1	A	238	TRP	CD1-CG-CD2	6.18	111.25	106.30
1	A	684	TRP	CG-CD2-CE3	6.18	139.46	133.90
1	A	210	TYR	CB-CG-CD2	-6.17	117.30	121.00
1	B	564	ARG	NE-CZ-NH1	6.13	123.36	120.30
1	B	196	ASP	CB-CG-OD2	6.08	123.77	118.30
1	B	616	TRP	CB-CG-CD1	-6.06	119.12	127.00
1	B	101	TRP	CD1-CG-CD2	6.05	111.14	106.30
1	A	564	ARG	NE-CZ-NH2	6.03	123.32	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	339	ARG	NE-CZ-NH1	-6.03	117.29	120.30
1	B	388	TYR	CB-CG-CD1	-6.01	117.39	121.00
1	A	662	TRP	CG-CD1-NE1	-6.00	104.10	110.10
1	A	80	VAL	N-CA-CB	-6.00	98.31	111.50
1	B	97	TYR	CB-CG-CD1	-5.98	117.41	121.00
1	B	290	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	A	112	TYR	CB-CG-CD2	-5.98	117.41	121.00
1	B	325	ASP	CB-CG-OD1	5.96	123.66	118.30
1	B	112	TYR	CB-CG-CD2	-5.95	117.43	121.00
1	B	231	VAL	N-CA-CB	-5.90	98.51	111.50
1	A	101	TRP	CE2-CD2-CG	-5.89	102.59	107.30
1	B	520	ARG	NE-CZ-NH1	-5.89	117.35	120.30
1	B	656	GLN	CA-CB-CG	5.87	126.32	113.40
1	A	227	ARG	CB-CG-CD	5.86	126.84	111.60
1	B	616	TRP	CG-CD2-CE3	5.83	139.15	133.90
1	A	233	ASN	OD1-CG-ND2	-5.79	108.59	121.90
1	A	331	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	B	531	PHE	N-CA-C	-5.75	95.46	111.00
1	B	431	VAL	CG1-CB-CG2	-5.75	101.70	110.90
1	A	75	TRP	CG-CD1-NE1	-5.75	104.36	110.10
1	A	375	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	B	508	MET	CG-SD-CE	-5.66	91.14	100.20
1	B	413	TRP	CG-CD1-NE1	-5.64	104.46	110.10
1	A	353	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	A	234	MET	CG-SD-CE	-5.57	91.28	100.20
1	B	541	ILE	N-CA-C	-5.57	95.97	111.00
1	A	616	TRP	CB-CG-CD1	-5.54	119.79	127.00
1	B	616	TRP	CG-CD1-NE1	-5.45	104.65	110.10
1	B	278	MET	CA-CB-CG	5.45	122.56	113.30
1	B	238	TRP	CB-CG-CD1	-5.44	119.92	127.00
1	A	636	TRP	CG-CD2-CE3	5.44	138.79	133.90
1	A	490	TRP	CG-CD1-NE1	-5.43	104.67	110.10
1	B	172	GLN	N-CA-C	-5.41	96.39	111.00
1	A	74	ILE	CA-CB-CG2	5.41	121.72	110.90
1	A	156	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	A	544	TRP	CG-CD2-CE3	5.40	138.76	133.90
1	A	684	TRP	CB-CG-CD1	-5.40	119.98	127.00
1	B	662	TRP	CG-CD1-NE1	-5.39	104.71	110.10
1	B	280	LEU	CA-CB-CG	5.39	127.69	115.30
1	A	616	TRP	CG-CD1-NE1	-5.38	104.72	110.10
1	A	233	ASN	CB-CG-ND2	5.33	129.50	116.70
1	A	490	TRP	CB-CG-CD1	-5.32	120.09	127.00

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	590	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	A	610	VAL	N-CA-CB	-5.27	99.91	111.50
1	A	74	ILE	CA-CB-CG1	-5.26	101.01	111.00
1	A	490	TRP	CG-CD2-CE3	5.25	138.63	133.90
1	A	239	GLN	CA-CB-CG	-5.25	101.86	113.40
1	A	565	VAL	CG1-CB-CG2	-5.25	102.51	110.90
1	A	18	TYR	CB-CG-CD1	-5.24	117.85	121.00
1	A	610	VAL	CB-CA-C	5.23	121.33	111.40
1	A	541	ILE	N-CA-C	-5.22	96.91	111.00
1	A	453	ARG	NE-CZ-NH1	-5.21	117.70	120.30
1	B	54	TRP	CG-CD1-NE1	-5.20	104.90	110.10
1	B	456	TYR	CB-CG-CD1	-5.16	117.91	121.00
1	B	576	TYR	CB-CG-CD1	-5.14	117.91	121.00
1	B	490	TRP	CG-CD2-CE3	5.13	138.51	133.90
1	A	684	TRP	CG-CD1-NE1	-5.10	105.00	110.10
1	A	616	TRP	CG-CD2-CE3	5.10	138.49	133.90
1	B	561	TYR	CB-CG-CD2	-5.09	117.94	121.00
1	A	642	VAL	N-CA-CB	-5.08	100.33	111.50
1	A	231	VAL	N-CA-CB	-5.06	100.36	111.50
1	A	561	TYR	CB-CG-CD2	-5.05	117.97	121.00
1	B	637	TYR	CB-CG-CD2	-5.05	117.97	121.00
1	B	258	TRP	N-CA-C	-5.02	97.44	111.00
1	B	80	VAL	N-CA-CB	-5.01	100.47	111.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	97	TYR	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5310	1195	5049	69	0
1	B	5310	1195	5049	67	0
2	C	44	44	20	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	44	44	20	3	0
2	E	44	44	20	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	405	810	0	8	0
4	B	354	708	0	7	0
All	All	11515	4040	10158	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:TRP:HD1	1:A:588:THR:HG21	1.50	0.77
1:A:231:VAL:HG22	1:A:239:GLN:HE22	1.51	0.76
1:A:293:PHE:HE2	1:A:434:ILE:HD11	1.49	0.76
1:A:434:ILE:HG21	4:A:3075:HOH:O	1.88	0.74
1:B:431:VAL:HG23	1:B:490:TRP:HE3	1.56	0.71
1:A:515:ILE:HD13	1:A:553:ILE:HD11	1.72	0.70
1:B:625:MET:HG2	1:B:638:TYR:HB2	1.77	0.65
1:B:433:ALA:HB1	1:B:482:LEU:HD11	1.76	0.65
1:A:410:HIS:HB2	4:A:3081:HOH:O	1.97	0.65
1:A:549:ILE:HD11	1:A:551:VAL:HB	1.80	0.64
1:B:449:THR:HG23	1:B:451:LEU:H	1.63	0.63
1:A:463:ILE:HG13	1:A:464:LEU:HD12	1.81	0.63
1:A:203:ASN:O	1:A:677:THR:HG21	1.99	0.62
1:A:499:PRO:HB2	1:A:573:SER:HB3	1.82	0.61
1:A:120:ASN:O	1:A:124:THR:HG23	2.01	0.61
1:B:342:LEU:HD22	1:B:346:LEU:HD22	1.83	0.59
1:B:410:HIS:HB3	4:B:3076:HOH:O	2.03	0.59
1:B:171:THR:HB	4:B:874:HOH:O	2.02	0.58
1:A:231:VAL:HG22	1:A:239:GLN:NE2	2.17	0.58
1:A:82:ASN:HD22	1:A:96:ALA:HB1	1.70	0.57
1:B:590:ARG:HD3	1:B:639:ASP:OD2	2.05	0.57
1:B:4:THR:HB	1:B:399:LYS:HD2	1.86	0.56
1:A:246:ILE:HG21	4:A:3050:HOH:O	2.04	0.56
1:A:378:LEU:HD21	1:A:381:PHE:CZ	2.40	0.56
1:B:126:HIS:HE1	1:B:224:ASP:OD1	1.88	0.56
1:B:78:GLN:HG2	1:B:80:VAL:HB	1.87	0.56
1:B:361:GLY:HA3	1:B:366:MET:SD	2.46	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:TRP:CD1	1:A:588:THR:HG21	2.36	0.55
1:A:205:SER:O	1:A:209:VAL:HG13	2.07	0.55
1:A:529:VAL:HB	1:A:536:VAL:CG2	2.37	0.54
1:B:82:ASN:OD1	1:B:96:ALA:HB1	2.08	0.54
1:B:231:VAL:HG21	1:B:256:GLY:HA3	1.87	0.54
1:B:633:TYR:CD1	1:B:634:PRO:HA	2.43	0.54
1:A:124:THR:O	1:A:128:HIS:HD2	1.91	0.54
1:B:141:THR:HG22	1:B:198:ALA:HB3	1.90	0.54
1:B:413:TRP:HB3	1:B:420:ILE:HG23	1.90	0.53
1:A:413:TRP:HB3	1:A:420:ILE:HG23	1.90	0.53
1:B:228:VAL:HG22	1:B:231:VAL:HG23	1.91	0.53
1:A:567:ASN:HD21	1:A:571:ALA:HB3	1.74	0.53
1:A:536:VAL:HG21	1:A:551:VAL:HG21	1.90	0.53
1:A:185:THR:HG22	1:A:187:GLU:H	1.73	0.52
1:B:231:VAL:HG22	1:B:239:GLN:HE22	1.75	0.52
1:A:303:LEU:O	1:A:307:LEU:HD22	2.09	0.52
1:B:394:LEU:HA	1:B:397:LEU:HD13	1.93	0.51
1:A:82:ASN:ND2	1:A:101:TRP:H	2.08	0.50
1:A:529:VAL:HB	1:A:536:VAL:HG23	1.92	0.50
1:B:69:MET:HB3	1:B:71:ILE:HD13	1.92	0.50
1:A:139:ASN:ND2	1:A:194:LEU:HD12	2.27	0.50
1:A:75:TRP:CZ2	1:A:227:ARG:HG3	2.47	0.50
1:B:415:ASN:HD22	1:B:418:VAL:H	1.59	0.49
1:B:594:ASN:HB2	1:B:683:ASN:OD1	2.12	0.49
1:A:18:TYR:CZ	1:A:360:TYR:HA	2.47	0.49
1:A:78:GLN:HG2	1:A:80:VAL:HB	1.94	0.49
1:A:348:PHE:HB2	4:A:3075:HOH:O	2.12	0.49
1:A:170:ASP:OD1	1:A:177:HIS:HE1	1.96	0.49
1:B:75:TRP:CZ2	1:B:227:ARG:HG3	2.48	0.49
1:A:327:HIS:H	1:A:327:HIS:HD1	1.61	0.48
1:A:533:THR:HG22	1:B:533:THR:HG22	1.96	0.48
1:B:593:ILE:HD11	1:B:684:TRP:HA	1.96	0.48
1:B:560:ILE:HA	1:B:579:PHE:O	2.13	0.48
1:B:364:GLN:CG	1:B:378:LEU:HD11	2.43	0.48
1:A:11:ASN:ND2	4:A:3005:HOH:O	2.46	0.48
1:B:378:LEU:HD12	1:B:379:PRO:HD2	1.96	0.47
1:A:331:ARG:HG2	4:A:3086:HOH:O	2.13	0.47
1:A:408:SER:O	1:A:423:ARG:HA	2.14	0.47
1:B:316:GLN:HG2	4:B:706:HOH:O	2.14	0.47
1:A:185:THR:HG22	1:A:187:GLU:N	2.29	0.47
1:A:420:ILE:HA	1:A:432:VAL:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:SER:OG	1:B:153:GLU:HG3	2.15	0.47
1:B:401:ASN:HD22	1:B:403:ALA:H	1.62	0.47
1:B:231:VAL:HG22	1:B:239:GLN:NE2	2.30	0.47
1:A:60:LYS:HE2	1:A:381:PHE:CD1	2.50	0.47
1:B:284:ARG:HD3	4:B:3539:HOH:O	2.15	0.47
1:B:415:ASN:ND2	1:B:417:ASP:H	2.12	0.46
1:B:599:ALA:H	1:B:602:GLN:HB3	1.80	0.46
1:B:364:GLN:HG3	1:B:378:LEU:HD11	1.95	0.46
1:B:610:VAL:HG22	1:B:613:LEU:HD22	1.98	0.46
2:D:1:BGC:H6C2	2:D:2:GLC:O5	2.15	0.46
1:A:193:ASN:OD1	1:A:199:ASP:HB2	2.16	0.45
1:A:40:ASP:HB2	1:A:48:LEU:HD23	1.98	0.45
1:B:605:PHE:HB2	1:B:653:LEU:HG	1.99	0.45
1:A:224:ASP:O	1:A:252:VAL:HB	2.17	0.45
1:A:515:ILE:CD1	1:A:553:ILE:HD11	2.46	0.45
1:B:327:HIS:H	1:B:327:HIS:HD1	1.64	0.45
1:B:564:ARG:HD2	1:B:573:SER:O	2.17	0.45
1:A:45:ASN:HD22	1:A:48:LEU:HD22	1.82	0.45
1:B:420:ILE:HA	1:B:432:VAL:O	2.17	0.44
1:A:146:SER:HA	1:A:168:THR:OG1	2.17	0.44
1:A:591:PHE:HA	1:A:680:VAL:HG22	1.99	0.44
1:A:432:VAL:HB	1:A:489:VAL:HG22	2.00	0.43
1:B:414:ILE:HG12	1:B:415:ASN:N	2.33	0.43
1:A:311:GLU:HG3	1:A:317:VAL:HG11	2.00	0.43
1:A:82:ASN:HD21	1:A:101:TRP:H	1.66	0.43
1:A:435:ASN:ND2	1:A:437:ASN:H	2.17	0.43
1:A:126:HIS:HE1	1:A:224:ASP:OD2	2.01	0.43
1:A:247:ASN:HA	1:A:251:PRO:HB3	2.01	0.43
1:B:260:LEU:HB3	1:B:283:PHE:HB3	2.01	0.42
1:B:564:ARG:HD3	1:B:575:ILE:HG13	2.01	0.42
1:B:591:PHE:O	1:B:637:TYR:HA	2.19	0.42
1:A:508:MET:HA	1:A:580:GLU:O	2.19	0.42
1:B:401:ASN:ND2	1:B:403:ALA:H	2.18	0.42
1:B:648:ILE:O	1:B:669:THR:HA	2.20	0.42
1:A:133:ILE:HG12	1:A:225:GLY:HA3	2.01	0.42
1:A:663:GLU:HB2	1:A:685:GLN:O	2.19	0.42
1:B:294:ARG:HB2	1:B:332:PHE:CZ	2.55	0.42
1:A:17:ILE:HB	1:A:357:ALA:HA	2.02	0.42
1:B:587:VAL:HG13	1:B:644:ALA:HB2	2.02	0.42
1:A:266:SER:HA	1:A:267:PRO:HD3	1.70	0.42
1:B:19:GLN:O	1:B:360:TYR:HB3	2.20	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:647:THR:HA	1:B:670:PHE:O	2.20	0.42
1:A:498:THR:HG22	1:A:499:PRO:O	2.20	0.42
1:B:115:MET:HE1	1:B:221:LEU:HD11	2.02	0.42
1:B:159:ASP:HA	1:B:210:TYR:HE1	1.84	0.42
1:A:163:LEU:HD22	1:A:165:GLY:N	2.35	0.41
1:B:141:THR:HG23	1:B:142:SER:H	1.85	0.41
1:B:567:ASN:HB2	4:B:3573:HOH:O	2.20	0.41
2:D:1:BGC:H5	2:D:2:GLC:O5	2.21	0.41
1:B:215:ILE:HD12	1:B:215:ILE:HA	1.81	0.41
1:B:515:ILE:O	1:B:550:GLN:HA	2.20	0.41
1:A:321:VAL:HA	1:A:355:VAL:O	2.21	0.41
1:B:442:ALA:O	1:B:481:THR:HA	2.21	0.41
1:A:567:ASN:ND2	1:A:571:ALA:HB3	2.36	0.41
1:B:25:PHE:HB3	4:B:696:HOH:O	2.21	0.41
1:B:469:LEU:HA	1:B:469:LEU:HD12	1.92	0.41
1:B:643:PRO:HB2	4:B:879:HOH:O	2.20	0.41
1:B:685:GLN:HA	1:B:686:PRO:HD3	1.89	0.41
1:A:16:VAL:HG21	1:A:395:ALA:CB	2.51	0.41
1:A:626:TYR:O	1:A:636:TRP:HA	2.21	0.41
1:B:647:THR:HG22	1:B:669:THR:OG1	2.21	0.41
1:A:93:ASN:HB2	4:A:964:HOH:O	2.21	0.40
1:A:124:THR:O	1:A:128:HIS:CD2	2.73	0.40
1:A:333:HIS:HD2	4:A:968:HOH:O	2.04	0.40
1:A:642:VAL:HG13	1:A:672:THR:HG21	2.02	0.40
1:A:541:ILE:HG23	1:A:549:ILE:CD1	2.51	0.40
1:B:449:THR:HG22	1:B:475:GLY:O	2.21	0.40
1:B:566:ALA:HA	1:B:572:ALA:HA	2.03	0.40
1:B:608:GLY:N	1:B:613:LEU:HB3	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	684/686 (100%)	662 (97%)	22 (3%)	0	100	100
1	B	684/686 (100%)	657 (96%)	25 (4%)	2 (0%)	41	37
All	All	1368/1372 (100%)	1319 (96%)	47 (3%)	2 (0%)	51	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	36	GLY
1	B	89	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	564/564 (100%)	518 (92%)	46 (8%)	11	7
1	B	564/564 (100%)	518 (92%)	46 (8%)	11	7
All	All	1128/1128 (100%)	1036 (92%)	92 (8%)	11	7

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	7	SER
1	A	8	ASN
1	A	13	SER
1	A	21	PHE
1	A	46	LEU
1	A	66	LEU
1	A	74	ILE
1	A	80	VAL
1	A	103	ARG
1	A	163	LEU
1	A	169	ASN
1	A	197	LEU
1	A	199	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	211	LEU
1	A	221	LEU
1	A	228	VAL
1	A	231	VAL
1	A	246	ILE
1	A	262	VAL
1	A	281	LEU
1	A	342	LEU
1	A	350	LEU
1	A	353	ARG
1	A	367	SER
1	A	372	PRO
1	A	375	ARG
1	A	378	LEU
1	A	383	THR
1	A	390	VAL
1	A	420	ILE
1	A	429	VAL
1	A	432	VAL
1	A	434	ILE
1	A	435	ASN
1	A	439	ASN
1	A	503	ASN
1	A	511	PRO
1	A	515	ILE
1	A	533	THR
1	A	549	ILE
1	A	606	LEU
1	A	610	VAL
1	A	613	LEU
1	A	642	VAL
1	A	653	LEU
1	B	21	PHE
1	B	42	SER
1	B	44	THR
1	B	66	LEU
1	B	74	ILE
1	B	82	ASN
1	B	103	ARG
1	B	135	ASP
1	B	141	THR
1	B	173	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	174	LEU
1	B	197	LEU
1	B	199	ASP
1	B	204	ASN
1	B	211	LEU
1	B	228	VAL
1	B	231	VAL
1	B	284	ARG
1	B	307	LEU
1	B	334	THR
1	B	342	LEU
1	B	346	LEU
1	B	350	LEU
1	B	353	ARG
1	B	372	PRO
1	B	375	ARG
1	B	383	THR
1	B	401	ASN
1	B	410	HIS
1	B	415	ASN
1	B	420	ILE
1	B	432	VAL
1	B	459	VAL
1	B	482	LEU
1	B	494	THR
1	B	497	THR
1	B	506	PRO
1	B	513	VAL
1	B	549	ILE
1	B	564	ARG
1	B	593	ILE
1	B	613	LEU
1	B	615	ASN
1	B	638	TYR
1	B	653	LEU
1	B	659	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	8	ASN
1	A	11	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	45	ASN
1	A	55	GLN
1	A	82	ASN
1	A	126	HIS
1	A	128	HIS
1	A	177	HIS
1	A	239	GLN
1	A	271	GLN
1	A	316	GLN
1	A	333	HIS
1	A	435	ASN
1	A	503	ASN
1	A	578	ASN
1	A	594	ASN
1	A	602	GLN
1	A	646	GLN
1	B	55	GLN
1	B	62	ASN
1	B	126	HIS
1	B	177	HIS
1	B	204	ASN
1	B	239	GLN
1	B	364	GLN
1	B	401	ASN
1	B	415	ASN
1	B	416	ASN
1	B	465	ASN
1	B	548	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	C	1	2	12,12,12	0.74	0	17,17,17	1.11	2 (11%)
2	GLC	C	2	2	11,11,12	1.08	1 (9%)	15,15,17	2.73	5 (33%)
2	BGC	D	1	2	12,12,12	1.32	1 (8%)	17,17,17	1.16	1 (5%)
2	GLC	D	2	2	11,11,12	1.62	2 (18%)	15,15,17	2.42	6 (40%)
2	BGC	E	1	2	12,12,12	0.97	1 (8%)	17,17,17	1.19	2 (11%)
2	GLC	E	2	2	11,11,12	0.97	0	15,15,17	1.32	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	C	1	2	-	0/2/22/22	0/1/1/1
2	GLC	C	2	2	-	1/2/19/22	0/1/1/1
2	BGC	D	1	2	-	0/2/22/22	0/1/1/1
2	GLC	D	2	2	-	0/2/19/22	0/1/1/1
2	BGC	E	1	2	-	1/2/22/22	0/1/1/1
2	GLC	E	2	2	-	1/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	2	GLC	C2-C3	3.71	1.58	1.52
2	D	1	BGC	C4-C5	3.20	1.59	1.53
2	E	1	BGC	C4-C5	2.60	1.58	1.53
2	D	2	GLC	C1-C2	2.46	1.57	1.52
2	C	2	GLC	C4-C5	2.35	1.58	1.53

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	GLC	C1-O5-C5	7.82	122.79	112.19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2	GLC	C1-O5-C5	4.76	118.64	112.19
2	D	2	GLC	O5-C5-C6	4.09	113.62	107.20
2	D	2	GLC	O5-C5-C4	-3.43	102.49	110.83
2	C	2	GLC	O5-C5-C6	-3.41	101.85	107.20
2	C	2	GLC	C1-C2-C3	-3.41	105.47	109.67
2	D	2	GLC	C3-C4-C5	-3.35	104.26	110.24
2	C	2	GLC	O2-C2-C1	3.13	115.55	109.15
2	D	1	BGC	O4-C4-C3	-2.89	103.66	110.35
2	C	1	BGC	C6-C5-C4	2.87	119.72	113.00
2	D	2	GLC	C1-C2-C3	2.80	113.11	109.67
2	C	1	BGC	O4-C4-C3	-2.71	104.07	110.35
2	E	2	GLC	C1-C2-C3	2.67	112.95	109.67
2	E	1	BGC	O4-C4-C3	-2.59	104.36	110.35
2	C	2	GLC	O5-C5-C4	2.57	117.08	110.83
2	E	1	BGC	C4-C3-C2	-2.52	106.42	110.82
2	D	2	GLC	O4-C4-C5	2.23	114.83	109.30

There are no chirality outliers.

All (3) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	E	2	GLC	O5-C5-C6-O6
2	E	1	BGC	O5-C5-C6-O6
2	C	2	GLC	C4-C5-C6-O6

There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1	BGC	2	0
2	D	2	GLC	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	686/686 (100%)	-0.36	0 100 100	6, 16, 32, 62	0
1	B	686/686 (100%)	-0.20	2 (0%) 94 93	6, 21, 44, 68	0
All	All	1372/1372 (100%)	-0.28	2 (0%) 95 95	6, 18, 40, 68	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	600	LEU	2.9
1	B	656	GLN	2.5

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	AC1	D	3[A]	21/22	0.43	0.67	0,0,101,102	22
2	AC1	D	3[B]	21/22	0.43	0.67	0,0,101,102	22
2	GLC	D	2	11/12	0.46	0.51	0,0,97,99	10
2	BGC	C	1	12/12	0.52	0.26	0,0,73,76	11
2	GLC	C	2	11/12	0.54	0.41	0,0,68,76	10
2	AC1	E	3[A]	21/22	0.61	0.23	0,0,59,60	22
2	AC1	E	3[B]	21/22	0.61	0.23	0,0,59,60	22

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	BGC	E	1	12/12	0.63	0.25	0,0,71,73	11
2	AC1	C	3[A]	21/22	0.65	0.18	0,0,61,63	22
2	AC1	C	3[B]	21/22	0.65	0.18	0,0,61,63	22
2	BGC	D	1	12/12	0.68	0.37	0,0,92,94	11
2	GLC	E	2	11/12	0.79	0.23	0,0,62,68	10

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around Chain D:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CA	B	5002	1/1	0.80	0.12	27,27,27,27	0
3	CA	A	5003	1/1	0.90	0.10	36,36,36,36	0
3	CA	B	5004	1/1	0.94	0.08	32,32,32,32	0
3	CA	A	5001	1/1	0.97	0.04	19,19,19,19	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.