

Full wwPDB X-ray Structure Validation Report (i)

Nov 26, 2024 – 12:12 PM EST

PDB ID	:	9DIO
Title	:	Crystal structure of H5 hemagglutinin Q226L mutant from the influenza virus
		A/37/Texas/2024 (H5N1) with LSTc
Authors	:	Lin, T.H.; Zhu, Y.; Wilson, I.A.
Deposited on	:	2024-09-05
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution		
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	164625	3333 (2.70-2.70)		
Clashscore	180529	3684 (2.70-2.70)		
Ramachandran outliers	177936	3633 (2.70-2.70)		
Sidechain outliers	177891	3633 (2.70-2.70)		
RSRZ outliers	164620	3333 (2.70-2.70)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	٨	205	3%		
1	A	325	86%	13%	•
			2%		
1	С	325	88%	12%	
			4%		
1	Ε	325	86%	14%	•
			%		_
1	G	325	89%	10%	•
	_		3%		_
1	I	325	85%	14%	•



Mol	Chain	Length	Quality of chain					
1	Κ	325	3% 87%	12% •				
1	М	325	83%	16% •				
1	0	325	% • 90%	10%				
1	Q	325	4% 90%	10% •				
2	В	176	4%	13% ••				
2	D	176	17%	19% ••				
2	F	176	28%	22% •				
2	Н	176	8%	15% ••				
2	J	176	<mark>6%</mark> 87%	11% ••				
2	L	176	83%	17%				
2	N	176	32%	13% ••				
2	Р	176	9%	18%				
2	B	176	31%	14%				
3	S	4	25%	75%				
3	W	4	2570	75%				
3	d	4	25.76	75%				
	т	2	2370	F00/				
5	I	3	50%	50%				
5	V	2	070/	200/				
5	v	2	0/%	33%				
5	7	ე ე	100%					
G		3	67%	33%				
5	b	3	100%					
5	с	3	100%					
5	f	3	100%					
6	Y	3	33% 33%	33%				



Mol	Chain	Length	Quality of chain				
7	a	5	20%	80%			
8	е	4	25%	75%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	GLC	a	1	X	-	-	-



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 36829 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1	Δ	300	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	Π	522	2545	1612	442	476	15	0	0	0
1	C	394	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
	0	524	2560	1621	444	480	15	0	0	0
1	E	323	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
		020	2553	1616	443	479	15	0	0	0
1	G	300	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
-		022	2545	1612	442	476	15	0	0	0
1	Т	322	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
	1	022	2545	1612	442	476	15	0	0	0
1	K	323	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
-		020	2553	1616	443	479	15	0	0	0
1	М	322	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
		022	2545	1612	442	476	15	· · · · · · · · · · · · · · · · · · ·		
1	1 0	324	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
		521	2560	1621	444	480	15			
1	0	323	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
	×	520	2553	1616	443	479	15			

• Molecule 1 is a protein called Hemagglutinin HA1.

There are 81 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	7	ALA	-	expression tag	UNP A0A8E4ZAK5
А	8	ASP	-	expression tag	UNP A0A8E4ZAK5
А	9	PRO	-	expression tag	UNP A0A8E4ZAK5
А	10	GLY	-	expression tag	UNP A0A8E4ZAK5
А	111	MET	LEU	conflict	UNP A0A8E4ZAK5
А	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
А	199	ILE	THR	conflict	UNP A0A8E4ZAK5
А	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
А	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
С	7	ALA	-	expression tag	UNP A0A8E4ZAK5
C	8	ASP	-	expression tag	UNP A0A8E4ZAK5



9DIO

Chain	Residue	Modelled	Actual	Comment	Reference
С	9	PRO	_	expression tag	UNP A0A8E4ZAK5
С	10	GLY	_	expression tag	UNP A0A8E4ZAK5
С	111	MET	LEU	conflict	UNP A0A8E4ZAK5
С	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
С	199	ILE	THR	conflict	UNP A0A8E4ZAK5
С	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
С	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
Е	7	ALA	-	expression tag	UNP A0A8E4ZAK5
Е	8	ASP	-	expression tag	UNP A0A8E4ZAK5
Е	9	PRO	-	expression tag	UNP A0A8E4ZAK5
Е	10	GLY	-	expression tag	UNP A0A8E4ZAK5
Е	111	MET	LEU	conflict	UNP A0A8E4ZAK5
Е	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
Е	199	ILE	THR	conflict	UNP A0A8E4ZAK5
Е	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
Е	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
G	7	ALA	-	expression tag	UNP A0A8E4ZAK5
G	8	ASP	-	expression tag	UNP A0A8E4ZAK5
G	9	PRO	-	expression tag	UNP A0A8E4ZAK5
G	10	GLY	-	expression tag	UNP A0A8E4ZAK5
G	111	MET	LEU	conflict	UNP A0A8E4ZAK5
G	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
G	199	ILE	THR	conflict	UNP A0A8E4ZAK5
G	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
G	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
Ι	7	ALA	-	expression tag	UNP A0A8E4ZAK5
I	8	ASP	-	expression tag	UNP A0A8E4ZAK5
I	9	PRO	-	expression tag	UNP A0A8E4ZAK5
Ι	10	GLY	-	expression tag	UNP A0A8E4ZAK5
I	111	MET	LEU	conflict	UNP A0A8E4ZAK5
I	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
I	199	ILE	THR	conflict	UNP A0A8E4ZAK5
I	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
I	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
K	7	ALA	-	expression tag	UNP A0A8E4ZAK5
K	8	ASP	-	expression tag	UNP A0A8E4ZAK5
K	9	PRO	-	expression tag	UNP A0A8E4ZAK5
K	10	GLY	-	expression tag	UNP A0A8E4ZAK5
K	111	MET	LEU	conflict	UNP A0A8E4ZAK5
K	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
K	199		THR	conflict	UNP A0A8E4ZAK5
K	214	ALA	VAL	conflict	UNP A0A8E4ZAK5



Chain	Residue	Modelled	Actual	Comment	Reference
К	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
М	7	ALA	-	expression tag	UNP A0A8E4ZAK5
М	8	ASP	-	expression tag	UNP A0A8E4ZAK5
М	9	PRO	-	expression tag	UNP A0A8E4ZAK5
М	10	GLY	-	expression tag	UNP A0A8E4ZAK5
М	111	MET	LEU	conflict	UNP A0A8E4ZAK5
М	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
М	199	ILE	THR	conflict	UNP A0A8E4ZAK5
М	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
М	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
0	7	ALA	-	expression tag	UNP A0A8E4ZAK5
0	8	ASP	-	expression tag	UNP A0A8E4ZAK5
0	9	PRO	-	expression tag	UNP A0A8E4ZAK5
0	10	GLY	-	expression tag	UNP A0A8E4ZAK5
0	111	MET	LEU	conflict	UNP A0A8E4ZAK5
0	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
0	199	ILE	THR	conflict	UNP A0A8E4ZAK5
0	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
0	226	LEU	GLN	conflict	UNP A0A8E4ZAK5
Q	7	ALA	-	expression tag	UNP A0A8E4ZAK5
Q	8	ASP	-	expression tag	UNP A0A8E4ZAK5
Q	9	PRO	-	expression tag	UNP A0A8E4ZAK5
Q	10	GLY	-	expression tag	UNP A0A8E4ZAK5
Q	111	MET	LEU	conflict	UNP A0A8E4ZAK5
Q	122	GLN	LEU	engineered mutation	UNP A0A8E4ZAK5
Q	199	ILE	THR	conflict	UNP A0A8E4ZAK5
Q	214	ALA	VAL	conflict	UNP A0A8E4ZAK5
Q	226	LEU	GLN	conflict	UNP A0A8E4ZAK5

• Molecule 2 is a protein called Hemagglutinin HA2.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
9	В	174	Total	С	Ν	0	S	0	0	0
	D	114	1412	878	245	281	8	0	0	0
0	Л	174	Total	С	Ν	0	S	0	0	0
	D	174	1412	878	245	281	8	0	0	0
0	Б	176	Total	С	Ν	0	S	0	0	0
	Г	170	1422	883	247	284	8	0	0	0
0	и	174	Total	С	Ν	0	S	0	0	0
	п	174	1412	878	245	281	8	0	0	0
9	т	174	Total	С	Ν	Ο	S	0	0	0
2 J	J	J 174	1412	878	245	281	8			U



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	т	176	Total	С	Ν	0	S	0	0	0
Z		110	1422	883	247	284	8	0	0	0
9	N	174	Total	С	Ν	0	S	0	0	0
Z	Z N	174	1412	878	245	281	8	0	0	0
0	D	174	Total	С	Ν	0	S	0	0	0
Z	Г	174	1412	878	245	281	8	0	0	0
9	D	176	Total	С	Ν	0	S	0	0	0
2	R	176	1422	883	247	284	8	0	U	U

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	175	SER	-	expression tag	UNP A0A6B7HQ27
В	176	GLY	-	expression tag	UNP A0A6B7HQ27
D	175	SER	-	expression tag	UNP A0A6B7HQ27
D	176	GLY	-	expression tag	UNP A0A6B7HQ27
F	175	SER	-	expression tag	UNP A0A6B7HQ27
F	176	GLY	-	expression tag	UNP A0A6B7HQ27
Н	175	SER	-	expression tag	UNP A0A6B7HQ27
Н	176	GLY	-	expression tag	UNP A0A6B7HQ27
J	175	SER	-	expression tag	UNP A0A6B7HQ27
J	176	GLY	-	expression tag	UNP A0A6B7HQ27
L	175	SER	-	expression tag	UNP A0A6B7HQ27
L	176	GLY	-	expression tag	UNP A0A6B7HQ27
N	175	SER	-	expression tag	UNP A0A6B7HQ27
N	176	GLY	-	expression tag	UNP A0A6B7HQ27
Р	175	SER	-	expression tag	UNP A0A6B7HQ27
Р	176	GLY	-	expression tag	UNP A0A6B7HQ27
R	175	SER	-	expression tag	UNP A0A6B7HQ27
R	176	GLY	-	expression tag	UNP A0A6B7HQ27

• Molecule 3 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galacto pyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose.



Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf	Trace
3	S	4	Total 57	C 31	N 2	O 24	0	0	0



Contr	naca fron	i previous pu	<i>iye</i>			
Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	W	4	Total C N O 57 31 2 24	0	0	0
3	d	4	Total C N O 57 31 2 24	0	0	0

• Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	Т	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	U	3	Total C N O 39 22 2 15	0	0	0
5	V	3	Total C N O 39 22 2 15	0	0	0
5	Х	3	Total C N O 39 22 2 15	0	0	0
5	Z	3	Total C N O 39 22 2 15	0	0	0
5	b	3	Total C N O 39 22 2 15	0	0	0
5	С	3	Total C N O 39 22 2 15	0	0	0
5	f	3	Total C N O 39 22 2 15	0	0	0

• Molecule 6 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galacto pyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	Y	3	Total 46	C 25	N 2	O 19	0	0	0

• Molecule 7 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galacto pyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf	Trace
7	a	5	Total 68	C 37	N 2	O 29	0	0	0

• Molecule 8 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galacto pyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose.



Mol	Chain	Residues	I	Aton	ns		ZeroOcc	AltConf	Trace
8	е	4	Total 57	C 31	N 2	O 24	0	0	0

• Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
0	Δ	1	Total	С	Ν	0	0	0
9	A	1	14	8	1	5	0	0
0	٨	1	Total	С	Ν	0	0	0
9	A	L	14	8	1	5	0	0
0	D	1	Total	С	Ν	0	0	0
9	D	L	14	8	1	5	0	0
0	C	1	Total	С	Ν	0	0	0
9	U	L	14	8	1	5	0	0
0	Б	1	Total	С	Ν	0	0	0
9	Ľ	L	14	8	1	5	0	0
0	C	1	Total	С	Ν	0	0	0
9	G	L	14	8	1	5	0	0
0	С	1	Total	С	Ν	0	0	0
9	G	L	14	8	1	5	0	0
0	т	1	Total	С	Ν	0	0	0
9	1	L	14	8	1	5	0	0
0	т	1	Total	С	Ν	0	0	0
9	1	L	14	8	1	5	0	0
0	V	1	Total	С	Ν	0	0	0
9	K	L	14	8	1	5	0	0
0	М	1	Total	С	Ν	0	0	0
9	111	L	14	8	1	5	0	0
0	м	1	Total	С	Ν	0	0	0
9	1/1	L	14	8	1	5	0	0
0	0	1	Total	С	Ν	0	0	0
9	U		14	8	1	5	0	U
0	0	1	Total	С	Ν	0	0	0
9	U	1	14	8	1	5	U	U



Continued from previous page...

Mol	Chain	Residues	At	ton	ns		ZeroOcc	AltConf
9	Р	1	Total 14	C 8	N 1	O 5	0	0
9	Q	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	19	Total O 19 19	0	0
10	В	7	Total O 7 7	0	0
10	С	35	Total O 35 35	0	0
10	D	12	Total O 12 12	0	0
10	Е	13	Total O 13 13	0	0
10	F	5	Total O 5 5	0	0
10	G	20	TotalO2020	0	0
10	Н	12	Total O 12 12	0	0
10	Ι	15	Total O 15 15	0	0
10	J	11	Total O 11 11	0	0
10	К	25	Total O 25 25	0	0
10	L	8	Total O 8 8	0	0
10	М	22	Total O 22 22	0	0
10	Ν	6	Total O 6 6	0	0
10	Ο	22	TotalO2222	0	0
10	Р	11	Total O 11 11	0	0
10	Q	17	$\begin{array}{cc} \text{Total} & \text{O} \\ 17 & 17 \end{array}$	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	R	5	Total O 5 5	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Hemagglutinin HA1







• Molecule 1: Hemagglutinin HA1



 \bullet Molecule 1: Hemagglutinin HA1



ALA Packary Control of the second se













• Molecule 2: Hemagglutinin HA2



 \bullet Molecule 3: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose

ALL NG2 SIA4 SIA4

• Molecule 3: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose

Chain W:	25%	75%
<mark>GAL1</mark> NAG2 GAL3 SIA4		

 \bullet Molecule 3: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose

Chain d:	25%	75%
<mark>GAL1</mark> NAG2 GAL3 SIA4		

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAGINA CARACTER CAR	Chain T:	50%	50%
	NAG1 NAG2		

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:	100%	
NAG1 NAG2 BMA3		

 \bullet Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:

67%

33%

NAG1 NAG2 BMA3



• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-ac etamido-2-deoxy-beta-D-glucopyranose

100%

Chain X:

NAG1 NAG2 SMA3

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-ac etamido-2-deoxy-beta-D-glucopyranose

Chain Z:	67%	33%
NAG1 NAG2 BMA3		

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-ac etamido-2-deoxy-beta-D-glucopyranose

Chain b:	100%

NAG1 NAG2 BMA3

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-ac etamido-2-deoxy-beta-D-glucopyranose

Chain c:

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-ac etamido-2-deoxy-beta-D-glucopyranose

Chain f:

100%

100%

• Molecule 6: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2deoxy-beta-D-glucopyranose

Chain Y:	33%	33%	33%
NAG1 GAL2 SI A3			

• Molecule 7: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain a: 20%



<mark>GLC1</mark> GAL2 NAG3 GAL4 SIA5

• Molecule 8: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose

Chain e: 25% 75%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	254.38Å 214.47Å 136.04Å	Depositor
a, b, c, α , β , γ	90.00° 115.08° 90.00°	Depositor
Bosolution(A)	45.33 - 2.70	Depositor
Resolution (A)	45.33 - 2.70	EDS
% Data completeness	98.6 (45.33-2.70)	Depositor
(in resolution range)	99.7 (45.33-2.70)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.13 (at 2.69 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.21rc1_5127: ???)	Depositor
P. P.	0.216 , 0.256	Depositor
n, n_{free}	0.218 , 0.258	DCC
R_{free} test set	9145 reflections (5.07%)	wwPDB-VP
Wilson B-factor $(Å^2)$	41.9	Xtriage
Anisotropy	0.310	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 44.7	EDS
L-test for $twinning^2$	$ < L >=0.47, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	36829	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.36% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, NAG, GLC, SIA, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
Wor Cham		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.26	0/2609	0.49	0/3546
1	С	0.25	0/2625	0.48	0/3570
1	Е	0.26	1/2617~(0.0%)	0.48	0/3558
1	G	0.24	0/2609	0.48	0/3546
1	Ι	0.24	0/2609	0.48	0/3547
1	Κ	0.24	0/2617	0.48	0/3558
1	М	0.24	0/2609	0.49	0/3546
1	0	0.24	0/2625	0.48	0/3570
1	Q	0.24	0/2617	0.49	0/3558
2	В	0.25	0/1439	0.46	0/1934
2	D	0.24	0/1439	0.46	0/1934
2	F	0.24	0/1449	0.44	0/1947
2	Н	0.26	0/1439	0.45	0/1934
2	J	0.25	0/1439	0.47	0/1934
2	L	0.25	0/1449	0.44	0/1947
2	Ν	0.24	0/1439	0.45	0/1934
2	Р	0.24	0/1439	0.46	0/1934
2	R	0.24	0/1449	0.43	0/1947
All	All	0.25	1/36518~(0.0%)	0.47	0/49444

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Е	277	CYS	CB-SG	-5.01	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2545	0	2496	23	0
1	С	2560	0	2506	22	0
1	Е	2553	0	2499	25	0
1	G	2545	0	2495	20	0
1	Ι	2545	0	2494	27	0
1	K	2553	0	2500	23	0
1	М	2545	0	2496	31	0
1	0	2560	0	2506	21	0
1	Q	2553	0	2499	18	0
2	В	1412	0	1318	17	0
2	D	1412	0	1321	29	0
2	F	1422	0	1327	25	0
2	Н	1412	0	1319	20	0
2	J	1412	0	1318	17	0
2	L	1422	0	1329	22	0
2	Ν	1412	0	1321	17	0
2	Р	1412	0	1318	27	0
2	R	1422	0	1329	16	0
3	S	57	0	49	0	0
3	W	57	0	49	0	0
3	d	57	0	49	0	0
4	Т	28	0	25	0	0
5	U	39	0	34	0	0
5	V	39	0	34	1	0
5	Х	39	0	34	0	0
5	Ζ	39	0	34	1	0
5	b	39	0	34	0	0
5	с	39	0	34	0	0
5	f	39	0	34	0	0
6	Y	46	0	40	1	0
7	a	68	0	58	0	0
8	е	57	0	49	0	0
9	A	28	0	26	0	0
9	В	14	0	13	0	0
9	C	14	0	13	0	0
9	Е	14	0	13	0	0
9	G	28	0	26	0	0



9DIO

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	Ι	28	0	26	1	0
9	К	14	0	13	0	0
9	М	28	0	26	0	0
9	0	28	0	26	0	0
9	Р	14	0	13	1	0
9	Q	14	0	13	0	0
10	А	19	0	0	0	0
10	В	7	0	0	0	0
10	С	35	0	0	0	0
10	D	12	0	0	1	0
10	Ε	13	0	0	0	0
10	F	5	0	0	0	0
10	G	20	0	0	0	0
10	Н	12	0	0	0	0
10	Ι	15	0	0	0	0
10	J	11	0	0	0	0
10	Κ	25	0	0	0	0
10	L	8	0	0	0	0
10	М	22	0	0	0	0
10	Ν	6	0	0	0	0
10	0	22	0	0	0	0
10	Р	11	0	0	0	0
10	Q	17	0	0	0	0
10	R	5	0	0	0	0
All	All	36829	0	35156	342	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (342) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:22:TYR:HH	2:H:111:HIS:HD1	1.14	0.96
2:F:30:GLN:HE22	2:F:145:ASP:HB2	1.45	0.80
1:M:29:ILE:HG23	1:M:30:MET:HG3	1.71	0.71
1:K:90:ARG:O	1:K:269:LYS:NZ	2.24	0.70
1:M:26:VAL:HG21	1:M:317:ALA:HB2	1.72	0.70
2:L:75:ARG:NH1	2:L:78:GLU:OE1	2.25	0.69
2:N:80:LEU:HD11	2:R:81:ASN:HB2	1.74	0.69
2:H:125:GLN:HE22	2:H:155:GLY:HA2	1.58	0.68
1:I:26:VAL:HG21	1:I:317:ALA:HB2	1.77	0.67



	A. 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:H:164:GLU:OE2	2:H:164:GLU:N	2.28	0.67
2:P:113:SER:OG	2:R:2:LEU:O	2.12	0.67
2:H:77:ILE:HD13	2:J:77:ILE:HD11	1.77	0.67
2:H:113:SER:OG	2:J:2:LEU:O	2.13	0.66
2:H:118:LEU:HD12	2:H:121:LYS:HD3	1.80	0.64
1:A:26:VAL:HG21	1:A:317:ALA:HB2	1.79	0.64
1:I:283:THR:HG22	1:I:301:THR:HG22	1.80	0.64
2:D:133:LEU:HD13	2:D:137:CYS:HB2	1.79	0.63
2:N:17:MET:HE1	2:N:23:GLY:HA3	1.80	0.63
2:D:133:LEU:HD11	2:D:139:GLU:HG2	1.81	0.63
1:K:283:THR:HG22	1:K:301:THR:HG22	1.81	0.62
1:A:73:ASN:ND2	1:A:96:ASP:O	2.33	0.62
2:N:95:ASN:ND2	2:P:95:ASN:HD21	1.98	0.62
1:M:283:THR:HG22	1:M:301:THR:HG22	1.82	0.62
1:A:24:GLU:HG2	1:A:39:ALA:HB3	1.82	0.62
2:N:95:ASN:HD21	2:P:95:ASN:HD21	1.47	0.61
1:Q:283:THR:HG22	1:Q:301:THR:HG22	1.82	0.61
1:Q:26:VAL:HG21	1:Q:317:ALA:HB2	1.82	0.61
1:C:15:ILE:HG22	2:D:10:ILE:HD11	1.82	0.61
1:I:24:GLU:HG2	1:I:39:ALA:HB3	1.82	0.60
2:P:30:GLN:HE22	2:P:146:ASN:H	1.49	0.60
1:C:222:GLN:HG3	1:C:227:ARG:HE	1.66	0.60
2:N:150:GLU:OE1	2:N:153:ARG:NH1	2.34	0.60
1:E:283:THR:HG22	1:E:301:THR:HG22	1.84	0.60
1:K:29:ILE:HG23	1:K:30:MET:HG3	1.84	0.59
1:E:48:ASN:ND2	1:E:52:CYS:SG	2.74	0.58
1:G:73:ASN:ND2	1:G:96:ASP:O	2.32	0.58
2:N:22:TYR:OH	2:N:111:HIS:ND1	2.28	0.58
2:B:82:LYS:NZ	2:B:86:ASP:OD2	2.37	0.58
1:M:24:GLU:HG2	1:M:39:ALA:HB3	1.86	0.58
1:G:73:ASN:HB3	1:G:76:CYS:SG	2.44	0.57
1:C:90:ARG:HD2	1:G:144:ALA:HB2	1.85	0.57
1:E:202:ILE:HB	1:E:213:LEU:HB2	1.85	0.57
1:I:25:GLN:NE2	1:Q:47:HIS:O	2.38	0.57
2:N:133:LEU:HD12	2:N:137:CYS:HB2	1.85	0.57
2:B:150:GLU:OE1	2:B:153:ARG:NH1	2.38	0.57
1:K:31:GLU:OE2	1:K:321:ARG:NH2	2.34	0.56
2:L:132:GLU:HG2	2:L:138:PHE:HE2	1.69	0.56
1:M:293:PRO:HD3	2:N:56:ILE:HG12	1.87	0.56
1:A:80:ILE:HG13	1:A:81:ARG:H	1.69	0.56
1:G:26:VAL:HG21	1:G:317:ALA:HB2	1.87	0.56



A + a 1	At arra 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:L:19:ASP:O	2:L:38:LYS:NZ	2.37	0.56
1:Q:70:LEU:HD11	1:Q:112:LEU:HD11	1.88	0.56
1:G:203:SER:HB2	1:G:246:GLU:HB3	1.88	0.56
2:B:106:ARG:O	2:B:106:ARG:NH1	2.37	0.56
1:O:51:LEU:HD13	1:O:272:VAL:HB	1.88	0.56
1:O:320:LEU:HD21	2:P:22:TYR:HE1	1.71	0.55
1:I:129:ASN:HB3	1:I:162:PRO:HG2	1.89	0.55
1:E:26:VAL:HG21	1:E:317:ALA:HB2	1.88	0.55
2:D:142:HIS:NE2	2:D:157:TYR:OH	2.39	0.55
1:M:62:LYS:O	1:M:90:ARG:HD2	2.08	0.54
2:B:123:ARG:HH21	2:B:124:LEU:HD13	1.71	0.54
1:K:202:ILE:HB	1:K:213:LEU:HB2	1.89	0.54
1:A:283:THR:HG22	1:A:301:THR:HG22	1.88	0.54
1:E:79:PHE:HE1	1:E:120:LYS:HB3	1.73	0.54
1:G:28:THR:HG22	2:H:104:ASN:HB3	1.89	0.54
1:Q:18:HIS:HB2	2:R:21:TRP:HA	1.89	0.54
1:M:189:GLU:H	1:M:189:GLU:CD	2.11	0.54
2:R:120:ASP:OD1	2:R:123:ARG:NH1	2.40	0.54
1:O:121:ILE:HG21	1:O:259:LYS:HD3	1.90	0.54
1:M:57:LYS:HD2	1:M:58:PRO:HD2	1.90	0.53
1:M:56:VAL:HB	1:M:85:SER:HB3	1.91	0.53
1:A:293:PRO:HD3	2:B:56:ILE:HG12	1.90	0.53
1:C:283:THR:HG22	1:C:301:THR:HG22	1.89	0.53
1:O:283:THR:HG22	1:O:301:THR:HG22	1.91	0.53
1:C:18:HIS:ND1	2:D:17:MET:O	2.34	0.53
1:C:35:THR:HG22	1:C:322:ASN:HB3	1.91	0.53
2:D:14:TRP:HE3	2:D:17:MET:HG3	1.73	0.53
2:H:90:ASP:OD1	2:L:60:ASN:ND2	2.37	0.52
1:K:134:GLY:HA3	1:K:153:TRP:HB3	1.91	0.52
2:R:30:GLN:HE22	2:R:145:ASP:HB2	1.75	0.52
1:C:105:TYR:CZ	1:C:109:LYS:HD2	2.43	0.52
1:G:91:ALA:HA	1:G:269:LYS:HE2	1.92	0.52
1:E:134:GLY:HA3	1:E:153:TRP:HB3	1.91	0.52
2:H:76:ARG:NH1	2:L:69:GLU:O	2.42	0.52
2:P:169:LYS:HD3	2:P:173:ILE:HG13	1.91	0.52
1:G:15:ILE:HD11	2:H:122:VAL:HG21	1.92	0.52
2:D:95:ASN:ND2	2:F:95:ASN:HD21	2.07	0.52
2:F:19:ASP:O	2:F:38:LYS:NZ	2.43	0.52
2:B:6:ILE:HG13	2:B:112:ASP:HA	1.93	0.51
1:E:203:SER:HB2	1:E:246:GLU:HB3	1.93	0.51
1:I:29:ILE:HG23	1:I:30:MET:HG3	1.91	0.51



A + a 1	<u> </u>	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:O:134:GLY:HA3	1:O:153:TRP:HB3	1.93	0.51
1:C:29:ILE:HG23	1:C:30:MET:HG3	1.91	0.51
2:F:150:GLU:OE2	2:F:153:ARG:NH2	2.44	0.51
1:E:18:HIS:HB2	2:F:21:TRP:HA	1.94	0.50
1:A:134:GLY:HA3	1:A:153:TRP:HB3	1.92	0.50
1:O:105:TYR:CZ	1:O:109:LYS:HD2	2.46	0.50
1:M:320:LEU:HD23	2:N:6:ILE:HD11	1.93	0.50
2:H:167:ARG:HD2	2:J:174:SER:HA	1.94	0.50
2:R:75:ARG:NE	2:R:78:GLU:OE1	2.45	0.50
2:N:3:PHE:HD2	2:N:112:ASP:HB3	1.77	0.49
1:O:203:SER:HB2	1:O:246:GLU:HB3	1.93	0.49
1:Q:125(A):LYS:NZ	1:Q:132:THR:O	2.46	0.49
1:Q:187:ASN:N	1:Q:187:ASN:OD1	2.46	0.49
1:E:320:LEU:HD23	2:F:111:HIS:HB3	1.93	0.49
2:D:159:TYR:CD1	2:D:160:PRO:HD3	2.48	0.49
1:M:63:ASP:N	1:M:63:ASP:OD1	2.45	0.49
2:D:166:ALA:O	2:D:170:ARG:HG2	2.12	0.49
1:K:87:ILE:HB	1:K:267:ILE:HD12	1.94	0.49
1:M:151:VAL:HG22	1:M:252:ILE:HG22	1.94	0.49
1:I:202:ILE:HB	1:I:213:LEU:HB2	1.95	0.49
1:0:164:ILE:O	1:O:246:GLU:HA	2.13	0.49
1:I:17:TYR:OH	2:J:6:ILE:O	2.27	0.49
1:O:173:ARG:NH2	5:Z:3:BMA:O2	2.40	0.49
1:C:176:LEU:HD23	1:C:178:ILE:HD11	1.95	0.48
2:H:21:TRP:CZ3	2:H:45:ILE:HG13	2.48	0.48
1:Q:220:ARG:HH21	1:Q:228:GLY:HA2	1.78	0.48
2:F:10:ILE:HD13	2:F:136:GLY:HA3	1.94	0.48
1:I:70:LEU:HD11	1:I:112:LEU:HD11	1.95	0.48
1:C:266:THR:HG22	2:D:65:ALA:HB1	1.95	0.48
1:M:134:GLY:HA3	1:M:153:TRP:HB3	1.95	0.48
1:G:266:THR:HG22	2:H:65:ALA:HB1	1.95	0.48
2:N:113:SER:OG	2:P:2:LEU:O	2.24	0.48
1:C:134:GLY:HA3	1:C:153:TRP:HB3	1.95	0.48
1:M:13:ILE:HD11	2:N:24:TYR:HB3	1.95	0.48
2:R:22:TYR:HH	2:R:111:HIS:HD1	1.59	0.48
1:A:43:LEU:HD13	1:A:314:LEU:HD12	1.95	0.48
2:F:165:GLU:OE1	2:F:165:GLU:N	2.31	0.48
2:R:21:TRP:H	2:R:41:THR:HG23	1.79	0.48
1:O:123:ILE:HG13	1:O:124:ILE:HG13	1.96	0.47
2:P:150:GLU:HG2	2:P:153:ARG:HH21	1.78	0.47
1:Q:33:ASN:O	1:Q:34:VAL:HG22	2.14	0.47



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:E:79:PHE:HD1	1:E:120:LYS:HE2	1.79	0.47
2:R:133:LEU:HD12	2:R:137:CYS:HB2	1.96	0.47
2:D:141:TYR:CE1	2:D:170:ARG:HB3	2.50	0.47
1:K:78:GLU:OE1	1:K:120:LYS:NZ	2.32	0.47
1:O:185:SER:HB2	1:O:217:ILE:HG12	1.96	0.47
2:D:54:SER:O	2:D:58:LYS:HB2	2.15	0.47
2:D:119:TYR:HE2	2:D:136:GLY:HA2	1.79	0.47
1:G:89:GLU:O	1:G:269:LYS:HA	2.15	0.47
1:O:29:ILE:HG23	1:O:30:MET:HG3	1.96	0.47
1:Q:73:ASN:HB3	1:Q:76:CYS:SG	2.54	0.47
1:K:26:VAL:HG21	1:K:317:ALA:HB2	1.97	0.47
1:C:216:LYS:O	1:C:220:ARG:NH2	2.46	0.47
2:D:135:ASN:ND2	10:D:201:HOH:O	2.40	0.47
2:F:129:ASN:HD21	2:F:163:SER:HA	1.79	0.47
1:K:57:LYS:HE2	1:K:274:TYR:CE2	2.50	0.47
2:L:42:GLN:HA	2:L:45:ILE:HG22	1.96	0.47
1:Q:33:ASN:O	1:Q:34:VAL:HG13	2.15	0.47
2:D:159:TYR:CG	2:D:160:PRO:HD3	2.50	0.47
1:E:59:LEU:HD13	1:E:82:VAL:HG21	1.95	0.47
1:O:266:THR:HG22	2:P:65:ALA:HB1	1.96	0.47
1:I:105:TYR:CZ	1:I:109:LYS:HD2	2.50	0.46
2:P:6:ILE:HG12	2:P:112:ASP:HA	1.96	0.46
2:R:6:ILE:HG13	2:R:7:ALA:H	1.79	0.46
2:D:147:GLU:OE2	5:V:2:NAG:N2	2.44	0.46
1:E:31:GLU:CD	1:E:321:ARG:HH22	2.19	0.46
2:H:75:ARG:HH22	2:H:78:GLU:HG2	1.81	0.46
1:I:242:ALA:HB3	9:I:401:NAG:H82	1.98	0.46
1:0:18:HIS:ND1	2:P:17:MET:O	2.47	0.46
1:G:115:ILE:HG21	1:G:118:PHE:HB2	1.97	0.46
2:J:43:LYS:HD3	2:J:43:LYS:HA	1.81	0.46
1:I:121:ILE:HD11	1:I:176:LEU:HD11	1.98	0.46
2:J:145:ASP:N	2:J:148:CYS:HB3	2.31	0.46
1:K:266:THR:HG22	2:L:65:ALA:HB1	1.97	0.46
2:D:152:VAL:HG22	2:D:157:TYR:CD2	2.51	0.46
1:E:284:PRO:HD3	1:E:300:LEU:O	2.16	0.46
1:G:51:LEU:HD13	1:G:88:VAL:HG21	1.97	0.46
1:M:183:HIS:HB2	1:M:252:ILE:HD11	1.98	0.46
1:E:73:ASN:HB3	1:E:76:CYS:SG	2.55	0.46
2:F:145:ASP:OD1	2:F:147:GLU:N	2.47	0.46
1:G:65:SER:OG	1:G:96:ASP:OD1	2.28	0.46
1:Q:303:GLY:HA2	2:R:63:PHE:CD1	2.49	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:185:SER:HB2	1:A:217:ILE:HG12	1.97	0.46
1:I:165:LYS:HG2	1:I:246:GLU:HG3	1.97	0.46
1:M:70:LEU:HD11	1:M:112:LEU:HD11	1.98	0.46
1:M:73:ASN:ND2	1:M:96:ASP:O	2.49	0.46
1:E:295:HIS:CD2	1:E:306:PRO:HG2	2.51	0.46
2:L:23:GLY:HA3	2:L:36:ALA:HA	1.98	0.46
1:C:109:LYS:HB3	1:C:267:ILE:HD12	1.98	0.46
1:I:146:SER:OG	1:I:147:PHE:N	2.49	0.46
1:K:303:GLY:HA2	2:L:63:PHE:CD2	2.51	0.46
1:A:182:ILE:HB	1:A:202:ILE:HD12	1.97	0.45
1:A:266:THR:HG22	2:B:65:ALA:HB1	1.99	0.45
1:C:183:HIS:HA	1:C:230:MET:HG2	1.99	0.45
1:I:202:ILE:HD11	1:I:251:PHE:HA	1.98	0.45
1:K:79:PHE:CG	1:K:79:PHE:O	2.69	0.45
1:E:70:LEU:HD11	1:E:112:LEU:HD11	1.98	0.45
1:M:202:ILE:HB	1:M:213:LEU:HB2	1.96	0.45
2:F:25:HIS:ND1	2:F:33:GLY:O	2.50	0.45
1:I:63:ASP:HB3	2:P:38:LYS:HE3	1.99	0.45
1:I:284:PRO:HD3	1:I:300:LEU:O	2.17	0.45
1:A:203:SER:HB2	1:A:246:GLU:HB3	1.98	0.45
1:G:311:SER:OG	2:H:97:GLU:OE2	2.23	0.45
2:J:167:ARG:NH1	2:L:175:SER:HA	2.32	0.45
2:P:166:ALA:O	2:P:170:ARG:N	2.49	0.45
2:H:24:TYR:CD1	2:H:153:ARG:HD3	2.52	0.45
2:J:22:TYR:H	2:J:41:THR:HG22	1.82	0.45
2:J:127:ARG:HE	2:J:127:ARG:HB3	1.44	0.45
2:P:167:ARG:HD2	2:R:174:SER:HB2	1.99	0.45
2:F:125:GLN:OE1	2:F:155:GLY:HA2	2.17	0.44
2:D:121:LYS:NZ	2:D:152:VAL:O	2.50	0.44
2:F:133:LEU:HD11	2:F:139:GLU:HB2	1.97	0.44
1:I:123:ILE:HD13	1:I:257:ALA:HB2	1.99	0.44
2:J:126:LEU:HD22	2:J:140:PHE:HE1	1.83	0.44
1:K:41:ASP:OD2	1:K:45:LYS:NZ	2.47	0.44
2:D:167:ARG:NH1	2:F:174:SER:HB3	2.33	0.44
1:G:133(A):LEU:O	6:Y:3:SIA:H113	2.16	0.44
1:K:222:GLN:OE1	1:K:227:ARG:NH1	2.51	0.44
1:M:54:LEU:HD12	1:M:54:LEU:HA	1.81	0.44
1:Q:284:PRO:HD3	1:Q:300:LEU:O	2.17	0.44
2:B:21:TRP:H	2:B:41:THR:HG23	1.83	0.44
2:B:113:SER:OG	2:D:2:LEU:O	2.20	0.44
2:D:17:MET:HE3	2:D:17:MET:HB3	1.90	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:F:142:HIS:CD2	2:F:157:TYR:HH	2.33	0.44
1:I:63:ASP:OD1	1:I:63:ASP:N	2.48	0.44
2:L:28:ASN:ND2	2:L:146:ASN:OD1	2.43	0.44
2:L:39:GLU:CD	2:L:39:GLU:H	2.20	0.44
2:D:22:TYR:H	2:D:41:THR:HG22	1.81	0.44
2:F:149:MET:O	2:F:153:ARG:HG3	2.17	0.44
1:A:65:SER:OG	1:A:96:ASP:OD1	2.31	0.44
2:P:37:ASP:O	2:P:41:THR:HG23	2.18	0.44
2:F:6:ILE:HG12	2:F:112:ASP:HA	2.00	0.44
1:G:135:VAL:CG1	1:G:145:PRO:HB2	2.48	0.44
1:O:320:LEU:HD21	2:P:22:TYR:CE1	2.51	0.44
1:E:97:CYS:HB2	1:E:138:ALA:O	2.17	0.44
2:H:148:CYS:O	2:H:151:SER:OG	2.25	0.44
1:I:324:PRO:HG3	1:Q:50:LYS:HG3	1.99	0.44
2:J:80:LEU:HD22	2:L:80:LEU:HD21	2.00	0.44
2:J:133:LEU:HD21	2:J:139:GLU:HB2	2.00	0.44
1:G:134:GLY:HA3	1:G:153:TRP:HB3	1.99	0.43
1:A:46:THR:O	1:A:288:ILE:HG22	2.19	0.43
1:A:148:PHE:HB2	1:A:151:VAL:HG12	1.99	0.43
2:J:127:ARG:HH22	2:L:131:LYS:CE	2.31	0.43
1:K:222:GLN:HG3	1:K:227:ARG:HG2	2.00	0.43
1:C:24:GLU:HG2	1:C:39:ALA:HB3	2.00	0.43
1:E:266:THR:HG22	2:F:65:ALA:HB1	2.00	0.43
1:G:64:CYS:SG	1:G:95:ASN:HB2	2.58	0.43
1:K:73:ASN:ND2	1:K:96:ASP:O	2.51	0.43
2:L:30:GLN:OE1	2:L:30:GLN:N	2.51	0.43
1:I:134:GLY:HA3	1:I:153:TRP:HB3	2.00	0.43
2:N:9:PHE:HD1	2:N:10:ILE:HG13	1.82	0.43
2:F:41:THR:O	2:F:45:ILE:HG13	2.19	0.43
1:G:202:ILE:HB	1:G:213:LEU:HB2	1.99	0.43
1:I:266:THR:HG22	2:J:65:ALA:HB1	2.01	0.43
1:A:70:LEU:HD11	1:A:112:LEU:HD11	2.00	0.43
1:M:79:PHE:CE2	1:M:81:ARG:HB2	2.53	0.43
2:P:150:GLU:HB3	9:P:201:NAG:H61	1.98	0.43
1:C:164:ILE:O	1:C:246:GLU:HA	2.18	0.43
1:K:185:SER:HB2	1:K:217:ILE:HG12	2.01	0.43
1:M:87:ILE:HB	1:M:267:ILE:HD13	2.01	0.43
2:B:125:GLN:HE22	2:B:155:GLY:C	2.21	0.43
2:D:166:ALA:HB1	2:D:170:ARG:HE	1.84	0.43
1:I:60:ILE:HG22	1:I:62:LYS:HD3	2.01	0.43
1:O:135:VAL:CG1	1:0:145:PRO:HB2	2.48	0.43



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:P:58:LYS:HA	2:P:58:LYS:HD3	1.81	0.43
2:B:24:TYR:CE1	2:B:37:ASP:HB2	2.53	0.43
2:H:22:TYR:OH	2:H:111:HIS:ND1	2.22	0.43
2:L:25:HIS:ND1	2:L:33:GLY:O	2.51	0.43
2:L:30:GLN:HE22	2:L:145:ASP:HB2	1.83	0.43
1:O:67:ALA:HB2	1:O:105:TYR:CE1	2.54	0.43
1:K:121:ILE:HD11	1:K:176:LEU:HD21	2.01	0.43
1:K:175:ASP:OD1	1:K:239:PRO:HD3	2.19	0.43
2:P:24:TYR:CE1	2:P:37:ASP:HB2	2.53	0.43
2:P:154:ASN:O	2:P:156:THR:N	2.52	0.43
2:N:150:GLU:O	2:N:154:ASN:N	2.52	0.42
2:P:132:GLU:HG2	2:P:138:PHE:HE1	1.83	0.42
2:R:142:HIS:CD2	2:R:157:TYR:HH	2.37	0.42
1:M:43:LEU:HB2	1:M:314:LEU:HD12	2.02	0.42
1:M:67:ALA:HB1	1:M:96(A):LEU:HD21	2.02	0.42
2:R:10:ILE:HD13	2:R:136:GLY:HA3	2.01	0.42
2:R:24:TYR:HB2	2:R:35:ALA:HB3	2.00	0.42
2:D:119:TYR:CE2	2:D:136:GLY:HA2	2.54	0.42
1:E:156:LYS:HD2	1:E:159:ASP:HA	2.00	0.42
2:L:6:ILE:HG12	2:L:112:ASP:HA	2.01	0.42
1:A:123:ILE:HG13	1:A:124:ILE:HG13	2.02	0.42
1:K:15:ILE:O	2:L:10:ILE:HD12	2.19	0.42
1:M:150:ASN:HA	1:M:256:TYR:HD2	1.84	0.42
2:P:45:ILE:O	2:P:49:THR:OG1	2.23	0.42
2:B:2:LEU:HD23	2:B:2:LEU:HA	1.91	0.42
1:C:56:VAL:HB	1:C:85:SER:HB3	2.01	0.42
1:C:117:HIS:HB3	1:C:260(A):VAL:HB	2.02	0.42
2:H:78:GLU:O	2:H:82:LYS:N	2.46	0.42
2:J:3:PHE:CZ	2:L:2:LEU:HD12	2.55	0.42
1:I:185:SER:HB2	1:I:217:ILE:HG12	2.01	0.42
1:K:182:ILE:HB	1:K:202:ILE:HD12	2.00	0.42
1:M:164:ILE:O	1:M:246:GLU:HA	2.20	0.42
2:J:19:ASP:OD1	2:J:19:ASP:N	2.45	0.42
1:Q:320:LEU:HD11	2:R:21:TRP:CG	2.54	0.42
2:D:145:ASP:OD1	2:D:145:ASP:N	2.51	0.42
2:P:164:GLU:HA	2:P:167:ARG:HE	1.84	0.42
1:A:152:VAL:HG23	1:A:255:GLU:HB2	2.02	0.42
1:C:20:ASN:HD21	1:C:37:THR:HB	1.84	0.42
2:N:75:ARG:HE	2:N:75:ARG:HA	1.85	0.42
1:A:320:LEU:HG	2:B:111:HIS:CG	2.55	0.41
2:B:124:LEU:HD12	2:B:124:LEU:HA	1.92	0.41



	At ama 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:D:73:LEU:HD23	2:D:73:LEU:HA	1.83	0.41
1:O:14:CYS:HA	2:P:137:CYS:HA	2.02	0.41
1:E:303:GLY:HA2	2:F:63:PHE:CD2	2.55	0.41
2:J:150:GLU:OE1	2:J:153:ARG:NH1	2.53	0.41
2:P:132:GLU:HG2	2:P:138:PHE:CE1	2.56	0.41
1:Q:203:SER:HB2	1:Q:246:GLU:HB3	2.00	0.41
2:B:95:ASN:C	2:B:95:ASN:HD22	2.24	0.41
2:D:106:ARG:NH1	2:F:106:ARG:HD3	2.35	0.41
2:L:10:ILE:HD13	2:L:136:GLY:HA3	2.01	0.41
1:M:284:PRO:HD3	1:M:300:LEU:O	2.21	0.41
1:M:266:THR:HG22	2:N:65:ALA:HB1	2.03	0.41
1:I:175:ASP:OD1	1:I:239:PRO:HD3	2.20	0.41
2:F:72:ASN:HA	2:F:75:ARG:CZ	2.50	0.41
2:F:98:LEU:HD23	2:F:101:LEU:HD12	2.02	0.41
1:A:164:ILE:O	1:A:246:GLU:HA	2.20	0.41
2:B:30:GLN:HE21	2:B:30:GLN:HB3	1.67	0.41
2:H:101:LEU:HD11	2:L:58:LYS:HE3	2.03	0.41
1:M:123:ILE:HG13	1:M:124:ILE:HG13	2.02	0.41
1:Q:65:SER:OG	1:Q:96:ASP:OD1	2.25	0.41
1:A:58:PRO:HB3	1:A:86:TYR:CZ	2.56	0.41
1:C:135:VAL:CG1	1:C:145:PRO:HB2	2.51	0.41
1:E:14:CYS:HA	2:F:137:CYS:HA	2.02	0.41
1:K:280:LYS:HB2	1:K:280:LYS:HE3	1.68	0.41
1:Q:292:MET:O	1:Q:306:PRO:HB3	2.20	0.41
1:E:180:TRP:NE1	1:E:204:VAL:HG21	2.36	0.41
1:I:164:ILE:O	1:I:246:GLU:HA	2.21	0.41
1:M:85:SER:O	1:M:114:ARG:HD3	2.21	0.41
1:M:222:GLN:HE21	1:M:222:GLN:HB2	1.63	0.41
1:O:320:LEU:HD23	2:P:111:HIS:HB3	2.02	0.41
2:P:24:TYR:HE1	2:P:37:ASP:HB2	1.85	0.41
2:D:126:LEU:HB3	2:D:130:ALA:HB3	2.03	0.40
1:A:303:GLY:HA2	2:B:63:PHE:CD1	2.56	0.40
1:C:182:ILE:HB	1:C:202:ILE:HD12	2.02	0.40
1:E:164:ILE:O	1:E:246:GLU:HA	2.22	0.40
1:A:180:TRP:NE1	1:A:204:VAL:HG21	2.37	0.40
1:E:66:VAL:HG23	1:E:89:GLU:OE2	2.22	0.40
1:O:50:LYS:HE3	1:O:273:GLU:HB2	2.03	0.40
1:C:203:SER:HB2	1:C:246:GLU:HB3	2.04	0.40
2:D:22:TYR:OH	2:D:111:HIS:ND1	2.47	0.40
1:G:164:ILE:O	1:G:246:GLU:HA	2.21	0.40
1:I:80:ILE:C	1:I:81:ARG:HG3	2.41	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:25:HIS:ND1	2:N:33:GLY:O	2.54	0.40
1:E:80:ILE:HG13	1:E:82:VAL:HG22	2.04	0.40
2:F:3:PHE:CE2	2:F:113:SER:HB3	2.57	0.40
1:M:184:HIS:NE2	1:M:231:ASP:OD2	2.44	0.40
1:O:108:LEU:HB2	1:O:234:TRP:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	320/325~(98%)	299~(93%)	21 (7%)	0	100	100
1	С	322/325~(99%)	316~(98%)	6 (2%)	0	100	100
1	Е	321/325~(99%)	312 (97%)	9~(3%)	0	100	100
1	G	320/325~(98%)	309~(97%)	11 (3%)	0	100	100
1	Ι	320/325~(98%)	311 (97%)	9(3%)	0	100	100
1	K	321/325~(99%)	311 (97%)	10 (3%)	0	100	100
1	М	320/325~(98%)	302 (94%)	18 (6%)	0	100	100
1	Ο	322/325~(99%)	316~(98%)	6 (2%)	0	100	100
1	Q	321/325~(99%)	312 (97%)	8 (2%)	1 (0%)	37	61
2	В	172/176~(98%)	171 (99%)	1 (1%)	0	100	100
2	D	172/176~(98%)	168 (98%)	3 (2%)	1 (1%)	22	45
2	F	174/176~(99%)	167 (96%)	7 (4%)	0	100	100
2	Н	172/176~(98%)	171 (99%)	1 (1%)	0	100	100
2	J	172/176~(98%)	166 (96%)	6 (4%)	0	100	100
2	L	174/176~(99%)	170 (98%)	4 (2%)	0	100	100
2	Ν	172/176~(98%)	170 (99%)	2 (1%)	0	100	100





Continuacia from process page							
Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
2	Р	172/176~(98%)	163~(95%)	9~(5%)	0	100	100
2	R	174/176~(99%)	166~(95%)	8 (5%)	0	100	100
All	All	4441/4509 (98%)	4300 (97%)	139 (3%)	2~(0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Q	34	VAL
2	D	5	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	А	285/287~(99%)	282~(99%)	3~(1%)	70	87
1	\mathbf{C}	287/287~(100%)	286 (100%)	1 (0%)	91	97
1	Ε	286/287~(100%)	282~(99%)	4 (1%)	62	84
1	G	285/287~(99%)	283~(99%)	2(1%)	81	93
1	Ι	285/287~(99%)	282~(99%)	3 (1%)	70	87
1	К	286/287~(100%)	284~(99%)	2(1%)	81	93
1	М	285/287~(99%)	284 (100%)	1 (0%)	89	96
1	О	287/287~(100%)	285~(99%)	2 (1%)	81	93
1	Q	286/287~(100%)	282~(99%)	4 (1%)	62	84
2	В	149/150~(99%)	146 (98%)	3 (2%)	50	78
2	D	149/150~(99%)	147~(99%)	2 (1%)	65	85
2	F	150/150~(100%)	147 (98%)	3 (2%)	50	78
2	Н	149/150~(99%)	144 (97%)	5(3%)	32	61
2	J	149/150~(99%)	148 (99%)	1 (1%)	81	93
2	L	150/150~(100%)	150 (100%)	0	100	100
2	Ν	149/150~(99%)	147~(99%)	2 (1%)	65	85



Mol	Chain	Analysed	Rotameric	Outliers	Percen	tiles
2	Р	149/150~(99%)	148~(99%)	1 (1%)	81	93
2	R	150/150~(100%)	147~(98%)	3~(2%)	50	78
All	All	3916/3933~(100%)	3874~(99%)	42 (1%)	70	87

Continued from previous page...

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	81	ARG
1	А	238	LYS
1	А	292	MET
2	В	22	TYR
2	В	95	ASN
2	В	106	ARG
1	С	81	ARG
2	D	26	HIS
2	D	58	LYS
1	Е	63	ASP
1	Е	81	ARG
1	Е	175	ASP
1	Е	320	LEU
2	F	15	GLN
2	F	75	ARG
2	F	145	ASP
1	G	264	ASP
1	G	277	CYS
2	Н	26	HIS
2	Н	72	ASN
2	Н	75	ARG
2	Н	89	LEU
2	Н	148	CYS
1	Ι	81	ARG
1	Ι	173	ARG
1	Ι	264	ASP
2	J	43	LYS
1	K	80	ILE
1	K	320	LEU
1	М	222	GLN
2	N	75	ARG
2	N	116	LYS
1	0	40	GLN
1	0	264	ASP



Continued from previous page					
Mol	Chain	Res	Type		
2	Р	19	ASP		
1	Q	92	ASN		
1	Q	175	ASP		
1	Q	212	ARG		
1	Q	264	ASP		
2	R	19	ASP		
2	R	22	TYR		
2	R	149	MET		

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	142	GLN
2	В	95	ASN
2	В	125	GLN
1	Е	142	GLN
2	F	60	ASN
2	F	95	ASN
2	F	129	ASN
2	Н	26	HIS
2	Н	95	ASN
2	Н	125	GLN
2	J	95	ASN
2	L	95	ASN
1	М	116	ASN
1	М	222	GLN
2	N	42	GLN
2	Р	30	GLN
2	Р	95	ASN
1	Q	150	ASN
2	R	50	ASN
2	R	95	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.


5.5 Carbohydrates (i)

47 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Link	Bo	ond leng	\mathbf{ths}	В	ond ang	les
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	GAL	S	1	3	12,12,12	0.63	0	17,17,17	0.79	0
3	NAG	S	2	3	$14,\!14,\!15$	0.69	0	$17,\!19,\!21$	1.03	1 (5%)
3	GAL	S	3	3	11,11,12	0.75	0	$15,\!15,\!17$	1.09	1 (6%)
3	SIA	S	4	3	20,20,21	1.56	2 (10%)	21,28,31	1.93	4 (19%)
4	NAG	Т	1	4,1	14,14,15	0.68	0	17,19,21	0.90	0
4	NAG	Т	2	4	$14,\!14,\!15$	0.70	0	$17,\!19,\!21$	0.97	1 (5%)
5	NAG	U	1	1,5	14,14,15	0.70	0	$17,\!19,\!21$	1.00	1 (5%)
5	NAG	U	2	5	14,14,15	0.70	0	17,19,21	0.95	1 (5%)
5	BMA	U	3	5	11,11,12	0.77	0	$15,\!15,\!17$	1.88	1 (6%)
5	NAG	V	1	2,5	14,14,15	0.63	0	17,19,21	1.09	2 (11%)
5	NAG	V	2	5	14,14,15	0.72	0	17,19,21	1.15	2 (11%)
5	BMA	V	3	5	11,11,12	0.81	0	$15,\!15,\!17$	1.67	1 (6%)
3	GAL	W	1	3	12,12,12	0.62	0	17,17,17	0.78	0
3	NAG	W	2	3	14,14,15	0.64	0	17,19,21	1.06	1 (5%)
3	GAL	W	3	3	11,11,12	0.67	0	$15,\!15,\!17$	1.33	1 (6%)
3	SIA	W	4	3	20,20,21	1.74	4 (20%)	21,28,31	1.23	2 (9%)
5	NAG	Х	1	1,5	14,14,15	0.72	0	17,19,21	0.98	1 (5%)
5	NAG	Х	2	5	14,14,15	0.71	0	17,19,21	0.94	1 (5%)
5	BMA	Х	3	5	11,11,12	0.77	0	$15,\!15,\!17$	1.71	1 (6%)
6	NAG	Y	1	6	15,15,15	0.57	0	21,21,21	1.09	3 (14%)
6	GAL	Y	2	6	11,11,12	0.80	0	$15,\!15,\!17$	1.08	0
6	SIA	Y	3	6	20,20,21	1.56	1 (5%)	21,28,31	1.68	4 (19%)
5	NAG	Z	1	1,5	14,14,15	0.68	0	17,19,21	1.03	1 (5%)
5	NAG	Z	2	5	14,14,15	0.70	0	17,19,21	0.99	1 (5%)
5	BMA	Z	3	5	11,11,12	0.80	0	$15,\!15,\!17$	1.65	1 (6%)
7	GLC	a	1	7	12,12,12	0.51	0	$17,\!17,\!17$	0.71	0
7	GAL	a	2	7	11,11,12	0.76	0	$15,\!15,\!17$	1.21	3 (20%)



Mal	Tuno	Chain	Dog	Link	Bond lengths			Bond angles		
	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
7	NAG	a	3	7	14,14,15	0.68	0	$17,\!19,\!21$	0.93	1 (5%)
7	GAL	a	4	7	11,11,12	0.78	0	$15,\!15,\!17$	1.11	2 (13%)
7	SIA	a	5	7	20,20,21	1.55	3 (15%)	21,28,31	1.59	3 (14%)
5	NAG	b	1	1,5	14,14,15	0.67	0	17,19,21	1.03	1 (5%)
5	NAG	b	2	5	14,14,15	0.69	0	17,19,21	0.91	1 (5%)
5	BMA	b	3	5	11,11,12	0.80	0	$15,\!15,\!17$	1.71	1 (6%)
5	NAG	С	1	2,5	14,14,15	0.91	1 (7%)	17,19,21	1.74	6 (35%)
5	NAG	С	2	5	14,14,15	0.83	0	17,19,21	1.72	5 (29%)
5	BMA	с	3	5	11,11,12	0.81	0	$15,\!15,\!17$	1.57	2 (13%)
3	GAL	d	1	3	12,12,12	0.62	0	17,17,17	0.79	0
3	NAG	d	2	3	14,14,15	0.68	0	17,19,21	1.22	2 (11%)
3	GAL	d	3	3	11,11,12	0.83	0	$15,\!15,\!17$	1.16	2 (13%)
3	SIA	d	4	3	20,20,21	1.50	2 (10%)	21,28,31	1.60	2 (9%)
8	GAL	е	1	8	12,12,12	0.59	0	17,17,17	0.87	0
8	NAG	е	2	8	14,14,15	0.74	0	17,19,21	1.24	3 (17%)
8	GAL	е	3	8	11,11,12	0.60	0	$15,\!15,\!17$	2.15	2 (13%)
8	SIA	е	4	8	20,20,21	1.52	2 (10%)	21,28,31	1.49	2 (9%)
5	NAG	f	1	1,5	14,14,15	0.66	0	17,19,21	1.04	1 (5%)
5	NAG	f	2	5	14,14,15	0.69	0	17,19,21	1.06	1 (5%)
5	BMA	f	3	5	11,11,12	0.73	0	$15,\!15,\!17$	1.78	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GAL	S	1	3	-	0/2/22/22	0/1/1/1
3	NAG	S	2	3	-	0/6/23/26	0/1/1/1
3	GAL	S	3	3	-	0/2/19/22	0/1/1/1
3	SIA	S	4	3	-	3/18/34/38	0/1/1/1
4	NAG	Т	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Т	2	4	-	1/6/23/26	0/1/1/1
5	NAG	U	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	U	2	5	-	2/6/23/26	0/1/1/1
5	BMA	U	3	5	-	0/2/19/22	0/1/1/1
5	NAG	V	1	2,5	-	2/6/23/26	0/1/1/1
5	NAG	V	2	5	-	4/6/23/26	0/1/1/1
					C	Continued on ne	ext page

9DIO

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BMA	V	3	5	-	2/2/19/22	0/1/1/1
3	GAL	W	1	3	-	0/2/22/22	0/1/1/1
3	NAG	W	2	3	-	0/6/23/26	0/1/1/1
3	GAL	W	3	3	-	2/2/19/22	0/1/1/1
3	SIA	W	4	3	-	7/18/34/38	0/1/1/1
5	NAG	Х	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	Х	2	5	-	2/6/23/26	0/1/1/1
5	BMA	Х	3	5	-	0/2/19/22	0/1/1/1
6	NAG	Y	1	6	-	2/6/26/26	0/1/1/1
6	GAL	Y	2	6	-	0/2/19/22	0/1/1/1
6	SIA	Y	3	6	-	4/18/34/38	0/1/1/1
5	NAG	Z	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	Ζ	2	5	-	4/6/23/26	0/1/1/1
5	BMA	Z	3	5	-	0/2/19/22	0/1/1/1
7	GLC	a	1	7	1/1/5/5	2/2/22/22	0/1/1/1
7	GAL	a	2	7	-	2/2/19/22	0/1/1/1
7	NAG	a	3	7	-	0/6/23/26	0/1/1/1
7	GAL	a	4	7	-	0/2/19/22	0/1/1/1
7	SIA	a	5	7	-	4/18/34/38	0/1/1/1
5	NAG	b	1	1,5	-	3/6/23/26	0/1/1/1
5	NAG	b	2	5	-	0/6/23/26	0/1/1/1
5	BMA	b	3	5	-	0/2/19/22	0/1/1/1
5	NAG	с	1	2,5	-	2/6/23/26	0/1/1/1
5	NAG	с	2	5	-	2/6/23/26	0/1/1/1
5	BMA	с	3	5	-	0/2/19/22	0/1/1/1
3	GAL	d	1	3	-	0/2/22/22	0/1/1/1
3	NAG	d	2	3	-	0/6/23/26	0/1/1/1
3	GAL	d	3	3	-	0/2/19/22	0/1/1/1
3	SIA	d	4	3	-	4/18/34/38	0/1/1/1
8	GAL	е	1	8	-	0/2/22/22	0/1/1/1
8	NAG	е	2	8	-	0/6/23/26	0/1/1/1
8	GAL	е	3	8	-	2/2/19/22	0/1/1/1
8	SIA	e	4	8	-	4/18/34/38	0/1/1/1
5	NAG	f	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	f	2	5	-	0/6/23/26	0/1/1/1
5	BMA	f	3	5	-	0/2/19/22	0/1/1/1

All (15) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Ζ	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
3	W	4	SIA	C2-C1	6.14	1.59	1.52
3	S	4	SIA	C2-C1	5.49	1.58	1.52
6	Y	3	SIA	C2-C1	5.45	1.58	1.52
7	a	5	SIA	C2-C1	5.26	1.58	1.52
8	е	4	SIA	C2-C1	5.21	1.58	1.52
3	d	4	SIA	C2-C1	4.95	1.58	1.52
8	е	4	SIA	O6-C2	2.32	1.48	1.43
3	d	4	SIA	O6-C2	2.25	1.47	1.43
5	с	1	NAG	O5-C1	-2.17	1.40	1.43
7	a	5	SIA	O6-C2	2.15	1.47	1.43
3	W	4	SIA	O1A-C1	2.09	1.28	1.22
3	W	4	SIA	C7-C6	2.06	1.55	1.52
7	a	5	SIA	C7-C6	2.02	1.55	1.52
3	W	4	SIA	O6-C2	2.01	1.47	1.43
3	S	4	SIA	O6-C2	2.00	1.47	1.43

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	е	3	GAL	C1-O5-C5	6.90	121.44	112.19
5	U	3	BMA	C1-O5-C5	6.22	120.53	112.19
5	f	3	BMA	C1-O5-C5	5.81	119.97	112.19
3	S	4	SIA	O1A-C1-C2	-5.35	111.30	122.85
5	Х	3	BMA	C1-O5-C5	5.24	119.21	112.19
5	b	3	BMA	C1-O5-C5	5.22	119.19	112.19
3	d	4	SIA	O1A-C1-C2	-5.13	111.76	122.85
7	a	5	SIA	O1A-C1-C2	-5.10	111.84	122.85
6	Y	3	SIA	O1A-C1-C2	-5.09	111.84	122.85
5	V	3	BMA	C1-O5-C5	4.99	118.87	112.19
5	Ζ	3	BMA	C1-O5-C5	4.88	118.73	112.19
8	е	4	SIA	O1A-C1-C2	-4.78	112.51	122.85
3	W	3	GAL	C1-O5-C5	3.80	117.27	112.19
3	S	4	SIA	C6-C5-N5	-3.75	104.92	110.91
5	с	1	NAG	O5-C1-C2	-3.75	105.49	111.29
5	с	3	BMA	C1-O5-C5	3.66	117.08	112.19
5	с	2	NAG	O5-C1-C2	-3.46	105.94	111.29
5	V	2	NAG	O5-C1-C2	-3.19	106.36	111.29
5	с	2	NAG	C4-C3-C2	3.05	115.49	111.02
3	d	4	SIA	O1B-C1-O1A	3.02	130.94	124.08
5	с	2	NAG	O4-C4-C3	-3.02	103.25	110.38
8	е	3	GAL	C3-C4-C5	-3.00	104.79	110.23
5	f	1	NAG	O5-C1-C2	-2.94	106.75	111.29
3	W	4	SIA	OIA-C1-C2	-2.90	116.58	122.85



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	d	2	NAG	O5-C1-C2	-2.89	106.83	111.29
8	е	4	SIA	O1B-C1-O1A	2.88	130.62	124.08
6	Y	1	NAG	O3-C3-C2	-2.85	103.92	109.58
5	с	1	NAG	C4-C3-C2	2.75	115.06	111.02
5	Ζ	1	NAG	O5-C1-C2	-2.67	107.16	111.29
7	a	5	SIA	O1B-C1-O1A	2.66	130.12	124.08
6	Y	3	SIA	O1B-C1-O1A	2.60	129.98	124.08
3	S	2	NAG	O5-C1-C2	-2.52	107.39	111.29
3	S	4	SIA	O1B-C1-O1A	2.48	129.71	124.08
5	b	1	NAG	C2-N2-C7	2.48	126.22	122.90
6	Y	3	SIA	C6-C5-N5	-2.47	106.96	110.91
8	е	2	NAG	O5-C1-C2	-2.47	107.48	111.29
6	Y	1	NAG	O5-C1-C2	-2.46	107.04	109.52
5	f	2	NAG	C1-O5-C5	2.46	115.48	112.19
7	a	3	NAG	O5-C1-C2	-2.42	107.55	111.29
3	S	4	SIA	O1B-C1-C2	2.41	118.99	112.71
3	S	3	GAL	C1-O5-C5	2.39	115.39	112.19
5	с	1	NAG	O4-C4-C3	-2.38	104.76	110.38
5	U	1	NAG	O5-C1-C2	-2.37	107.62	111.29
5	V	1	NAG	C4-C3-C2	-2.37	107.55	111.02
8	е	2	NAG	O3-C3-C2	2.35	114.27	109.40
3	d	2	NAG	O3-C3-C2	-2.34	104.54	109.40
7	a	2	GAL	C1-C2-C3	2.31	113.01	109.64
8	е	2	NAG	O3-C3-C4	2.31	115.81	110.38
5	с	1	NAG	C1-O5-C5	-2.29	109.12	112.19
5	с	2	NAG	C6-C5-C4	2.28	118.62	113.02
5	Х	2	NAG	C1-O5-C5	2.28	115.24	112.19
5	с	1	NAG	C3-C4-C5	2.26	114.32	110.23
7	a	2	GAL	C1-O5-C5	2.18	115.10	112.19
3	d	3	GAL	C1-O5-C5	2.17	115.10	112.19
5	V	2	NAG	C2-N2-C7	2.16	125.80	122.90
7	a	4	GAL	C1-O5-C5	2.16	115.08	112.19
3	d	3	GAL	C3-C4-C5	-2.15	106.34	110.23
5	Z	2	NAG	C1-O5-C5	2.13	115.03	112.19
7	a	4	GAL	C3-C4-C5	-2.11	106.42	110.23
6	Y	3	SIA	O1B-C1-C2	2.10	118.17	112.71
3	W	2	NAG	O5-C1-C2	-2.10	108.04	111.29
3	W	4	SIA	O1B-C1-O1A	2.10	128.84	124.08
5	Х	1	NAG	O5-C1-C2	-2.10	108.05	111.29
5	b	2	NAG	C1-O5-C5	2.09	114.99	112.19
7	a	2	GAL	O3-C3-C2	-2.08	105.80	110.05
5	V	1	NAG	O5-C1-C2	-2.08	108.07	111.29



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	U	2	NAG	C1-O5-C5	2.08	114.97	112.19
5	с	2	NAG	O4-C4-C5	2.08	114.44	109.32
5	с	1	NAG	C6-C5-C4	2.07	118.10	113.02
7	a	5	SIA	O1B-C1-C2	2.05	118.04	112.71
4	Т	2	NAG	C1-O5-C5	2.02	114.89	112.19
6	Y	1	NAG	O3-C3-C4	2.01	115.11	110.38
5	с	3	BMA	O4-C4-C3	-2.00	105.66	110.38

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	a	1	GLC	C1

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	W	3	GAL	O5-C5-C6-O6
8	е	3	GAL	O5-C5-C6-O6
3	W	3	GAL	C4-C5-C6-O6
3	d	4	SIA	C6-C7-C8-O8
8	е	4	SIA	C6-C7-C8-O8
5	V	1	NAG	C4-C5-C6-O6
5	V	2	NAG	C4-C5-C6-O6
5	V	1	NAG	O5-C5-C6-O6
5	с	1	NAG	C4-C5-C6-O6
8	е	3	GAL	C4-C5-C6-O6
8	е	4	SIA	O7-C7-C8-O8
7	a	5	SIA	C6-C7-C8-O8
5	V	2	NAG	C8-C7-N2-C2
5	V	2	NAG	O7-C7-N2-C2
5	Ζ	2	NAG	C8-C7-N2-C2
5	Ζ	2	NAG	O7-C7-N2-C2
5	b	1	NAG	C8-C7-N2-C2
5	b	1	NAG	O7-C7-N2-C2
5	с	2	NAG	C8-C7-N2-C2
5	с	2	NAG	O7-C7-N2-C2
5	V	2	NAG	O5-C5-C6-O6
8	е	4	SIA	O7-C7-C8-C9
3	d	4	SIA	C6-C7-C8-C9
8	е	4	SIA	C6-C7-C8-C9
5	с	1	NAG	O5-C5-C6-O6
3	d	4	SIA	O7-C7-C8-O8



Mol	Chain	Res	Type	Atoms
7	a	1	GLC	O5-C5-C6-O6
7	a	2	GAL	O5-C5-C6-O6
3	d	4	SIA	O7-C7-C8-C9
5	V	3	BMA	C4-C5-C6-O6
3	S	4	SIA	C6-C7-C8-O8
3	W	4	SIA	C6-C7-C8-O8
6	Y	3	SIA	C6-C7-C8-O8
5	Ζ	2	NAG	C4-C5-C6-O6
4	Т	2	NAG	O5-C5-C6-O6
7	a	5	SIA	07-C7-C8-O8
7	a	5	SIA	C6-C7-C8-C9
6	Y	1	NAG	C4-C5-C6-O6
5	Ζ	2	NAG	O5-C5-C6-O6
5	U	2	NAG	C4-C5-C6-O6
3	W	4	SIA	O1A-C1-C2-O6
5	Х	2	NAG	C4-C5-C6-O6
5	Ζ	1	NAG	O5-C5-C6-O6
7	a	5	SIA	O7-C7-C8-C9
7	a	1	GLC	C4-C5-C6-O6
5	V	3	BMA	O5-C5-C6-O6
3	W	4	SIA	07-C7-C8-O8
6	Y	3	SIA	O7-C7-C8-O8
7	a	2	GAL	C4-C5-C6-O6
3	S	4	SIA	O7-C7-C8-O8
6	Y	1	NAG	O5-C5-C6-O6
5	Х	2	NAG	O5-C5-C6-O6
5	b	1	NAG	C4-C5-C6-O6
3	S	4	SIA	C7-C8-C9-O9
3	W	4	SIA	O1A-C1-C2-C3
3	W	4	SIA	O1B-C1-C2-C3
6	Y	3	SIA	O7-C7-C8-C9
5	U	2	NAG	O5-C5-C6-O6
3	W	4	SIA	C6-C7-C8-C9
6	Y	3	SIA	C6-C7-C8-C9
3	W	4	SIA	O7-C7-C8-C9

Continued from previous page...

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	V	2	NAG	1	0
6	Y	3	SIA	1	0



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	Ζ	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.































5.6 Ligand geometry (i)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



Mol	Tupo	Chain	Dog	Tink	Bo	ond leng	ths	B	ond ang	gles
	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	Ι	402	1	14,14,15	0.66	0	17,19,21	1.27	1 (5%)
9	NAG	0	402	1	14,14,15	0.69	0	17,19,21	1.01	1 (5%)
9	NAG	G	401	1	14,14,15	0.69	0	17,19,21	0.95	0
9	NAG	Р	201	2	14,14,15	0.65	0	17,19,21	1.07	1 (5%)
9	NAG	K	401	1	14,14,15	0.65	0	17,19,21	1.25	1 (5%)
9	NAG	Е	401	1	14,14,15	0.68	0	17,19,21	1.07	1 (5%)
9	NAG	G	402	1	14,14,15	0.71	0	17,19,21	1.10	2 (11%)
9	NAG	М	401	1	14,14,15	0.70	0	17,19,21	0.88	0
9	NAG	Q	401	1	14,14,15	0.70	0	17,19,21	1.03	1 (5%)
9	NAG	С	401	1	14,14,15	0.69	0	17,19,21	1.13	1 (5%)
9	NAG	А	402	1	14,14,15	0.69	0	17,19,21	1.11	2 (11%)
9	NAG	А	401	1	14,14,15	0.67	0	17,19,21	0.89	0
9	NAG	Ι	401	1	14,14,15	0.70	0	17,19,21	0.99	1 (5%)
9	NAG	0	401	1	14,14,15	0.67	0	17,19,21	0.98	0
9	NAG	М	402	1	14,14,15	0.70	0	17,19,21	1.05	1(5%)
9	NAG	В	201	2	14,14,15	0.69	0	17,19,21	1.11	1 (5%)

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	Ι	402	1	-	3/6/23/26	0/1/1/1
9	NAG	Ο	402	1	-	4/6/23/26	0/1/1/1
9	NAG	G	401	1	-	3/6/23/26	0/1/1/1
9	NAG	Р	201	2	-	4/6/23/26	0/1/1/1
9	NAG	К	401	1	-	2/6/23/26	0/1/1/1
9	NAG	Е	401	1	-	4/6/23/26	0/1/1/1
9	NAG	G	402	1	-	2/6/23/26	0/1/1/1
9	NAG	М	401	1	-	2/6/23/26	0/1/1/1
9	NAG	Q	401	1	-	1/6/23/26	0/1/1/1
9	NAG	С	401	1	-	4/6/23/26	0/1/1/1
9	NAG	А	402	1	-	4/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	А	401	1	-	0/6/23/26	0/1/1/1
9	NAG	Ι	401	1	-	1/6/23/26	0/1/1/1
9	NAG	Ο	401	1	-	4/6/23/26	0/1/1/1
9	NAG	М	402	1	-	2/6/23/26	0/1/1/1
9	NAG	В	201	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
9	Ι	402	NAG	C2-N2-C7	3.62	127.75	122.90
9	Κ	401	NAG	C2-N2-C7	3.50	127.59	122.90
9	В	201	NAG	C1-O5-C5	2.99	116.19	112.19
9	С	401	NAG	C1-O5-C5	2.89	116.06	112.19
9	G	402	NAG	C1-O5-C5	2.78	115.91	112.19
9	А	402	NAG	C1-O5-C5	2.72	115.83	112.19
9	Q	401	NAG	C1-O5-C5	2.66	115.75	112.19
9	Р	201	NAG	O5-C1-C2	-2.57	107.31	111.29
9	Ι	401	NAG	C1-O5-C5	2.47	115.50	112.19
9	0	402	NAG	C1-O5-C5	2.42	115.43	112.19
9	М	402	NAG	C1-O5-C5	2.41	115.41	112.19
9	G	402	NAG	C2-N2-C7	2.22	125.87	122.90
9	Е	401	NAG	C1-O5-C5	2.16	115.08	112.19
9	А	402	NAG	C2-N2-C7	2.02	125.60	122.90

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	Р	201	NAG	O5-C5-C6-O6
9	Р	201	NAG	C4-C5-C6-O6
9	А	402	NAG	O5-C5-C6-O6
9	А	402	NAG	C8-C7-N2-C2
9	А	402	NAG	O7-C7-N2-C2
9	В	201	NAG	C8-C7-N2-C2
9	В	201	NAG	O7-C7-N2-C2
9	С	401	NAG	C8-C7-N2-C2
9	С	401	NAG	O7-C7-N2-C2
9	Е	401	NAG	C8-C7-N2-C2
9	Е	401	NAG	O7-C7-N2-C2



Mol	Chain	Res	Type	Atoms
9	G	401	NAG	C8-C7-N2-C2
9	G	401	NAG	O7-C7-N2-C2
9	G	402	NAG	C8-C7-N2-C2
9	G	402	NAG	O7-C7-N2-C2
9	М	402	NAG	C8-C7-N2-C2
9	М	402	NAG	O7-C7-N2-C2
9	0	401	NAG	C8-C7-N2-C2
9	0	401	NAG	O7-C7-N2-C2
9	0	402	NAG	C8-C7-N2-C2
9	0	402	NAG	O7-C7-N2-C2
9	Р	201	NAG	C8-C7-N2-C2
9	Р	201	NAG	O7-C7-N2-C2
9	Е	401	NAG	O5-C5-C6-O6
9	С	401	NAG	O5-C5-C6-O6
9	0	402	NAG	O5-C5-C6-O6
9	0	401	NAG	O5-C5-C6-O6
9	А	402	NAG	C4-C5-C6-O6
9	Q	401	NAG	O5-C5-C6-O6
9	Ι	401	NAG	O5-C5-C6-O6
9	М	401	NAG	C4-C5-C6-O6
9	Ι	402	NAG	C3-C2-N2-C7
9	K	401	NAG	C3-C2-N2-C7
9	Е	401	NAG	C4-C5-C6-O6
9	0	402	NAG	C4-C5-C6-O6
9	G	401	NAG	O5-C5-C6-O6
9	Ι	402	NAG	C4-C5-C6-O6
9	М	401	NAG	O5-C5-C6-O6
9	Ι	402	NAG	C1-C2-N2-C7
9	K	401	NAG	C1-C2-N2-C7
9	С	401	NAG	C4-C5-C6-O6
9	0	401	NAG	C4-C5-C6-O6

Continued from previous page...

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	Р	201	NAG	1	0
9	Ι	401	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will



also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	322/325~(99%)	0.00	11 (3%) 48 46	30, 44, 68, 107	0
1	С	324/325~(99%)	-0.28	7 (2%) 62 61	22, 32, 62, 176	0
1	Е	323/325~(99%)	0.01	12 (3%) 45 43	31, 43, 70, 135	0
1	G	322/325~(99%)	-0.36	4 (1%) 76 76	22, 31, 56, 119	0
1	Ι	322/325~(99%)	-0.00	10 (3%) 51 49	25, 39, 64, 104	0
1	K	323/325~(99%)	0.02	11 (3%) 48 46	27, 43, 70, 133	0
1	М	322/325~(99%)	0.48	22 (6%) 25 23	36, 55, 90, 148	0
1	Ο	324/325~(99%)	-0.32	3 (0%) 81 80	22, 33, 64, 154	0
1	Q	323/325~(99%)	0.22	13 (4%) 43 41	31, 47, 71, 136	0
2	В	174/176~(98%)	0.29	7 (4%) 43 41	28, 54, 86, 104	0
2	D	174/176~(98%)	0.79	30 (17%) 5 5	26, 59, 114, 124	0
2	F	176/176~(100%)	1.03	49 (27%) 2 2	25, 68, 127, 139	0
2	Н	174/176~(98%)	0.44	14 (8%) 20 18	25, 55, 91, 115	0
2	J	174/176~(98%)	0.31	11 (6%) 27 25	26, 47, 76, 97	0
2	L	176/176~(100%)	0.93	41 (23%) 2 3	27, 58, 135, 169	0
2	N	174/176~(98%)	1.32	57 (32%) 1 1	35, 85, 148, 163	0
2	Р	174/176~(98%)	0.57	15 (8%) 18 16	30, 65, 105, 138	0
2	R	176/176~(100%)	1.22	54 (30%) 1 2	30, 73, 130, 135	0
All	All	4477/4509 (99%)	0.25	371 (8%) 19 17	22, 45, 109, 176	0

All (371) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	9	PRO	7.8
2	F	173	ILE	7.1
2	D	141	TYR	7.0



Mol	Chain	Res	Type	RSRZ
2	L	173	ILE	6.9
2	L	174	SER	6.7
2	L	162	TYR	6.7
2	Ν	141	TYR	6.5
1	Q	80	ILE	6.2
2	L	175	SER	6.2
2	L	124	LEU	5.8
1	А	79	PHE	5.6
1	М	79	PHE	5.3
2	D	140	PHE	5.3
2	F	174	SER	5.2
2	Р	173	ILE	5.2
1	М	80	ILE	5.2
2	N	140	PHE	5.1
2	Ν	152	VAL	4.9
2	F	162	TYR	4.9
1	0	9	PRO	4.9
2	L	176	GLY	4.8
1	М	9	PRO	4.8
2	D	173	ILE	4.8
2	D	139	GLU	4.7
1	Κ	9	PRO	4.7
1	Ι	324	PRO	4.6
2	R	152	VAL	4.6
2	L	157	TYR	4.6
2	Ν	23	GLY	4.6
2	R	128	ASP	4.4
1	М	11	ASP	4.4
2	R	6	ILE	4.3
1	М	82	VAL	4.3
2	N	143	LYS	4.3
1	М	13	ILE	4.3
2	R	157	TYR	4.3
1	G	323	SER	4.2
2	D	131	LYS	4.2
2	N	142	HIS	4.2
2	F	124	LEU	4.2
1	Е	80	ILE	4.1
2	F	27	SER	4.1
2	Н	38	LYS	4.0
1	A	80	ILE	4.0
2	R	173	ILE	4.0



Mol	Chain	Res	Type	RSRZ
1	Q	79	PHE	4.0
2	F	122	VAL	4.0
2	N	27	SER	3.9
2	R	131	LYS	3.9
1	K	79	PHE	3.9
2	F	157	TYR	3.9
2	D	6	ILE	3.9
2	L	169	LYS	3.9
1	Ι	142	GLN	3.9
2	R	170	ARG	3.9
2	J	29	GLU	3.8
2	N	168	LEU	3.8
2	F	26	HIS	3.8
2	F	168	LEU	3.8
2	D	143	LYS	3.8
2	F	160	PRO	3.8
2	Ν	159	TYR	3.8
2	Ν	174	SER	3.7
2	Р	16	GLY	3.7
2	R	24	TYR	3.7
2	Р	38	LYS	3.7
1	С	10	GLY	3.7
2	R	174	SER	3.7
2	R	141	TYR	3.7
1	Q	9	PRO	3.7
2	F	16	GLY	3.7
2	Ν	173	ILE	3.7
2	D	29	GLU	3.7
2	Ν	124	LEU	3.7
2	L	170	ARG	3.7
2	N	144	CYS	3.7
2	P	174	SER	3.7
1	М	62	LYS	3.6
2	D	168	LEU	3.6
1	Ι	79	PHE	3.6
1	G	9	PRO	3.6
2	F	126	LEU	3.6
2	D	159	TYR	3.6
2	N	138	PHE	3.6
2	В	161	GLN	3.5
2	L	168	LEU	3.5
2	Ν	160	PRO	3.5



Mol	Chain	Res	Type	RSRZ
2	Н	174	SER	3.5
2	D	130	ALA	3.5
2	R	160	PRO	3.5
2	D	144	CYS	3.5
2	N	162	TYR	3.5
1	0	324	PRO	3.4
2	Ν	36	ALA	3.4
2	F	25	HIS	3.4
2	Ν	126	LEU	3.4
2	D	169	LYS	3.4
2	R	122	VAL	3.4
1	А	82	VAL	3.4
1	Ι	80	ILE	3.4
1	М	323	SER	3.4
1	Е	323	SER	3.4
2	L	8	GLY	3.4
2	F	11	GLU	3.3
2	Ν	165	GLU	3.3
1	Q	8	ASP	3.3
2	D	142	HIS	3.3
2	R	168	LEU	3.3
2	R	26	HIS	3.3
2	R	31	GLY	3.3
2	L	127	ARG	3.3
2	Р	171	GLU	3.3
1	Q	323	SER	3.3
2	Н	141	TYR	3.3
2	Р	7	ALA	3.3
2	R	7	ALA	3.3
2	N	122	VAL	3.3
2	F	133	LEU	3.3
1	Е	81	ARG	3.3
2	В	173	ILE	3.2
2	N	128	ASP	3.2
2	F	134	GLY	3.2
2	R	127	ARG	3.2
1	А	9	PRO	3.2
1	М	83	PRO	3.2
2	D	174	SER	3.2
1	А	81	ARG	3.2
2	R	151	SER	3.2
2	Н	144	CYS	3.2



Mol	Chain	Res	Type	RSRZ
2	R	153	ARG	3.2
1	Ι	78	GLU	3.1
2	R	35	ALA	3.1
2	R	130	ALA	3.1
2	L	152	VAL	3.1
2	L	143	LYS	3.1
1	Q	81	ARG	3.1
2	Ν	148	CYS	3.1
2	Ν	169	LYS	3.1
2	R	126	LEU	3.1
2	Н	161	GLN	3.1
2	F	1	GLY	3.1
1	М	320	LEU	3.1
2	F	169	LYS	3.1
2	Ν	29	GLU	3.0
2	R	124	LEU	3.0
2	Ν	9	PHE	3.0
2	R	162	TYR	3.0
2	L	140	PHE	3.0
2	L	155	GLY	3.0
2	Ν	6	ILE	3.0
2	F	138	PHE	3.0
2	D	133	LEU	3.0
2	F	143	LYS	3.0
2	R	134	GLY	3.0
2	Н	173	ILE	2.9
1	Ι	64	CYS	2.9
2	D	148	CYS	2.9
1	Ι	10	GLY	2.9
1	Q	13	ILE	2.9
2	Ν	147	GLU	2.9
1	Ι	82	VAL	2.9
2	D	161	GLN	2.9
2	R	33	GLY	2.9
2	F	164	GLU	2.9
2	R	27	SER	2.9
1	Е	9	PRO	2.9
1	М	10	GLY	2.9
2	N	31	GLY	2.9
2	R	148	CYS	2.9
2	F	141	TYR	2.8
2	J	141	TYR	2.8



Mol	Chain	Res	Type	RSRZ
2	L	166	ALA	2.8
2	Ν	139	GLU	2.8
2	L	159	TYR	2.8
1	М	77	ASP	2.8
2	В	1	GLY	2.8
2	R	1	GLY	2.8
1	G	80	ILE	2.8
2	В	174	SER	2.8
2	L	27	SER	2.8
2	F	9	PHE	2.8
1	С	324	PRO	2.8
1	Κ	277	CYS	2.8
2	Ν	24	TYR	2.8
2	F	129	ASN	2.7
2	D	171	GLU	2.7
2	D	158	ASP	2.7
2	J	173	ILE	2.7
1	Ι	21	ASN	2.7
2	F	146	ASN	2.7
2	D	138	PHE	2.7
2	R	176	GLY	2.7
1	Q	15	ILE	2.7
1	С	8	ASP	2.7
1	Κ	8	ASP	2.7
2	Н	134	GLY	2.7
1	Κ	80	ILE	2.7
1	Е	78	GLU	2.7
2	L	128	ASP	2.7
2	Ν	125	GLN	2.7
2	L	33	GLY	2.7
2	J	171	GLU	2.6
2	J	16	GLY	2.6
2	R	32	SER	2.6
1	М	78	GLU	2.6
2	D	162	TYR	2.6
2	R	159	TYR	2.6
2	R	143	LYS	2.6
2	F	35	ALA	2.6
1	Q	10	GLY	2.6
1	Κ	323	SER	2.6
1	Q	78	GLU	2.6
1	Q	96	ASP	2.6



Mol	Chain	Res	Type	RSRZ
2	F	154	ASN	2.6
1	М	81	ARG	2.6
2	В	7	ALA	2.6
2	Р	1	GLY	2.6
1	А	290	SER	2.6
1	Е	79	PHE	2.6
1	М	16	GLY	2.6
2	R	139	GLU	2.5
2	R	144	CYS	2.5
2	Р	141	TYR	2.5
1	А	10	GLY	2.5
1	Е	13	ILE	2.5
2	Ν	17	MET	2.5
2	N	149	MET	2.5
2	R	164	GLU	2.5
2	R	3	PHE	2.5
2	N	166	ALA	2.5
1	С	13	ILE	2.5
2	J	38	LYS	2.5
2	D	124	LEU	2.5
2	L	144	CYS	2.5
2	L	160	PRO	2.5
1	Q	82	VAL	2.5
2	F	24	TYR	2.5
2	N	127	ARG	2.5
2	N	26	HIS	2.5
2	F	147	GLU	2.5
2	L	172	GLU	2.5
1	Q	320	LEU	2.5
2	Р	163	SER	2.5
2	Н	140	PHE	2.5
2	Ν	119	TYR	2.5
1	М	144	ALA	2.5
2	Н	7	ALA	2.5
2	J	143	LYS	2.5
2	R	145	ASP	2.5
1	K	13	ILE	2.5
2	Р	133	LEU	2.4
1	С	323	SER	2.4
2	L	141	TYR	2.4
2	J	12	GLY	2.4
2	R	169	LYS	2.4



9DIO

Mol	Chain	Res	Type	RSRZ
2	Ν	157	TYR	2.4
1	Е	12	GLN	2.4
2	Ν	35	ALA	2.4
2	R	158	ASP	2.4
2	J	174	SER	2.4
2	Ν	163	SER	2.4
2	L	148	CYS	2.4
2	Ν	28	ASN	2.4
2	R	156	THR	2.3
2	F	132	GLU	2.3
2	R	138	PHE	2.3
1	М	15	ILE	2.3
1	М	290	SER	2.3
1	K	10	GLY	2.3
2	L	139	GLU	2.3
2	R	147	GLU	2.3
2	F	17	MET	2.3
2	F	149	MET	2.3
2	Н	143	LYS	2.3
2	Ν	21	TRP	2.3
2	Ν	10	ILE	2.3
1	Κ	14	CYS	2.3
1	М	64	CYS	2.3
2	F	137	CYS	2.3
2	J	164	GLU	2.3
2	F	152	VAL	2.3
2	L	122	VAL	2.3
2	R	161	GLN	2.3
1	Е	15	ILE	2.3
1	G	13	ILE	2.3
2	F	136	GLY	2.3
2	Н	124	LEU	2.3
2	R	116	LYS	2.3
1	С	11	ASP	2.3
1	Е	8	ASP	2.3
1	Ι	81	ARG	2.3
2	F	125	GLN	2.3
2	В	106	ARG	2.2
2	N	145	ASP	2.2
2	Р	158	ASP	2.2
2	L	125	GLN	2.2
2	D	4	GLY	2.2



9]	D.	[()

Mol	Chain	Res	Type	RSRZ
2	F	176	GLY	2.2
2	В	160	PRO	2.2
2	Р	157	TYR	2.2
2	F	131	LYS	2.2
2	L	130	ALA	2.2
2	L	126	LEU	2.2
2	Р	14	TRP	2.2
2	Ν	12	GLY	2.2
2	R	23	GLY	2.2
2	R	167	ARG	2.2
2	R	29	GLU	2.2
2	D	129	ASN	2.2
2	Ν	158	ASP	2.2
1	K	15	ILE	2.2
2	F	140	PHE	2.2
2	L	10	ILE	2.2
2	R	125	GLN	2.2
2	L	35	ALA	2.2
2	F	127	ARG	2.2
2	F	167	ARG	2.2
2	F	151	SER	2.2
2	L	165	GLU	2.2
2	N	164	GLU	2.2
2	Ν	25	HIS	2.2
2	Р	9	PHE	2.2
2	D	137	CYS	2.2
2	N	153	ARG	2.2
1	А	78	GLU	2.1
2	L	25	HIS	2.1
2	L	18	VAL	2.1
2	D	134	GLY	2.1
2	D	132	GLU	2.1
1	A	288	ILE	2.1
1	E	21	ASN	2.1
1	K	75	MET	2.1
1	М	21	ASN	2.1
1	М	12	GLN	2.1
2	D	19	ASP	2.1
2	N	30	GLN	2.1
2	N	34	TYR	2.1
2	N	2	LEU	2.1
2	Ν	16	GLY	2.1


9]	DIO	
51	$\mathcal{D}\mathbf{I}\mathcal{O}$	

Mol	Chain	Res	Type	RSRZ	
2	F	165	GLU	2.1	
2	F	172	GLU	2.1	
1	0	323	SER	2.1	
2	Н	40	SER	2.1	
2	L	138	PHE	2.1	
2	R	129	ASN	2.1	
2	R	154	ASN	2.1	
2	L	19	ASP	2.1	
2	J	133	LEU	2.1	
2	R	123	ARG	2.1	
2	Н	160	PRO	2.1	
2	L	149	MET	2.1	
2	Ν	32	SER	2.1	
2	F	30	GLN	2.1	
2	Ν	133	LEU	2.1	
2	Н	36	ALA	2.1	
2	Ν	132	GLU	2.0	
2	Ν	156	THR	2.0	
1	А	291	SER	2.0	
2	F	163	SER	2.0	
2	R	15	GLN	2.0	
2	F	19	ASP	2.0	
2	F	130	ALA	2.0	
2	R	155	GLY	2.0	
2	D	121	LYS	2.0	
2	L	26	HIS	2.0	
1	Е	277	CYS	2.0	
2	L	133	LEU	2.0	
1	A	323	SER	2.0	
1	М	274	TYR	2.0	
2	F	158	ASP	2.0	
2	Р	162	TYR	2.0	

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

SUGAR-RSR INFOmissingINFO



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
9	NAG	В	201	14/15	0.59	0.17	83,91,103,103	0
9	NAG	Р	201	14/15	0.65	0.18	77,90,99,101	0
9	NAG	0	401	14/15	0.66	0.15	66,72,81,82	0
9	NAG	А	402	14/15	0.66	0.17	64,76,82,83	0
9	NAG	K	401	14/15	0.69	0.15	74,84,93,95	0
9	NAG	М	401	14/15	0.71	0.14	75,86,91,93	0
9	NAG	А	401	14/15	0.72	0.14	72,79,92,93	0
9	NAG	Е	401	14/15	0.72	0.17	57,71,75,75	0
9	NAG	Q	401	14/15	0.73	0.16	72,90,96,97	0
9	NAG	Ι	401	14/15	0.76	0.16	$76,\!85,\!91,\!98$	0
9	NAG	Ι	402	14/15	0.77	0.14	59,77,85,86	0
9	NAG	0	402	14/15	0.78	0.14	$51,\!58,\!64,\!69$	0
9	NAG	С	401	14/15	0.79	0.15	41,52,66,83	0
9	NAG	М	402	14/15	0.79	0.14	$61,\!68,\!75,\!80$	0
9	NAG	G	402	14/15	0.83	0.12	$5\overline{5},\!59,\!64,\!71$	0
9	NAG	G	401	14/15	0.83	0.11	63,74,80,83	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



































6.5 Other polymers (i)

There are no such residues in this entry.

