

# Full wwPDB X-ray Structure Validation Report (i)

#### Aug 22, 2023 – 11:51 PM EDT

:	3DLK
:	Crystal Structure of an engineered form of the HIV-1 Reverse Transcriptase,
	RT69A
:	Ho, W.C.; Bauman, J.D.; Himmel, D.M.; Das, K.; Arnold, E.
:	2008-06-27
:	1.85  Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
IVIETIC	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	556	73%	24%	
2	В	423	9% 75%	18%	••



#### 3DLK

# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	552	Total 4489	C 2902	N 748	0 832	${ m S} 7$	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	0	MET	-	initiating methionine	UNP P03366
А	160	SER	PHE	engineered mutation	UNP P03366
А	280	SER	CYS	engineered mutation	UNP P03366

• Molecule 2 is a protein called p51 RT.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	В	409	Total 3388	C 2208	N 560	0 613	${ m S} 7$	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	280	SER	CYS	engineered mutation	UNP P03366

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	А	1	Total 5	0 4	S 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	101	Total O 101 101	0	0
4	В	86	Total         O           86         86	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Reverse transcriptase/ribonuclease H



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	164.01Å 72.04Å 109.33Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $104.38^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	40.66 - 1.85	Depositor
	40.66 - 1.85	EDS
% Data completeness	94.3 (40.66-1.85)	Depositor
(in resolution range)	94.3 (40.66 - 1.85)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.73 (at 1.86 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
B B.	0.237 , $0.250$	Depositor
II, II, <i>free</i>	0.237 , $0.253$	DCC
$R_{free}$ test set	2991 reflections $(3.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	32.1	Xtriage
Anisotropy	0.149	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36 , $54.1$	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8069	wwPDB-VP
Average B, all atoms $(Å^2)$	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.33	0/4605	0.62	1/6256~(0.0%)	
2	В	0.34	0/3486	0.61	0/4732	
All	All	0.33	0/8091	0.61	1/10988~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^{o})$	$Ideal(^{o})$
1	А	221	HIS	N-CA-C	-5.38	96.48	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4489	0	4545	158	0
2	В	3388	0	3411	83	0
3	А	5	0	0	0	0
4	А	101	0	0	1	0
4	В	86	0	0	1	0
All	All	8069	0	7956	232	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 15.

All (232) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:102:LYS:HE3	1:A:103:LYS:H	1.08	1.14
1:A:287:LYS:HB3	1:A:291:GLU:HG2	1.14	1.13
2:B:335:GLY:HA3	2:B:356:ARG:HG3	1.31	1.12
2:B:356:ARG:N	2:B:356:ARG:HD2	1.70	1.03
2:B:335:GLY:CA	2:B:356:ARG:HG3	1.91	1.00
1:A:102:LYS:HE3	1:A:103:LYS:N	1.81	0.96
2:B:131:THR:HG22	2:B:143:ARG:HE	1.34	0.92
1:A:287:LYS:HB3	1:A:291:GLU:CG	2.01	0.89
1:A:287:LYS:CB	1:A:291:GLU:HG2	2.02	0.88
2:B:356:ARG:HD2	2:B:356:ARG:H	1.35	0.87
2:B:6:GLU:O	2:B:119:PRO:HG2	1.75	0.86
1:A:503:LEU:HD23	2:B:422:LEU:HD21	1.58	0.85
1:A:254:VAL:HG12	1:A:291:GLU:HB2	1.58	0.85
2:B:11:LYS:HE3	2:B:11:LYS:HA	1.60	0.82
1:A:284:ARG:HB3	1:A:284:ARG:CZ	2.08	0.81
1:A:284:ARG:HB3	1:A:284:ARG:NH1	1.94	0.81
2:B:356:ARG:N	2:B:356:ARG:CD	2.43	0.81
2:B:57:ASN:OD1	2:B:131:THR:HG23	1.80	0.80
1:A:444:GLY:HA2	1:A:552:VAL:HG11	1.64	0.79
2:B:357:MET:SD	2:B:358:ARG:HD3	2.22	0.78
1:A:288:ALA:O	1:A:289:LEU:HB3	1.85	0.77
1:A:369:THR:O	1:A:373:GLN:HG2	1.86	0.76
1:A:279:LEU:HG	1:A:302:GLU:OE2	1.86	0.75
2:B:281:LYS:HE2	2:B:284:ARG:NH2	2.01	0.75
2:B:356:ARG:HG2	2:B:358:ARG:O	1.88	0.74
1:A:244:ILE:HD12	1:A:263:LYS:HZ1	1.52	0.74
1:A:223:LYS:HG2	1:A:224:GLU:H	1.53	0.74
1:A:278:GLN:HE21	1:A:298:GLU:CB	2.00	0.74
2:B:335:GLY:O	2:B:356:ARG:HG3	1.88	0.73
2:B:335:GLY:C	2:B:356:ARG:HG3	2.08	0.73
2:B:104:LYS:HG2	2:B:192:ASP:OD1	1.89	0.73
1:A:64:LYS:HA	1:A:70:LYS:O	1.88	0.72
1:A:278:GLN:HE21	1:A:298:GLU:HB3	1.53	0.71
1:A:503:LEU:CD2	2:B:422:LEU:HD21	2.19	0.71
2:B:172:LYS:HE2	2:B:172:LYS:HA	1.73	0.70
1:A:73:LYS:HZ3	1:A:75:VAL:HG23	1.57	0.70
2:B:335:GLY:HA3	2:B:356:ARG:CG	2.15	0.69
2:B:425:LEU:HD12	2:B:428:GLN:OE1	1.93	0.69



		Interatomic Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:102:LYS:HA	1:A:102:LYS:CE	2.23	0.69
1:A:163:SER:O	1:A:167:ILE:HG12	1.94	0.67
1:A:255:ASN:HD22	1:A:288:ALA:HB1	1.60	0.67
2:B:338:THR:HG21	2:B:427:TYR:O	1.95	0.67
2:B:366:LYS:O	2:B:370:GLU:HG3	1.95	0.66
2:B:335:GLY:O	2:B:356:ARG:CG	2.43	0.66
1:A:88:TRP:CD1	2:B:143:ARG:HD2	2.32	0.65
1:A:165:THR:O	1:A:169:GLU:HG3	1.97	0.64
1:A:325:LEU:HB2	1:A:385:LYS:HE3	1.78	0.64
1:A:223:LYS:HG2	1:A:224:GLU:N	2.13	0.63
1:A:102:LYS:HD3	1:A:236:PRO:O	1.98	0.63
1:A:329:ILE:HD11	1:A:375:ILE:HD12	1.80	0.63
1:A:244:ILE:HD12	1:A:263:LYS:NZ	2.14	0.63
1:A:276:VAL:O	1:A:276:VAL:HG22	1.99	0.63
2:B:361:HIS:HD2	2:B:363:ASN:H	1.47	0.62
1:A:178:ILE:CD1	1:A:201:LYS:HG2	2.29	0.62
1:A:356:ARG:HD2	1:A:357:MET:O	1.99	0.62
1:A:3:SER:N	1:A:4:PRO:HD2	2.14	0.62
2:B:361:HIS:CD2	2:B:363:ASN:H	2.17	0.62
2:B:28:GLU:HG3	2:B:135:ILE:HD11	1.82	0.61
1:A:219:LYS:O	1:A:219:LYS:HG3	2.01	0.61
2:B:11:LYS:HA	2:B:11:LYS:CE	2.30	0.61
2:B:41:MET:CE	2:B:73:LYS:HE2	2.31	0.61
2:B:358:ARG:NH1	2:B:361:HIS:ND1	2.49	0.61
1:A:169:GLU:HB2	1:A:170:PRO:HD3	1.83	0.61
1:A:444:GLY:CA	1:A:552:VAL:HG11	2.30	0.61
2:B:254:VAL:HG22	2:B:293:ILE:HD11	1.83	0.60
1:A:400:THR:HG21	1:A:428:GLN:HE22	1.65	0.60
2:B:143:ARG:HD3	4:B:455:HOH:O	2.00	0.59
1:A:261:VAL:HG13	1:A:276:VAL:HG21	1.83	0.59
1:A:543:GLY:C	1:A:545:ASN:H	2.06	0.59
1:A:279:LEU:HD23	1:A:299:ALA:HB1	1.83	0.59
1:A:261:VAL:HG13	1:A:276:VAL:CG2	2.33	0.58
1:A:541:GLY:HA2	1:A:546:GLU:HG3	1.86	0.58
1:A:284:ARG:NH1	1:A:284:ARG:CB	2.66	0.58
1:A:491:LEU:HB3	1:A:529:GLU:HG2	1.85	0.58
1:A:156:SER:HB2	1:A:157:PRO:HD3	1.85	0.57
1:A:253:THR:HA	1:A:291:GLU:O	2.03	0.57
1:A:511:ASP:O	1:A:512:LYS:HG3	2.05	0.57
2:B:169:GLU:N	2:B:170:PRO:HD2	2.18	0.57
2:B:281:LYS:HE2	2:B:284:ARG:CZ	$2.\overline{35}$	0.57



	lo ao pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:356:ARG:O	2:B:356:ARG:HD3	2.05	0.57
1:A:64:LYS:HG3	1:A:71:TRP:CD2	2.40	0.56
2:B:168:LEU:HD22	2:B:205:LEU:HD11	1.86	0.56
1:A:135:ILE:HD13	1:A:135:ILE:H	1.70	0.56
2:B:67:ASP:OD1	2:B:68:SER:N	2.38	0.56
1:A:102:LYS:HD2	1:A:318:TYR:CD1	2.41	0.56
1:A:254:VAL:HG12	1:A:291:GLU:CB	2.34	0.55
1:A:64:LYS:HG2	1:A:70:LYS:C	2.26	0.55
1:A:282:LEU:O	1:A:283:LEU:HG	2.05	0.55
1:A:135:ILE:HD13	1:A:135:ILE:N	2.22	0.55
1:A:253:THR:HG22	1:A:256:ASP:OD2	2.07	0.55
1:A:64:LYS:HG2	1:A:70:LYS:O	2.07	0.55
1:A:102:LYS:HE3	1:A:102:LYS:HA	1.89	0.54
2:B:241:VAL:HG12	2:B:242:GLN:H	1.73	0.54
2:B:198:HIS:O	2:B:202:ILE:HG12	2.06	0.54
1:A:226:PRO:HB3	1:A:235:HIS:CE1	2.43	0.54
1:A:276:VAL:O	1:A:280:SER:HB2	2.07	0.54
1:A:543:GLY:H	1:A:546:GLU:HG2	1.71	0.54
1:A:167:ILE:O	1:A:170:PRO:HD2	2.07	0.54
1:A:223:LYS:HG2	1:A:224:GLU:HG3	1.88	0.54
1:A:279:LEU:N	1:A:302:GLU:OE2	2.40	0.54
1:A:23:GLN:OE1	1:A:60:VAL:HG12	2.08	0.54
1:A:287:LYS:CB	1:A:291:GLU:CG	2.76	0.53
1:A:461:LYS:HB3	1:A:461:LYS:NZ	2.24	0.53
1:A:255:ASN:HB2	1:A:288:ALA:HB1	1.89	0.53
1:A:552:VAL:HG12	1:A:552:VAL:O	2.08	0.53
1:A:543:GLY:C	1:A:545:ASN:N	2.61	0.53
2:B:335:GLY:O	2:B:356:ARG:HB3	2.10	0.52
1:A:540:LYS:HE3	2:B:265:ASN:OD1	2.09	0.52
1:A:21:VAL:HB	1:A:59:PRO:HD3	1.90	0.52
1:A:296:THR:HG22	1:A:299:ALA:HB2	1.91	0.52
1:A:90:VAL:O	1:A:91:GLN:HB3	2.09	0.52
1:A:135:ILE:H	1:A:135:ILE:CD1	2.23	0.52
2:B:87:PHE:O	2:B:88:TRP:CD1	2.62	0.52
1:A:400:THR:HG21	1:A:428:GLN:NE2	2.25	0.51
1:A:110:ASP:OD1	1:A:217:PRO:HG2	2.10	0.51
1:A:223:LYS:CG	1:A:224:GLU:H	2.22	0.51
1:A:543:GLY:O	1:A:545:ASN:N	2.36	0.51
1:A:104:LYS:HB3	1:A:192:ASP:HA	1.93	0.51
1:A:172:LYS:HE2	1:A:180:ILE:HB	1.93	0.50
1:A:110:ASP:HA	1:A:185:ASP:O	2.11	0.50



		Interatomic	Clash
Atom-1	Atom-1 Atom-2		overlap (Å)
1:A:373:GLN:HE22	2:B:397:THR:HG23	1.76	0.50
2:B:112:GLY:HA3	2:B:151:GLN:HE21	1.77	0.50
1:A:450:THR:O	1:A:451:LYS:HB2	2.11	0.50
1:A:451:LYS:HB3	1:A:471:ASN:HA	1.93	0.50
2:B:241:VAL:HG12	2:B:242:GLN:N	2.26	0.50
2:B:8:VAL:HG11	2:B:159:ILE:HG23	1.94	0.50
1:A:544:GLY:O	1:A:548:VAL:HG12	2.12	0.49
2:B:58:THR:HG23	2:B:76:ASP:O	2.12	0.49
1:A:181:TYR:CE2	2:B:138:GLU:HB3	2.48	0.49
2:B:88:TRP:O	2:B:89:GLU:HG3	2.12	0.49
1:A:278:GLN:HE21	1:A:298:GLU:HB2	1.75	0.49
1:A:296:THR:HG22	1:A:299:ALA:CB	2.43	0.48
1:A:458:VAL:HG12	1:A:464:GLN:HG2	1.95	0.48
1:A:503:LEU:O	1:A:507:GLN:HG3	2.13	0.48
2:B:191:SER:HG	2:B:198:HIS:HD1	1.61	0.48
1:A:218:ASP:C	1:A:220:LYS:N	2.67	0.48
1:A:102:LYS:CD	1:A:318:TYR:CD1	2.96	0.48
1:A:36:GLU:O	1:A:40:GLU:HG3	2.14	0.48
2:B:163:SER:O	2:B:167:ILE:HG13	2.13	0.48
2:B:6:GLU:HG2	2:B:7:THR:HG23	1.95	0.47
2:B:61:PHE:CZ	2:B:74:LEU:HD23	2.49	0.47
1:A:3:SER:N	1:A:4:PRO:CD	2.77	0.47
1:A:224:GLU:HB2	1:A:225:PRO:HD2	1.96	0.47
1:A:325:LEU:HD21	1:A:383:TRP:CE3	2.48	0.47
1:A:181:TYR:CD2	2:B:138:GLU:HB3	2.49	0.47
1:A:356:ARG:HG3	1:A:367:GLN:NE2	2.30	0.47
1:A:244:ILE:CD1	1:A:263:LYS:HZ1	2.24	0.47
2:B:41:MET:HE1	2:B:73:LYS:HE2	1.96	0.47
2:B:254:VAL:HG22	2:B:293:ILE:CD1	2.45	0.47
1:A:253:THR:CG2	1:A:256:ASP:OD2	2.62	0.47
2:B:105:SER:O	2:B:190:GLY:HA2	2.14	0.47
1:A:235:HIS:HB2	1:A:238:LYS:O	2.14	0.47
2:B:11:LYS:HE3	2:B:11:LYS:CA	2.38	0.47
2:B:193:LEU:CD1	2:B:201:LYS:HG3	2.44	0.47
2:B:194:GLU:H	2:B:197:GLN:HE21	1.63	0.47
2:B:335:GLY:O	2:B:356:ARG:CB	2.62	0.47
1:A:546:GLU:OE1	1:A:546:GLU:HA	2.14	0.46
1:A:253:THR:HG23	1:A:256:ASP:H	1.80	0.46
2:B:242:GLN:HE21	2:B:353:LYS:HB2	1.80	0.46
1:A:473:THR:O	1:A:477:THR:HG23	2.16	0.46
1:A:53:GLU:N	1:A:53:GLU:OE1	2.49	0.45



			Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:358:ARG:HB3	2:B:361:HIS:HB2	1.99	0.45	
1:A:179:VAL:CG2	1:A:181:TYR:CZ	2.99	0.45	
1:A:374:LYS:O	1:A:378:GLU:HG3	2.17	0.45	
1:A:276:VAL:O	1:A:276:VAL:CG2	2.65	0.45	
1:A:29:GLU:HG3	1:A:30:LYS:N	2.31	0.45	
1:A:373:GLN:NE2	2:B:397:THR:OG1	2.50	0.45	
2:B:69:THR:HG22	2:B:69:THR:O	2.17	0.45	
1:A:102:LYS:CD	1:A:236:PRO:O	2.65	0.45	
2:B:335:GLY:HA2	2:B:367:GLN:OE1	2.18	0.44	
1:A:218:ASP:C	1:A:220:LYS:H	2.20	0.44	
1:A:63:ILE:O	1:A:63:ILE:HG13	2.17	0.44	
1:A:419:THR:O	1:A:419:THR:OG1	2.34	0.44	
2:B:92:LEU:N	2:B:92:LEU:HD23	2.32	0.44	
1:A:49:LYS:HE3	1:A:142:ILE:HG23	1.98	0.44	
1:A:110:ASP:OD1	1:A:217:PRO:HD2	2.18	0.44	
1:A:244:ILE:CG2	1:A:263:LYS:HZ1	2.30	0.44	
1:A:373:GLN:NE2	2:B:397:THR:HA	2.33	0.44	
1:A:179:VAL:HG22	1:A:181:TYR:CE2	2.53	0.44	
1:A:512:LYS:HD2	4:A:640:HOH:O	2.16	0.44	
1:A:92:LEU:HD23	1:A:92:LEU:HA	1.76	0.43	
1:A:179:VAL:O	1:A:179:VAL:HG13	2.18	0.43	
1:A:432:GLU:HB3	1:A:433:PRO:HD2	2.00	0.43	
1:A:195:ILE:HG23	1:A:196:GLY:N	2.32	0.43	
1:A:253:THR:O	1:A:257:ILE:HG13	2.18	0.43	
1:A:503:LEU:HD22	1:A:535:TRP:HB2	2.00	0.43	
2:B:88:TRP:C	2:B:89:GLU:HG3	2.38	0.43	
2:B:112:GLY:C	2:B:151:GLN:HE21	2.22	0.43	
1:A:66:LYS:C	1:A:68:SER:H	2.22	0.43	
1:A:102:LYS:HE3	1:A:102:LYS:CA	2.48	0.43	
1:A:63:ILE:HA	1:A:71:TRP:HZ3	1.83	0.43	
1:A:64:LYS:HG3	1:A:71:TRP:CE2	2.53	0.43	
1:A:254:VAL:HG22	1:A:254:VAL:O	2.18	0.43	
2:B:67:ASP:OD1	2:B:229:TRP:HH2	2.02	0.43	
1:A:457:TYR:CD1	1:A:457:TYR:C	2.92	0.42	
1:A:537:PRO:HB2	1:A:540:LYS:HG3	2.01	0.42	
2:B:308:GLU:OE1	2:B:308:GLU:HA	2.19	0.42	
2:B:228:LEU:HD23	2:B:228:LEU:O	2.18	0.42	
1:A:102:LYS:CE	1:A:103:LYS:H	2.01	0.42	
1:A:282:LEU:O	1:A:283:LEU:CG	2.67	0.42	
1:A:283:LEU:CG	1:A:283:LEU:O	2.67	0.42	
1:A:254:VAL:CG1	1:A:287:LYS:O	2.67	0.42	



A 4 am 1	A 4 am 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:311:LYS:HA	1:A:311:LYS:HD2	1.82	0.42
2:B:28:GLU:HG3	2:B:135:ILE:CD1	2.50	0.42
2:B:195:ILE:HG12	2:B:199:ARG:CD	2.49	0.42
2:B:319:TYR:OH	2:B:385:LYS:HE2	2.20	0.42
2:B:151:GLN:HB3	2:B:185:ASP:OD2	2.20	0.42
1:A:284:ARG:CB	1:A:284:ARG:HH11	2.30	0.42
1:A:417:VAL:O	1:A:417:VAL:HG13	2.19	0.41
1:A:65:LYS:HB2	1:A:68:SER:O	2.20	0.41
1:A:174:GLN:HE21	1:A:174:GLN:HB2	1.65	0.41
1:A:218:ASP:O	1:A:220:LYS:N	2.53	0.41
1:A:102:LYS:HD3	1:A:318:TYR:CE1	2.56	0.41
1:A:449:GLU:N	1:A:449:GLU:OE1	2.53	0.41
2:B:239:TRP:CH2	2:B:378:GLU:HA	2.55	0.41
1:A:452:LEU:CD2	1:A:470:THR:HG22	2.51	0.41
2:B:112:GLY:CA	2:B:151:GLN:HE21	2.33	0.41
1:A:356:ARG:HG3	1:A:367:GLN:CD	2.41	0.41
1:A:406:TRP:CE2	1:A:407:GLN:HG3	2.56	0.41
2:B:293:ILE:HA	2:B:294:PRO:HD3	1.95	0.41
1:A:135:ILE:N	1:A:135:ILE:CD1	2.83	0.41
1:A:417:VAL:HG22	1:A:419:THR:HG22	2.03	0.41
1:A:69:THR:O	1:A:70:LYS:CG	2.70	0.40
1:A:73:LYS:HZ3	1:A:75:VAL:CG2	2.28	0.40
2:B:203:GLU:HA	2:B:206:ARG:HB2	2.03	0.40
1:A:363:ASN:OD1	1:A:363:ASN:C	2.59	0.40
1:A:454:LYS:HB2	1:A:552:VAL:HG13	2.03	0.40
1:A:32:LYS:O	1:A:35:VAL:HG12	2.21	0.40
1:A:178:ILE:HD11	1:A:201:LYS:HG2	2.01	0.40
1:A:448:ARG:HG2	1:A:449:GLU:OE1	2.21	0.40
2:B:67:ASP:OD1	2:B:229:TRP:CH2	2.74	0.40
2:B:242:GLN:NE2	2:B:353:LYS:HB2	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	550/556~(99%)	517 (94%)	32~(6%)	1 (0%)	47 33
2	В	403/423~(95%)	385~(96%)	16 (4%)	2 (0%)	29 15
All	All	953/979~(97%)	902 (95%)	48 (5%)	3~(0%)	41 26

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	222	GLN
2	В	66	LYS
2	В	423	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	А	493/496~(99%)	472 (96%)	21~(4%)	29	12
2	В	371/385~(96%)	352~(95%)	19~(5%)	24	9
All	All	864/881 (98%)	824 (95%)	40 (5%)	27	11

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	102	LYS
1	А	116	PHE
1	А	126	LYS
1	А	135	ILE
1	А	201	LYS
1	А	218	ASP
1	А	221	HIS
1	А	224	GLU
1	А	238	LYS
1	А	248	GLU



Mol	Chain	Res	Type
1	А	253	THR
1	А	264	LEU
1	А	280	SER
1	А	283	LEU
1	А	284	ARG
1	А	290	THR
1	А	302	GLU
1	А	336	GLN
1	А	419	THR
1	А	428	GLN
1	А	448	ARG
2	В	8	VAL
2	В	11	LYS
2	В	55	PRO
2	В	67	ASP
2	В	68	SER
2	В	89	GLU
2	В	92	LEU
2	В	102	LYS
2	В	172	LYS
2	В	177	ASP
2	В	184	MET
2	В	203	GLU
2	В	208	HIS
2	В	277	ARG
2	В	301	LEU
2	В	356	ARG
2	В	357	MET
2	В	358	ARG
2	В	427	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	151	GLN
1	А	161	GLN
1	А	174	GLN
1	А	182	GLN
1	А	235	HIS
1	А	258	GLN
1	А	278	GLN
1	А	373	GLN



Mol	Chain	Res	Type
1	А	394	GLN
1	А	428	GLN
1	А	475	GLN
1	А	509	GLN
1	А	524	GLN
2	В	151	GLN
2	В	182	GLN
2	В	197	GLN
2	В	242	GLN
2	В	278	GLN
2	В	330	GLN
2	В	340	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	B	ond leng	gths	B	ond ang	gles
	туре	Unam	nes	LINK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2
3	SO4	А	556	-	4,4,4	0.30	0	$6,\!6,\!6$	0.06	0



There are no bond length outliers. There are no bond angle outliers. There are no chirality outliers. There are no torsion outliers. There are no ring outliers. No monomer is involved in short contacts.

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	552/556~(99%)	0.58	58 (10%)	6	6	22, 47, 98, 146	0
2	В	409/423~(96%)	0.48	37~(9%)	9	9	23, 43, 82, 99	0
All	All	961/979~(98%)	0.54	95~(9%)	7	7	22, 45, 90, 146	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	289	LEU	20.8
1	А	290	THR	10.0
1	А	220	LYS	9.6
1	А	222	GLN	9.4
1	А	221	HIS	9.3
1	А	67	ASP	8.6
1	А	283	LEU	7.5
1	А	554	ALA	7.4
1	А	223	LYS	7.4
1	А	218	ASP	7.4
2	В	357	MET	7.3
1	А	288	ALA	7.0
1	А	91	GLN	6.7
2	В	92	LEU	6.6
1	А	284	ARG	6.2
1	А	68	SER	6.1
2	В	360	ALA	6.1
1	А	70	LYS	6.0
1	А	219	LYS	5.9
1	А	281	LYS	5.7
1	А	301	LEU	5.7
1	А	66	LYS	5.5
1	A	69	THR	5.5
2	В	212	TRP	5.1



Mol	Chain	Res	Type	RSRZ
2	В	88	TRP	5.0
1	А	282	LEU	5.0
1	А	286	THR	5.0
2	В	358	ARG	4.9
1	А	297	GLU	4.8
1	А	90	VAL	4.8
2	В	359	GLY	4.6
1	А	291	GLU	4.5
2	В	89	GLU	4.5
1	А	65	LYS	4.4
1	А	277	ARG	4.3
2	В	6	GLU	4.1
1	А	24	TRP	4.0
1	А	298	GLU	3.8
2	В	237	ASP	3.8
2	В	284	ARG	3.7
1	А	92	LEU	3.7
2	В	69	THR	3.7
2	В	356	ARG	3.6
2	В	66	LYS	3.6
1	А	296	THR	3.5
2	В	226	PRO	3.5
2	В	355	ALA	3.4
1	А	216	THR	3.4
1	А	3	SER	3.3
2	В	315	HIS	3.3
2	В	240	THR	3.3
1	А	217	PRO	3.3
1	А	280	SER	3.3
1	А	64	LYS	3.1
1	А	225	PRO	3.1
1	А	553	SER	3.1
2	В	425	LEU	3.0
1	А	293	ILE	3.0
1	А	295	LEU	3.0
2	В	176	PRO	2.9
1	А	251	SER	2.9
2	В	177	ASP	2.9
2	В	301	LEU	2.8
1	А	287	LYS	2.8
2	В	67	ASP	2.8
1	А	250	ASP	2.6



Mol	Chain	Res	Type	RSRZ
1	А	279	LEU	2.5
2	В	210	LEU	2.5
1	А	177	ASP	2.5
1	А	552	VAL	2.5
2	В	197	GLN	2.5
1	А	449	GLU	2.5
2	В	231	GLY	2.4
1	А	63	ILE	2.4
1	А	254	VAL	2.4
1	А	358	ARG	2.4
1	А	210	LEU	2.4
2	В	196	GLY	2.3
1	А	542	ILE	2.3
2	В	428	GLN	2.3
2	В	316	GLY	2.3
2	В	194	GLU	2.3
1	А	173	LYS	2.2
2	В	193	LEU	2.2
2	В	313	PRO	2.2
1	А	52	PRO	2.2
2	В	200	THR	2.2
1	А	72	ARG	2.2
1	А	116	PHE	2.1
1	А	292	VAL	2.1
2	В	85	GLN	2.1
2	В	68	SER	2.1
2	В	86	ASP	2.0
2	В	298	GLU	2.0
1	А	285	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
3	SO4	А	556	5/5	0.95	0.23	$65,\!65,\!66,\!70$	0

### 6.5 Other polymers (i)

There are no such residues in this entry.

