



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2024 – 10:28 PM EDT

PDB ID : 1DNK
Title : THE X-RAY STRUCTURE OF THE DNASE I-D(GGTATACC)2 COM-
PLEX AT 2.3 ANGSTROMS RESOLUTION
Authors : Weston, S.A.; Lahm, A.; Suck, D.
Deposited on : 1992-08-10
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	7	
2	C	8	
3	A	260	
4	D	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	D	1	X	-	-	-

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 2390 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*GP*GP*TP*AP*TP*AP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	B	7	142	69	27	40	6	0	0	0

- Molecule 2 is a DNA chain called DNA (5'-D(*GP*GP*TP*AP*TP*AP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	8	161	78	30	46	7	0	0	0

- Molecule 3 is a protein called PROTEIN (DEOXYRIBONUCLEASE I (DNASE I) (E.C.3.1.21.1)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	250	1982	1264	330	382	6	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	2	28	16	2	10	0	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	3	Total	O	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	4	Total 4	O 4	0	0
5	A	70	Total 70	O 70	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: DNA (5'-D(*GP*GP*TP*AP*TP*AP*C)-3')

Chain B: 




- Molecule 2: DNA (5'-D(*GP*GP*TP*AP*TP*AP*CP*C)-3')


Chain C: 



- Molecule 3: PROTEIN (DEOXYRIBONUCLEASE I (DNASE I) (E.C.3.1.21.1))

Chain A: 







- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	51.10Å 108.40Å 62.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (6.00-2.30)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT, PROLSQ	Depositor
R, R_{free}	0.188 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2390	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	B	2.21	7/159 (4.4%)	3.33	29/244 (11.9%)
2	C	2.54	13/180 (7.2%)	3.71	51/276 (18.5%)
3	A	3.83	1/2027 (0.0%)	1.84	31/2760 (1.1%)
All	All	3.66	21/2366 (0.9%)	2.20	111/3280 (3.4%)

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	260	THR	C-OXT	166.98	4.40	1.23
2	C	310	DG	P-O5'	9.03	1.68	1.59
1	B	307	DC	C2'-C1'	8.16	1.60	1.52
2	C	310	DG	C2'-C1'	7.51	1.59	1.52
1	B	301	DG	C3'-C2'	7.28	1.60	1.52
2	C	314	DA	C6-N1	-6.94	1.30	1.35
2	C	309	DG	C3'-C2'	6.80	1.60	1.52
2	C	309	DG	C2'-C1'	6.70	1.59	1.52
2	C	311	DT	P-O5'	6.58	1.66	1.59
1	B	305	DT	P-O5'	6.46	1.66	1.59
2	C	316	DC	P-O5'	6.15	1.66	1.59
2	C	312	DA	C2'-C1'	6.09	1.58	1.52
2	C	311	DT	C2'-C1'	5.99	1.58	1.52
1	B	302	DG	C3'-C2'	5.76	1.59	1.52
2	C	314	DA	C2'-C1'	5.60	1.57	1.52
1	B	304	DA	C2'-C1'	5.57	1.57	1.52
1	B	303	DT	C3'-C2'	5.54	1.58	1.52
2	C	314	DA	C5-C4	-5.50	1.34	1.38
1	B	302	DG	P-O5'	5.38	1.65	1.59
2	C	315	DC	C3'-C2'	5.38	1.58	1.52
2	C	315	DC	C2'-C1'	5.22	1.57	1.52

All (111) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	185	ARG	NE-CZ-NH1	17.64	129.12	120.30
3	A	30	ARG	NE-CZ-NH1	17.26	128.93	120.30
3	A	85	ARG	NE-CZ-NH2	15.28	127.94	120.30
3	A	111	ARG	NE-CZ-NH1	14.45	127.52	120.30
3	A	79	ARG	NE-CZ-NH1	13.07	126.83	120.30
3	A	185	ARG	NE-CZ-NH2	-12.32	114.14	120.30
3	A	30	ARG	CD-NE-CZ	12.20	140.68	123.60
1	B	301	DG	O4'-C4'-C3'	-11.88	98.87	106.00
3	A	85	ARG	NE-CZ-NH1	-11.57	114.51	120.30
3	A	187	ARG	NE-CZ-NH1	11.46	126.03	120.30
1	B	307	DC	C4-C5-C6	11.24	123.02	117.40
1	B	307	DC	C5-C6-N1	-10.66	115.67	121.00
2	C	311	DT	C5-C6-N1	-10.53	117.38	123.70
2	C	314	DA	N1-C6-N6	10.39	124.83	118.60
1	B	307	DC	C2-N3-C4	-10.33	114.73	119.90
2	C	310	DG	N3-C4-C5	-10.06	123.57	128.60
2	C	315	DC	N1-C2-O2	9.95	124.87	118.90
2	C	309	DG	P-O3'-C3'	9.74	131.39	119.70
2	C	309	DG	C3'-C2'-C1'	-9.42	91.19	102.50
2	C	310	DG	C6-N1-C2	-9.29	119.53	125.10
3	A	73	ARG	NE-CZ-NH2	9.14	124.87	120.30
1	B	301	DG	C3'-C2'-C1'	-9.02	91.68	102.50
1	B	307	DC	O4'-C1'-N1	8.66	114.06	108.00
1	B	306	DA	O4'-C1'-N9	-8.62	101.97	108.00
2	C	311	DT	C6-N1-C2	8.60	125.60	121.30
1	B	303	DT	C6-C5-C7	-8.51	117.80	122.90
2	C	312	DA	C5-C6-N1	-8.48	113.46	117.70
2	C	315	DC	OP1-P-OP2	-8.40	107.00	119.60
2	C	311	DT	C6-C5-C7	-8.28	117.94	122.90
1	B	304	DA	O4'-C1'-C2'	8.23	112.48	105.90
2	C	311	DT	C2-N3-C4	-8.05	122.37	127.20
3	A	168	ASP	CB-CG-OD2	8.04	125.53	118.30
2	C	316	DC	O4'-C1'-C2'	8.02	112.31	105.90
2	C	314	DA	O4'-C4'-C3'	7.98	110.79	106.00
1	B	306	DA	C2-N3-C4	7.84	114.52	110.60
2	C	313	DT	N3-C2-O2	-7.80	117.62	122.30
3	A	79	ARG	NE-CZ-NH2	-7.69	116.46	120.30
3	A	89	VAL	N-CA-CB	-7.67	94.63	111.50
1	B	304	DA	O4'-C4'-C3'	-7.62	101.43	106.00
2	C	311	DT	C3'-C2'-C1'	-7.59	93.39	102.50
2	C	315	DC	P-O3'-C3'	7.53	128.73	119.70
2	C	316	DC	C4-C5-C6	7.49	121.15	117.40
1	B	307	DC	N1-C2-N3	7.44	124.41	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	307	DC	C1'-O4'-C4'	-7.36	102.74	110.10
1	B	303	DT	O4'-C1'-C2'	7.35	111.78	105.90
3	A	18	ASN	OD1-CG-ND2	7.32	138.73	121.90
3	A	69	GLU	CG-CD-OE2	-7.14	104.01	118.30
3	A	69	GLU	CG-CD-OE1	7.10	132.49	118.30
3	A	31	ARG	NE-CZ-NH2	7.04	123.82	120.30
1	B	302	DG	O4'-C1'-C2'	7.04	111.53	105.90
2	C	316	DC	C4'-C3'-C2'	6.97	109.37	103.10
3	A	187	ARG	NE-CZ-NH2	-6.96	116.82	120.30
2	C	311	DT	O4'-C1'-N1	-6.87	103.19	108.00
2	C	314	DA	C5-C6-N6	-6.87	118.20	123.70
2	C	313	DT	C6-C5-C7	-6.86	118.79	122.90
3	A	224	SER	CB-CA-C	6.83	123.09	110.10
1	B	306	DA	C4'-C3'-C2'	6.81	109.23	103.10
2	C	315	DC	N3-C2-O2	-6.79	117.14	121.90
1	B	302	DG	C3'-C2'-C1'	-6.76	94.39	102.50
2	C	311	DT	C4'-C3'-C2'	6.70	109.13	103.10
2	C	313	DT	C4-C5-C6	6.60	121.96	118.00
3	A	111	ARG	NE-CZ-NH2	-6.58	117.01	120.30
3	A	169	PHE	CA-CB-CG	6.55	129.63	113.90
2	C	313	DT	O4'-C1'-C2'	6.54	111.13	105.90
2	C	314	DA	C4-C5-C6	6.47	120.24	117.00
2	C	316	DC	C5-C6-N1	-6.42	117.79	121.00
2	C	312	DA	C4-C5-C6	6.38	120.19	117.00
2	C	315	DC	O4'-C4'-C3'	-6.37	101.95	104.50
2	C	309	DG	N3-C2-N2	6.34	124.34	119.90
2	C	312	DA	P-O3'-C3'	6.21	127.15	119.70
2	C	309	DG	C6-C5-N7	-6.20	126.68	130.40
2	C	312	DA	C1'-O4'-C4'	-6.04	104.06	110.10
2	C	314	DA	C6-C5-N7	-5.99	128.10	132.30
2	C	315	DC	C3'-C2'-C1'	-5.96	95.35	102.50
3	A	193	GLN	CA-CB-CG	5.92	126.42	113.40
1	B	307	DC	C4'-C3'-C2'	5.86	108.37	103.10
1	B	307	DC	C3'-C2'-C1'	-5.85	95.48	102.50
3	A	59	ASP	CB-CG-OD1	5.79	123.51	118.30
1	B	304	DA	C3'-C2'-C1'	-5.79	95.55	102.50
3	A	30	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	B	301	DG	O4'-C1'-C2'	5.72	110.48	105.90
1	B	307	DC	N3-C2-O2	-5.70	117.91	121.90
2	C	311	DT	C4-C5-C6	5.70	121.42	118.00
2	C	314	DA	O4'-C1'-C2'	5.67	110.44	105.90
2	C	310	DG	C4-C5-C6	5.55	122.13	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	310	DG	C3'-C2'-C1'	-5.55	95.84	102.50
1	B	301	DG	C6-N1-C2	-5.52	121.79	125.10
2	C	309	DG	O4'-C4'-C3'	-5.52	102.29	104.50
1	B	301	DG	N1-C6-O6	-5.44	116.64	119.90
1	B	301	DG	C4-C5-N7	-5.40	108.64	110.80
3	A	169	PHE	CB-CG-CD1	5.40	124.58	120.80
2	C	310	DG	N3-C4-N9	5.35	129.21	126.00
1	B	303	DT	C5-C6-N1	-5.33	120.50	123.70
1	B	304	DA	C1'-O4'-C4'	-5.30	104.80	110.10
2	C	313	DT	C5-C6-N1	-5.28	120.53	123.70
3	A	30	ARG	NH1-CZ-NH2	-5.26	113.62	119.40
2	C	309	DG	O4'-C1'-C2'	5.21	110.07	105.90
1	B	302	DG	C4-C5-N7	-5.17	108.73	110.80
2	C	313	DT	C2-N3-C4	-5.16	124.10	127.20
2	C	309	DG	N1-C6-O6	5.16	123.00	119.90
3	A	139	ASP	CB-CG-OD1	-5.14	113.67	118.30
2	C	309	DG	C4-C5-N7	5.13	112.85	110.80
2	C	314	DA	OP1-P-O3'	5.09	116.41	105.20
1	B	305	DT	N3-C2-O2	-5.08	119.25	122.30
3	A	160	LEU	CB-CA-C	5.06	119.81	110.20
2	C	312	DA	N1-C6-N6	5.05	121.63	118.60
2	C	313	DT	C4'-C3'-C2'	5.04	107.64	103.10
3	A	112	GLU	N-CA-CB	5.02	119.64	110.60
3	A	173	CYS	CA-CB-SG	-5.02	104.96	114.00
2	C	312	DA	C2-N3-C4	-5.02	108.09	110.60
3	A	187	ARG	CD-NE-CZ	5.01	130.61	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	142	0	81	2	0
2	C	161	0	92	5	0
3	A	1982	0	1937	47	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	28	0	22	0	1
5	A	70	0	0	4	0
5	B	3	0	0	0	0
5	C	4	0	0	0	0
All	All	2390	0	2132	52	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:125:VAL:HA	3:A:220:LEU:HD13	1.52	0.91
3:A:84:PHE:O	3:A:86:PRO:HD3	1.79	0.81
3:A:252:HIS:HB3	5:A:468:HOH:O	1.81	0.78
3:A:63:TYR:OH	3:A:85:ARG:NH1	2.20	0.73
3:A:10:THR:HG23	3:A:41:ARG:HD3	1.76	0.68
3:A:125:VAL:HA	3:A:220:LEU:CD1	2.22	0.68
3:A:124:LYS:HE3	3:A:260:THR:CG2	2.27	0.64
2:C:314:DA:H2''	2:C:315:DC:O4'	1.98	0.64
3:A:239:TYR:HB2	3:A:241:LEU:HG	1.79	0.64
3:A:58:ASP:HB2	5:A:444:HOH:O	1.98	0.63
3:A:10:THR:HG23	3:A:41:ARG:HH11	1.66	0.60
3:A:230:ALA:HA	3:A:256:GLU:O	2.02	0.59
3:A:20:THR:HG22	3:A:245:MET:HE1	1.84	0.58
3:A:216:VAL:HG23	3:A:222:GLN:HG2	1.87	0.56
3:A:74:ASN:O	3:A:77:LYS:NZ	2.36	0.55
3:A:14:THR:O	3:A:17:SER:HB2	2.05	0.55
2:C:313:DT:OP2	3:A:74:ASN:ND2	2.39	0.55
3:A:125:VAL:CA	3:A:220:LEU:HD13	2.32	0.54
1:B:305:DT:H2'	1:B:306:DA:C8	2.42	0.54
3:A:20:THR:HG22	3:A:245:MET:CE	2.37	0.54
3:A:65:TYR:HB3	3:A:83:LEU:HD23	1.90	0.53
3:A:56:ASN:HB3	3:A:60:PRO:HA	1.95	0.49
3:A:48:VAL:O	3:A:52:LEU:HD12	2.13	0.49
3:A:125:VAL:HG12	3:A:224:SER:OG	2.13	0.49
3:A:59:ASP:OD1	3:A:60:PRO:HD2	2.13	0.49
3:A:253:TYR:N	5:A:468:HOH:O	2.46	0.48
3:A:158:TRP:O	3:A:159:HIS:HB2	2.13	0.48
3:A:33:ASP:OD1	3:A:85:ARG:HD2	2.14	0.48
3:A:124:LYS:HB2	3:A:224:SER:HB2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:26:VAL:O	3:A:30:ARG:HG3	2.14	0.47
2:C:316:DC:H5''	3:A:207:THR:HG21	1.96	0.47
3:A:87:ASN:HD21	3:A:88:LYS:NZ	2.14	0.46
3:A:216:VAL:HB	3:A:221:LEU:HD13	1.97	0.46
3:A:140:ALA:O	3:A:144:ILE:HG13	2.16	0.46
2:C:313:DT:OP1	2:C:313:DT:H4'	2.16	0.45
3:A:2:LYS:HB2	3:A:2:LYS:HE3	1.50	0.45
3:A:32:TYR:O	3:A:85:ARG:NH1	2.51	0.43
3:A:6:PHE:CD2	3:A:8:ILE:HD11	2.54	0.43
3:A:92:LEU:HD11	3:A:119:SER:HB2	1.99	0.43
1:B:305:DT:H2''	1:B:306:DA:O5'	2.18	0.42
3:A:233:PHE:O	3:A:253:TYR:HB3	2.19	0.42
2:C:313:DT:H2'	2:C:314:DA:C8	2.55	0.42
3:A:64:HIS:CG	3:A:86:PRO:HG3	2.54	0.42
3:A:69:GLU:OE1	3:A:69:GLU:HA	2.20	0.42
3:A:221:LEU:O	3:A:224:SER:N	2.38	0.42
3:A:92:LEU:HD12	3:A:117:LYS:HD2	2.02	0.41
3:A:171:ALA:O	3:A:172:ASP:HB2	2.20	0.41
3:A:148:TYR:O	3:A:151:TYR:HB3	2.20	0.41
3:A:43:SER:O	3:A:79:ARG:NH2	2.53	0.41
3:A:236:GLN:NE2	5:A:406:HOH:O	2.53	0.41
3:A:257:VAL:HG22	3:A:258:THR:N	2.36	0.40
3:A:233:PHE:O	3:A:254:PRO:HD2	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:228:GLY:CA	4:D:2:NAG:O7[4_455]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	246/260 (95%)	229 (93%)	17 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	221/229 (96%)	201 (91%)	20 (9%)	8	10

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	2	LYS
3	A	10	THR
3	A	11	PHE
3	A	21	LEU
3	A	43	SER
3	A	45	LEU
3	A	75	SER
3	A	89	VAL
3	A	90	SER
3	A	110	SER
3	A	119	SER
3	A	138	SER
3	A	139	ASP
3	A	152	LEU
3	A	174	SER
3	A	187	ARG
3	A	220	LEU
3	A	221	LEU
3	A	224	SER
3	A	260	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	87	ASN
3	A	155	GLN
3	A	161	ASN
3	A	236	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	1	3,4	14,14,15	1.52	2 (14%)	17,19,21	9.31	11 (64%)
4	NAG	D	2	4	14,14,15	2.25	5 (35%)	17,19,21	4.52	12 (70%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	3,4	1/1/5/7	1/6/23/26	0/1/1/1
4	NAG	D	2	4	-	1/6/23/26	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1	NAG	O5-C1	4.49	1.51	1.43
4	D	2	NAG	O7-C7	4.42	1.33	1.23
4	D	2	NAG	C8-C7	3.92	1.58	1.50
4	D	2	NAG	O5-C1	3.85	1.50	1.43
4	D	2	NAG	C2-N2	-3.24	1.40	1.46
4	D	1	NAG	C4-C5	-2.09	1.48	1.53
4	D	2	NAG	O5-C5	2.08	1.47	1.43

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1	NAG	C2-N2-C7	32.96	167.07	122.90
4	D	1	NAG	O7-C7-C8	-13.03	98.86	122.05
4	D	1	NAG	C1-C2-N2	10.96	127.71	110.43
4	D	2	NAG	C2-N2-C7	10.26	136.66	122.90
4	D	2	NAG	C8-C7-N2	-6.98	104.55	116.12
4	D	2	NAG	O3-C3-C2	-6.82	95.24	109.40
4	D	2	NAG	O7-C7-C8	6.78	134.13	122.05
4	D	2	NAG	O3-C3-C4	5.75	123.93	110.38
4	D	2	NAG	O5-C1-C2	-4.59	104.19	111.29
4	D	1	NAG	O5-C1-C2	-3.82	105.38	111.29
4	D	1	NAG	C4-C3-C2	3.77	116.54	111.02
4	D	1	NAG	O3-C3-C4	-3.68	101.71	110.38
4	D	1	NAG	C8-C7-N2	3.62	122.13	116.12
4	D	2	NAG	O4-C4-C3	3.51	118.66	110.38
4	D	1	NAG	O5-C5-C6	3.31	114.10	107.66
4	D	2	NAG	C3-C4-C5	2.90	115.49	110.23
4	D	1	NAG	C3-C4-C5	2.78	115.28	110.23
4	D	1	NAG	C1-O5-C5	-2.69	108.58	112.19
4	D	2	NAG	C1-O5-C5	-2.69	108.58	112.19
4	D	2	NAG	C4-C3-C2	2.47	114.64	111.02
4	D	1	NAG	O3-C3-C2	2.19	113.95	109.40
4	D	2	NAG	O5-C5-C4	-2.15	105.61	110.83
4	D	2	NAG	C6-C5-C4	-2.10	107.86	113.02

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	D	1	NAG	C2

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	1	NAG	O7-C7-N2-C2
4	D	2	NAG	C8-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	2	NAG	0	1

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.