



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 04:10 pm BST

PDB ID : 3DQQ
Title : The crystal structure of the putative tRNA synthase from *Salmonella typhimurium* LT2
Authors : Zhang, R.; Gu, M.; Zhou, M.; Anderson, W.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2008-07-09
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	421	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">79% 18% .</p>
1	B	421	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 68%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">68% 23% 6% .</p>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6264 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative tRNA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	419	3134	1966	550	600	18	0	0	0
1	B	412	3085	1937	538	592	18	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	EXPRESSION TAG	UNP Q8ZMG5
B	0	GLY	-	EXPRESSION TAG	UNP Q8ZMG5


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	31	Total	O	0	0
			31	31		
2	B	14	Total	O	0	0
			14	14		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Putative tRNA synthase



- Molecule 1: Putative tRNA synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 64 2 2	Depositor
Cell constants a, b, c, α , β , γ	254.54Å 254.54Å 94.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	127.00 – 2.70 48.10 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (127.00-2.70) 99.9 (48.10-2.70)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.188 , 0.210 0.194 , 0.216	Depositor DCC
R_{free} test set	2515 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	44.9	Xtrriage
Anisotropy	0.375	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 53.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6264	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.02	5/3193 (0.2%)	0.91	5/4341 (0.1%)
1	B	0.79	4/3143 (0.1%)	0.81	5/4274 (0.1%)
All	All	0.92	9/6336 (0.1%)	0.86	10/8615 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	381	CYS	CB-SG	-9.22	1.66	1.82
1	B	84	CYS	CB-SG	-7.04	1.70	1.82
1	A	259	CYS	CB-SG	6.86	1.94	1.82
1	A	350	GLU	CG-CD	6.54	1.61	1.51
1	A	190	GLN	CG-CD	5.92	1.64	1.51
1	B	381	CYS	CB-SG	-5.79	1.72	1.81
1	A	59	GLU	CG-CD	5.71	1.60	1.51
1	B	338	GLU	CG-CD	5.25	1.59	1.51
1	B	43	CYS	CB-SG	-5.21	1.73	1.81

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	194	ARG	NE-CZ-NH2	7.49	124.05	120.30
1	A	165	ARG	NE-CZ-NH2	-6.69	116.95	120.30
1	A	194	ARG	CB-CA-C	-6.04	98.33	110.40
1	B	165	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	A	142	ARG	NE-CZ-NH1	5.73	123.17	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	165	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	A	151	ASP	CB-CG-OD1	5.67	123.41	118.30
1	B	187	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	187	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	B	285	LEU	CA-CB-CG	-5.08	103.62	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	419	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3134	0	3105	55	0
1	B	3085	0	3056	112	1
2	A	31	0	0	1	0
2	B	14	0	0	0	0
All	All	6264	0	6161	167	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:CYS:C	1:B:285:LEU:HD23	1.40	1.41
1:B:285:LEU:N	1:B:285:LEU:HD23	1.50	1.05
1:B:282:ALA:HB2	1:B:328:TYR:OH	1.63	0.97
1:B:284:CYS:C	1:B:285:LEU:CD2	2.36	0.94
1:B:287:SER:O	1:B:291:GLU:HG2	1.70	0.92
1:B:287:SER:O	1:B:291:GLU:CG	2.18	0.91
1:B:283:ARG:HD2	1:B:293:TYR:CD2	2.06	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:ALA:H	1:A:415:GLN:HE22	1.19	0.87
1:A:143:HIS:HB2	2:A:426:HOH:O	1.76	0.86
1:A:259:CYS:HA	1:A:318:THR:HG21	1.60	0.84
1:B:286:SER:OG	1:B:288:GLU:HB2	1.77	0.84
1:B:252:ALA:HB3	1:B:309:ALA:HB2	1.58	0.82
1:B:283:ARG:HD2	1:B:293:TYR:CG	2.13	0.81
1:B:309:ALA:H	1:B:415:GLN:HE22	1.28	0.79
1:B:284:CYS:O	1:B:285:LEU:HD23	1.82	0.79
1:A:376:PHE:HB2	1:A:389:VAL:HG13	1.68	0.76
1:B:283:ARG:HG2	1:B:283:ARG:O	1.88	0.73
1:B:2:LEU:HD11	1:B:46:VAL:HG23	1.72	0.72
1:A:254:VAL:HG11	1:A:311:MET:CE	2.19	0.72
1:B:289:THR:O	1:B:291:GLU:N	2.23	0.72
1:B:1:MET:HE3	1:B:1:MET:O	1.91	0.71
1:B:289:THR:O	1:B:292:ALA:N	2.24	0.71
1:B:287:SER:O	1:B:291:GLU:HG3	1.90	0.70
1:A:311:MET:HE1	1:A:411:PHE:CE2	2.27	0.70
1:B:338:GLU:HB2	1:B:366:VAL:HG21	1.74	0.69
1:B:319:GLN:O	1:B:322:ALA:HB3	1.93	0.69
1:B:254:VAL:HG11	1:B:311:MET:HE3	1.75	0.68
1:B:289:THR:O	1:B:290:ARG:C	2.30	0.67
1:A:254:VAL:HG11	1:A:311:MET:HE3	1.75	0.67
1:B:283:ARG:CD	1:B:293:TYR:CG	2.77	0.67
1:B:283:ARG:O	1:B:283:ARG:CG	2.43	0.66
1:B:85:SER:HB3	1:B:122:ARG:HG3	1.77	0.66
1:A:96:GLY:H	1:A:161:GLN:NE2	1.94	0.66
1:B:15:THR:HG22	1:B:30:GLN:OE1	1.96	0.66
1:A:309:ALA:N	1:A:415:GLN:HE22	1.93	0.65
1:B:272:GLN:HE21	1:B:272:GLN:HA	1.61	0.65
1:B:256:SER:OG	1:B:315:THR:HG22	1.96	0.64
1:B:267:VAL:HG21	1:B:315:THR:HG21	1.80	0.64
1:B:262:MET:CE	1:B:407:ASP:C	2.66	0.63
1:B:325:GLN:HE21	1:B:330:ALA:HA	1.64	0.63
1:B:256:SER:OG	1:B:315:THR:CG2	2.47	0.63
1:B:283:ARG:CD	1:B:293:TYR:CD2	2.80	0.62
1:A:376:PHE:CG	1:A:389:VAL:CG1	2.82	0.62
1:A:376:PHE:CB	1:A:389:VAL:HG13	2.29	0.62
1:A:376:PHE:CG	1:A:389:VAL:HG13	2.34	0.62
1:B:1:MET:HE2	1:B:2:LEU:N	2.15	0.62
1:B:254:VAL:HG11	1:B:311:MET:CE	2.30	0.62
1:B:258:SER:O	1:B:315:THR:HB	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:GLY:HA3	1:A:354:THR:HG21	1.82	0.61
1:B:344:LEU:O	1:B:348:LEU:HD13	2.01	0.61
1:B:309:ALA:N	1:B:415:GLN:HE22	1.97	0.60
1:B:2:LEU:HD13	1:B:39:GLN:NE2	2.16	0.60
1:B:311:MET:HE1	1:B:411:PHE:CE2	2.37	0.59
1:B:364:SER:HB3	1:B:400:LEU:HG	1.84	0.59
1:B:397:SER:O	1:B:398:LEU:HD12	2.03	0.59
1:A:322:ALA:HB2	1:A:329:GLY:O	2.01	0.59
1:A:145:PRO:HB2	1:A:146:ILE:HD12	1.86	0.57
1:B:284:CYS:O	1:B:285:LEU:CD2	2.51	0.56
1:B:18:ALA:HB1	1:B:378:ILE:HG13	1.86	0.56
1:B:271:ARG:HA	1:B:276:THR:HG21	1.87	0.56
1:B:376:PHE:HA	1:B:392:LEU:HD13	1.88	0.55
1:B:1:MET:CE	1:B:1:MET:C	2.75	0.55
1:A:164:GLY:HA3	1:A:194:ARG:HG3	1.88	0.55
1:B:1:MET:CE	1:B:1:MET:O	2.55	0.55
1:B:376:PHE:HB2	1:B:389:VAL:HG13	1.89	0.55
1:A:376:PHE:CD2	1:A:389:VAL:CG1	2.90	0.54
1:B:10:ASP:OD1	1:B:10:ASP:C	2.44	0.54
1:A:249:SER:O	1:A:354:THR:HG21	2.07	0.54
1:B:258:SER:HG	1:B:260:SER:HG	1.55	0.53
1:A:259:CYS:SG	1:A:332:GLU:HA	2.48	0.53
1:B:376:PHE:CG	1:B:389:VAL:HG13	2.44	0.53
1:A:262:MET:HE1	1:A:408:GLU:HA	1.91	0.52
1:B:282:ALA:HB2	1:B:328:TYR:HH	1.70	0.52
1:A:311:MET:HE1	1:A:411:PHE:CD2	2.44	0.52
1:B:262:MET:HE1	1:B:407:ASP:C	2.29	0.52
1:B:289:THR:C	1:B:291:GLU:N	2.63	0.52
1:B:208:ILE:O	1:B:212:VAL:HG23	2.09	0.52
1:B:15:THR:HG22	1:B:30:GLN:HE22	1.74	0.51
1:B:149:MET:HE2	1:B:149:MET:HA	1.92	0.51
1:B:267:VAL:HG21	1:B:315:THR:CG2	2.40	0.51
1:B:1:MET:C	1:B:1:MET:HE2	2.31	0.51
1:B:262:MET:HE1	1:B:408:GLU:N	2.27	0.50
1:A:95:ILE:HB	1:A:161:GLN:HE22	1.76	0.50
1:B:283:ARG:HD2	1:B:293:TYR:CE2	2.46	0.50
1:B:382:ILE:H	1:B:382:ILE:HD12	1.76	0.50
1:A:258:SER:HB3	1:A:263:THR:HG21	1.92	0.50
1:B:287:SER:O	1:B:288:GLU:O	2.30	0.50
1:A:376:PHE:CD2	1:A:389:VAL:HG13	2.47	0.50
1:A:396:VAL:HG12	1:A:398:LEU:HD13	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:VAL:HG11	1:A:311:MET:HE2	1.94	0.49
1:A:396:VAL:HG12	1:A:398:LEU:CD1	2.41	0.49
1:B:83:TYR:OH	1:B:113:ILE:HG23	2.11	0.49
1:B:247:PRO:HG3	1:B:388:TRP:CG	2.48	0.49
1:A:262:MET:CE	1:A:408:GLU:HA	2.43	0.49
1:B:252:ALA:HB3	1:B:309:ALA:CB	2.37	0.49
1:B:272:GLN:NE2	1:B:272:GLN:HA	2.27	0.49
1:B:306:SER:OG	1:B:307:GLU:N	2.46	0.49
1:B:251:ARG:O	1:B:353:ILE:HG23	2.13	0.48
1:A:58:GLN:HE21	1:A:62:LYS:HE2	1.78	0.48
1:A:251:ARG:HG3	1:A:252:ALA:N	2.27	0.48
1:B:15:THR:HG22	1:B:30:GLN:NE2	2.28	0.48
1:A:378:ILE:HD13	1:A:389:VAL:HG22	1.96	0.47
1:B:381:CYS:HA	1:B:387:PRO:HA	1.96	0.47
1:B:285:LEU:N	1:B:285:LEU:CD2	2.30	0.47
1:B:309:ALA:CB	1:B:415:GLN:HE22	2.27	0.47
1:A:232:GLN:HE22	1:A:235:LYS:NZ	2.13	0.47
1:A:86:THR:OG1	1:A:88:ASP:OD1	2.25	0.47
1:B:262:MET:HE3	1:B:408:GLU:HA	1.96	0.47
1:A:376:PHE:CD2	1:A:389:VAL:HG11	2.50	0.47
1:A:376:PHE:CG	1:A:389:VAL:HG11	2.49	0.47
1:B:376:PHE:CB	1:B:389:VAL:HG13	2.45	0.47
1:B:254:VAL:C	1:B:255:LEU:HD23	2.36	0.46
1:A:111:THR:HG22	1:A:112:VAL:N	2.31	0.46
1:B:80:TYR:CD1	1:B:219:VAL:HG12	2.50	0.46
1:B:383:SER:O	1:B:384:PRO:C	2.53	0.46
1:B:262:MET:HE1	1:B:407:ASP:HA	1.97	0.46
1:B:149:MET:CE	1:B:149:MET:HA	2.45	0.46
1:B:286:SER:O	1:B:287:SER:C	2.53	0.46
1:B:32:ASN:O	1:B:33:ASP:HB2	2.15	0.45
1:A:311:MET:CE	1:A:411:PHE:CE2	2.98	0.45
1:A:250:GLY:CA	1:A:354:THR:HG21	2.45	0.45
1:A:274:ALA:O	1:A:276:THR:HG23	2.16	0.44
1:A:154:LEU:N	1:A:155:PRO:CD	2.80	0.44
1:B:344:LEU:HD11	1:B:348:LEU:HD11	2.00	0.44
1:B:17:ILE:HD11	1:B:226:ALA:HB2	1.99	0.44
1:B:376:PHE:CG	1:B:389:VAL:CG1	3.01	0.44
1:A:262:MET:CE	1:A:266:GLN:HG3	2.48	0.44
1:B:349:ALA:HB2	1:B:371:LEU:HD21	1.99	0.43
1:B:254:VAL:O	1:B:255:LEU:HD23	2.18	0.43
1:B:312:ILE:HG13	1:B:344:LEU:HD21	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:65:LEU:HD23	1:B:65:LEU:HA	1.87	0.43
1:B:277:ARG:HG2	1:B:277:ARG:NH1	2.33	0.43
1:B:333:ALA:O	1:B:334:SER:C	2.56	0.43
1:A:295:GLU:HG3	1:A:347:ARG:CZ	2.49	0.43
1:B:262:MET:CE	1:B:408:GLU:N	2.82	0.43
1:B:344:LEU:CD1	1:B:348:LEU:HD11	2.49	0.42
1:A:96:GLY:H	1:A:161:GLN:HE21	1.67	0.42
1:B:111:THR:O	1:B:195:TYR:HA	2.20	0.42
1:A:271:ARG:HA	1:A:276:THR:HG21	2.02	0.42
1:A:315:THR:HA	1:A:318:THR:HB	2.02	0.42
1:B:279:VAL:HG23	1:B:313:SER:O	2.19	0.42
1:B:258:SER:HB3	1:B:263:THR:HG21	2.00	0.42
1:A:270:TYR:OH	1:A:309:ALA:O	2.33	0.42
1:A:254:VAL:CG1	1:A:311:MET:HE2	2.50	0.42
1:B:111:THR:HG22	1:B:112:VAL:H	1.84	0.42
1:B:95:ILE:N	1:B:161:GLN:NE2	2.67	0.42
1:B:283:ARG:HG2	1:B:293:TYR:CD2	2.55	0.42
1:B:309:ALA:CB	1:B:415:GLN:NE2	2.83	0.42
1:A:10:ASP:OD1	1:A:10:ASP:C	2.58	0.42
1:B:286:SER:C	1:B:288:GLU:N	2.70	0.42
1:B:88:ASP:N	1:B:88:ASP:OD1	2.52	0.42
1:B:400:LEU:HA	1:B:400:LEU:HD12	1.91	0.42
1:A:259:CYS:CA	1:A:318:THR:HG21	2.38	0.41
1:B:354:THR:HG22	1:B:355:ARG:HG3	2.01	0.41
1:A:276:THR:HB	1:A:311:MET:HB3	2.02	0.41
1:B:15:THR:HG22	1:B:30:GLN:CD	2.40	0.41
1:B:281:VAL:HG21	1:B:324:ILE:HD13	2.01	0.41
1:A:281:VAL:CG2	1:A:317:SER:HB2	2.51	0.41
1:A:73:LYS:HE3	1:A:73:LYS:HB2	1.90	0.41
1:B:245:GLY:O	1:B:379:GLY:HA3	2.21	0.41
1:A:246:TYR:CG	1:A:247:PRO:HD2	2.55	0.41
1:B:96:GLY:H	1:B:161:GLN:NE2	2.19	0.41
1:B:262:MET:HE1	1:B:407:ASP:CA	2.51	0.41
1:A:262:MET:HE2	1:A:407:ASP:C	2.42	0.40
1:B:271:ARG:HA	1:B:276:THR:CG2	2.49	0.40
1:A:86:THR:HA	1:A:129:LEU:HD21	2.04	0.40
1:B:274:ALA:HB1	1:B:275:PRO:HD2	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:ARG:NH1	1:B:283:ARG:NH2[12_565]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/421 (99%)	397 (96%)	16 (4%)	2 (0%)	29	54
1	B	408/421 (97%)	366 (90%)	36 (9%)	6 (2%)	10	26
All	All	823/842 (98%)	763 (93%)	52 (6%)	8 (1%)	15	37

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	33	ASP
1	B	288	GLU
1	B	286	SER
1	B	290	ARG
1	B	384	PRO
1	A	403	GLY
1	A	238	VAL
1	B	75	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/330 (100%)	304 (92%)	25 (8%)	13	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	324/330 (98%)	283 (87%)	41 (13%)	4 10
All	All	653/660 (99%)	587 (90%)	66 (10%)	7 17

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ASP
1	A	15	THR
1	A	38	THR
1	A	85	SER
1	A	88	ASP
1	A	119	VAL
1	A	122	ARG
1	A	136	LEU
1	A	174	LEU
1	A	195	TYR
1	A	239	SER
1	A	242	ARG
1	A	251	ARG
1	A	271	ARG
1	A	276	THR
1	A	277	ARG
1	A	285	LEU
1	A	295	GLU
1	A	315	THR
1	A	318	THR
1	A	321	LEU
1	A	324	ILE
1	A	325	GLN
1	A	401	LYS
1	A	402	SER
1	B	1	MET
1	B	10	ASP
1	B	15	THR
1	B	36	THR
1	B	38	THR
1	B	54	SER
1	B	58	GLN
1	B	71	LEU
1	B	73	LYS
1	B	88	ASP
1	B	92	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	108	THR
1	B	111	THR
1	B	122	ARG
1	B	136	LEU
1	B	149	MET
1	B	174	LEU
1	B	182	ARG
1	B	195	TYR
1	B	219	VAL
1	B	220	THR
1	B	249	SER
1	B	260	SER
1	B	276	THR
1	B	277	ARG
1	B	285	LEU
1	B	286	SER
1	B	293	TYR
1	B	308	LEU
1	B	313	SER
1	B	315	THR
1	B	325	GLN
1	B	354	THR
1	B	363	THR
1	B	370	SER
1	B	373	ILE
1	B	383	SER
1	B	389	VAL
1	B	392	LEU
1	B	400	LEU
1	B	401	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	A	143	HIS
1	A	161	GLN
1	A	232	GLN
1	A	415	GLN
1	B	39	GLN
1	B	58	GLN
1	B	120	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	161	GLN
1	B	163	GLN
1	B	265	GLN
1	B	272	GLN
1	B	299	GLN
1	B	325	GLN
1	B	377	HIS
1	B	415	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	419/421 (99%)	0.01	5 (1%) 79 80	26, 39, 61, 81	0
1	B	412/421 (97%)	0.24	14 (3%) 45 45	27, 50, 82, 86	0
All	All	831/842 (98%)	0.12	19 (2%) 60 62	26, 42, 78, 86	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	420	VAL	6.1
1	B	235	LYS	4.9
1	B	234	ALA	4.8
1	B	288	GLU	4.2
1	B	350	GLU	3.1
1	B	285	LEU	3.0
1	B	233	TRP	2.9
1	A	238	VAL	2.9
1	B	261	GLN	2.8
1	A	239	SER	2.7
1	A	242	ARG	2.7
1	A	307	GLU	2.7
1	B	291	GLU	2.3
1	B	331	THR	2.3
1	B	405	PHE	2.3
1	B	143	HIS	2.1
1	B	248	LEU	2.1
1	B	302	LEU	2.1
1	B	284	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.