



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 27, 2025 – 12:19 PM EST

PDB ID : 9DQ5
Title : Crystal structure of Anti-CTLA-4 Fab (9D9) in complex with mouse CTLA-4
Authors : Lee, P.S.; Diong, S.J.; Robison, B.
Deposited on : 2024-09-23
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.21
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1351 (3.10-3.10)
Clashscore	180529	1454 (3.10-3.10)
Ramachandran outliers	177936	1391 (3.10-3.10)
Sidechain outliers	177891	1391 (3.10-3.10)
RSRZ outliers	164620	1351 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	228	65% 27% 7%
1	I	228	66% 26% 7%
1	J	228	63% 31% 6%
2	L	219	73% 26%
2	M	219	68% 30%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	N	219	 72% 26%
3	C	135	%  44% 35% 20%
3	D	135	%  41% 39% 19%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 11258 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 9D9 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	213	Total 1504	C 950	N 243	O 304	S 7	0	0	0
1	I	213	Total 1608	C 1023	N 261	O 317	S 7	0	0	0
1	J	215	Total 1626	C 1035	N 263	O 321	S 7	0	0	0

- Molecule 2 is a protein called 9D9 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	218	Total 1603	C 1009	N 264	O 325	S 5	0	0	0
2	M	218	Total 1682	C 1057	N 283	O 337	S 5	0	0	0
2	N	218	Total 1682	C 1057	N 283	O 337	S 5	0	0	0

- Molecule 3 is a protein called Cytotoxic T-lymphocyte protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	108	Total 753	C 477	N 119	O 151	S 6	0	0	0
3	D	110	Total 800	C 505	N 130	O 159	S 6	0	0	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-18	HIS	-	expression tag	UNP P09793
C	-17	HIS	-	expression tag	UNP P09793
C	-16	HIS	-	expression tag	UNP P09793
C	-15	HIS	-	expression tag	UNP P09793

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-14	HIS	-	expression tag	UNP P09793
C	-13	HIS	-	expression tag	UNP P09793
C	-12	GLY	-	expression tag	UNP P09793
C	-11	SER	-	expression tag	UNP P09793
C	-10	GLY	-	expression tag	UNP P09793
C	-9	SER	-	expression tag	UNP P09793
C	-8	GLU	-	expression tag	UNP P09793
C	-7	ASN	-	expression tag	UNP P09793
C	-6	LEU	-	expression tag	UNP P09793
C	-5	TYR	-	expression tag	UNP P09793
C	-4	PHE	-	expression tag	UNP P09793
C	-3	GLN	-	expression tag	UNP P09793
D	-18	HIS	-	expression tag	UNP P09793
D	-17	HIS	-	expression tag	UNP P09793
D	-16	HIS	-	expression tag	UNP P09793
D	-15	HIS	-	expression tag	UNP P09793
D	-14	HIS	-	expression tag	UNP P09793
D	-13	HIS	-	expression tag	UNP P09793
D	-12	GLY	-	expression tag	UNP P09793
D	-11	SER	-	expression tag	UNP P09793
D	-10	GLY	-	expression tag	UNP P09793
D	-9	SER	-	expression tag	UNP P09793
D	-8	GLU	-	expression tag	UNP P09793
D	-7	ASN	-	expression tag	UNP P09793
D	-6	LEU	-	expression tag	UNP P09793
D	-5	TYR	-	expression tag	UNP P09793
D	-4	PHE	-	expression tag	UNP P09793
D	-3	GLN	-	expression tag	UNP P09793

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 9D9 heavy chain

Chain H: 




- Molecule 1: 9D9 heavy chain

Chain I: 




- Molecule 1: 9D9 heavy chain


Chain J: 




- Molecule 2: 9D9 light chain




- Molecule 2: 9D9 light chain




- Molecule 2: 9D9 light chain



- Molecule 3: Cytotoxic T-lymphocyte protein 4



- Molecule 3: Cytotoxic T-lymphocyte protein 4



A49	V58	G59	F60	L61	S67	F70	L77	T78	I79	Q80	G81	L82	R83	T87	Y90	L91	G92	R93	V94	E95	L96	R97	Y98	P99	F100	P101	Y102	F103	V104	G105	M106	G107	N108	G109	T110	Q111	I112	Y113	V114	I115	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	128.51Å 208.84Å 91.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.48 – 3.10 36.48 – 3.10	Depositor EDS
% Data completeness (in resolution range)	97.2 (36.48-3.10) 97.1 (36.48-3.10)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 3.13Å)	Xtrriage
Refinement program	PHENIX (???)	Depositor
R, R_{free}	0.238 , 0.301 0.238 , 0.304	Depositor DCC
R_{free} test set	2320 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	126.4	Xtrriage
Anisotropy	0.223	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 72.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11258	wwPDB-VP
Average B, all atoms (Å ²)	116.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	0.52	0/1546	0.69	1/2130 (0.0%)
1	I	0.49	0/1650	0.69	2/2250 (0.1%)
1	J	0.47	1/1669 (0.1%)	0.65	0/2276
2	L	0.50	0/1640	0.71	1/2242 (0.0%)
2	M	0.47	0/1719	0.69	1/2331 (0.0%)
2	N	0.49	0/1719	0.69	0/2331
3	C	0.47	0/768	0.68	0/1057
3	D	0.40	0/816	0.59	0/1119
All	All	0.48	1/11527 (0.0%)	0.68	5/15736 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	N	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	144	CYS	CB-SG	-5.10	1.73	1.81

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	174	LEU	CA-CB-CG	7.58	132.75	115.30
1	H	182	LEU	CA-CB-CG	5.99	129.07	115.30
2	M	11	LEU	CA-CB-CG	5.88	128.83	115.30
2	L	109	LEU	CA-CB-CG	5.64	128.27	115.30
1	I	182	LEU	CA-CB-CG	5.05	126.91	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	N	113	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1504	0	1316	38	0
1	I	1608	0	1563	42	0
1	J	1626	0	1577	45	0
2	L	1603	0	1482	44	0
2	M	1682	0	1641	50	0
2	N	1682	0	1641	42	0
3	C	753	0	677	35	0
3	D	800	0	749	40	0
All	All	11258	0	10646	326	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (326) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:42:LEU:HD12	2:M:91:TYR:CZ	2.01	0.95
3:C:27:HIS:O	3:C:27:HIS:ND1	1.98	0.95
2:L:38:LEU:HD12	2:L:76:PHE:CD2	2.13	0.84
2:L:31:HIS:ND1	2:L:33:ASN:OD1	2.08	0.84
2:M:42:LEU:HD12	2:M:91:TYR:CE2	2.14	0.82
2:M:29:ILE:HD12	2:M:95:GLN:HG3	1.60	0.80
1:J:112:LEU:HD12	1:J:153:PRO:HD3	1.65	0.79
3:D:50:THR:HG22	3:D:60:PHE:CE1	2.20	0.76
2:M:215:ASN:O	2:M:217:GLY:N	2.18	0.75
1:J:12:VAL:HG21	1:J:86:LEU:HD13	1.66	0.75
3:D:8:VAL:HG12	3:D:111:GLN:HB3	1.71	0.73
1:H:53:PRO:HA	1:H:72:VAL:HG21	1.70	0.72
3:C:67:SER:HB2	3:C:78:THR:HB	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:192:SER:HB3	1:I:196:GLN:HB2	1.73	0.71
2:M:125:PRO:HD3	2:M:137:VAL:HG22	1.73	0.71
3:D:35:THR:HG23	3:D:49:ALA:HB2	1.72	0.71
3:D:33:ARG:HB3	3:D:95:GLU:HB2	1.73	0.70
3:D:36:VAL:HB	3:D:47:VAL:HB	1.72	0.70
3:C:87:THR:HG23	3:C:113:TYR:HA	1.73	0.69
3:C:50:THR:HG21	3:C:59:GLY:HA3	1.75	0.69
2:N:156:ASP:OD2	2:N:194:HIS:HB3	1.93	0.69
1:J:24:ALA:HB1	1:J:27:TYR:HE1	1.57	0.68
3:D:67:SER:HB2	3:D:78:THR:HB	1.75	0.68
1:H:204:HIS:CD2	1:H:206:PRO:HD2	2.29	0.68
1:H:130:PRO:HG2	1:H:217:PRO:HG3	1.76	0.68
3:C:11:ALA:HB3	3:C:114:VAL:HA	1.75	0.68
1:J:201:ASN:ND2	1:J:212:ASP:OD1	2.28	0.67
3:C:35:THR:HG23	3:C:49:ALA:HB2	1.77	0.67
2:L:8:PRO:HG3	2:L:11:LEU:HD23	1.77	0.66
3:C:62:ASP:OD1	3:C:62:ASP:N	2.29	0.66
2:N:169:THR:HG22	2:N:170:GLU:O	1.96	0.66
2:M:30:VAL:HA	2:M:36:THR:HG22	1.78	0.65
2:N:168:VAL:HG22	2:N:180:LEU:HD12	1.79	0.65
2:M:42:LEU:HD21	2:M:44:LYS:HG3	1.79	0.65
1:H:48:ILE:HG23	1:H:64:PHE:CD2	2.33	0.65
2:N:202:THR:HG22	2:N:209:PRO:HB3	1.79	0.65
3:D:5:GLN:HE22	3:D:91:LEU:HA	1.62	0.64
1:I:214:ARG:NH2	1:I:216:GLU:OE1	2.28	0.64
1:I:33:TYR:CE2	3:D:101:PRO:HD2	2.33	0.64
1:J:98:ARG:NH1	1:J:99:TYR:O	2.31	0.64
1:H:11:LEU:HD22	1:H:151:PRO:HD3	1.80	0.63
3:C:90:TYR:O	3:C:110:THR:N	2.32	0.63
2:L:6:GLN:HE22	2:L:92:TYR:HA	1.62	0.63
1:J:138:GLY:O	1:J:190:SER:N	2.20	0.63
2:M:113:ARG:NH1	2:M:114:THR:O	2.33	0.62
1:H:10:VAL:HG12	1:H:12:VAL:HG13	1.82	0.62
2:N:42:LEU:HD12	2:N:43:GLN:H	1.65	0.62
1:H:174:LEU:HD13	1:H:180:TYR:CE1	2.34	0.62
1:H:126:PHE:HB3	2:L:126:SER:OG	2.00	0.62
1:H:98:ARG:NH1	1:H:99:TYR:O	2.32	0.61
2:M:117:ALA:HB1	2:M:206:LEU:HD21	1.82	0.61
2:L:6:GLN:O	2:L:7:THR:HG23	2.00	0.61
2:M:161:SER:O	2:M:163:ASN:N	2.33	0.61
3:C:28:ASN:CG	3:C:99:PRO:HD2	2.21	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:11:LEU:HD23	1:J:120:THR:HG22	1.82	0.61
1:I:204:HIS:CD2	1:I:206:PRO:HD2	2.35	0.61
1:I:6:GLN:OE1	1:I:110:GLY:N	2.34	0.61
1:I:6:GLN:HE22	1:I:95:TYR:HA	1.65	0.61
3:D:27:HIS:O	3:D:28:ASN:HB2	1.98	0.61
3:D:5:GLN:HB3	3:D:110:THR:OG1	2.00	0.61
2:L:38:LEU:HD12	2:L:76:PHE:CG	2.35	0.61
2:M:55:LYS:O	2:M:57:SER:N	2.31	0.61
2:N:130:LEU:O	2:N:188:LYS:HD2	2.01	0.60
3:C:97:MET:HE2	3:C:97:MET:H	1.66	0.60
2:M:202:THR:HG22	2:M:209:PRO:HB3	1.83	0.60
2:M:158:ALA:O	2:M:160:GLN:NE2	2.34	0.60
3:C:52:PHE:CD2	3:C:70:PHE:HB2	2.36	0.60
2:N:125:PRO:HD3	2:N:137:VAL:HG22	1.84	0.60
2:M:8:PRO:HG3	2:M:11:LEU:HD23	1.83	0.60
3:D:16:VAL:HG22	3:D:80:GLN:HA	1.83	0.60
1:I:98:ARG:HH12	1:I:100:TYR:HD2	1.51	0.59
2:N:42:LEU:HD12	2:N:43:GLN:N	2.18	0.59
1:J:123:PRO:HD3	1:J:204:HIS:ND1	2.18	0.59
2:M:42:LEU:CD1	2:M:91:TYR:CZ	2.84	0.58
2:N:38:LEU:HB3	2:N:56:VAL:HG22	1.84	0.58
2:L:38:LEU:CD1	2:L:76:PHE:CG	2.87	0.58
1:J:188:VAL:HG22	1:J:189:PRO:HD2	1.86	0.58
3:C:6:PRO:HG2	3:C:19:PHE:HB2	1.85	0.58
3:C:52:PHE:HD2	3:C:70:PHE:HD2	1.52	0.57
2:M:125:PRO:HG3	2:M:135:ALA:HB1	1.85	0.57
3:D:28:ASN:OD1	3:D:99:PRO:HD2	2.04	0.57
3:D:82:LEU:O	3:D:114:VAL:HG11	2.04	0.57
3:D:50:THR:HG22	3:D:60:PHE:CD1	2.38	0.57
3:C:27:HIS:O	3:C:27:HIS:CG	2.58	0.57
2:L:53:ILE:CD1	2:L:59:ARG:HG3	2.34	0.56
1:J:19:LYS:HG3	1:J:82:GLU:HB2	1.87	0.56
3:C:88:GLY:O	3:C:111:GLN:HA	2.05	0.56
1:H:98:ARG:HH12	1:H:100:TYR:HB2	1.70	0.56
1:J:24:ALA:HB1	1:J:27:TYR:CE1	2.39	0.56
1:H:98:ARG:NH1	1:H:100:TYR:HB2	2.21	0.56
1:H:67:LYS:O	1:H:83:LEU:HD23	2.05	0.56
2:M:59:ARG:HD2	2:M:67:PHE:O	2.06	0.56
3:D:9:VAL:HG21	3:D:19:PHE:HB3	1.88	0.55
2:L:38:LEU:HD12	2:L:76:PHE:CE2	2.40	0.55
1:I:188:VAL:HG21	1:I:198:TYR:OH	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:62:GLN:HA	1:J:65:LYS:HD3	1.87	0.55
2:L:170:GLU:HG3	2:L:171:GLN:H	1.71	0.55
2:M:17:ASP:O	2:M:83:VAL:HG23	2.07	0.55
2:L:118:PRO:HB3	2:L:144:PHE:HB3	1.87	0.55
3:C:104:VAL:HG22	3:C:105:GLY:H	1.71	0.54
3:D:87:THR:HA	3:D:112:ILE:O	2.08	0.54
1:I:139:THR:HA	1:I:189:PRO:HA	1.89	0.54
3:D:33:ARG:HD3	3:D:95:GLU:OE1	2.07	0.54
1:I:128:LEU:HB3	2:M:123:PHE:CD2	2.43	0.53
2:N:113:ARG:HG3	2:N:114:THR:O	2.09	0.53
2:M:133:GLY:O	2:M:188:LYS:N	2.30	0.53
1:I:55:ASN:HB3	1:I:57:ASP:OD1	2.09	0.53
2:L:96:GLY:O	3:C:98:TYR:OH	2.24	0.53
1:H:3:GLN:O	1:H:4:LEU:HD23	2.09	0.53
2:N:29:ILE:HD12	2:N:95:GLN:HG3	1.90	0.53
2:L:189:ALA:O	2:L:193:LYS:HB2	2.08	0.53
2:L:169:THR:HG22	2:L:170:GLU:O	2.09	0.52
2:L:59:ARG:HD2	2:L:67:PHE:O	2.09	0.52
2:M:96:GLY:O	3:D:98:TYR:OH	2.26	0.52
2:N:45:PRO:CG	2:N:170:GLU:HG2	2.39	0.52
2:L:113:ARG:HD2	2:L:176:SER:HB2	1.91	0.52
1:I:156:VAL:HG22	1:I:202:VAL:HG22	1.91	0.52
1:J:18:VAL:HG12	1:J:86:LEU:HD11	1.92	0.52
2:M:117:ALA:HB1	2:M:206:LEU:CD2	2.38	0.52
3:D:58:VAL:HG23	3:D:61:LEU:HD21	1.91	0.52
2:N:124:PRO:HB3	2:N:214:PHE:CE1	2.45	0.52
2:L:18:GLN:HG3	2:L:81:SER:HA	1.90	0.52
3:D:32:VAL:O	3:D:52:PHE:N	2.40	0.52
2:N:168:VAL:CG2	2:N:180:LEU:HD12	2.40	0.51
3:C:91:LEU:HD23	3:C:109:GLY:CA	2.40	0.51
2:N:199:CYS:O	2:N:211:THR:HA	2.10	0.51
1:I:51:ILE:HD13	1:I:72:VAL:HG13	1.92	0.51
1:J:174:LEU:HD12	1:J:174:LEU:H	1.76	0.51
2:L:36:THR:HG23	2:L:56:VAL:HG23	1.92	0.51
1:H:157:SER:OG	1:H:201:ASN:HB2	2.10	0.51
1:H:167:VAL:HG12	1:H:168:HIS:H	1.76	0.51
2:M:45:PRO:CG	2:M:170:GLU:HG2	2.41	0.51
2:N:113:ARG:HG3	2:N:113:ARG:HH11	1.74	0.51
2:M:188:LYS:O	2:M:192:GLU:HG2	2.10	0.51
3:D:33:ARG:HA	3:D:51:THR:HA	1.93	0.51
1:I:55:ASN:HB3	1:I:57:ASP:CG	2.31	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:106:MET:HG3	3:D:107:GLY:N	2.26	0.50
2:N:218:GLU:N	2:N:218:GLU:OE1	2.44	0.50
1:H:166:GLY:O	1:H:186:VAL:HA	2.11	0.50
1:H:130:PRO:HB3	1:H:141:ALA:O	2.12	0.50
2:L:194:HIS:O	2:L:216:ARG:NH2	2.39	0.50
1:J:58:THR:HB	1:J:60:TYR:CE1	2.46	0.50
2:L:52:LEU:HA	2:L:63:VAL:HG21	1.93	0.50
1:I:47:TRP:HZ2	1:I:50:VAL:HG12	1.76	0.50
3:C:91:LEU:HD23	3:C:109:GLY:HA2	1.93	0.49
3:D:6:PRO:HD2	3:D:19:PHE:HD2	1.77	0.49
3:C:48:CYS:HA	3:C:63:TYR:CD1	2.47	0.49
1:H:11:LEU:HB2	1:H:151:PRO:HG3	1.94	0.49
3:C:28:ASN:ND2	3:C:99:PRO:HD2	2.27	0.49
3:C:106:MET:HG3	3:C:107:GLY:N	2.26	0.49
1:H:54:TYR:CD1	3:C:103:PHE:HZ	2.30	0.49
2:M:31:HIS:CE1	2:M:33:ASN:HD22	2.30	0.49
1:J:60:TYR:OH	1:J:70:LEU:N	2.42	0.49
2:L:141:LEU:HD13	2:L:180:LEU:HD22	1.94	0.49
3:D:3:VAL:HG11	3:D:92:CYS:O	2.13	0.49
1:I:71:THR:OG1	1:I:80:TYR:HB2	2.13	0.48
2:M:124:PRO:HB3	2:M:214:PHE:CE1	2.48	0.48
2:M:203:HIS:CD2	2:M:204:GLN:H	2.30	0.48
2:M:130:LEU:HD21	2:M:191:TYR:CD2	2.48	0.48
2:L:29:ILE:HG21	2:L:38:LEU:HG	1.94	0.48
2:M:88:LEU:HD22	2:M:171:GLN:HB3	1.95	0.48
3:D:3:VAL:HB	3:D:106:MET:C	2.33	0.48
2:N:124:PRO:HB3	2:N:214:PHE:CZ	2.49	0.48
1:H:33:TYR:CE2	3:C:101:PRO:HD2	2.48	0.48
2:L:203:HIS:O	2:L:205:GLY:N	2.47	0.48
1:I:100:TYR:C	1:I:102:SER:H	2.16	0.48
3:D:1:ILE:HG12	3:D:104:VAL:O	2.13	0.48
2:N:194:HIS:O	2:N:216:ARG:NH2	2.39	0.48
1:J:68:ALA:HA	1:J:83:LEU:HD23	1.96	0.48
1:I:67:LYS:O	1:I:83:LEU:HA	2.14	0.47
2:M:31:HIS:HB3	2:M:33:ASN:HB2	1.95	0.47
1:J:188:VAL:HG21	1:J:198:TYR:OH	2.13	0.47
2:N:18:GLN:HG3	2:N:81:SER:HA	1.97	0.47
1:I:33:TYR:HE2	3:D:101:PRO:HD2	1.77	0.47
3:C:33:ARG:HA	3:C:51:THR:HA	1.95	0.47
2:M:118:PRO:HB3	2:M:144:PHE:HB3	1.97	0.47
2:N:20:SER:HB2	2:N:79:LYS:HD2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:11:LEU:HD23	1:J:120:THR:CG2	2.44	0.47
3:C:52:PHE:CE2	3:C:70:PHE:HB2	2.50	0.47
1:I:9:PRO:HB3	1:I:153:PRO:CD	2.45	0.47
1:I:24:ALA:HB3	1:I:29:PHE:HD2	1.79	0.47
1:I:11:LEU:HD13	1:I:151:PRO:HG3	1.96	0.47
1:I:32:TYR:HB2	1:I:98:ARG:HD2	1.96	0.47
3:D:15:GLY:O	3:D:81:GLY:N	2.48	0.47
2:M:128:GLU:OE2	2:M:128:GLU:N	2.38	0.46
2:N:20:SER:HA	2:N:78:LEU:O	2.15	0.46
1:I:145:LEU:HD12	1:I:146:VAL:H	1.81	0.46
2:M:124:PRO:HB3	2:M:214:PHE:CZ	2.50	0.46
1:H:66:GLY:O	1:H:84:ASN:ND2	2.38	0.46
3:C:5:GLN:OE1	3:C:92:CYS:N	2.48	0.46
1:J:187:THR:HG21	2:N:142:ASN:ND2	2.30	0.46
1:I:12:VAL:HG21	1:I:86:LEU:CD2	2.45	0.46
2:N:169:THR:HG22	2:N:170:GLU:N	2.31	0.46
1:H:34:MET:O	1:H:50:VAL:HA	2.16	0.46
2:M:59:ARG:NH2	2:M:65:ASP:OD1	2.49	0.46
3:D:96:LEU:HB2	3:D:103:PHE:HB3	1.98	0.46
2:L:39:GLU:OE1	2:L:41:TYR:OH	2.22	0.46
2:M:164:SER:HA	2:M:183:THR:O	2.15	0.46
2:M:191:TYR:HE1	2:M:197:TYR:CE2	2.34	0.46
1:H:190:SER:O	1:H:193:LEU:HG	2.16	0.45
1:H:41:HIS:C	1:H:43:LYS:H	2.19	0.45
3:C:30:ASP:O	3:C:53:THR:HA	2.16	0.45
2:M:4:MET:CE	2:M:95:GLN:HB2	2.46	0.45
1:J:130:PRO:HG2	1:J:217:PRO:HG3	1.98	0.45
1:H:24:ALA:HB1	1:H:27:TYR:CE1	2.51	0.45
3:C:5:GLN:HE21	3:C:5:GLN:HB3	1.54	0.45
3:C:90:TYR:CD2	3:C:112:ILE:HD12	2.52	0.45
1:I:112:LEU:HD23	1:I:113:ILE:N	2.32	0.45
3:D:3:VAL:HG13	3:D:21:CYS:SG	2.56	0.45
2:L:36:THR:HG23	2:L:56:VAL:CG2	2.46	0.45
2:M:68:SER:O	2:M:78:LEU:HD12	2.15	0.45
3:D:90:TYR:CD2	3:D:112:ILE:HD12	2.52	0.45
2:N:148:GLU:CD	2:N:148:GLU:H	2.20	0.45
2:L:31:HIS:CG	2:L:32:SER:H	2.35	0.45
1:I:53:PRO:HA	1:I:72:VAL:HG21	1.99	0.45
2:M:13:VAL:HG11	2:M:83:VAL:HG21	1.99	0.45
1:I:147:LYS:HG2	1:I:148:ASP:OD2	2.17	0.45
3:C:70:PHE:HE1	3:C:72:GLU:H	1.64	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:37:LEU:CB	3:D:91:LEU:HB2	2.46	0.44
2:M:42:LEU:HB2	2:M:52:LEU:HD11	1.99	0.44
3:D:23:TYR:CD2	3:D:94:VAL:HG21	2.52	0.44
3:D:50:THR:HG21	3:D:60:PHE:H	1.82	0.44
1:J:122:GLY:HA2	1:J:204:HIS:ND1	2.32	0.44
1:J:147:LYS:HG2	1:J:148:ASP:OD2	2.16	0.44
1:H:71:THR:OG1	1:H:80:TYR:HB2	2.18	0.44
2:M:125:PRO:HB3	2:M:136:SER:H	1.81	0.44
2:N:202:THR:HG22	2:N:209:PRO:CB	2.47	0.44
1:I:159:ASN:O	1:I:161:GLY:N	2.51	0.44
2:M:8:PRO:HG2	2:M:11:LEU:HB2	2.00	0.44
1:I:38:LYS:HB2	1:I:48:ILE:HD11	2.00	0.44
2:N:118:PRO:HD3	2:N:203:HIS:ND1	2.32	0.44
3:C:95:GLU:HG2	3:C:104:VAL:HG23	1.99	0.44
1:J:37:VAL:HG13	1:J:46:GLU:O	2.18	0.44
2:L:118:PRO:HD3	2:L:203:HIS:ND1	2.33	0.44
1:I:9:PRO:CB	1:I:153:PRO:HD2	2.48	0.44
1:I:30:THR:HA	1:I:53:PRO:HB2	2.00	0.44
2:M:130:LEU:O	2:M:188:LYS:HD3	2.18	0.43
3:D:36:VAL:HG23	3:D:48:CYS:O	2.17	0.43
1:J:62:GLN:HA	1:J:65:LYS:CD	2.46	0.43
1:H:29:PHE:O	1:H:53:PRO:HG2	2.17	0.43
1:J:50:VAL:HG12	1:J:59:SER:HB2	2.00	0.43
1:J:51:ILE:HD13	1:J:72:VAL:HG13	2.01	0.43
2:L:203:HIS:C	2:L:205:GLY:H	2.22	0.43
1:J:152:GLU:HB3	1:J:153:PRO:HA	1.99	0.43
2:N:24:ARG:HA	2:N:74:THR:O	2.18	0.43
2:M:118:PRO:HD3	2:M:203:HIS:ND1	2.33	0.43
2:M:191:TYR:CE1	2:M:197:TYR:CE2	3.05	0.43
1:J:54:TYR:HA	1:J:74:LYS:HE3	2.01	0.43
2:N:42:LEU:HB2	2:N:52:LEU:HD11	2.00	0.43
1:I:67:LYS:HB2	1:I:67:LYS:HE2	1.81	0.43
2:L:215:ASN:O	2:L:217:GLY:N	2.52	0.43
2:L:31:HIS:CG	2:L:32:SER:N	2.87	0.43
1:J:12:VAL:HG11	1:J:18:VAL:HB	2.01	0.43
2:N:161:SER:O	2:N:163:ASN:N	2.51	0.43
2:L:99:VAL:HG22	2:L:101:TYR:CZ	2.53	0.43
3:C:87:THR:HG23	3:C:112:ILE:O	2.19	0.43
1:I:11:LEU:HD22	1:I:151:PRO:HD3	2.01	0.43
2:M:25:SER:HB2	2:M:29:ILE:HD11	2.01	0.43
1:H:174:LEU:HD12	1:H:174:LEU:HA	1.81	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:48:ILE:HG23	1:H:64:PHE:CG	2.53	0.42
1:I:167:VAL:HG22	1:I:186:VAL:CG2	2.48	0.42
1:J:73:ASP:OD2	1:J:76:SER:OG	2.30	0.42
1:J:39:GLN:NE2	1:J:43:LYS:HD3	2.34	0.42
1:J:97:ALA:HA	1:J:106:TYR:O	2.20	0.42
1:J:98:ARG:HH12	1:J:100:TYR:HD2	1.63	0.42
2:N:122:ILE:HD13	2:N:213:SER:HA	2.02	0.42
1:I:167:VAL:HG22	1:I:186:VAL:HB	2.00	0.42
1:H:22:CYS:O	1:H:78:THR:HA	2.19	0.42
2:L:6:GLN:C	2:L:7:THR:HG23	2.40	0.42
2:L:170:GLU:HG3	2:L:171:GLN:N	2.35	0.42
3:D:91:LEU:HD23	3:D:109:GLY:HA2	2.02	0.42
2:N:119:SER:O	2:N:141:LEU:HA	2.20	0.42
2:N:188:LYS:O	2:N:192:GLU:HG2	2.20	0.42
3:D:50:THR:CG2	3:D:60:PHE:CD1	3.03	0.42
1:J:93:VAL:CG2	1:J:112:LEU:HD23	2.50	0.42
1:H:36:TRP:HA	1:H:95:TYR:O	2.19	0.42
2:N:166:GLU:HA	2:N:181:SER:O	2.19	0.42
3:D:52:PHE:CD2	3:D:70:PHE:HB3	2.55	0.42
2:N:164:SER:HA	2:N:183:THR:O	2.20	0.42
1:H:28:THR:O	1:H:30:THR:N	2.53	0.42
1:H:167:VAL:HG12	1:H:168:HIS:N	2.33	0.42
2:L:38:LEU:HD23	2:L:38:LEU:HA	1.46	0.42
1:I:120:THR:HG22	1:I:121:LYS:H	1.84	0.42
1:J:29:PHE:CD2	1:J:77:SER:HA	2.55	0.42
1:J:42:GLY:O	1:J:43:LYS:HB2	2.20	0.42
1:J:55:ASN:HB3	1:J:57:ASP:OD1	2.19	0.42
2:N:40:TRP:CZ3	2:N:93:CYS:HB3	2.54	0.42
2:N:52:LEU:O	2:N:63:VAL:HG21	2.19	0.42
2:L:21:ILE:HG12	2:L:107:THR:HG21	2.02	0.41
1:J:126:PHE:HA	1:J:127:PRO:HD3	1.85	0.41
2:N:118:PRO:HB3	2:N:144:PHE:HB3	2.02	0.41
1:H:216:GLU:HA	1:H:217:PRO:HD3	1.91	0.41
2:L:54:TYR:O	2:L:58:ASN:HB2	2.20	0.41
3:D:8:VAL:HA	3:D:111:GLN:O	2.20	0.41
1:J:159:ASN:C	1:J:161:GLY:H	2.24	0.41
1:J:189:PRO:HG2	1:J:192:SER:OG	2.20	0.41
1:H:10:VAL:CG1	1:H:12:VAL:HG13	2.49	0.41
2:L:94:PHE:CZ	2:L:101:TYR:HB3	2.56	0.41
3:C:32:VAL:HG11	3:C:70:PHE:HE2	1.86	0.41
1:I:112:LEU:HD23	1:I:112:LEU:C	2.41	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:30:THR:HA	1:J:53:PRO:HB2	2.01	0.41
1:J:199:ILE:HA	1:J:213:LYS:O	2.20	0.41
2:M:52:LEU:HA	2:M:63:VAL:HG21	2.02	0.41
2:N:202:THR:HG22	2:N:209:PRO:HG3	2.02	0.41
2:L:4:MET:HE2	2:L:95:GLN:HB3	2.03	0.41
2:L:196:VAL:HG22	2:L:215:ASN:OD1	2.21	0.41
2:N:153:TRP:HZ2	2:N:182:SER:O	2.04	0.41
2:L:113:ARG:HG3	2:L:114:THR:O	2.20	0.41
2:L:140:LEU:HD12	2:L:180:LEU:O	2.21	0.41
2:M:83:VAL:HG12	2:M:84:GLU:N	2.36	0.41
3:C:32:VAL:HG22	3:C:96:LEU:HD22	2.02	0.41
1:J:104:PHE:O	2:N:41:TYR:HE2	2.04	0.41
1:H:51:ILE:HG13	1:H:57:ASP:O	2.22	0.40
2:L:66:ARG:HB3	2:L:81:SER:O	2.21	0.40
1:I:145:LEU:HD12	1:I:146:VAL:N	2.36	0.40
1:H:97:ALA:HA	1:H:106:TYR:O	2.21	0.40
2:L:51:LEU:HD23	2:L:60:PHE:CD1	2.56	0.40
2:N:25:SER:CB	2:N:29:ILE:HD11	2.52	0.40
1:H:19:LYS:HA	1:H:81:MET:O	2.20	0.40
1:I:120:THR:HG21	1:I:206:PRO:O	2.21	0.40
1:J:99:TYR:O	1:J:100:TYR:HB2	2.22	0.40
1:I:139:THR:HG22	1:I:189:PRO:HA	2.03	0.40
1:I:192:SER:O	1:I:196:GLN:HB2	2.22	0.40
2:M:13:VAL:HG22	2:M:17:ASP:HB2	2.04	0.40
2:M:67:PHE:CE1	2:M:80:ILE:HG12	2.57	0.40
3:D:50:THR:HG21	3:D:60:PHE:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	209/228 (92%)	175 (84%)	25 (12%)	9 (4%)	2	13
1	I	209/228 (92%)	189 (90%)	16 (8%)	4 (2%)	6	27
1	J	211/228 (92%)	185 (88%)	24 (11%)	2 (1%)	14	45
2	L	216/219 (99%)	193 (89%)	21 (10%)	2 (1%)	14	45
2	M	216/219 (99%)	190 (88%)	20 (9%)	6 (3%)	4	20
2	N	216/219 (99%)	198 (92%)	14 (6%)	4 (2%)	6	27
3	C	104/135 (77%)	86 (83%)	14 (14%)	4 (4%)	2	15
3	D	106/135 (78%)	91 (86%)	13 (12%)	2 (2%)	6	27
All	All	1487/1611 (92%)	1307 (88%)	147 (10%)	33 (2%)	5	24

All (33) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	204	GLN
2	L	216	ARG
1	I	43	LYS
1	I	160	SER
2	M	56	VAL
2	M	216	ARG
1	J	16	ALA
2	N	216	ARG
1	H	40	SER
1	H	100	TYR
1	H	148	ASP
1	H	160	SER
3	C	87	THR
3	C	102	TYR
1	I	16	ALA
2	M	162	GLY
2	M	193	LYS
3	D	47	VAL
1	J	100	TYR
2	N	162	GLY
1	H	177	SER
1	I	100	TYR
3	C	7	SER
2	M	33	ASN
2	N	82	ARG
1	H	29	PHE
2	M	143	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	139	THR
3	D	28	ASN
2	N	56	VAL
3	C	24	SER
1	H	42	GLY
1	H	153	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	151/195 (77%)	149 (99%)	2 (1%)	65	82
1	I	181/195 (93%)	177 (98%)	4 (2%)	47	71
1	J	183/195 (94%)	181 (99%)	2 (1%)	70	84
2	L	174/194 (90%)	173 (99%)	1 (1%)	84	91
2	M	193/194 (100%)	192 (100%)	1 (0%)	86	92
2	N	193/194 (100%)	193 (100%)	0	100	100
3	C	78/120 (65%)	78 (100%)	0	100	100
3	D	88/120 (73%)	85 (97%)	3 (3%)	32	62
All	All	1241/1407 (88%)	1228 (99%)	13 (1%)	73	86

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	34	MET
1	H	98	ARG
2	L	1	ASP
1	I	98	ARG
1	I	144	CYS
1	I	153	PRO
1	I	200	CYS
2	M	95	GLN
3	D	12	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	77	LEU
3	D	83	ARG
1	J	100	TYR
1	J	151	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	6	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	213/228 (93%)	-0.33	0 100 100	84, 108, 146, 153	0
1	I	213/228 (93%)	-0.42	0 100 100	82, 113, 145, 151	0
1	J	215/228 (94%)	-0.35	1 (0%) 87 75	76, 115, 160, 180	0
2	L	218/219 (99%)	-0.50	1 (0%) 87 75	79, 102, 145, 155	0
2	M	218/219 (99%)	-0.45	0 100 100	86, 106, 137, 172	0
2	N	218/219 (99%)	-0.44	0 100 100	75, 112, 160, 180	0
3	C	108/135 (80%)	-0.07	1 (0%) 81 66	92, 124, 145, 148	0
3	D	110/135 (81%)	0.09	1 (0%) 81 66	114, 156, 177, 186	0
All	All	1513/1611 (93%)	-0.35	4 (0%) 90 81	75, 113, 158, 186	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	D	115	ILE	3.9
1	J	33	TYR	2.3
2	L	218	GLU	2.3
3	C	113	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.