

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 9, 2023 – 04:38 PM EDT

PDB ID	:	8DRZ
Title	:	Product structure of SARS-CoV-2 Mpro C145A mutant in complex with
		nsp13-nsp14 (C13) cut site sequence
Authors	:	Lee, J.; Kenward, C.; Worrall, L.J.; Vuckovic, M.; Paetzel, M.; Strynadka,
		N.C.J.
Deposited on	:	2022-07-21
Resolution	:	1.98  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution		
	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$		
$R_{free}$	130704	11647 (2.00-1.96)		
Clashscore	141614	1014 (1.98-1.98)		
Ramachandran outliers	138981	1006 (1.98-1.98)		
Sidechain outliers	138945	1006 (1.98-1.98)		
RSRZ outliers	127900	11410 (2.00-1.96)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	٨	200	%		
1	А	306	85%	14%	•
			2%		
1	В	306	88%	12%	
			5%		
1	С	306	85%	14%	•
			6%		
1	D	306	82%	17%	•
			14%		
1	E	306	84%	13%	•••



Mol	Chain	Length	Quality of chain	
1	F	306	7%	21% •
1	G	306	87%	12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PEG	А	403	-	-	Х	-
2	PEG	С	404	-	-	Х	-
2	PEG	F	404	-	-	Х	-



## 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 18081 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	306	Total 2367	C 1496	N 403	O 447	S 21	0	1	0
1	В	306	Total 2372	C 1501	N 404	0 446	S 21	0	1	0
1	С	306	Total 2364	C 1497	N 402	0 444	S 21	0	0	0
1	D	306	Total 2365	C 1497	N 401	0 445	S 22	0	1	0
1	Е	301	Total 2305	C 1458	N 391	0 436	S 20	0	0	0
1	F	305	Total 2372	C 1501	N 403	0 447	S 21	0	1	0
1	G	306	Total 2354	C 1489	N 399	0 445	S 21	0	0	0

• Molecule 1 is a protein called 3C-like proteinase nsp5.

There are 49 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	145	ALA	CYS	engineered mutation	UNP P0DTD1
А	301	ASN	-	expression tag	UNP P0DTD1
А	302	VAL	-	expression tag	UNP P0DTD1
А	303	ALA	-	expression tag	UNP P0DTD1
А	304	THR	-	expression tag	UNP P0DTD1
А	305	LEU	-	expression tag	UNP P0DTD1
А	306	GLN	-	expression tag	UNP P0DTD1
В	145	ALA	CYS	engineered mutation	UNP P0DTD1
В	301	ASN	-	expression tag	UNP P0DTD1
В	302	VAL	-	expression tag	UNP P0DTD1
В	303	ALA	-	expression tag	UNP P0DTD1
В	304	THR	-	expression tag	UNP P0DTD1
В	305	LEU	-	expression tag	UNP P0DTD1
В	306	GLN	-	expression tag	UNP P0DTD1
С	145	ALA	CYS	engineered mutation	UNP P0DTD1



G

306

GLN

-

Chain	Residue	Modelled	Actual	Comment	Reference
С	301	ASN	-	expression tag	UNP P0DTD1
С	302	VAL	-	expression tag	UNP P0DTD1
С	303	ALA	-	expression tag	UNP P0DTD1
С	304	THR	-	expression tag	UNP P0DTD1
С	305	LEU	-	expression tag	UNP P0DTD1
С	306	GLN	-	expression tag	UNP P0DTD1
D	145	ALA	CYS	engineered mutation	UNP P0DTD1
D	301	ASN	-	expression tag	UNP P0DTD1
D	302	VAL	-	expression tag	UNP P0DTD1
D	303	ALA	-	expression tag	UNP P0DTD1
D	304	THR	-	expression tag	UNP P0DTD1
D	305	LEU	-	expression tag	UNP P0DTD1
D	306	GLN	-	expression tag	UNP P0DTD1
Е	145	ALA	CYS	engineered mutation	UNP P0DTD1
Е	301	ASN	-	expression tag	UNP P0DTD1
Е	302	VAL	-	expression tag	UNP P0DTD1
Е	303	ALA	-	expression tag	UNP P0DTD1
Ε	304	THR	-	expression tag	UNP P0DTD1
Е	305	LEU	-	expression tag	UNP P0DTD1
Е	306	GLN	-	expression tag	UNP P0DTD1
F	145	ALA	CYS	engineered mutation	UNP P0DTD1
F	301	ASN	-	expression tag	UNP P0DTD1
F	302	VAL	-	expression tag	UNP P0DTD1
F	303	ALA	-	expression tag	UNP P0DTD1
F	304	THR	-	expression tag	UNP P0DTD1
F	305	LEU	-	expression tag	UNP P0DTD1
F	306	GLN	-	expression tag	UNP P0DTD1
G	145	ALA	CYS	engineered mutation	UNP P0DTD1
G	301	ASN	-	expression tag	UNP P0DTD1
G	302	VAL	-	expression tag	UNP P0DTD1
G	303	ALA	-	expression tag	UNP P0DTD1
G	304	THR	-	expression tag	UNP P0DTD1
G	305	LEU	_	expression tag	UNP P0DTD1

• Molecule 2 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).

expression tag

UNP P0DTD1





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	F	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	F	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 7  4  3 \end{array}$	0	0
2	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 7 & 4 & 3 \end{array}$	0	0

• Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula:  $C_4H_{12}NO_3$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	Δ	1	Total C N O	0	0
0	11	I	8 4 1 3	0	0
3	Δ	1	Total C N O	0	0
0	11	1	8 4 1 3	0	0
3	А	1	Total C N O	0	0
0	11	1	8 4 1 3	0	0
3	В	1	Total C N O	0	0
0	D	1	8 4 1 3	0	0
3	В	1	Total C N O	0	0
	Б	1	8 4 1 3		0
3	С	1	Total C N O	0	0
	0	1	8 4 1 3		0
3	С	1	Total C N O	0	0
	0	1	8 4 1 3		0
3	E	1	Total C N O	0	0
	Ц	Ĩ	8 4 1 3	0	0
3	F	1	Total C N O	0	0
	1	1	8 4 1 3		0
3	G	1	Total C N O	0	0
0	U U	1	8 4 1 3	0	0

• Molecule 4 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula:  $C_{10}H_{22}O_6$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total         C         O           13         8         5	0	0
4	В	1	Total C O 10 6 4	0	0
4	D	1	Total         C         O           10         6         4	0	0

• Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	Total Na 1 1	0	0
5	С	1	Total Na 1 1	0	0
5	F	1	Total Na 1 1	0	0
5	G	1	Total Na 1 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	215	Total         O           215         215	0	0
6	В	280	Total O 280 280	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	С	255	Total O 255 255	0	0
6	D	195	Total O 195 195	0	0
6	Е	164	Total O 164 164	0	0
6	F	164	Total O 164 164	0	0
6	G	122	Total         O           122         122	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 3C-like proteinase nsp5







## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	105.94Å 216.82Å 121.25Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $94.01^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	47.50 - 1.98	Depositor
Resolution (A)	47.50 - 1.98	EDS
% Data completeness	99.9 (47.50-1.98)	Depositor
(in resolution range)	$100.0 \ (47.50-1.98)$	EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.38 (at 1.98 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
P. P.	0.177 , $0.223$	Depositor
$n, n_{free}$	0.176 , $0.222$	DCC
$R_{free}$ test set	9530 reflections $(5.05\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	31.7	Xtriage
Anisotropy	0.247	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.33, $49.2$	EDS
L-test for $twinning^2$	$ < L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	18081	wwPDB-VP
Average B, all atoms $(Å^2)$	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, PEG, NA, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.62	0/2421	0.76	0/3291
1	В	0.68	0/2427	0.76	0/3299
1	С	0.67	0/2416	0.76	0/3284
1	D	0.64	0/2417	0.72	0/3286
1	Ε	0.58	0/2354	0.72	0/3203
1	F	0.58	0/2423	0.74	0/3292
1	G	0.52	0/2406	0.69	0/3273
All	All	0.62	0/16864	0.74	0/22928

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2367	0	2317	40	0
1	В	2372	0	2324	29	0
1	С	2364	0	2314	34	0
1	D	2365	0	2307	42	0
1	Е	2305	0	2241	31	0
1	F	2372	0	2319	50	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	2354	0	2287	26	0
2	А	21	0	30	9	0
2	С	7	0	10	7	0
2	D	21	0	30	2	0
2	F	21	0	30	4	0
3	А	24	0	36	5	0
3	В	16	0	24	2	0
3	С	16	0	24	1	0
3	Е	8	0	12	1	0
3	F	8	0	12	2	0
3	G	8	0	12	0	0
4	А	13	0	17	0	0
4	В	10	0	12	3	0
4	D	10	0	12	4	0
5	В	1	0	0	0	0
5	С	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
6	А	215	0	0	8	0
6	В	280	0	0	0	0
6	С	255	0	0	5	0
6	D	195	0	0	4	0
6	Е	164	0	0	5	0
6	F	164	0	0	3	0
6	G	122	0	0	1	0
All	All	18081	0	16370	239	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (239) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:F:247:VAL:HG13	1:F:261:VAL:HG21	1.40	0.98
1:E:211:ALA:HA	1:E:282:LEU:HD11	1.55	0.89
1:A:217:ARG:HD3	1:A:220:LEU:HD12	1.57	0.87
1:D:211:ALA:HA	1:D:282:LEU:HD21	1.58	0.83
1:F:52:PRO:HD2	1:F:188:ARG:HG2	1.60	0.82
1:B:40:ARG:HH12	4:B:404:1PE:H141	1.45	0.81
1:C:217:ARG:HH11	1:G:196:THR:HG22	1.46	0.80
1:A:217:ARG:HB2	1:A:220:LEU:HD12	1.63	0.79



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:217:ARG:HH21	1:E:196:THR:HG23	1.48	0.77
1:E:210:ALA:HB2	1:E:296:VAL:HG13	1.65	0.77
1:A:40:ARG:HH12	3:A:405:TRS:H21	1.50	0.77
1:D:288:GLU:HG2	1:D:291:PHE:HD1	1.49	0.75
1:D:208:LEU:HB3	1:D:264:MET:HE1	1.68	0.75
1:G:240:GLU:HG2	1:G:241:PRO:HD2	1.67	0.75
1:F:225:THR:O	1:F:262:LEU:HD13	1.87	0.74
1:A:217:ARG:HB2	1:A:220:LEU:CD1	2.16	0.74
1:A:196:THR:HG23	1:G:217:ARG:HH21	1.52	0.73
1:F:8:PHE:HB3	1:F:152:ILE:HD12	1.72	0.72
1:D:210:ALA:O	1:D:214:ASN:ND2	2.22	0.72
1:E:230:PHE:HA	1:E:269:LYS:HD3	1.70	0.71
1:D:288:GLU:HG2	1:D:291:PHE:CD1	2.26	0.71
1:F:211:ALA:HA	1:F:282:LEU:HD11	1.73	0.70
1:F:219:PHE:HB2	1:F:271:LEU:HD21	1.74	0.70
1:A:226:THR:HG23	1:A:229:ASP:H	1.57	0.69
1:F:202:VAL:HG21	1:F:249:ILE:HD11	1.74	0.69
1:D:64:HIS:HB3	2:D:401:PEG:H12	1.75	0.68
1:D:100:LYS:H	1:D:100:LYS:HD2	1.59	0.68
1:F:34:ASP:OD2	1:F:90:LYS:NZ	2.26	0.67
1:B:233:VAL:HG21	1:B:269:LYS:HD2	1.76	0.67
1:D:1:SER:CB	1:D:301:ASN:HD21	2.07	0.67
1:D:40:ARG:HH22	4:D:404:1PE:H252	1.60	0.65
1:E:197:ASP:HA	6:E:538:HOH:O	1.97	0.65
6:D:554:HOH:O	1:G:47:GLU:HG3	1.97	0.65
1:B:288:GLU:HG2	1:B:291:PHE:HD2	1.64	0.62
1:E:61:LYS:NZ	6:E:502:HOH:O	2.28	0.62
1:F:142:ASN:ND2	6:F:501:HOH:O	2.31	0.62
1:C:40:ARG:HH12	2:C:404:PEG:H12	1.65	0.62
1:C:219:PHE:HB2	1:C:271:LEU:HD21	1.82	0.61
1:E:253:LEU:HD21	1:E:297:VAL:HG12	1.81	0.61
1:D:90:LYS:NZ	6:D:503:HOH:O	2.33	0.61
1:C:305:LEU:HD12	1:G:49:MET:HG2	1.82	0.61
1:E:233:VAL:HG21	1:E:269:LYS:HD2	1.83	0.61
1:E:298:ARG:NH1	6:E:505:HOH:O	2.33	0.61
1:D:12:LYS:HE2	1:D:155:ASP:HB3	1.83	0.61
1:G:218:TRP:CZ2	1:G:279:ARG:HB3	2.36	0.61
1:C:97:LYS:HD2	6:C:531:HOH:O	2.01	0.60
2:C:404:PEG:H42	6:C:715:HOH:O	2.02	0.59
1:A:40:ARG:NH1	3:A:405:TRS:H21	2.17	0.59
1:G:218:TRP:HH2	1:G:280:THR:C	2.05	0.58



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:291:PHE:HB3	1:E:296:VAL:HG23	1.84	0.58
1:D:109:GLY:HA2	1:D:200:ILE:HD13	1.85	0.58
1:F:40:ARG:HH22	3:F:405:TRS:H21	1.68	0.58
1:G:249:ILE:HG13	1:G:293:PRO:HG2	1.85	0.58
1:F:217:ARG:HB3	1:F:220:LEU:HD12	1.84	0.57
1:C:217:ARG:NH1	1:G:196:THR:HG22	2.17	0.57
1:F:40:ARG:HH12	3:F:405:TRS:H32	1.70	0.57
1:A:126:TYR:CD1	1:B:6:MET:HG2	2.39	0.57
1:F:294:PHE:CZ	1:F:298:ARG:HD2	2.38	0.57
1:C:155:ASP:OD2	1:C:155:ASP:N	2.33	0.57
1:A:136:ILE:HD11	1:A:140:PHE:HE2	1.70	0.56
1:B:288:GLU:HG2	1:B:291:PHE:CD2	2.40	0.56
1:A:270:GLU:OE2	1:A:274:ASN:ND2	2.37	0.56
1:C:188:ARG:NH1	2:C:404:PEG:O4	2.37	0.56
1:D:63:ASN:HB2	2:D:401:PEG:H22	1.89	0.55
1:G:227:LEU:HD11	1:G:242:LEU:HD23	1.88	0.55
1:F:52:PRO:CD	1:F:188:ARG:HG2	2.36	0.55
1:D:55:GLU:OE2	4:D:404:1PE:H142	2.06	0.55
1:C:113:SER:O	1:C:149:GLY:HA2	2.07	0.54
1:A:279:ARG:HE	3:A:406:TRS:H31	1.71	0.54
1:F:211:ALA:CA	1:F:282:LEU:HD11	2.37	0.54
1:E:106:ILE:HG23	1:E:160:CYS:HB2	1.87	0.54
1:A:217:ARG:CD	1:A:220:LEU:HD12	2.35	0.54
1:C:61:LYS:NZ	6:C:506:HOH:O	2.40	0.54
1:D:298:ARG:HH11	1:D:298:ARG:HG2	1.71	0.54
1:F:207:TRP:CE2	1:F:288:GLU:HB2	2.42	0.54
1:F:108:PRO:HA	1:F:130:MET:HG3	1.91	0.53
1:F:282:LEU:HD12	1:F:282:LEU:N	2.23	0.53
1:D:100:LYS:HD2	1:D:100:LYS:N	2.25	0.52
1:A:301:ASN:ND2	6:A:508:HOH:O	2.38	0.52
1:B:60:ARG:O	3:B:402:TRS:N	2.40	0.52
1:C:227:LEU:HD11	1:C:242:LEU:HB3	1.92	0.52
1:G:86:VAL:HG22	1:G:179:GLY:HA3	1.91	0.51
1:F:285:ALA:O	1:F:286:LEU:HD23	2.10	0.51
1:A:40:ARG:HH12	3:A:405:TRS:C2	2.22	0.51
2:A:401:PEG:H32	1:B:5:LYS:HD2	1.93	0.51
1:B:109:GLY:HA2	1:B:200:ILE:HD13	1.92	0.51
1:C:40:ARG:HH12	2:C:404:PEG:C1	2.24	0.51
1:A:197:ASP:HA	6:A:504:HOH:O	2.11	0.51
1:E:17:MET:HG3	1:E:117:CYS:SG	2.51	0.51
1:F:226:THR:CG2	1:F:229:ASP:H	2.24	0.51



	<b>A</b> ( <b>D</b>	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:G:113:SER:O	1:G:149:GLY:HA2	2.11	0.51
1:E:244:GLN:HA	1:E:247:VAL:HG23	1.93	0.51
1:F:86:VAL:HG13	1:F:179:GLY:HA2	1.93	0.51
1:A:62:SER:HB3	2:A:403:PEG:H41	1.92	0.50
1:E:56:ASP:HA	1:E:59:ILE:CD1	2.40	0.50
1:F:226:THR:HG22	1:F:229:ASP:HB2	1.93	0.50
1:F:6:MET:HG2	1:G:126:TYR:CD2	2.47	0.50
1:E:27:LEU:HD11	1:E:42:VAL:HB	1.93	0.49
1:B:86:VAL:HG13	1:B:179:GLY:HA2	1.93	0.49
1:F:109:GLY:HA2	1:F:200:ILE:HD13	1.94	0.49
1:G:27:LEU:HD11	1:G:42:VAL:HB	1.93	0.49
1:A:245:ASP:O	1:A:249:ILE:HG13	2.12	0.49
1:D:226:THR:HG22	1:D:228:ASN:N	2.27	0.49
1:A:108:PRO:HG3	1:A:134:PHE:CE1	2.47	0.49
1:A:63:ASN:HB2	2:A:403:PEG:H32	1.95	0.49
1:G:243:THR:O	1:G:246:HIS:HB2	2.12	0.49
1:C:284:SER:HB3	1:C:286:LEU:HD23	1.93	0.49
1:A:44:CYS:HB3	1:A:48:ASP:HB2	1.95	0.49
1:A:132:PRO:HD2	6:A:504:HOH:O	2.13	0.49
1:C:230:PHE:CD1	1:C:265:CYS:HB3	2.48	0.48
1:D:40:ARG:HA	1:D:87:LEU:HG	1.94	0.48
1:A:62:SER:HA	2:A:403:PEG:H22	1.95	0.48
1:D:226:THR:HG22	1:D:228:ASN:H	1.78	0.48
1:B:46:SER:O	1:B:49:MET:HB2	2.14	0.48
1:A:118:TYR:CE1	1:A:144:SER:HB3	2.48	0.48
1:C:102:LYS:NZ	6:C:511:HOH:O	2.46	0.48
1:C:109:GLY:HA2	1:C:200:ILE:HD13	1.95	0.48
1:F:267:SER:O	1:F:271:LEU:HD23	2.13	0.48
1:F:63:ASN:HB3	1:F:77:VAL:O	2.13	0.48
1:A:63:ASN:H	2:A:403:PEG:H32	1.78	0.48
1:B:31:TRP:CD2	1:B:95:ASN:HB2	2.49	0.48
1:F:253:LEU:HD21	1:F:297:VAL:HG23	1.96	0.48
1:F:115:LEU:HD11	1:F:122:PRO:HB3	1.96	0.47
1:A:169:THR:OG1	1:A:171:VAL:HG22	2.14	0.47
1:B:233:VAL:HG11	1:B:269:LYS:HG3	1.95	0.47
1:D:40:ARG:HH22	4:D:404:1PE:C25	2.24	0.47
1:B:113:SER:O	1:B:149:GLY:HA2	2.14	0.47
1:B:303:ALA:HB1	1:F:165:MET:HE2	1.96	0.47
2:A:401:PEG:H31	1:B:5:LYS:HB2	1.96	0.47
1:A:17:MET:HG3	1:A:117:CYS:SG	2.54	0.47
4:B:404:1PE:H151	4:B:404:1PE:H142	1.59	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:268:LEU:O	1:G:271:LEU:HB2	2.13	0.47
1:B:227:LEU:HD11	1:B:242:LEU:HB3	1.97	0.47
1:D:210:ALA:HB2	1:D:296:VAL:HG13	1.97	0.47
1:F:113:SER:O	1:F:149:GLY:HA2	2.15	0.46
1:G:109:GLY:HA2	1:G:200:ILE:HD13	1.96	0.46
1:B:108:PRO:HB3	1:B:132:PRO:HA	1.97	0.46
1:C:56:ASP:O	1:C:59:ILE:HG22	2.15	0.46
1:A:186:VAL:HG23	1:A:188:ARG:HG2	1.98	0.46
1:E:142:ASN:ND2	6:E:511:HOH:O	2.47	0.46
1:F:240:GLU:HG3	1:F:241:PRO:HD2	1.97	0.46
1:E:63:ASN:ND2	3:E:401:TRS:H21	2.31	0.46
1:A:217:ARG:O	1:A:217:ARG:HG3	2.16	0.46
1:C:40:ARG:HH22	2:C:404:PEG:H21	1.80	0.46
1:F:228:ASN:ND2	6:F:510:HOH:O	2.47	0.46
1:D:132:PRO:HD2	1:D:197:ASP:OD1	2.16	0.46
1:D:169:THR:HG22	1:F:215:GLY:HA2	1.98	0.46
1:A:47[B]:GLU:CD	1:F:119:ASN:HD21	2.20	0.46
1:D:40:ARG:NH2	4:D:404:1PE:H252	2.31	0.46
1:D:243:THR:O	1:D:247:VAL:HG13	2.16	0.46
1:E:109:GLY:HA2	1:E:200:ILE:HD13	1.96	0.46
1:A:40:ARG:HA	1:A:87:LEU:HG	1.99	0.45
1:C:27:LEU:HD11	1:C:42:VAL:HB	1.98	0.45
1:E:271:LEU:HD22	1:E:287:LEU:HD21	1.99	0.45
1:F:266:ALA:O	1:F:269:LYS:HB2	2.16	0.45
1:G:217:ARG:HD2	6:G:524:HOH:O	2.17	0.45
1:E:95:ASN:OD1	1:E:97:LYS:HE3	2.17	0.45
1:G:219:PHE:O	1:G:267:SER:HB3	2.17	0.45
1:D:95:ASN:HB3	1:D:98:THR:OG1	2.17	0.45
1:E:56:ASP:HA	1:E:59:ILE:HD12	1.99	0.45
2:A:401:PEG:C3	1:B:5:LYS:HD2	2.47	0.45
1:E:100:LYS:HE2	6:E:611:HOH:O	2.15	0.45
1:A:63:ASN:H	2:A:403:PEG:H22	1.81	0.45
1:E:106:ILE:HG23	1:E:160:CYS:CB	2.47	0.45
1:E:237:TYR:OH	1:E:273:GLN:HA	2.17	0.44
1:F:226:THR:HG22	1:F:229:ASP:H	1.82	0.44
1:C:86:VAL:HG13	1:C:179:GLY:HA2	1.99	0.44
1:C:210:ALA:HB2	1:C:296:VAL:HG13	1.98	0.44
1:D:55:GLU:O	1:D:59:ILE:HG13	2.17	0.44
1:C:126:TYR:HD1	1:D:6:MET:HG2	1.82	0.44
1:A:6:MET:HG3	1:B:126:TYR:CD1	2.52	0.44
1:G:210:ALA:HB2	1:G:296:VAL:HG13	1.99	0.44



	<b>A</b> ( <b>D</b>	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:65:ASN:HD21	3:A:402:TRS:H21	1.83	0.44
2:A:407:PEG:H42	6:A:687:HOH:O	2.18	0.44
1:C:252:PRO:O	1:C:256:GLN:HG3	2.17	0.44
1:C:142:ASN:ND2	6:C:516:HOH:O	2.51	0.44
1:D:113:SER:O	1:D:149:GLY:HA2	2.18	0.44
1:D:244:GLN:OE1	6:D:501:HOH:O	2.21	0.43
1:F:281:ILE:HG22	1:F:282:LEU:CD1	2.48	0.43
1:E:210:ALA:HB2	1:E:296:VAL:CG1	2.43	0.43
1:G:240:GLU:CG	1:G:241:PRO:HD2	2.42	0.43
1:A:199:THR:HG21	1:A:239:TYR:CZ	2.54	0.43
1:C:62:SER:HB3	3:C:402:TRS:H22	2.01	0.43
1:F:27:LEU:HD11	1:F:42:VAL:HB	2.01	0.43
1:F:127:GLN:NE2	2:F:404:PEG:H32	2.34	0.43
1:F:262:LEU:HD23	1:F:262:LEU:HA	1.85	0.42
1:C:154:TYR:N	1:C:154:TYR:CD2	2.87	0.42
1:E:266:ALA:O	1:E:269:LYS:HB2	2.18	0.42
1:B:210:ALA:HB2	1:B:296:VAL:HG13	2.01	0.42
1:B:31:TRP:CE2	1:B:95:ASN:HB2	2.54	0.42
1:F:211:ALA:CB	1:F:282:LEU:HD11	2.50	0.42
1:C:233:VAL:O	1:C:236:LYS:HB3	2.20	0.42
1:F:5:LYS:HE3	1:F:290:GLU:HB2	2.02	0.42
1:B:222:ARG:HB3	1:B:222:ARG:CZ	2.50	0.42
1:B:271:LEU:HD23	1:B:271:LEU:HA	1.84	0.42
1:E:236:LYS:HD3	1:E:236:LYS:HA	1.82	0.42
1:F:8:PHE:CE2	2:F:404:PEG:H31	2.54	0.42
1:F:114:VAL:O	1:F:125:VAL:HA	2.20	0.42
1:B:4:ARG:HE	1:B:4:ARG:HB3	1.49	0.42
1:B:118:TYR:CE2	1:B:144:SER:HB3	2.55	0.42
1:D:47:GLU:OE2	1:G:119:ASN:ND2	2.50	0.42
1:A:6:MET:HG3	1:B:126:TYR:HD1	1.85	0.41
1:C:108:PRO:HB3	1:C:132:PRO:HA	2.02	0.41
1:D:226:THR:HB	1:D:229:ASP:HB2	2.01	0.41
1:G:218:TRP:CH2	1:G:279:ARG:HB3	2.54	0.41
1:D:62:SER:HB2	1:D:64:HIS:CE1	2.56	0.41
1:D:108:PRO:HB3	1:D:132:PRO:HA	2.02	0.41
1:F:32:LEU:HD13	1:F:101:TYR:CE2	2.55	0.41
1:A:178:GLU:OE2	6:A:501:HOH:O	2.21	0.41
1:C:40:ARG:NH1	2:C:404:PEG:H12	2.33	0.41
1:F:126:TYR:HD1	1:G:6:MET:HG3	1.84	0.41
1:A:271:LEU:HD22	1:A:276:MET:HG2	2.02	0.41
1:C:163:HIS:HE1	1:C:172:HIS:HB3	1.85	0.41



A 4 am 1	A + a	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:D:233:VAL:HG11	1:D:269:LYS:HG3	2.02	0.41	
1:C:45:THR:O	1:C:49:MET:HG3	2.20	0.41	
1:D:198:THR:HG22	1:D:238:ASN:ND2	2.36	0.41	
1:F:301:ASN:ND2	6:F:512:HOH:O	2.52	0.41	
1:D:244:GLN:HB3	6:D:501:HOH:O	2.20	0.41	
1:A:153:ASP:HB2	6:A:529:HOH:O	2.20	0.41	
1:F:45:THR:O	1:F:49:MET:HG3	2.20	0.41	
1:A:148:VAL:HG22	6:A:558:HOH:O	2.21	0.41	
1:F:127:GLN:HE22	2:F:404:PEG:H32	1.85	0.41	
1:B:65:ASN:HD21	3:B:402:TRS:H21	1.86	0.41	
1:C:238:ASN:O	1:C:238:ASN:ND2	2.53	0.41	
1:D:253:LEU:HD23	1:D:253:LEU:HA	1.93	0.41	
1:E:114:VAL:O	1:E:125:VAL:HA	2.21	0.41	
1:B:1:SER:OG	1:B:301[B]:ASN:ND2	2.38	0.40	
1:D:271:LEU:HD12	1:D:271:LEU:HA	1.94	0.40	
1:E:235:MET:N	1:E:235:MET:SD	2.94	0.40	
1:G:140:PHE:HB3	1:G:144:SER:OG	2.21	0.40	
1:B:188:ARG:NH1	4:B:404:1PE:OH3	2.41	0.40	
1:A:59:ILE:HG13	6:A:555:HOH:O	2.21	0.40	
1:C:6:MET:HE1	1:D:139:SER:HB3	2.03	0.40	
1:D:5:LYS:HE2	1:D:290:GLU:HB2	2.04	0.40	
1:E:100:LYS:HE2	1:E:100:LYS:HA	2.03	0.40	
1:F:6:MET:HE3	2:F:404:PEG:H12	2.03	0.40	
1:C:55:GLU:OE2	2:C:404:PEG:O1	2.39	0.40	
1:E:268:LEU:O	1:E:272:LEU:HG	2.21	0.40	
1:G:114:VAL:O	1:G:125:VAL:HA	2.21	0.40	

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	305/306~(100%)	296 (97%)	9~(3%)	0	100	100
1	В	305/306~(100%)	300~(98%)	5 (2%)	0	100	100
1	С	304/306~(99%)	298~(98%)	6 (2%)	0	100	100
1	D	305/306~(100%)	297~(97%)	8 (3%)	0	100	100
1	Ε	297/306~(97%)	293~(99%)	4 (1%)	0	100	100
1	F	302/306~(99%)	292~(97%)	10 (3%)	0	100	100
1	G	304/306~(99%)	294 (97%)	10 (3%)	0	100	100
All	All	2122/2142~(99%)	2070 (98%)	52 (2%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	262/262~(100%)	255~(97%)	7 (3%)	44 35
1	В	263/262~(100%)	259~(98%)	4 (2%)	65 59
1	С	261/262~(100%)	257~(98%)	4 (2%)	65 59
1	D	261/262~(100%)	255~(98%)	6(2%)	50 44
1	Ε	253/262~(97%)	247~(98%)	6(2%)	49 41
1	F	263/262~(100%)	257~(98%)	6 (2%)	50 44
1	G	259/262~(99%)	255~(98%)	4 (2%)	65 59
All	All	1822/1834 (99%)	1785 (98%)	37 (2%)	57 48

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	3	PHE
1	А	27	LEU
1	А	47[A]	GLU
1	А	47[B]	GLU



Mol	Chain	Res	Type
1	А	72	ASN
1	А	153	ASP
1	А	196	THR
1	В	4	ARG
1	В	27	LEU
1	В	100	LYS
1	В	216	ASP
1	С	27	LEU
1	С	102	LYS
1	С	286	LEU
1	С	300	CYS
1	D	27	LEU
1	D	100	LYS
1	D	229	ASP
1	D	263	ASP
1	D	298	ARG
1	D	300	CYS
1	Е	27	LEU
1	Ε	90	LYS
1	Е	236	LYS
1	Ε	264	MET
1	Ε	271	LEU
1	Ε	296	VAL
1	F	5	LYS
1	F	27	LEU
1	F	47[A]	GLU
1	F	47[B]	GLU
1	F	222	ARG
1	F	228	ASN
1	G	27	LEU
1	G	276	MET
1	G	289	ASP
1	G	300	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	74	GLN
1	А	142	ASN
1	В	142	ASN
1	С	72	ASN
1	С	142	ASN



Mol	Chain	$\mathbf{Res}$	Type
1	D	69	GLN
1	D	142	ASN
1	D	238	ASN
1	D	301	ASN
1	Е	64	HIS
1	Е	107	GLN
1	Е	142	ASN
1	Е	238	ASN
1	Е	244	GLN
1	F	69	GLN
1	F	74	GLN
1	F	107	GLN
1	F	119	ASN
1	F	228	ASN
1	G	51	ASN
1	G	69	GLN
1	G	244	GLN

Continued from previous page...

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 27 ligands modelled in this entry, 4 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Type	Chain	Dog	Link	Bo	Bond lengths Bond angles			Bond angles	
	Type	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	TRS	G	402	-	7,7,7	0.26	0	9,9,9	0.68	0
2	PEG	А	403	-	6,6,6	0.70	0	$5,\!5,\!5$	0.51	0
3	TRS	С	402	-	7,7,7	0.39	0	9,9,9	0.80	0
2	PEG	А	407	-	6,6,6	0.19	0	$5,\!5,\!5$	0.21	0
3	TRS	A	405	-	7,7,7	0.21	0	9,9,9	0.29	0
2	PEG	F	402	-	6,6,6	0.28	0	$5,\!5,\!5$	0.13	0
2	PEG	С	404	-	6,6,6	0.11	0	$5,\!5,\!5$	0.47	0
3	TRS	В	403	-	$7,\!7,\!7$	0.38	0	$9,\!9,\!9$	0.67	0
2	PEG	F	404	-	6,6,6	0.32	0	$5,\!5,\!5$	0.20	0
2	PEG	D	402	-	$6,\!6,\!6$	0.29	0	$5,\!5,\!5$	0.29	0
4	1PE	A	404	-	12,12,15	0.14	0	11,11,14	0.16	0
4	1PE	D	404	-	9,9,15	0.24	0	8,8,14	0.27	0
3	TRS	A	406	-	7,7,7	0.28	0	9,9,9	0.55	0
3	TRS	А	402	-	7,7,7	0.34	0	9,9,9	0.93	0
3	TRS	С	403	-	7,7,7	0.39	0	9,9,9	0.68	0
2	PEG	F	403	-	$6,\!6,\!6$	0.24	0	$5,\!5,\!5$	0.12	0
3	TRS	E	401	-	$7,\!7,\!7$	0.29	0	$9,\!9,\!9$	1.00	0
3	TRS	F	405	-	7,7,7	0.45	0	9,9,9	1.07	0
4	1PE	В	404	-	9,9,15	0.19	0	8,8,14	0.46	0
3	TRS	В	402	-	7,7,7	0.23	0	9,9,9	0.44	0
2	PEG	A	401	-	6,6,6	0.36	0	5, 5, 5	0.30	0
2	PEG	D	401	-	6,6,6	0.37	0	5, 5, 5	0.20	0
2	PEG	D	403	-	6,6,6	0.18	0	5, 5, 5	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	G	402	-	-	3/9/9/9	-
2	PEG	А	403	-	-	3/4/4/4	-
3	TRS	С	402	-	-	7/9/9/9	-
2	PEG	А	407	-	-	2/4/4/4	-
3	TRS	А	405	-	-	3/9/9/9	-
2	PEG	F	402	-	-	0/4/4/4	-
2	PEG	С	404	-	-	3/4/4/4	-
3	TRS	В	403	-	-	3/9/9/9	-
2	PEG	F	404	-	-	3/4/4/4	-
2	PEG	D	402	-	-	1/4/4/4	-
4	1PE	А	404	-	-	5/10/10/13	-

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	1PE	D	404	-	-	6/7/7/13	-
3	TRS	А	406	-	-	8/9/9/9	-
3	TRS	А	402	-	-	3/9/9/9	-
3	TRS	С	403	-	-	3/9/9/9	-
2	PEG	F	403	-	-	3/4/4/4	-
3	TRS	Е	401	-	-	6/9/9/9	-
3	TRS	F	405	-	-	0/9/9/9	-
4	1PE	В	404	-	-	6/7/7/13	-
3	TRS	В	402	-	-	5/9/9/9	-
2	PEG	А	401	-	-	2/4/4/4	-
2	PEG	D	401	-	-	3/4/4/4	-
2	PEG	D	403	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (81) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	402	TRS	C1-C-C3-O3
3	А	402	TRS	C2-C-C3-O3
3	А	402	TRS	N-C-C3-O3
3	А	405	TRS	C2-C-C1-O1
3	А	406	TRS	N-C-C1-O1
3	А	406	TRS	C1-C-C2-O2
3	А	406	TRS	N-C-C2-O2
3	А	406	TRS	C1-C-C3-O3
3	А	406	TRS	C2-C-C3-O3
3	А	406	TRS	N-C-C3-O3
3	С	402	TRS	N-C-C1-O1
3	С	403	TRS	N-C-C2-O2
3	Е	401	TRS	C2-C-C1-O1
3	Е	401	TRS	C3-C-C1-O1
3	Е	401	TRS	N-C-C1-O1
3	G	402	TRS	C2-C-C1-O1
3	G	402	TRS	N-C-C1-O1
2	D	402	PEG	C1-C2-O2-C3
2	F	404	PEG	C4-C3-O2-C2



Mol	Chain	Res	Type	Atoms
4	В	404	1PE	C15-C25-OH5-C14
4	А	404	1PE	OH6-C15-C25-OH5
2	А	403	PEG	O1-C1-C2-O2
2	А	407	PEG	O2-C3-C4-O4
2	F	403	PEG	O1-C1-C2-O2
2	А	407	PEG	O1-C1-C2-O2
2	С	404	PEG	O2-C3-C4-O4
2	D	403	PEG	O1-C1-C2-O2
2	D	403	PEG	O2-C3-C4-O4
4	А	404	1PE	ОН7-С16-С26-ОН6
4	D	404	1PE	OH6-C15-C25-OH5
4	D	404	1PE	OH5-C14-C24-OH4
2	С	404	PEG	O1-C1-C2-O2
4	В	404	1PE	OH4-C13-C23-OH3
2	А	403	PEG	O2-C3-C4-O4
4	D	404	1PE	C23-C13-OH4-C24
2	F	403	PEG	O2-C3-C4-O4
3	А	406	TRS	C3-C-C1-O1
3	В	403	TRS	C2-C-C1-O1
3	В	403	TRS	C3-C-C1-O1
3	С	402	TRS	C2-C-C1-O1
3	С	403	TRS	C3-C-C2-O2
3	G	402	TRS	C3-C-C1-O1
2	А	401	PEG	O2-C3-C4-O4
2	F	404	PEG	O1-C1-C2-O2
4	D	404	1PE	OH4-C13-C23-OH3
4	А	404	1PE	OH5-C14-C24-OH4
4	А	404	1PE	С14-С24-ОН4-С13
2	F	403	PEG	C4-C3-O2-C2
2	D	401	PEG	C1-C2-O2-C3
2	А	403	PEG	C4-C3-O2-C2
4	В	404	1PE	C23-C13-OH4-C24
4	A	404	1PE	C24-C14-OH5-C25
3	A	405	TRS	C3-C-C1-O1
3	А	405	TRS	N-C-C1-O1
3	A	406	TRS	C3-C-C2-O2
3	В	402	TRS	N-C-C3-O3
3	С	402	TRS	N-C-C2-O2
3	Ε	401	TRS	N-C-C2-O2
2	D	401	PEG	C4-C3-O2-C2
2	А	401	PEG	C4-C3-O2-C2
4	D	404	1PE	C24-C14-OH5-C25

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	D	404	1PE	C14-C24-OH4-C13
2	F	404	PEG	O2-C3-C4-O4
3	В	402	TRS	C1-C-C2-O2
3	В	402	TRS	C1-C-C3-O3
3	В	402	TRS	C2-C-C3-O3
3	С	402	TRS	C2-C-C3-O3
3	С	403	TRS	C1-C-C2-O2
3	Е	401	TRS	C1-C-C2-O2
3	Е	401	TRS	C3-C-C2-O2
4	В	404	1PE	C14-C24-OH4-C13
2	С	404	PEG	C4-C3-O2-C2
2	D	403	PEG	C1-C2-O2-C3
3	В	402	TRS	N-C-C2-O2
3	В	403	TRS	N-C-C1-O1
3	С	402	TRS	C3-C-C1-O1
3	С	402	TRS	C3-C-C2-O2
3	С	402	TRS	N-C-C3-O3
4	В	404	1PE	C24-C14-OH5-C25
2	D	401	PEG	O1-C1-C2-O2
4	В	404	1PE	OH5-C14-C24-OH4

Continued from previous page...

There are no ring outliers.

15 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	403	PEG	5	0
3	С	402	TRS	1	0
2	А	407	PEG	1	0
3	А	405	TRS	3	0
2	С	404	PEG	7	0
2	F	404	PEG	4	0
4	D	404	1PE	4	0
3	А	406	TRS	1	0
3	А	402	TRS	1	0
3	Е	401	TRS	1	0
3	F	405	TRS	2	0
4	В	404	1PE	3	0
3	В	402	TRS	2	0
2	А	401	PEG	3	0
2	D	401	PEG	2	0



## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	306/306~(100%)	-0.06	3 (0%) 82 83	23,  36,  67,  91	0
1	В	306/306~(100%)	-0.21	6 (1%) 65 66	21, 32, 58, 94	0
1	С	306/306~(100%)	0.10	16 (5%) 27 29	22, 36, 76, 106	0
1	D	306/306~(100%)	0.10	19 (6%) 20 22	24, 39, 85, 122	0
1	Е	301/306~(98%)	0.48	42 (13%) 2 3	26, 43, 109, 133	0
1	F	305/306~(99%)	0.07	20 (6%) 18 20	24, 43, 84, 113	0
1	G	306/306~(100%)	0.34	34 (11%) 5 6	31, 49, 90, 114	0
All	All	2136/2142 (99%)	0.12	140 (6%) 18 20	21, 40, 87, 133	0

#### All (140) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Е	224	THR	8.3
1	Е	230	PHE	8.1
1	Е	232	LEU	6.9
1	D	277	ASN	6.0
1	G	232	LEU	5.9
1	Е	237	TYR	5.9
1	Е	272	LEU	5.8
1	F	223	PHE	5.6
1	Е	233	VAL	5.6
1	G	227	LEU	5.4
1	F	272	LEU	5.4
1	Е	226	THR	5.1
1	Е	274	ASN	4.9
1	Е	286	LEU	4.9
1	Е	223	PHE	4.8
1	С	277	ASN	4.8
1	С	278	GLY	4.7



Mol	Chain	Res	Type	RSRZ
1	Е	249	ILE	4.7
1	С	274	ASN	4.7
1	D	274	ASN	4.7
1	Е	228	ASN	4.6
1	D	232	LEU	4.6
1	D	223	PHE	4.5
1	D	278	GLY	4.5
1	D	154	TYR	4.5
1	Е	268	LEU	4.4
1	F	276	MET	4.4
1	Е	271	LEU	4.4
1	D	222	ARG	4.3
1	G	226	THR	4.3
1	А	232	LEU	4.2
1	Е	229	ASP	4.1
1	D	279	ARG	4.1
1	G	59	ILE	4.1
1	G	223	PHE	4.1
1	С	154	TYR	4.1
1	G	234	ALA	4.1
1	Е	260	ALA	4.0
1	D	286	LEU	4.0
1	Е	266	ALA	4.0
1	D	280	THR	3.9
1	Е	285	ALA	3.9
1	D	276	MET	3.9
1	F	271	LEU	3.8
1	Е	218	TRP	3.8
1	G	272	LEU	3.8
1	Е	225	THR	3.6
1	F	232	LEU	3.6
1	С	223	PHE	3.6
1	В	277	ASN	3.6
1	С	279	ARG	3.6
1	D	282	LEU	3.5
1	В	278	GLY	3.5
1	С	222	ARG	3.5
1	Е	222	ARG	3.5
1	F	222	ARG	3.4
1	С	276	MET	3.3
1	С	224	THR	3.3
1	D	270	GLU	3.3



Mol	Chain	Res	Type	RSRZ
1	Е	283	GLY	3.3
1	F	233	VAL	3.3
1	Е	284	SER	3.3
1	Е	264	MET	3.3
1	Е	267	SER	3.2
1	Е	219	PHE	3.2
1	G	249	ILE	3.2
1	А	72	ASN	3.2
1	В	222	ARG	3.2
1	G	154	TYR	3.1
1	А	223	PHE	3.1
1	Е	76	ARG	3.0
1	Е	234	ALA	3.0
1	G	273	GLN	3.0
1	E	273	GLN	3.0
1	F	275	GLY	3.0
1	D	224	THR	3.0
1	Е	221	ASN	3.0
1	G	241	PRO	2.9
1	G	286	LEU	2.9
1	G	274	ASN	2.9
1	Е	235	MET	2.8
1	Ε	259	ILE	2.7
1	G	60	ARG	2.7
1	D	237	TYR	2.7
1	D	272	LEU	2.7
1	Ε	248	ASP	2.7
1	F	286	LEU	2.7
1	Е	236	LYS	2.6
1	F	237	TYR	2.6
1	E	269	LYS	2.6
1	G	224	THR	2.6
1	G	91	VAL	2.6
1	F	277	ASN	2.6
1	E	282	LEU	2.6
1	Ε	270	GLU	2.6
1	С	286	LEU	2.5
1	С	275	GLY	2.5
1	F	274	ASN	2.5
1	F	154	TYR	2.5
1	G	278	GLY	2.5
1	Е	220	LEU	2.5



Mol	Chain	Res		RSR7
1	П	972	<u>- JPC</u>	25 25
1	C	210	A SN	2.J 2.5
1	C C	14 977	ΔSN	2.0
1	G	211	TUD	2.0
1	G D	200		2.0
1	D	201		2.4
1	G	(0)	VAL	2.4
1	G E	202	LEU	2.4
1	F D	208	LEU	2.4
1	B	286	LEU	2.4
1	G	225	THR	2.4
1	F <sup>r</sup>	279	ARG	2.4
1	G	237	TYR	2.3
1	G	229	ASP	2.3
1	G	235	MET	2.3
1	F	229	ASP	2.3
1	С	270	GLU	2.3
1	E	244	GLN	2.3
1	G	236	LYS	2.3
1	В	223	PHE	2.2
1	G	279	ARG	2.2
1	С	272	LEU	2.2
1	Е	242	LEU	2.2
1	G	75	LEU	2.2
1	В	154	TYR	2.2
1	G	270	GLU	2.2
1	С	238	ASN	2.2
1	G	222	ARG	2.2
1	G	228	ASN	2.2
1	D	285	ALA	2.2
1	F	234	ALA	2.2
1	G	230	PHE	2.2
1	Е	251	GLY	2.1
1	F	219	PHE	2.1
1	F	225	THR	2.1
1	G	242	LEU	2.1
1	G	245	ASP	2.0
1	F	221	ASN	2.0
1	С	73	VAL	2.0
1	E	217	ARG	2.0

Continued from previous page...



### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	PEG	D	402	7/7	0.67	0.22	60,63,70,71	0
3	TRS	А	405	8/8	0.67	0.18	45,60,62,62	0
3	TRS	А	406	8/8	0.70	0.20	65,74,85,86	0
3	TRS	С	403	8/8	0.73	0.22	58,72,75,77	0
3	TRS	F	405	8/8	0.73	0.15	58,61,70,70	0
2	PEG	А	403	7/7	0.75	0.20	38,46,56,64	0
3	TRS	G	402	8/8	0.77	0.30	73,85,87,91	0
3	TRS	Е	401	8/8	0.80	0.18	53,63,71,71	0
3	TRS	В	403	8/8	0.80	0.11	43,58,65,69	0
3	TRS	В	402	8/8	0.80	0.29	59,77,85,88	0
2	PEG	F	402	7/7	0.81	0.14	65,72,75,75	0
2	PEG	С	404	7/7	0.82	0.21	57,61,72,77	0
3	TRS	А	402	8/8	0.82	0.20	57,65,72,77	0
2	PEG	А	407	7/7	0.83	0.15	44,57,62,69	0
4	1PE	D	404	10/16	0.83	0.17	47,63,75,78	0
4	1PE	В	404	10/16	0.84	0.16	46,58,65,65	0
2	PEG	D	403	7/7	0.84	0.24	60,65,72,75	0
2	PEG	F	404	7/7	0.85	0.16	$56,\!62,\!63,\!67$	0
2	PEG	D	401	7/7	0.86	0.12	41,60,65,71	0
3	TRS	С	402	8/8	0.86	0.10	42,60,61,65	0
2	PEG	А	401	7/7	0.88	0.13	38,51,61,65	0
2	PEG	F	403	7/7	0.89	0.17	59,59,69,71	0
4	1PE	А	404	13/16	0.89	0.19	46,53,64,69	0
5	NA	F	401	1/1	0.93	0.04	46,46,46,46	0
5	NA	С	401	1/1	0.97	0.09	37,37,37,37	0
5	NA	В	401	1/1	0.97	0.08	31,31,31,31	1
5	NA	G	401	1/1	0.98	0.07	47,47,47,47	0



## 6.5 Other polymers (i)

There are no such residues in this entry.

