

# wwPDB X-ray Structure Validation Summary Report (i)

#### Sep 26, 2024 – 12:06 PM EDT

PDB ID : 9DRE

Title : Crystal structure of ADP-ribose diphosphatase from Klebsiella pneumoniae

(ADP bound, P21 form)

Authors: Seattle Structural Genomics Center for Infectious Disease; Seattle Structural

Genomics Center for Infectious Disease (SSGCID)

Deposited on : 2024-09-25

Resolution : 1.69 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : 1.20.1

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.002 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.38.3

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\ DIFFRACTION$ 

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}(\mathring{\rm A})) \end{array}$
$R_{free}$	164625	5161 (1.70-1.70)
Clashscore	180529	5671 (1.70-1.70)
Ramachandran outliers	177936	5594 (1.70-1.70)
Sidechain outliers	177891	5594 (1.70-1.70)
RSRZ outliers	164620	5159 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	218	11%	8%	9%
1	В	218	9%	10%	10%
1	С	218	6% 85%	6%	9%
1	D	218	18% 84%	5%	11%



Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	Е	218	8% 85%	6% 8%
1	F	218	13%	7% 11%
1	G	218	7% 79%	9% 11%
1	Н	218	16%	6% 12%



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 13700 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called ADP-ribose pyrophosphatase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	198	Total	С	N	О	S	0	5	0
1	A	190	1608	1021	285	298	4	0		
1	В	197	Total	С	N	О	S	0	3	0
1	Б	197	1574	996	276	300	2	0	3	
1	С	199	Total	С	N	О	S	0	2	0
1		199	1584	1004	277	300	3		2	
1	D	195	Total	С	N	О	S	0	1	0
1	D	199	1559	985	275	296	3		1	U
1	Е	201	Total	С	N	О	S	0	3	0
1	12	201	1621	1028	289	300	4		3	
1	F	193	Total	С	N	О	S	0	5	0
1	I.	190	1558	990	271	294	3		3	
1	G	193	Total	С	N	О	S	0	2	0
1	G	190	1545	981	269	292	3		2	
1	Н	192	Total	С	N	О	S	0	4	0
1	11	194	1536	975	268	291	2		4	

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	expression tag	UNP A0A0H3GVQ7
A	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
A	-5	HIS	ı	expression tag	UNP A0A0H3GVQ7
A	-4	HIS	ı	expression tag	UNP A0A0H3GVQ7
A	-3	HIS	-	expression tag	UNP A0A0H3GVQ7
A	-2	HIS	ı	expression tag	UNP A0A0H3GVQ7
A	-1	HIS	-	expression tag	UNP A0A0H3GVQ7
A	0	HIS	ı	expression tag	UNP A0A0H3GVQ7
В	-7	MET	-	expression tag	UNP A0A0H3GVQ7
В	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
В	-5	HIS	-	expression tag	UNP A0A0H3GVQ7
В	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
В	-3	HIS	-	expression tag	UNP A0A0H3GVQ7



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
В	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
В	-1	HIS	-	expression tag	UNP A0A0H3GVQ7
В	0	HIS	-	expression tag	UNP A0A0H3GVQ7
С	-7	MET	-	expression tag	UNP A0A0H3GVQ7
С	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
С	-5	HIS	-	expression tag	UNP A0A0H3GVQ7
С	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
С	-3	HIS	-	expression tag	UNP A0A0H3GVQ7
С	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
С	-1	HIS	-	expression tag	UNP A0A0H3GVQ7
С	0	HIS	-	expression tag	UNP A0A0H3GVQ7
D	-7	MET	-	expression tag	UNP A0A0H3GVQ7
D	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
D	-5	HIS	-	expression tag	UNP A0A0H3GVQ7
D	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
D	-3	HIS	-	expression tag	UNP A0A0H3GVQ7
D	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
D	-1	HIS	_	expression tag	UNP A0A0H3GVQ7
D	0	HIS	-	expression tag	UNP A0A0H3GVQ7
Е	-7	MET	-	expression tag	UNP A0A0H3GVQ7
Е	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
Е	-5	HIS	-	expression tag	UNP A0A0H3GVQ7
Е	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
Е	-3	HIS	-	expression tag	UNP A0A0H3GVQ7
Е	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
Е	-1	HIS	-	expression tag	UNP A0A0H3GVQ7
Е	0	HIS	-	expression tag	UNP A0A0H3GVQ7
F	-7	MET	-	expression tag	UNP A0A0H3GVQ7
F	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
F	-5	HIS	-	expression tag	UNP A0A0H3GVQ7
F	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
F	-3	HIS	-	expression tag	UNP A0A0H3GVQ7
F	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
F	-1	HIS	-	expression tag	UNP A0A0H3GVQ7
F	0	HIS	-	expression tag	UNP A0A0H3GVQ7
G	-7	MET	-	expression tag	UNP A0A0H3GVQ7
G	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
G	-5	HIS	-	expression tag	UNP A0A0H3GVQ7
G	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
G	-3	HIS	-	expression tag	UNP A0A0H3GVQ7
G	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
G	-1	HIS	_	expression tag	UNP A0A0H3GVQ7



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP A0A0H3GVQ7
Н	-7	MET	-	expression tag	UNP A0A0H3GVQ7
Н	-6	ALA	-	expression tag	UNP A0A0H3GVQ7
Н	-5	HIS	ı	expression tag	UNP A0A0H3GVQ7
Н	-4	HIS	-	expression tag	UNP A0A0H3GVQ7
Н	-3	HIS	ı	expression tag	UNP A0A0H3GVQ7
Н	-2	HIS	-	expression tag	UNP A0A0H3GVQ7
Н	-1	HIS	-	expression tag	UNP A0A0H3GVQ7
Н	0	HIS	-	expression tag	UNP A0A0H3GVQ7

• Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
2	A	1	Total	С	N	О	Р	0	0
2	Λ	1	27	10	5	10	2	0	0
2	В	1	Total	С	N	О	Р	0	1
	Б	1	54	20	10	20	4	U	1
2	С	1	Total	С	N	О	Р	0	0
2		1	27	10	5	10	2	0	U
2	D	1	Total	С	N	Ο	Р	0	1
	D	1	54	20	10	20	4	0	1
2	E	1	Total	С	N	О	Р	0	0
	ت ا	1	27	10	5	10	2	0	0
2	F	1	Total	С	N	O	Р	0	1
	1'	1	54	20	10	20	4	U	1



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf			
9	С	1	Total	С	N	О	Р	0	0	
2	G	1	27	10	5	10	2	U	0	
9	П	1	Total	С	N	О	Р	0	0	
2	п	1	27	10	5	10	2	U		

• Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	Total Mg 1 1	0	0
3	С	1	Total Mg 1 1	0	0
3	E	1	Total Mg 1 1	0	0
3	F	2	Total Mg 2 2	0	0
3	G	1	Total Mg 1 1	0	0
3	Н	1	Total Mg 1 1	0	0

• Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	102	Total O 102 102	0	0
4	В	123	Total O 123 123	0	2
4	С	111	Total O 111 111	0	0
4	D	71	Total O 71 71	0	1
4	E	104	Total O 104 104	0	0
4	F	100	Total O 100 100	0	0
4	G	109	Total O 109 109	0	0
4	Н	91	Total O 91 91	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ADP-ribose pyrophosphatase









• Molecule 1: ADP-ribose pyrophosphatase




• Molecule 1: ADP-ribose pyrophosphatase



• Molecule 1: ADP-ribose pyrophosphatase



• Molecule 1: ADP-ribose pyrophosphatase





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	92.87Å 80.11Å 115.83Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.12^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	49.19 - 1.69	Depositor
rtesolution (A)	49.19 - 1.69	EDS
% Data completeness	99.8 (49.19-1.69)	Depositor
(in resolution range)	99.9 (49.19-1.69)	EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.09  (at  1.69Å)	Xtriage
Refinement program	PHENIX (dev_5295: ???)	Depositor
$R, R_{free}$	0.175 , $0.210$	Depositor
it, it free	0.183 , $0.216$	DCC
$R_{free}$ test set	9706 reflections $(5.11\%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.0	Xtriage
Anisotropy	0.610	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.35, 41.7	EDS
L-test for twinning <sup>2</sup>	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.034 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	13700	wwPDB-VP
Average B, all atoms $(\mathring{A}^2)$	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 64.97 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.6213e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

#### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z >5	RMSZ	# Z  > 5	
1	A	0.48	0/1653	0.68	0/2238	
1	В	0.50	0/1612	0.70	0/2183	
1	С	0.48	0/1620	0.70	0/2194	
1	D	0.42	0/1591	0.66	0/2155	
1	Е	0.47	0/1664	0.70	0/2252	
1	F	0.46	0/1602	0.66	0/2168	
1	G	0.54	0/1580	0.72	0/2140	
1	Н	0.47	0/1576	0.70	0/2136	
All	All	0.48	0/12898	0.69	0/17466	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1608	0	1579	13	0
1	В	1574	0	1536	19	0
1	С	1584	0	1552	11	0
1	D	1559	0	1525	10	0
1	Е	1621	0	1590	14	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1558	0	1547	11	0
1	G	1545	0	1528	15	0
1	Н	1536	0	1494	11	0
2	A	27	0	12	0	0
2	В	54	0	24	2	0
2	С	27	0	12	1	0
2	D	54	0	24	0	0
2	Ε	27	0	12	1	0
2	F	54	0	24	0	0
2	G	27	0	12	1	0
2	Н	27	0	12	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	Ε	1	0	0	0	0
3	F	2	0	0	0	0
3	G	1	0	0	0	0
3	Н	1	0	0	0	0
4	A	102	0	0	0	0
4	В	123	0	0	3	0
4	С	111	0	0	2	0
4	D	71	0	0	2	0
4	Е	104	0	0	1	0
4	F	100	0	0	0	0
4	G	109	0	0	2	0
4	Н	91	0	0	0	0
All	All	13700	0	12483	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 84 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance (Å)} \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
1:B:75:VAL:HG13	1:B:166:ILE:HG23	1.57	0.86
1:F:75:VAL:HG13	1:F:166:ILE:HG23	1.60	0.84
1:A:75[A]:VAL:HG13	1:A:166:ILE:HG23	1.62	0.81
1:G:167:ARG:NH2	1:H:10:THR:OG1	2.20	0.73
1:H:75:VAL:HG13	1:H:166:ILE:HG23	1.71	0.72

There are no symmetry-related clashes.



#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	197/218 (90%)	190 (96%)	7 (4%)	0	100	100
1	В	196/218 (90%)	188 (96%)	8 (4%)	0	100	100
1	С	197/218 (90%)	191 (97%)	6 (3%)	0	100	100
1	D	192/218 (88%)	187 (97%)	5 (3%)	0	100	100
1	E	198/218 (91%)	193 (98%)	5 (2%)	0	100	100
1	F	194/218 (89%)	187 (96%)	7 (4%)	0	100	100
1	G	191/218 (88%)	185 (97%)	6 (3%)	0	100	100
1	Н	190/218 (87%)	182 (96%)	8 (4%)	0	100	100
All	All	1555/1744 (89%)	1503 (97%)	52 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	170/183 (93%)	166 (98%)	4 (2%)	44 27
1	В	163/183 (89%)	159 (98%)	4 (2%)	42 25
1	С	165/183 (90%)	163 (99%)	2 (1%)	67 56
1	D	163/183 (89%)	161 (99%)	2 (1%)	67 56
1	E	171/183 (93%)	168 (98%)	3 (2%)	54 39
1	F	165/183 (90%)	164 (99%)	1 (1%)	84 78



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percenti	les
1	G	163/183 (89%)	159 (98%)	4 (2%)	42 25	5
1	Н	159/183 (87%)	157 (99%)	2 (1%)	65 52	2
All	All	1319/1464 (90%)	1297 (98%)	22 (2%)	60 41	1

5 of 22 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Е	26	ARG
1	G	98	MET
1	G	16	VAL
1	G	100	GLU
1	В	178[A]	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 7 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Trino	Chain	Res	Link	Во	ond leng	ths	Bond angles		
MIOI	Type	Type Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ADP	С	301	-	24,29,29	1.04	3 (12%)	29,45,45	1.31	3 (10%)
2	ADP	D	301[A]	-	24,29,29	0.93	1 (4%)	29,45,45	1.27	2 (6%)
2	ADP	Е	301	-	24,29,29	0.95	2 (8%)	29,45,45	1.31	3 (10%)
2	ADP	F	301[B]	-	24,29,29	0.95	1 (4%)	29,45,45	1.29	3 (10%)
2	ADP	Н	301	-	24,29,29	1.07	3 (12%)	29,45,45	1.43	4 (13%)
2	ADP	G	301	3	24,29,29	1.03	3 (12%)	29,45,45	1.36	4 (13%)
2	ADP	В	301[B]	-	24,29,29	1.15	3 (12%)	29,45,45	1.23	2 (6%)
2	ADP	F	301[A]	-	24,29,29	1.02	3 (12%)	29,45,45	1.32	3 (10%)
2	ADP	В	301[A]	3	24,29,29	0.94	3 (12%)	29,45,45	1.28	3 (10%)
2	ADP	A	301	-	24,29,29	0.95	3 (12%)	29,45,45	1.43	3 (10%)
2	ADP	D	301[B]	-	24,29,29	0.93	1 (4%)	29,45,45	1.29	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	С	301	-	-	6/12/32/32	0/3/3/3
2	ADP	D	301[A]	-	-	7/12/32/32	0/3/3/3
2	ADP	Е	301	-	-	5/12/32/32	0/3/3/3
2	ADP	F	301[B]	-	-	5/12/32/32	0/3/3/3
2	ADP	Н	301	-	-	5/12/32/32	0/3/3/3
2	ADP	G	301	3	-	4/12/32/32	0/3/3/3
2	ADP	В	301[B]	-	-	5/12/32/32	0/3/3/3
2	ADP	F	301[A]	-	-	8/12/32/32	0/3/3/3
2	ADP	В	301[A]	3	-	6/12/32/32	0/3/3/3
2	ADP	A	301	-	-	5/12/32/32	0/3/3/3
2	ADP	D	301[B]	-	_	6/12/32/32	0/3/3/3

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
2	В	301[B]	ADP	PA-O3A	3.80	1.63	1.59
2	Н	301	ADP	PA-O3A	2.98	1.62	1.59
2	С	301	ADP	PA-O3A	2.84	1.62	1.59
2	G	301	ADP	PA-O3A	2.76	1.62	1.59



Continued from previous page...

Mol			v .			$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}( ext{\AA})$
2	F	301[A]	ADP	PA-O3A	2.70	1.62	1.59

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	301	ADP	N3-C2-N1	-4.79	122.17	128.67
2	Е	301	ADP	N3-C2-N1	-4.63	122.39	128.67
2	Н	301	ADP	N3-C2-N1	-4.62	122.40	128.67
2	D	301[B]	ADP	N3-C2-N1	-4.24	122.92	128.67
2	D	301[A]	ADP	N3-C2-N1	-4.16	123.03	128.67

There are no chirality outliers.

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	301[A]	ADP	PA-O3A-PB-O2B
2	В	301[A]	ADP	C5'-O5'-PA-O1A
2	В	301[A]	ADP	C5'-O5'-PA-O2A
2	В	301[B]	ADP	PA-O3A-PB-O2B
2	В	301[B]	ADP	C5'-O5'-PA-O2A


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	301	ADP	1	0
2	Е	301	ADP	1	0
2	G	301	ADP	1	0
2	В	301[B]	ADP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































# 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(A^2)$	Q<0.9
1	A	198/218 (90%)	0.71	24 (12%) 10 9	17, 35, 71, 103	5 (2%)
1	В	197/218 (90%)	0.61	20 (10%) 13 13	20, 33, 73, 89	3 (1%)
1	С	199/218 (91%)	0.57	14 (7%) 24 24	15, 34, 57, 84	2 (1%)
1	D	195/218 (89%)	1.09	40 (20%) 3 3	21, 43, 73, 95	1 (0%)
1	E	201/218 (92%)	0.75	18 (8%) 17 16	16, 37, 61, 83	3 (1%)
1	F	193/218 (88%)	0.77	28 (14%) 7 6	17, 35, 72, 90	5 (2%)
1	G	193/218 (88%)	0.43	15 (7%) 20 21	15, 31, 59, 85	2 (1%)
1	Н	192/218 (88%)	0.93	34 (17%) 4 4	18, 35, 76, 93	4 (2%)
All	All	1568/1744 (89%)	0.73	193 (12%) 9 9	15, 35, 72, 103	25 (1%)

The worst 5 of 193 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Н	47	GLY	6.2
1	G	155	GLY	5.3
1	В	156	ILE	5.2
1	A	0	HIS	5.1
1	A	156	ILE	5.1

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B ext{-}factors}({f \AA}^2)$	Q<0.9
2	ADP	С	301	27/27	0.69	0.14	47,70,91,111	0
2	ADP	G	301	27/27	0.70	0.13	41,77,90,105	0
3	MG	С	302	1/1	0.71	0.16	56,56,56,56	0
3	MG	Е	302	1/1	0.73	0.15	60,60,60,60	0
3	MG	В	302	1/1	0.74	0.21	64,64,64,64	0
2	ADP	A	301	27/27	0.77	0.12	38,68,94,108	0
2	ADP	Е	301	27/27	0.79	0.13	41,66,86,101	0
2	ADP	F	301[A]	27/27	0.81	0.14	24,42,53,57	27
2	ADP	F	301[B]	27/27	0.81	0.14	26,42,50,55	27
2	ADP	D	301[B]	27/27	0.82	0.12	30,48,58,61	27
2	ADP	D	301[A]	27/27	0.82	0.12	31,47,55,57	27
2	ADP	В	301[A]	27/27	0.83	0.12	27,43,52,56	27
2	ADP	В	301[B]	27/27	0.83	0.12	27,44,51,60	27
3	MG	F	303	1/1	0.84	0.12	54,54,54,54	0
3	MG	G	302	1/1	0.85	0.11	53,53,53,53	0
3	MG	Н	302	1/1	0.89	0.25	48,48,48,48	0
2	ADP	Н	301	27/27	0.91	0.09	26,39,78,88	0
3	MG	F	302	1/1	0.93	0.21	45,45,45,45	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




# Electron density around ADP C 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around ADP G 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)













# Electron density around MG C 302:












#### Electron density around MG E 302:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)





























#### Electron density around ADP F 301 (B):

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around ADP D 301 (B):


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)
















#### Electron density around ADP B 301 (A):

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around ADP B 301 (B):


 $2 \mathrm{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)















# Electron density around MG G 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)














# 6.5 Other polymers (i)

There are no such residues in this entry.

