

Full wwPDB X-ray Structure Validation Report (i)

Feb 4, 2025 – 02:08 PM EST

PDB ID	:	9DRV
Title	:	Crystal structure of M. tuberculosis PheRS-tRNA complex bound to inhibitor
		D-004
Authors	:	Gade, P.; Chang, C.; Forte, B.; Wower, J.; Gilbert, I.H.; Baragana, B.; Michal-
		ska, K.; Joachimiak, A.; Center for Structural Biology of Infectious Diseases
		(CSBID)
Deposited on	:	2024-09-26
Resolution	:	2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	4.02b-467
:	2022.3.0, CSD as543be (2022)
:	1.21
:	3.0
:	1.1.7(2018)
:	20231227.v01 (using entries in the PDB archive December 27th 2023)
:	9.0.004 (Gargrove)
:	1.0.11
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.40
	:::::::::::::::::::::::::::::::::::::::



1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.46 Å.

RSRZ outliers

RNA backbone

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	164625	1096 (2.46-2.46)
Clashscore	180529	1178(2.46-2.46)
Ramachandran outliers	177936	1170 (2.46-2.46)
Sidechain outliers	177891	1170(2.46-2.46)

164620

3690

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

1096(2.46-2.46)

1040(2.76-2.16)

Mol	Chain	Length	Quality of chain	
1	А	350	19%	16% • •
1	D	350	80%	18% ••
2	В	835	2% 9 0%	9% •
2	Е	835	82%	15% •



Mol	Chain	Length	Quality of chain		
3	С	77	83%	9%	8%
3	F	77	75%	17%	8%



9DRV

2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 21397 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	241	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	A	041	2598	1640	465	484	9	0	0	0
1	П	244	Total	С	Ν	0	S	0	0	0
		044	2640	1662	477	492	9		0	

• Molecule 1 is a protein called Phenylalanine–tRNA ligase alpha subunit.

Chain	Residue	Modelled	Actual	Comment	Reference
А	-8	GLU	-	expression tag	UNP P9WFU3
А	-7	ASN	-	expression tag	UNP P9WFU3
А	-6	LEU	-	expression tag	UNP P9WFU3
А	-5	TYR	-	expression tag	UNP P9WFU3
А	-4	PHE	-	expression tag	UNP P9WFU3
А	-3	GLN	-	expression tag	UNP P9WFU3
А	-2	SER	-	expression tag	UNP P9WFU3
А	-1	ASN	-	expression tag	UNP P9WFU3
А	0	ALA	-	expression tag	UNP P9WFU3
D	-8	GLU	-	expression tag	UNP P9WFU3
D	-7	ASN	-	expression tag	UNP P9WFU3
D	-6	LEU	-	expression tag	UNP P9WFU3
D	-5	TYR	-	expression tag	UNP P9WFU3
D	-4	PHE	-	expression tag	UNP P9WFU3
D	-3	GLN	-	expression tag	UNP P9WFU3
D	-2	SER	-	expression tag	UNP P9WFU3
D	-1	ASN	-	expression tag	UNP P9WFU3
D	0	ALA	-	expression tag	UNP P9WFU3

There are 18 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called Phenylalanine–tRNA ligase beta subunit.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
2	В	834	Total 6222	C 3908	N 1127	O 1166	S 21	0	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Е	816	Total 5992	C 3762	N 1089	O 1121	S 20	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	-3	GLN	-	expression tag	UNP P9WFU1
В	-2	SER	-	expression tag	UNP P9WFU1
В	-1	ASN	-	expression tag	UNP P9WFU1
В	0	ALA	-	expression tag	UNP P9WFU1
Е	-3	GLN	-	expression tag	UNP P9WFU1
Е	-2	SER	-	expression tag	UNP P9WFU1
Е	-1	ASN	-	expression tag	UNP P9WFU1
Е	0	ALA	-	expression tag	UNP P9WFU1

• Molecule 3 is a RNA chain called tRNA(phe).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	C 71	Total	С	Ν	0	Р	0	0	0
	11	1523	677	277	498	71	0	0	0	
2	Б	71	Total	С	Ν	0	Р	0	0	0
ЭГ	(1	1522	677	277	497	71	0	0	0	

• Molecule 4 is QUINOLIN-2-AMINE (three-letter code: 2AQ) (formula: $C_9H_8N_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C N 11 9 2	0	0
4	D	1	Total C N 11 9 2	0	0

• Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Mg 1 1	0	0
5	С	1	Total Mg 1 1	0	0
5	Е	1	Total Mg 1 1	0	0

• Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
7	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
8	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
8	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
8	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 9 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: $\rm C_2H_6OS).$





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	В	1	Total 4	$\begin{array}{c} \mathrm{C} \\ \mathrm{2} \end{array}$	0 1	S 1	0	0

• Molecule 10 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
10	В	1	Total	С	Ν	0	S	0	0
10	D	L	15	8	2	4	1	0	0
10	В	1	Total	С	Ν	0	S	0	0
10	D		15	8	2	4	1		0

• Molecule 11 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
11	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0

• Molecule 12 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	А	72	$\begin{array}{cc} \text{Total} & \text{O} \\ 72 & 72 \end{array}$	0	0
12	В	329	Total O 329 329	0	0
12	С	50	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 50 & 50 \end{array}$	0	0
12	D	56	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 56 & 56 \end{array}$	0	0
12	Е	208	Total O 208 208	0	0
12	F	33	Total O 33 33	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Phenylalanine–tRNA ligase alpha subunit



NGOT L307 NG 12 L307 MG 13 L307 MG 13 A335 MG 13 A335 P6226 R335 P6227 R335 P6227 R355 P6227 R355 P6227 R355 P6227 R356 P6226 R355 P624 P366 P624 P414 V670 T373 P666 P436 L701 P456 M11 P456 M71 P456 M71 P456 M730 P524 P730 P524 P730 P524 P730 P524 P730 P524 P730 P524 <td

 \bullet Molecule 2: Phenylalanine–tRNA ligase beta subunit



• Molecule 3: tRNA(phe)





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	147.09Å 64.39Å 188.78Å	Deperitor
a, b, c, α , β , γ	90.00° 111.10° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	48.75 - 2.46	Depositor
Resolution (A)	48.75 - 2.46	EDS
% Data completeness	60.7 (48.75-2.46)	Depositor
(in resolution range)	89.6 (48.75-2.46)	EDS
R _{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.06 (at 2.45 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
D D	0.210 , 0.260	Depositor
Λ, Λ_{free}	0.211 , 0.258	DCC
R_{free} test set	5917 reflections $(4.86%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	39.6	Xtriage
Anisotropy	0.127	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 41.7	EDS
L-test for twinning ²	$< L > = 0.49, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	21397	wwPDB-VP
Average B, all atoms $(Å^2)$	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, EPE, MG, GOL, PEG, ACT, EDO, 2AQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
WIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.24	0/2658	0.50	0/3623	
1	D	0.24	0/2700	0.50	0/3676	
2	В	0.24	0/6358	0.51	0/8710	
2	Ε	0.24	0/6122	0.52	0/8397	
3	С	0.28	1/1702~(0.1%)	0.66	0/2652	
3	F	0.12	0/1701	0.67	0/2652	
All	All	0.24	1/21241~(0.0%)	0.54	0/29710	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
3	С	1	G	OP3-P	-10.53	1.48	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2598	0	2524	33	0
1	D	2640	0	2581	41	0
2	В	6222	0	6233	44	0
2	Е	5992	0	5924	80	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	С	1523	0	770	1	0
3	F	1522	0	770	3	0
4	А	11	0	8	0	0
4	D	11	0	8	0	0
5	А	1	0	0	0	0
5	С	1	0	0	0	0
5	Е	1	0	0	0	0
6	А	4	0	3	0	0
6	В	16	0	12	2	0
6	D	8	0	6	0	0
6	Ε	12	0	9	0	0
7	А	7	0	10	0	0
7	В	7	0	10	0	0
7	Ε	7	0	10	0	0
8	В	18	0	24	0	0
8	Ε	6	0	8	0	0
9	В	4	0	6	0	0
10	В	30	0	34	0	0
11	В	4	0	6	0	0
11	Ε	4	0	6	0	0
12	А	72	0	0	0	0
12	В	329	0	0	0	0
12	С	50	0	0	0	0
12	D	56	0	0	0	0
12	Е	208	0	0	1	0
12	F	33	0	0	0	0
All	All	21397	0	18962	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:3:LEU:HD21	2:E:182:LEU:HD23	1.68	0.74
2:B:507:ARG:HD3	2:B:628:GLN:HE21	1.52	0.74
2:E:171:PRO:HA	2:E:372:ARG:HH11	1.54	0.71
2:E:421:MET:HG3	2:E:471:PRO:HB3	1.77	0.66
2:E:275:HIS:CE1	2:E:328:GLY:HA3	2.31	0.65
1:D:198:ARG:NH1	2:E:524:PRO:O	2.28	0.65
1:A:148:PHE:HB3	1:A:155:ARG:HD2	1.77	0.64



Interatomic Clas					
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:D:180:GLN:NE2	1:D:217:GLU:OE2	2.30	0.64		
2:E:-1:ASN:OD1	2:E:169:ILE:N	2.31	0.63		
3:F:7:G:H1	3:F:67:C:H42	1.47	0.62		
2:E:307:LEU:HD13	2:E:313:LEU:HD11	1.82	0.62		
2:E:221:THR:HG23	2:E:312:VAL:HG11	1.81	0.60		
2:B:0:ALA:O	2:B:368:ARG:NH2	2.34	0.60		
1:D:205:LEU:HD23	1:D:211:PRO:HD2	1.83	0.60		
2:E:256:THR:OG1	2:E:257:CYS:N	2.35	0.59		
2:E:2:ARG:HH21	2:E:166:HIS:HB2	1.67	0.59		
2:E:227:ALA:HB3	2:E:345:ALA:HB3	1.82	0.59		
2:E:208:ILE:HD12	2:E:208:ILE:O	2.03	0.59		
2:E:97:VAL:HG11	2:E:131:LEU:HD11	1.85	0.58		
2:E:314:ILE:HG22	2:E:321:ALA:HB3	1.85	0.58		
1:D:211:PRO:HG2	1:D:212:ILE:HD12	1.85	0.58		
3:C:20:U:H5"	1:D:46:GLN:HB3	1.85	0.58		
2:B:196:ASP:HB3	2:B:199:SER:HB3	1.87	0.57		
2:E:98:VAL:HG22	2:E:125:ILE:HG12	1.86	0.57		
2:B:206:LEU:HD13	2:B:398:VAL:HG11	1.86	0.56		
1:A:183:THR:HG21	1:A:193:ILE:HG12	1.88	0.56		
1:D:235:ASP:OD1	1:D:248:THR:OG1	2.24	0.56		
2:E:96:VAL:HG21	2:E:125:ILE:HD13	1.87	0.55		
1:D:146:LEU:HD13	1:D:175:HIS:HE1	1.71	0.55		
1:A:129:GLU:OE1	1:A:187:ARG:NH1	2.39	0.55		
1:A:271:LYS:HG3	1:A:275:ALA:HA	1.88	0.55		
2:B:735:ARG:NH2	2:B:801:PRO:O	2.40	0.55		
2:E:351:ALA:O	2:E:355:ARG:HG3	2.07	0.54		
1:A:198:ARG:NH1	2:B:524:PRO:O	2.40	0.54		
2:B:83:ILE:HG21	2:B:125:ILE:HG13	1.89	0.54		
2:E:206:LEU:HD23	2:E:229:ARG:HE	1.73	0.54		
2:E:299:THR:OG1	2:E:305:ARG:NH1	2.40	0.54		
1:A:181:ILE:O	1:A:185:LEU:HG	2.07	0.54		
1:A:281:GLY:HA3	1:A:308:MET:HG3	1.90	0.53		
1:D:146:LEU:HG	1:D:181:ILE:HD11	1.91	0.53		
1:A:136:VAL:HB	2:B:626:GLN:HE22	1.74	0.53		
2:E:759:VAL:HG22	2:E:825:VAL:HG21	1.91	0.53		
1:A:27:LEU:HD11	1:A:74:TYR:HD1	1.75	0.52		
2:E:553:PRO:HG3	2:E:559:PRO:HB3	1.92	0.52		
2:E:49:PRO:HB3	2:E:100:LEU:HD12	1.91	0.52		
1:A:11:VAL:HG23	1:A:70:ALA:HB2	1.92	0.51		
2:B:258:PRO:O	2:B:262:VAL:HG23	2.10	0.51		
2:E:764:ARG:NH1	12:E:1005:HOH:O	2.42	0.51		



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:317:ASP:OD1	2:E:317:ASP:N	2.36	0.51
2:B:537:GLY:HA3	6:B:910:ACT:H2	1.91	0.51
1:A:285:MET:HA	1:A:304:PHE:HA	1.93	0.51
2:B:281:ARG:HH22	2:B:335:ARG:HD3	1.76	0.51
2:E:289:ARG:NH1	2:E:315:VAL:HG21	2.26	0.51
2:B:262:VAL:HG13	2:B:389:LEU:HD12	1.93	0.51
1:A:255:PHE:HD2	1:A:261:SER:HB3	1.76	0.51
2:B:408:ASP:OD1	2:B:408:ASP:N	2.43	0.51
2:E:224:ARG:HH11	2:E:224:ARG:HG3	1.76	0.50
1:A:211:PRO:HG2	1:A:212:ILE:HD12	1.93	0.50
1:D:214:HIS:CE1	2:E:523:LEU:HD13	2.46	0.50
2:E:165:PHE:HB3	2:E:167:LEU:HD21	1.94	0.50
2:E:229:ARG:NH1	2:E:402:LEU:HB2	2.27	0.50
2:E:206:LEU:HB3	2:E:229:ARG:NH2	2.27	0.49
2:B:552:ASN:OD1	2:B:552:ASN:N	2.44	0.49
1:D:177:SER:N	1:D:178:PRO:HD2	2.26	0.49
2:E:315:VAL:HG12	2:E:320:THR:HA	1.94	0.49
2:E:343:LEU:HD13	2:E:386:CYS:HB3	1.95	0.49
2:E:204:PRO:O	2:E:388:ARG:NH2	2.45	0.49
2:B:373:THR:HG21	2:B:466:PRO:HG3	1.95	0.49
2:B:667:ARG:HE	2:B:730:PRO:HD2	1.78	0.49
2:B:496:ALA:HB1	1:D:126:MET:HG2	1.94	0.49
2:E:37:VAL:HG22	2:E:167:LEU:HD22	1.95	0.49
2:E:217:VAL:HG12	2:E:288:VAL:HB	1.95	0.48
1:A:200:PHE:HE2	2:B:526:PRO:HG3	1.77	0.48
2:E:149:GLU:HG3	2:E:150:PRO:HD2	1.94	0.48
2:B:670:VAL:HG12	2:B:690:VAL:HG22	1.95	0.48
1:D:200:PHE:HE1	2:E:526:PRO:HG3	1.78	0.48
2:E:552:ASN:OD1	2:E:552:ASN:N	2.47	0.48
2:B:307:LEU:HD13	2:B:313:LEU:HD11	1.96	0.48
1:A:255:PHE:HB2	1:A:258:THR:OG1	2.14	0.48
2:B:777:PHE:HA	2:E:642:GLY:HA2	1.95	0.47
1:D:144:ASP:OD2	1:D:169:ARG:NH2	2.46	0.47
1:A:163:ILE:HB	1:A:170:GLN:HB3	1.96	0.47
2:E:206:LEU:HD23	2:E:229:ARG:NE	2.29	0.47
2:B:496:ALA:HB3	2:E:491:LEU:HD13	1.96	0.47
2:E:90:PHE:HE1	2:E:140:ILE:HG12	1.80	0.47
2:B:564:THR:OG1	2:B:719:GLU:OE1	2.29	0.47
2:E:311:ASP:OD1	2:E:359:ARG:NH2	2.47	0.47
1:D:170:GLN:NE2	2:E:622:SER:O	2.48	0.47
2:E:503:GLY:O	2:E:507:ARG:HD3	2.16	0.46



	t i c	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:256:THR:OG1	2:B:257:CYS:N	2.47	0.46	
1:A:161:PHE:HB2	1:A:172:LEU:HB2	1.98	0.46	
1:D:268:PHE:HD1	1:D:270:ASN:H	1.64	0.46	
1:D:251:ARG:NH2	1:D:263:GLU:OE1	2.45	0.46	
2:E:314:ILE:O	2:E:321:ALA:N	2.45	0.46	
1:A:173:ARG:HD2	1:A:199:THR:HG22	1.97	0.46	
2:B:73:VAL:HG11	2:B:98:VAL:HG21	1.97	0.46	
2:B:414:TRP:HD1	6:B:901:ACT:H3	1.81	0.46	
2:E:439:THR:HG23	2:E:478:VAL:HG21	1.97	0.46	
1:A:210:THR:HG23	1:A:213:PHE:HB3	1.98	0.45	
1:D:210:THR:HG23	1:D:213:PHE:HB3	1.98	0.45	
2:E:259:ALA:HB3	2:E:334:VAL:HG11	1.97	0.45	
2:E:49:PRO:HD2	2:E:103:ALA:HB2	1.99	0.45	
1:D:189:LEU:HD23	1:D:191:VAL:HG23	1.99	0.45	
2:B:507:ARG:CD	2:B:628:GLN:HE21	2.27	0.45	
2:B:684:ARG:NH1	1:D:93:GLU:O	2.50	0.45	
2:E:29:THR:O	2:E:33:ILE:HG12	2.16	0.45	
2:E:224:ARG:HG3	2:E:224:ARG:NH1	2.32	0.45	
2:B:686:ALA:HB2	1:D:97:VAL:HB	1.98	0.44	
1:A:205:LEU:HG	1:A:324:ARG:HG2	1.99	0.44	
2:E:202:ARG:HE	2:E:202:ARG:HB3	1.62	0.44	
1:A:22:ASP:OD1	1:A:22:ASP:N	2.40	0.44	
2:E:485:GLU:OE1	2:E:485:GLU:N	2.27	0.44	
2:E:591:GLN:HA	2:E:628:GLN:HA	1.99	0.44	
2:B:298:VAL:HG22	2:B:304:GLU:HG3	2.00	0.44	
1:D:189:LEU:HD11	1:D:296:ILE:HG12	2.00	0.44	
1:A:177:SER:N	1:A:178:PRO:HD2	2.32	0.43	
1:D:249:ARG:HD3	1:D:277:TRP:CE2	2.53	0.43	
1:D:192:TYR:CG	2:E:495:PRO:HG3	2.53	0.43	
2:E:536:TRP:HA	2:E:705:VAL:HG22	2.00	0.43	
2:B:763:VAL:HG13	2:B:817:ALA:HB1	2.01	0.43	
1:D:214:HIS:HE1	2:E:523:LEU:HD13	1.83	0.43	
2:E:90:PHE:CZ	2:E:125:ILE:HD12	2.54	0.43	
2:E:776:LEU:HB2	2:E:794:PHE:CE2	2.54	0.43	
1:D:53:LYS:HA	1:D:56:ARG:HD2	2.00	0.43	
2:E:214:PRO:HG2	2:E:285:THR:HA	2.00	0.43	
2:E:517:SER:O	2:E:638:ARG:NH2	2.49	0.43	
2:B:90:PHE:HB3	2:B:140:ILE:HD11	2.01	0.43	
2:E:182:LEU:HD12	2:E:182:LEU:HA	1.78	0.43	
2:E:365:GLU:OE1	2:E:368:ARG:NH2	2.51	0.43	
1:A:136:VAL:HB	2:B:626:GLN:NE2	2.33	0.43	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:127:SER:HB2	2:E:139:GLY:O	2.18	0.43
2:B:680:TRP:HB3	2:B:685:CYS:HB2	2.01	0.43
1:D:183:THR:HG21	1:D:193:ILE:HG12	2.01	0.42
2:E:90:PHE:CE1	2:E:140:ILE:HG12	2.54	0.42
1:A:323:MET:HG3	1:A:326:MET:HE2	2.00	0.42
2:B:542:ASP:HB3	2:B:545:ARG:HG3	2.01	0.42
2:B:314:ILE:HD12	2:B:322:ALA:HB3	2.02	0.42
1:D:249:ARG:HG2	1:D:265:ASP:HB2	2.01	0.42
2:E:234:ILE:HG12	2:E:339:THR:HA	2.01	0.42
2:E:491:LEU:HD23	2:E:492:PRO:HD2	2.00	0.42
1:A:1:MET:SD	1:A:2:LEU:N	2.93	0.42
1:A:173:ARG:HD3	1:A:175:HIS:O	2.19	0.42
2:E:679:PRO:HB2	2:E:705:VAL:HG11	2.01	0.42
2:B:680:TRP:HA	2:B:701:LEU:HA	2.01	0.42
2:B:534:ASP:OD1	2:B:545:ARG:NH2	2.50	0.42
2:B:681:HIS:HB3	2:B:684:ARG:HB2	2.02	0.42
2:E:153:ASP:O	2:E:157:VAL:HG23	2.20	0.42
1:A:135:GLU:HB3	1:A:200:PHE:CE1	2.55	0.41
1:D:172:LEU:HD11	2:E:561:LEU:HD21	2.01	0.41
1:D:242:PHE:HB3	1:D:268:PHE:HB3	2.02	0.41
1:D:255:PHE:HB2	1:D:258:THR:OG1	2.20	0.41
3:F:30:C:H2'	3:F:31:G:H8	1.84	0.41
1:D:295:GLY:N	2:E:610:ARG:HB2	2.35	0.41
1:D:315:GLN:NE2	1:D:320:ILE:O	2.47	0.41
2:E:373:THR:HG21	2:E:466:PRO:HG3	2.01	0.41
1:D:242:PHE:CD2	1:D:266:VAL:HG11	2.55	0.41
2:E:225:ARG:HD3	2:E:379:SER:HB2	2.01	0.41
2:E:248:LEU:HD23	2:E:248:LEU:HA	1.87	0.41
2:B:140:ILE:H	2:B:140:ILE:HG13	1.66	0.41
1:D:136:VAL:HG12	2:E:623:LEU:HD22	2.02	0.41
1:D:149:PRO:HD2	1:D:152:HIS:HD2	1.85	0.41
2:E:-2:SER:HB2	2:E:368:ARG:HD2	2.03	0.41
2:E:217:VAL:HG21	2:E:405:TRP:CE2	2.54	0.41
2:B:204:PRO:HA	2:B:205:PRO:HD3	1.90	0.41
1:A:180:GLN:HA	1:A:219:LEU:HD22	2.03	0.41
2:B:807:GLU:HG2	3:F:40:G:P	2.60	0.41
1:A:40:PRO:HA	1:A:43:LEU:HD12	2.03	0.41
1:A:158:GLN:H	1:A:158:GLN:HG2	1.54	0.41
1:D:67:ARG:HG3	1:D:67:ARG:HH11	1.86	0.41
1:D:163:ILE:HG13	1:D:170:GLN:HB3	2.03	0.41
1:D:216:VAL:O	1:D:307:GLY:HA2	2.21	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:337:ASP:OD1	2:E:337:ASP:N	2.50	0.41
1:D:253:HIS:CG	1:D:254:PHE:H	2.39	0.41
2:B:44:GLY:HA3	2:B:45:PRO:HA	1.87	0.40
1:A:101:SER:HB2	2:E:657:GLU:HB2	2.03	0.40
2:E:416:PRO:HD2	2:E:461:PRO:O	2.21	0.40
2:B:175:TYR:OH	2:B:185:GLU:OE2	2.26	0.40
1:D:22:ASP:OD1	1:D:22:ASP:N	2.42	0.40
1:A:50:VAL:O	1:A:51:LEU:HD13	2.22	0.40
1:A:148:PHE:CE2	1:A:256:PRO:HG2	2.57	0.40
1:D:54:GLU:H	1:D:54:GLU:CD	2.23	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	339/350~(97%)	322 (95%)	16 (5%)	1 (0%)	37	45
1	D	342/350~(98%)	327~(96%)	13~(4%)	2(1%)	22	28
2	В	832/835~(100%)	812 (98%)	18 (2%)	2(0%)	44	54
2	Ε	810/835~(97%)	776 (96%)	32~(4%)	2 (0%)	44	54
All	All	2323/2370~(98%)	2237 (96%)	79~(3%)	7~(0%)	37	45

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	Е	89	ASN
2	В	373	THR
1	D	275	ALA
1	А	321	PRO
2	Е	324	GLY



 $Continued \ from \ previous \ page...$

Mol	Chain	Res	Type
1	D	321	PRO
2	В	559	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	260/276~(94%)	248~(95%)	12 (5%)	23 33
1	D	267/276~(97%)	260~(97%)	7(3%)	41 57
2	В	647/652~(99%)	628~(97%)	19 (3%)	37 52
2	Е	608/652~(93%)	591 (97%)	17 (3%)	38 54
All	All	1782/1856~(96%)	1727 (97%)	55 (3%)	35 50

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
1	А	3	SER
1	А	23	THR
1	А	74	TYR
1	А	85	ARG
1	А	158	GLN
1	A	173	ARG
1	А	175	HIS
1	А	176	THR
1	А	188	GLU
1	А	223	ARG
1	А	308	MET
2	В	-2	SER
2	В	2	ARG
2	В	9	ARG
2	В	119	ARG
2	В	220	GLU
2	В	281	ARG
2	В	335	ARG



Mol	Aol Chain F		Type
2	В	361	HIS
2	В	368	ARG
2	В	436	GLN
2	В	455	ASP
2	В	548	THR
2	В	564	THR
2	В	600	ARG
2	В	629	HIS
2	В	660	ARG
2	В	718	VAL
2	В	728	SER
2	В	735	ARG
1	D	76	GLU
1	D	171	LEU
1	D	177	SER
1	D	248	THR
1	D	279	GLU
1	D	308	MET
1	D	312	ARG
2	Е	-1	ASN
2	Е	3	LEU
2	Е	26	LEU
2	Е	124	MET
2	Е	193	ASP
2	Е	201	SER
2	Е	216	THR
2	Е	296	THR
2	Е	311	ASP
2	Е	327	MET
2	Е	335	ARG
2	Е	344	GLU
2	Е	385	ARG
2	Е	386	CYS
2	Е	427	ASP
2	Е	549	ARG
2	Е	564	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	170	GLN
1	А	175	HIS



Continued from previous page...

Mol	Chain	Res	Type
2	В	218	GLN
2	В	628	GLN
1	D	142	ASN
2	Е	275	HIS

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	С	70/77~(90%)	5 (7%)	0
3	F	70/77~(90%)	8 (11%)	0
All	All	140/154~(90%)	13 (9%)	0

All (13) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	С	4	С
3	С	16	U
3	С	22	U
3	С	23	G
3	С	43	G
3	F	3	С
3	F	4	С
3	F	16	U
3	F	19	G
3	F	22	U
3	F	23	G
3	F	69	U
3	F	71	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



5.6 Ligand geometry (i)

Of 27 ligands modelled in this entry, 3 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bog Link Bond lengths		Bond angles					
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
8	GOL	В	912	-	$5,\!5,\!5$	0.96	0	$5,\!5,\!5$	1.05	0
6	ACT	D	402	-	3,3,3	1.35	0	3,3,3	1.37	0
6	ACT	D	403	-	$3,\!3,\!3$	1.39	1 (33%)	$3,\!3,\!3$	1.37	0
6	ACT	Е	906	-	3,3,3	1.31	0	3,3,3	1.37	0
4	2AQ	А	401	-	12,12,12	1.73	2 (16%)	15, 16, 16	1.15	1 (6%)
8	GOL	В	905	-	$5,\!5,\!5$	0.92	0	$5,\!5,\!5$	1.08	0
8	GOL	В	904	-	$5,\!5,\!5$	0.92	0	$5,\!5,\!5$	1.12	0
6	ACT	В	901	-	3, 3, 3	1.37	0	3, 3, 3	1.35	0
6	ACT	В	910	-	3, 3, 3	1.36	0	3, 3, 3	1.38	0
10	EPE	В	907	-	$15,\!15,\!15$	0.83	1 (6%)	19,20,20	1.85	<mark>5 (26%)</mark>
11	EDO	В	909	-	3,3,3	0.42	0	2,2,2	0.39	0
7	PEG	А	404	-	$6,\!6,\!6$	0.12	0	$5,\!5,\!5$	0.09	0
6	ACT	Е	904	-	3,3,3	1.36	0	3,3,3	1.36	0
6	ACT	А	403	-	$3,\!3,\!3$	1.35	0	3,3,3	1.37	0
9	DMS	В	906	-	3, 3, 3	0.66	0	3, 3, 3	0.52	0
11	EDO	Е	905	-	3, 3, 3	0.42	0	$2,\!2,\!2$	0.36	0
7	PEG	Ε	901	-	$6,\!6,\!6$	0.11	0	$5,\!5,\!5$	0.08	0
4	2AQ	D	401	-	$12,\!12,\!12$	1.71	2 (16%)	$15,\!16,\!16$	1.09	0
6	ACT	В	902	-	$3,\!3,\!3$	1.34	0	$3,\!3,\!3$	1.36	0
6	ACT	В	911	-	3, 3, 3	1.39	0	3, 3, 3	1.37	0
6	ACT	Е	903	-	3,3,3	1.36	0	3,3,3	1.36	0
7	PEG	В	903	-	$6,\!6,\!6$	0.12	0	5, 5, 5	0.09	0
8	GOL	Е	907	-	5,5,5	0.94	0	5,5,5	1.06	0
10	EPE	В	908	-	$15,\!15,\!15$	0.84	1 (6%)	19,20,20	1.67	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	В	912	-	-	1/4/4/4	-
11	EDO	Е	905	-	-	0/1/1/1	-
4	2AQ	А	401	-	-	-	0/2/2/2
10	EPE	В	907	-	-	4/9/19/19	0/1/1/1
7	PEG	Е	901	-	-	1/4/4/4	-
4	2AQ	D	401	-	-	-	0/2/2/2
8	GOL	В	905	-	-	0/4/4/4	-
8	GOL	Е	907	-	-	1/4/4/4	-
7	PEG	В	903	-	-	1/4/4/4	-
11	EDO	В	909	-	-	0/1/1/1	-
8	GOL	В	904	-	-	0/4/4/4	-
7	PEG	А	404	-	-	1/4/4/4	-
10	EPE	В	908	-	-	6/9/19/19	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	401	2AQ	C5-C10	-3.68	1.36	1.42
4	А	401	2AQ	C2-N1	3.63	1.45	1.35
4	D	401	2AQ	C2-N1	3.58	1.45	1.35
4	D	401	2AQ	C5-C10	-3.56	1.36	1.42
10	В	908	EPE	C10-S	2.90	1.81	1.77
10	В	907	EPE	C10-S	2.67	1.81	1.77
6	D	403	ACT	CH3-C	2.01	1.57	1.49

All	(9)	bond	angle	outliers	are	listed	below:
-----	-----	------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
10	В	908	EPE	C5-N4-C3	4.40	118.31	108.84
10	В	907	EPE	C5-N4-C3	4.33	118.17	108.84
10	В	907	EPE	C7-N4-C5	3.60	120.84	111.24
10	В	907	EPE	C7-N4-C3	3.44	120.40	111.24
10	В	908	EPE	C7-N4-C5	2.60	118.16	111.24
10	В	907	EPE	C6-N1-C2	2.46	114.14	108.84
10	В	908	EPE	C7-N4-C3	2.34	117.47	111.24
10	В	907	EPE	O1S-S-C10	2.04	109.81	106.73
4	А	401	2AQ	N1-C2-N11	2.01	119.90	118.24

There are no chirality outliers.

All (15) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
10	В	908	EPE	C10-C9-N1-C2
10	В	908	EPE	C8-C7-N4-C5
8	Е	907	GOL	O1-C1-C2-C3
10	В	908	EPE	C9-C10-S-O3S
10	В	907	EPE	C8-C7-N4-C5
10	В	907	EPE	C10-C9-N1-C6
10	В	908	EPE	C9-C10-S-O1S
10	В	908	EPE	C9-C10-S-O2S
8	В	912	GOL	O2-C2-C3-O3
7	А	404	PEG	C1-C2-O2-C3
7	Е	901	PEG	O1-C1-C2-O2
10	В	907	EPE	C10-C9-N1-C2
10	В	908	EPE	C10-C9-N1-C6
7	В	903	PEG	O1-C1-C2-O2
10	В	907	EPE	C8-C7-N4-C3

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	В	901	ACT	1	0
6	В	910	ACT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	341/350~(97%)	0.90	68 (19%) 3 3	25, 51, 121, 153	0
1	D	344/350~(98%)	0.79	41 (11%) 10 10	27, 55, 101, 186	0
2	В	834/835~(99%)	-0.04	15 (1%) 67 69	20, 33, 64, 127	0
2	Е	816/835~(97%)	0.70	106 (12%) 9 8	23, 52, 109, 174	0
3	С	71/77~(92%)	0.47	8 (11%) 11 11	30, 54, 174, 201	0
3	F	71/77~(92%)	1.37	26 (36%) 1 0	34, 78, 191, 205	0
All	All	2477/2524 (98%)	0.51	264 (10%) 12 12	20, 43, 111, 205	0

All (264) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	341	ALA	8.2
2	Е	100	LEU	5.4
2	Е	85	CYS	5.3
1	А	62	ARG	5.1
1	А	57	ALA	5.0
2	Е	307	LEU	4.9
2	Е	90	PHE	4.6
1	А	48	LEU	4.6
3	F	61	С	4.6
1	А	58	GLU	4.4
1	D	276	ALA	4.3
2	Е	301	ASP	4.3
2	Е	373	THR	4.3
1	А	276	ALA	4.2
1	А	63	VAL	4.1
3	F	62	С	4.1
1	D	275	ALA	4.1
3	С	17	С	4.1
2	Е	204	PRO	4.0



Mol	Chain	Res	Type	RSRZ
1	А	156	GLY	4.0
2	Е	-2	SER	4.0
1	А	157	GLU	4.0
1	А	2	LEU	3.9
1	А	65	ALA	3.8
2	Е	363	PRO	3.8
2	Е	335	ARG	3.8
1	А	51	LEU	3.8
1	А	43	LEU	3.7
1	А	152	HIS	3.7
2	Е	92	VAL	3.7
1	А	69	ALA	3.7
1	А	159	ASP	3.7
1	А	59	ALA	3.6
1	А	4	PRO	3.5
1	А	50	VAL	3.5
1	А	37	ASP	3.5
1	D	269	ALA	3.5
1	А	45	ARG	3.5
1	D	205	LEU	3.4
2	Е	78	ARG	3.4
1	А	1	MET	3.4
3	F	17	С	3.4
2	Е	153	ASP	3.4
2	Е	321	ALA	3.4
2	Е	325	GLY	3.4
1	А	158	GLN	3.3
1	D	93	GLU	3.3
1	А	71	GLN	3.3
1	D	268	PHE	3.2
1	D	94	GLY	3.2
1	D	4	PRO	3.2
1	А	341	ALA	3.2
2	Е	281	ARG	3.2
1	А	47	ALA	3.2
2	Е	336	ALA	3.2
1	D	210	THR	3.2
2	Е	283	SER	3.2
1	А	53	LYS	3.2
2	Е	527	PHE	3.2
2	Е	302	GLY	3.1
2	Е	303	ILE	3.1



Mol	Chain	Res	Type	RSRZ
3	F	3	С	3.1
2	Е	259	ALA	3.1
2	Е	330	ALA	3.1
1	А	42	ALA	3.1
2	Е	310	ALA	3.1
2	Е	322	ALA	3.1
2	Е	397	GLU	3.1
1	А	52	PRO	3.0
1	D	270	ASN	3.0
3	С	22	U	3.0
1	А	154	ALA	3.0
2	Е	80	TYR	3.0
3	F	21	A	3.0
2	Е	58	ILE	3.0
2	Е	557	ASP	3.0
1	D	5	GLU	3.0
1	А	70	ALA	3.0
1	D	92	ALA	3.0
1	D	274	GLY	2.9
2	В	601	GLY	2.9
2	Е	213	TRP	2.9
2	Е	341	VAL	2.9
3	F	68	С	2.9
2	В	831	GLY	2.9
1	D	-1	ASN	2.9
1	А	153	PRO	2.9
2	Е	70	ALA	2.9
1	А	270	ASN	2.9
1	D	272	ILE	2.8
2	В	109	PHE	2.8
3	F	60	U	2.8
3	F	63	С	2.8
1	A	41	LEU	2.8
2	Е	43	LEU	2.8
1	A	64	ASN	2.8
1	A	272	ILE	2.8
3	F	5	A	2.8
2	В	716	CYS	2.8
2	Е	91	ALA	2.8
1	A	274	GLY	2.8
2	В	118	GLY	2.8
3	F	22	U	2.8



Mol	Chain	Res	Type	RSRZ
1	А	49	ALA	2.8
2	Е	111	ILE	2.7
2	Е	109	PHE	2.7
2	Е	530	ALA	2.7
1	D	267	TRP	2.7
1	А	61	LYS	2.7
3	F	48	U	2.7
1	D	316	PHE	2.7
1	А	90	LEU	2.7
2	В	300	LEU	2.7
1	D	164	ALA	2.7
1	D	149	PRO	2.7
2	Е	393	ILE	2.7
1	A	11	VAL	2.6
2	Е	77	ASP	2.6
1	А	134	PRO	2.6
1	D	153	PRO	2.6
2	Е	60	GLU	2.6
2	В	63	GLY	2.6
1	А	46	GLN	2.6
3	С	4	С	2.6
2	Е	106	PRO	2.6
2	Е	328	GLY	2.6
2	Е	607	VAL	2.6
1	А	10	ALA	2.6
3	С	69	U	2.6
1	А	316	PHE	2.6
2	Е	95	LEU	2.6
2	Е	56	ALA	2.6
2	Ε	150	PRO	2.6
1	А	151	ASP	2.6
1	D	1	MET	2.6
2	Е	143	LEU	2.5
1	D	-2	SER	2.5
2	Е	72	ALA	2.5
2	Е	258	PRO	2.5
2	Е	234	ILE	2.5
1	D	202	THR	2.5
2	E	296	THR	2.5
1	А	72	ARG	2.5
1	D	340	GLY	2.5
1	А	44	ALA	2.5



Mol	Chain	Res	Type	RSRZ
1	D	52	PRO	2.5
1	А	141	PHE	2.5
2	Е	312	VAL	2.5
2	Е	84	ILE	2.5
2	Е	57	ASP	2.5
3	С	5	А	2.5
3	С	6	G	2.4
3	F	19	G	2.4
3	F	64	G	2.4
1	А	56	ARG	2.4
1	D	271	LYS	2.4
2	Е	327	MET	2.4
1	А	268	PHE	2.4
2	Е	59	GLU	2.4
2	Е	155	ALA	2.4
2	Е	329	ALA	2.4
2	В	-2	SER	2.4
1	А	205	LEU	2.4
2	Е	300	LEU	2.4
1	D	154	ALA	2.4
2	Е	168	ALA	2.4
3	F	55	U	2.4
3	F	49	С	2.4
1	D	20	LEU	2.4
3	С	2	G	2.4
1	D	165	PRO	2.4
2	Е	289	ARG	2.4
2	Е	354	SER	2.4
2	В	62	THR	2.4
2	E	88	THR	2.4
3	F	18	G	2.3
1	А	149	PRO	2.3
1	A	164	ALA	2.3
1	А	275	ALA	2.3
2	E	$39\overline{4}$	ALA	2.3
1	A	60	GLY	2.3
1	A	273	GLY	2.3
2	Е	243	TRP	2.3
1	A	6	ALA	2.3
2	Е	126	CYS	2.3
2	В	598	GLN	2.3
2	Е	291	ALA	2.3



Mol	Chain	Res	Type	RSRZ
2	Е	293	SER	2.3
2	Е	294	GLY	2.3
2	Е	324	GLY	2.3
1	D	206	ASP	2.3
1	А	66	ALA	2.3
2	Е	391	ALA	2.3
3	F	71	G	2.2
3	F	59	А	2.2
1	А	267	TRP	2.2
2	Е	145	PRO	2.2
2	Е	282	ILE	2.2
2	Е	334	VAL	2.2
1	D	273	GLY	2.2
2	Е	71	CYS	2.2
2	Е	158	LEU	2.2
2	Е	831	GLY	2.2
1	А	73	SER	2.2
1	D	9	THR	2.2
2	Е	342	LEU	2.2
2	Е	340	ASP	2.2
2	Е	598	GLN	2.2
3	F	1	G	2.2
3	F	2	G	2.2
3	F	20	U	2.2
3	F	53	G	2.2
3	F	56	U	2.2
2	Е	98	VAL	2.2
2	Е	323	ILE	2.2
2	Е	306	LYS	2.2
2	Е	562	ALA	2.2
1	D	146	LEU	2.2
2	Е	554	LEU	2.2
2	В	618	MET	2.2
3	F	4	С	2.2
1	A	5	GLU	2.2
2	Е	136	ASP	2.2
1	А	18	ILE	2.2
2	В	607	VAL	2.2
2	Ε	338	SER	2.1
1	A	7	LEU	2.1
1	D	7	LEU	2.1
3	F	6	G	2.1



Mol	Chain	Res	Type	RSRZ
2	Е	97	VAL	2.1
2	Е	223	VAL	2.1
1	D	6	ALA	2.1
1	D	145	ALA	2.1
2	Е	359	ARG	2.1
2	Е	233	GLY	2.1
2	Е	548	THR	2.1
1	D	148	PHE	2.1
3	С	1	G	2.1
2	Е	295	GLU	2.1
2	Е	452	HIS	2.1
2	Е	313	LEU	2.1
2	Е	551	LEU	2.1
2	Е	318	ALA	2.1
1	А	176	THR	2.1
2	В	612	THR	2.1
1	А	269	ALA	2.0
2	Е	284	GLY	2.0
1	D	53	LYS	2.0
1	D	158	GLN	2.0
2	В	358	ARG	2.0
2	Е	343	LEU	2.0
2	Е	362	LEU	2.0
3	F	54	G	2.0
1	А	14	ALA	2.0
2	Е	237	ALA	2.0
2	Е	238	ALA	2.0
1	D	134	PRO	2.0
1	А	55	GLN	2.0
1	А	160	THR	2.0
2	В	64	TYR	2.0
2	Е	332	THR	2.0
2	Е	784	GLN	2.0
2	Е	415	SER	2.0
2	Е	83	ILE	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
7	PEG	Е	901	7/7	0.70	0.22	49,56,69,78	0
6	ACT	Е	903	4/4	0.74	0.15	42,56,56,66	0
7	PEG	А	404	7/7	0.75	0.17	44,54,61,63	0
8	GOL	Е	907	6/6	0.79	0.17	51,59,64,67	0
6	ACT	D	403	4/4	0.80	0.18	38,53,57,61	0
8	GOL	В	905	6/6	0.81	0.14	52,61,65,69	0
6	ACT	В	910	4/4	0.81	0.18	41,45,49,50	0
11	EDO	В	909	4/4	0.82	0.16	47,48,49,50	0
6	ACT	Е	906	4/4	0.83	0.20	63,68,69,70	0
7	PEG	В	903	7/7	0.84	0.25	30,38,50,51	0
8	GOL	В	904	6/6	0.85	0.16	27,34,37,39	0
10	EPE	В	908	15/15	0.86	0.14	48,57,73,86	0
11	EDO	Е	905	4/4	0.86	0.22	42,48,51,68	0
10	EPE	В	907	15/15	0.87	0.14	52,60,67,77	0
6	ACT	В	901	4/4	0.87	0.11	46,46,47,49	0
6	ACT	В	911	4/4	0.88	0.14	40,42,48,55	0
5	MG	С	400	1/1	0.89	0.09	47,47,47,47	0
6	ACT	D	402	4/4	0.90	0.14	33,37,38,41	0
8	GOL	В	912	6/6	0.91	0.10	34,45,51,52	0
4	2AQ	D	401	11/11	0.91	0.12	42,50,52,54	0
6	ACT	Е	904	4/4	0.92	0.11	39,42,47,52	0
6	ACT	А	403	4/4	0.93	0.14	30,32,40,42	0
4	2AQ	А	401	11/11	0.94	0.09	34,38,41,43	0
5	MG	Е	902	1/1	0.95	0.06	42,42,42,42	0
6	ACT	В	902	4/4	0.96	0.08	28,32,33,34	0
9	DMS	В	906	4/4	0.96	0.12	37,43,47,47	0
5	MG	A	402	1/1	1.00	0.01	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

