



# Full wwPDB X-ray Structure Validation Report i

Oct 12, 2023 – 08:07 AM EDT

PDB ID : 8DSK  
Title : Structure of the N358Y variant of serine hydroxymethyltransferase 8 in complex with PLP, glycine, and formyl tetrahydrofolate  
Authors : Korasick, D.A.; Beamer, L.J.  
Deposited on : 2022-07-22  
Resolution : 1.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 1.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	130704	3122 (1.66-1.62)
Clashscore	141614	3268 (1.66-1.62)
Ramachandran outliers	138981	3215 (1.66-1.62)
Sidechain outliers	138945	3215 (1.66-1.62)
RSRZ outliers	127900	3079 (1.66-1.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 17198 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine hydroxymethyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	472	Total	C 3659	N 2333	O 620	S 689	17	0	7	0
1	B	470	Total	C 3666	N 2342	O 620	S 687	17	0	11	0
1	C	472	Total	C 3678	N 2351	O 620	S 690	17	0	11	0
1	D	472	Total	C 3668	N 2337	O 622	S 692	17	0	9	0

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP A0A0R0IK90
A	-18	GLY	-	expression tag	UNP A0A0R0IK90
A	-17	SER	-	expression tag	UNP A0A0R0IK90
A	-16	SER	-	expression tag	UNP A0A0R0IK90
A	-15	HIS	-	expression tag	UNP A0A0R0IK90
A	-14	HIS	-	expression tag	UNP A0A0R0IK90
A	-13	HIS	-	expression tag	UNP A0A0R0IK90
A	-12	HIS	-	expression tag	UNP A0A0R0IK90
A	-11	HIS	-	expression tag	UNP A0A0R0IK90
A	-10	HIS	-	expression tag	UNP A0A0R0IK90
A	-9	SER	-	expression tag	UNP A0A0R0IK90
A	-8	SER	-	expression tag	UNP A0A0R0IK90
A	-7	GLY	-	expression tag	UNP A0A0R0IK90
A	-6	LEU	-	expression tag	UNP A0A0R0IK90
A	-5	VAL	-	expression tag	UNP A0A0R0IK90
A	-4	PRO	-	expression tag	UNP A0A0R0IK90
A	-3	ARG	-	expression tag	UNP A0A0R0IK90
A	-2	GLY	-	expression tag	UNP A0A0R0IK90
A	-1	SER	-	expression tag	UNP A0A0R0IK90
A	0	HIS	-	expression tag	UNP A0A0R0IK90
A	358	TYR	ASN	engineered mutation	UNP A0A0R0IK90

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP A0A0R0IK90
B	-18	GLY	-	expression tag	UNP A0A0R0IK90
B	-17	SER	-	expression tag	UNP A0A0R0IK90
B	-16	SER	-	expression tag	UNP A0A0R0IK90
B	-15	HIS	-	expression tag	UNP A0A0R0IK90
B	-14	HIS	-	expression tag	UNP A0A0R0IK90
B	-13	HIS	-	expression tag	UNP A0A0R0IK90
B	-12	HIS	-	expression tag	UNP A0A0R0IK90
B	-11	HIS	-	expression tag	UNP A0A0R0IK90
B	-10	HIS	-	expression tag	UNP A0A0R0IK90
B	-9	SER	-	expression tag	UNP A0A0R0IK90
B	-8	SER	-	expression tag	UNP A0A0R0IK90
B	-7	GLY	-	expression tag	UNP A0A0R0IK90
B	-6	LEU	-	expression tag	UNP A0A0R0IK90
B	-5	VAL	-	expression tag	UNP A0A0R0IK90
B	-4	PRO	-	expression tag	UNP A0A0R0IK90
B	-3	ARG	-	expression tag	UNP A0A0R0IK90
B	-2	GLY	-	expression tag	UNP A0A0R0IK90
B	-1	SER	-	expression tag	UNP A0A0R0IK90
B	0	HIS	-	expression tag	UNP A0A0R0IK90
B	358	TYR	ASN	engineered mutation	UNP A0A0R0IK90
C	-19	MET	-	initiating methionine	UNP A0A0R0IK90
C	-18	GLY	-	expression tag	UNP A0A0R0IK90
C	-17	SER	-	expression tag	UNP A0A0R0IK90
C	-16	SER	-	expression tag	UNP A0A0R0IK90
C	-15	HIS	-	expression tag	UNP A0A0R0IK90
C	-14	HIS	-	expression tag	UNP A0A0R0IK90
C	-13	HIS	-	expression tag	UNP A0A0R0IK90
C	-12	HIS	-	expression tag	UNP A0A0R0IK90
C	-11	HIS	-	expression tag	UNP A0A0R0IK90
C	-10	HIS	-	expression tag	UNP A0A0R0IK90
C	-9	SER	-	expression tag	UNP A0A0R0IK90
C	-8	SER	-	expression tag	UNP A0A0R0IK90
C	-7	GLY	-	expression tag	UNP A0A0R0IK90
C	-6	LEU	-	expression tag	UNP A0A0R0IK90
C	-5	VAL	-	expression tag	UNP A0A0R0IK90
C	-4	PRO	-	expression tag	UNP A0A0R0IK90
C	-3	ARG	-	expression tag	UNP A0A0R0IK90
C	-2	GLY	-	expression tag	UNP A0A0R0IK90
C	-1	SER	-	expression tag	UNP A0A0R0IK90
C	0	HIS	-	expression tag	UNP A0A0R0IK90
C	358	TYR	ASN	engineered mutation	UNP A0A0R0IK90

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	MET	-	initiating methionine	UNP A0A0R0IK90
D	-18	GLY	-	expression tag	UNP A0A0R0IK90
D	-17	SER	-	expression tag	UNP A0A0R0IK90
D	-16	SER	-	expression tag	UNP A0A0R0IK90
D	-15	HIS	-	expression tag	UNP A0A0R0IK90
D	-14	HIS	-	expression tag	UNP A0A0R0IK90
D	-13	HIS	-	expression tag	UNP A0A0R0IK90
D	-12	HIS	-	expression tag	UNP A0A0R0IK90
D	-11	HIS	-	expression tag	UNP A0A0R0IK90
D	-10	HIS	-	expression tag	UNP A0A0R0IK90
D	-9	SER	-	expression tag	UNP A0A0R0IK90
D	-8	SER	-	expression tag	UNP A0A0R0IK90
D	-7	GLY	-	expression tag	UNP A0A0R0IK90
D	-6	LEU	-	expression tag	UNP A0A0R0IK90
D	-5	VAL	-	expression tag	UNP A0A0R0IK90
D	-4	PRO	-	expression tag	UNP A0A0R0IK90
D	-3	ARG	-	expression tag	UNP A0A0R0IK90
D	-2	GLY	-	expression tag	UNP A0A0R0IK90
D	-1	SER	-	expression tag	UNP A0A0R0IK90
D	0	HIS	-	expression tag	UNP A0A0R0IK90
D	358	TYR	ASN	engineered mutation	UNP A0A0R0IK90

- Molecule 2 is N-GLYCINE-[3-HYDROXY-2-METHYL-5-PHOSPHONOOXYMETHYL-P YRIDIN-4-YL-METHANE] (three-letter code: PLG) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>2</sub>O<sub>7</sub>P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 20	C 10	N 2	O 7	P 1	0	0
2	B	1	Total 20	C 10	N 2	O 7	P 1	0	0
2	C	1	Total 20	C 10	N 2	O 7	P 1	0	0
2	D	1	Total 20	C 10	N 2	O 7	P 1	0	0

- Molecule 3 is N-[4-({[(6S)-2-amino-5-formyl-4-oxo-3,4,5,6,7,8-hexahydropteridin-6-yl]methyl}amino)benzoyl]-L-glutamic acid (three-letter code: FFO) (formula: C<sub>20</sub>H<sub>23</sub>N<sub>7</sub>O<sub>7</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 68	C 40	N 14	O 14		0	1
3	B	1	Total 68	C 40	N 14	O 14		0	1
3	C	1	Total 68	C 40	N 14	O 14		0	1
3	D	1	Total 68	C 40	N 14	O 14		0	1

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	499	Total O 499 499	0	0
5	B	503	Total O 503 503	0	0
5	C	577	Total O 577 577	0	0
5	D	524	Total O 524 524	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine hydroxymethyltransferase




- Molecule 1: Serine hydroxymethyltransferase




- Molecule 1: Serine hydroxymethyltransferase



- Molecule 1: Serine hydroxymethyltransferase





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.11Å 90.80Å 147.44Å 90.00° 90.55° 90.00°	Depositor
Resolution (Å)	74.68 – 1.63 87.10 – 1.63	Depositor EDS
% Data completeness (in resolution range)	97.6 (74.68-1.63) 97.6 (87.10-1.63)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.18 (at 1.63Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
$R$ , $R_{free}$	0.184 , 0.214 0.184 , 0.213	Depositor DCC
$R_{free}$ test set	14054 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.5	Xtriage
Anisotropy	0.145	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 43.1	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.51$ , $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -k,-h,-l 0.000 for k,h,-l 0.002 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	17198	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FFO, EDO, PLG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/3765	0.58	0/5100
1	B	0.39	0/3786	0.60	1/5125 (0.0%)
1	C	0.41	0/3796	0.61	0/5141
1	D	0.39	0/3781	0.59	0/5122
All	All	0.39	0/15128	0.59	1/20488 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	395	MET	CA-CB-CG	-5.47	104.00	113.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3659	0	3604	21	0
1	B	3666	0	3617	29	0
1	C	3678	0	3641	15	0
1	D	3668	0	3594	35	0
2	A	20	0	12	2	0
2	B	20	0	12	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	20	0	12	2	0
2	D	20	0	12	2	0
3	A	68	0	42	0	0
3	B	68	0	42	1	0
3	C	68	0	42	0	0
3	D	68	0	42	0	0
4	A	24	0	36	2	0
4	B	20	0	30	1	0
4	C	12	0	18	0	0
4	D	16	0	24	1	0
5	A	499	0	0	5	0
5	B	503	0	0	8	0
5	C	577	0	0	5	0
5	D	524	0	0	10	0
All	All	17198	0	14780	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:361:GLU:OE1	1:D:373:LYS:N	2.08	0.87
1:A:142:SER:HA	4:A:506:EDO:H21	1.67	0.77
1:B:400:LEU:O	5:B:1001:HOH:O	2.09	0.70
1:D:426:HIS:O	1:D:432:ASP:HB3	1.95	0.66
1:B:362[A]:LYS:NZ	1:B:434:ASN:OD1	2.31	0.63
1:D:447:LYS:NZ	5:D:606:HOH:O	2.32	0.62
1:A:470:LYS:O	1:A:471:ASP:HB2	2.00	0.61
1:C:327[B]:LYS:NZ	5:C:602:HOH:O	2.30	0.61
4:B:905:EDO:H21	1:D:142:SER:HA	1.82	0.60
2:B:902:PLG:O3	2:B:902:PLG:N	2.35	0.60
1:D:125:MET:HG2	1:D:157:LEU:O	2.03	0.59
1:C:470:LYS:O	1:C:471:ASP:HB2	2.04	0.57
1:A:350:LEU:HD11	1:A:388[B]:VAL:HG23	1.86	0.57
1:A:1:MET:HE1	5:B:1001:HOH:O	2.04	0.57
5:A:623:HOH:O	2:B:902:PLG:H4A1	2.05	0.56
2:A:501:PLG:H4A1	5:B:1017:HOH:O	2.05	0.56
2:A:501:PLG:O3	2:A:501:PLG:N	2.39	0.56
1:D:403:LYS:HG3	1:D:404:ASP:N	2.19	0.56
1:C:125:MET:HG2	1:C:157:LEU:O	2.06	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:358:TYR:CE2	1:C:430:LEU:HD21	2.41	0.55
1:C:58:LYS:HG2	1:C:75:ILE:HG12	1.88	0.55
1:D:28:ARG:O	1:D:32:ARG:HG3	2.07	0.54
1:B:440:ASN:HB3	1:B:443:ILE:HD12	1.89	0.54
1:D:363:LEU:HA	1:D:366:LEU:HD12	1.88	0.54
1:C:407:GLN:HG2	5:C:1028:HOH:O	2.07	0.54
1:B:256:TYR:HB3	1:B:279[B]:ILE:HD12	1.90	0.54
2:D:501:PLG:O3	2:D:501:PLG:N	2.40	0.54
1:B:256:TYR:HB3	1:B:279[A]:ILE:HD12	1.90	0.53
1:D:256:TYR:HB3	1:D:279[A]:ILE:HD12	1.91	0.53
1:A:464:VAL:O	1:A:467:MET:HG2	2.09	0.53
1:A:358:TYR:CE2	1:A:430:LEU:HD21	2.44	0.53
1:D:28:ARG:CZ	1:D:32:ARG:HD3	2.39	0.52
1:B:0:HIS:N	5:B:1016:HOH:O	2.42	0.51
1:C:368:ASN:ND2	1:C:447:LYS:HG3	2.25	0.51
1:B:358:TYR:CE1	1:B:430:LEU:HD11	2.46	0.51
2:C:501:PLG:H4A1	5:D:629:HOH:O	2.09	0.51
1:B:426:HIS:O	1:B:432:ASP:HB3	2.11	0.50
1:D:368:ASN:HD22	1:D:451:GLU:HG2	1.77	0.50
5:C:625:HOH:O	2:D:501:PLG:H4A1	2.10	0.50
1:D:433:PHE:O	1:D:436:GLY:N	2.38	0.50
1:B:444:GLU:HG2	5:B:1436:HOH:O	2.12	0.50
1:C:203[A]:GLU:HG3	5:C:946:HOH:O	2.12	0.49
1:D:145:LYS:NZ	5:D:618:HOH:O	2.41	0.49
1:C:328:TYR:CE1	1:C:332:LYS:HE2	2.48	0.49
1:D:261:LYS:NZ	5:D:626:HOH:O	2.46	0.49
1:D:403:LYS:NZ	5:D:612:HOH:O	2.38	0.49
1:D:366:LEU:O	1:D:447:LYS:HD3	2.13	0.48
1:D:35:GLU:HG3	1:D:42:PHE:HZ	1.79	0.48
1:D:129:LEU:HB3	1:D:130:PRO:HD3	1.97	0.47
1:D:174:GLU:OE2	5:D:602:HOH:O	2.20	0.47
1:A:348:TRP:HB3	1:A:388[A]:VAL:HG23	1.96	0.47
1:D:366:LEU:HD11	1:D:437:LEU:HD13	1.95	0.47
1:B:403:LYS:HG3	5:B:1252:HOH:O	2.13	0.47
1:D:464:VAL:O	1:D:467:MET:HG2	2.14	0.47
1:A:58:LYS:HG2	1:A:75:ILE:HG12	1.97	0.47
1:A:199:LYS:NZ	1:A:203:GLU:OE2	2.46	0.47
1:C:25:LYS:HD3	1:D:74:TYR:CE1	2.50	0.47
1:C:28:ARG:CZ	1:C:32:ARG:HG3	2.45	0.47
1:A:447:LYS:HD3	5:A:967:HOH:O	2.16	0.46
1:C:447:LYS:O	1:C:451:GLU:HG3	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:28:ARG:HG3	5:D:669:HOH:O	2.15	0.46
1:B:140:TYR:CG	4:D:505:EDO:H21	2.49	0.46
1:B:150:THR:HG23	5:B:1306:HOH:O	2.16	0.45
1:B:61:GLU:HB3	1:B:284:PHE:CZ	2.50	0.45
2:C:501:PLG:O3	2:C:501:PLG:N	2.49	0.45
1:D:435:LYS:O	1:D:438:VAL:HG22	2.16	0.45
1:B:125:MET:HG2	1:B:157:LEU:O	2.17	0.44
1:B:36:LEU:HB3	1:B:390:ILE:HG23	1.99	0.44
1:A:61:GLU:HB3	1:A:284:PHE:CZ	2.52	0.44
1:A:467:MET:HB2	5:A:710:HOH:O	2.18	0.44
1:B:379:ASP:OD2	1:B:386:GLY:N	2.50	0.44
1:B:135:LEU:HD23	1:B:139:TYR:CD2	2.53	0.44
1:C:61:GLU:HB2	1:C:69:TYR:HE1	1.82	0.44
1:D:358[A]:TYR:OH	5:D:601:HOH:O	2.16	0.43
1:A:287:LEU:HD22	4:A:508:EDO:H22	2.01	0.43
1:A:131:SER:HB3	1:A:161:VAL:HG13	2.00	0.43
1:B:131:SER:HB3	1:B:161:VAL:HG13	2.01	0.43
1:D:337:VAL:HG12	1:D:338:THR:HG23	2.01	0.43
1:A:256:TYR:HB3	1:A:279[A]:ILE:HD12	2.01	0.42
1:A:452:LYS:HE3	5:A:849:HOH:O	2.18	0.42
1:B:133:GLY:O	3:B:903[B]:FFO:N3	2.40	0.42
1:B:145:LYS:HD3	1:B:147:ILE:HD11	2.02	0.42
1:B:422:ILE:HG23	1:B:436:GLY:HA3	2.01	0.42
1:B:430:LEU:HD12	1:B:430:LEU:HA	1.89	0.42
1:C:464:VAL:O	1:C:467:MET:HG2	2.20	0.42
1:B:34:ILE:HG22	1:B:36:LEU:HG	2.02	0.41
1:A:21:ASP:O	1:A:25:LYS:HG3	2.21	0.41
1:D:430:LEU:HD11	5:D:850:HOH:O	2.20	0.41
1:A:430:LEU:HD12	1:A:430:LEU:HA	1.75	0.41
1:B:392:ALA:N	1:B:393:PRO:CD	2.83	0.41
1:B:392:ALA:N	1:B:393:PRO:HD3	2.35	0.41
1:B:28:ARG:HD3	5:B:1271:HOH:O	2.20	0.41
1:D:316:LYS:HE2	1:D:316:LYS:HB2	1.85	0.41
1:B:358:TYR:HE1	1:B:430:LEU:HD11	1.85	0.41
1:D:61:GLU:HB3	1:D:284:PHE:CZ	2.56	0.41
1:D:392:ALA:N	1:D:393:PRO:CD	2.84	0.41
1:A:38:ALA:HA	1:A:391:GLY:HA3	2.03	0.41
1:D:38:ALA:HA	1:D:391:GLY:HA3	2.03	0.41
1:A:319:LYS:HB3	1:A:319:LYS:HE2	1.88	0.41
1:A:421:GLU:HG3	5:A:642:HOH:O	2.21	0.41
1:D:47:VAL:HG13	1:D:298:ALA:HB1	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:102:GLN:N	1:D:103:PRO:CD	2.84	0.40
1:D:61:GLU:HB2	1:D:69:TYR:HE1	1.86	0.40
1:D:25:LYS:NZ	5:D:635:HOH:O	2.54	0.40
1:B:358:TYR:CE1	1:B:430:LEU:HD21	2.57	0.40
1:C:447:LYS:NZ	5:C:624:HOH:O	2.48	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	477/491 (97%)	462 (97%)	15 (3%)	0	100 100
1	B	478/491 (97%)	465 (97%)	13 (3%)	0	100 100
1	C	481/491 (98%)	468 (97%)	13 (3%)	0	100 100
1	D	479/491 (98%)	465 (97%)	14 (3%)	0	100 100
All	All	1915/1964 (98%)	1860 (97%)	55 (3%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	385/402 (96%)	383 (100%)	2 (0%)	88 80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	385/402 (96%)	382 (99%)	3 (1%)	81	68
1	C	388/402 (96%)	385 (99%)	3 (1%)	81	68
1	D	384/402 (96%)	381 (99%)	3 (1%)	81	68
All	All	1542/1608 (96%)	1531 (99%)	11 (1%)	84	71

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	TYR
1	A	105	SER
1	B	59	TYR
1	B	438	VAL
1	B	452	LYS
1	C	59	TYR
1	C	105	SER
1	C	374	ASN
1	D	59	TYR
1	D	105	SER
1	D	362	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	368	ASN
1	C	66	ASN
1	C	368	ASN
1	D	368	ASN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	EDO	D	505	-	3,3,3	0.52	0	2,2,2	0.09	0
3	FFO	B	903[B]	-	33,36,36	2.94	11 (33%)	36,50,50	1.64	7 (19%)
4	EDO	A	506	-	3,3,3	0.56	0	2,2,2	0.24	0
3	FFO	B	903[A]	-	33,36,36	2.95	11 (33%)	36,50,50	1.64	6 (16%)
2	PLG	B	902	-	20,20,20	1.24	1 (5%)	25,28,28	1.57	6 (24%)
2	PLG	A	501	-	20,20,20	1.40	2 (10%)	25,28,28	1.77	5 (20%)
4	EDO	A	504	-	3,3,3	0.50	0	2,2,2	0.42	0
4	EDO	A	508	-	3,3,3	0.48	0	2,2,2	0.14	0
4	EDO	B	906	-	3,3,3	0.52	0	2,2,2	0.38	0
3	FFO	A	502[B]	-	33,36,36	2.86	12 (36%)	36,50,50	1.71	5 (13%)
3	FFO	C	502[B]	-	33,36,36	2.72	11 (33%)	36,50,50	1.79	5 (13%)
3	FFO	A	502[A]	-	33,36,36	2.82	12 (36%)	36,50,50	1.72	5 (13%)
3	FFO	C	502[A]	-	33,36,36	2.79	12 (36%)	36,50,50	1.71	6 (16%)
4	EDO	C	505	-	3,3,3	0.49	0	2,2,2	0.20	0
2	PLG	D	501	-	20,20,20	1.36	3 (15%)	25,28,28	1.61	5 (20%)
4	EDO	B	907	-	3,3,3	0.47	0	2,2,2	0.60	0
4	EDO	C	503	-	3,3,3	0.47	0	2,2,2	0.31	0
4	EDO	D	504	-	3,3,3	0.51	0	2,2,2	0.56	0
4	EDO	A	505	-	3,3,3	0.48	0	2,2,2	0.39	0
4	EDO	D	506	-	3,3,3	0.52	0	2,2,2	0.39	0
4	EDO	A	503	-	3,3,3	0.46	0	2,2,2	0.75	0
3	FFO	D	502[B]	-	33,36,36	2.89	12 (36%)	36,50,50	1.56	6 (16%)
4	EDO	D	503	-	3,3,3	0.45	0	2,2,2	0.25	0
4	EDO	A	507	-	3,3,3	0.55	0	2,2,2	0.30	0
4	EDO	B	905	-	3,3,3	0.56	0	2,2,2	0.16	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	FFO	D	502[A]	-	33,36,36	2.89	11 (33%)	36,50,50	1.61	6 (16%)
4	EDO	B	901	-	3,3,3	0.46	0	2,2,2	0.55	0
2	PLG	C	501	-	20,20,20	1.27	0	25,28,28	1.58	6 (24%)
4	EDO	C	504	-	3,3,3	0.51	0	2,2,2	0.61	0
4	EDO	B	904	-	3,3,3	0.58	0	2,2,2	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	D	505	-	-	0/1/1/1	-
3	FFO	B	903[B]	-	-	0/24/37/37	0/3/3/3
4	EDO	A	506	-	-	0/1/1/1	-
3	FFO	B	903[A]	-	-	2/24/37/37	0/3/3/3
2	PLG	B	902	-	-	3/12/12/12	0/1/1/1
2	PLG	A	501	-	-	2/12/12/12	0/1/1/1
4	EDO	A	504	-	-	0/1/1/1	-
4	EDO	A	508	-	-	0/1/1/1	-
4	EDO	B	906	-	-	1/1/1/1	-
3	FFO	A	502[B]	-	-	0/24/37/37	0/3/3/3
3	FFO	C	502[B]	-	-	1/24/37/37	0/3/3/3
3	FFO	A	502[A]	-	-	0/24/37/37	0/3/3/3
3	FFO	C	502[A]	-	-	0/24/37/37	0/3/3/3
4	EDO	C	505	-	-	0/1/1/1	-
2	PLG	D	501	-	-	2/12/12/12	0/1/1/1
4	EDO	B	907	-	-	0/1/1/1	-
4	EDO	C	503	-	-	0/1/1/1	-
4	EDO	D	504	-	-	0/1/1/1	-
4	EDO	A	505	-	-	0/1/1/1	-
4	EDO	D	506	-	-	0/1/1/1	-
4	EDO	A	503	-	-	0/1/1/1	-
3	FFO	D	502[B]	-	-	0/24/37/37	0/3/3/3
4	EDO	D	503	-	-	0/1/1/1	-
4	EDO	A	507	-	-	1/1/1/1	-
4	EDO	B	905	-	-	0/1/1/1	-
3	FFO	D	502[A]	-	-	0/24/37/37	0/3/3/3
4	EDO	B	901	-	-	0/1/1/1	-
2	PLG	C	501	-	-	2/12/12/12	0/1/1/1
4	EDO	C	504	-	-	1/1/1/1	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	904	-	-	0/1/1/1	-

All (98) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	502[B]	FFO	C2-N1	6.99	1.50	1.33
3	B	903[A]	FFO	C2-N1	6.96	1.50	1.33
3	D	502[A]	FFO	C2-N1	6.95	1.50	1.33
3	B	903[B]	FFO	C2-N1	6.93	1.49	1.33
3	A	502[A]	FFO	C2-N1	6.85	1.49	1.33
3	A	502[B]	FFO	C2-N1	6.79	1.49	1.33
3	C	502[A]	FFO	C2-N1	6.77	1.49	1.33
3	C	502[B]	FFO	C2-N1	6.66	1.49	1.33
3	B	903[A]	FFO	C8A-N1	6.63	1.45	1.36
3	B	903[B]	FFO	C8A-N1	6.53	1.45	1.36
3	D	502[A]	FFO	C8A-N1	6.43	1.45	1.36
3	A	502[B]	FFO	C8A-N1	6.38	1.45	1.36
3	D	502[B]	FFO	C8A-N1	6.38	1.45	1.36
3	A	502[A]	FFO	C8A-N1	6.25	1.45	1.36
3	C	502[A]	FFO	C8A-N1	6.18	1.45	1.36
3	A	502[A]	FFO	C-N	6.12	1.47	1.34
3	A	502[B]	FFO	C-N	6.09	1.47	1.34
3	B	903[B]	FFO	C-N	6.04	1.47	1.34
3	B	903[A]	FFO	C-N	6.04	1.47	1.34
3	D	502[B]	FFO	C-N	6.02	1.47	1.34
3	B	903[B]	FFO	C2-N3	5.99	1.52	1.37
3	D	502[A]	FFO	C-N	5.97	1.47	1.34
3	B	903[A]	FFO	C2-N3	5.94	1.52	1.37
3	C	502[B]	FFO	C-N	5.88	1.47	1.34
3	C	502[A]	FFO	C-N	5.88	1.46	1.34
3	C	502[B]	FFO	C8A-N1	5.80	1.44	1.36
3	C	502[B]	FFO	C2-N3	5.75	1.51	1.37
3	D	502[B]	FFO	C2-N3	5.75	1.51	1.37
3	A	502[A]	FFO	C2-N3	5.74	1.51	1.37
3	D	502[A]	FFO	C2-N3	5.70	1.51	1.37
3	C	502[A]	FFO	C2-N3	5.70	1.51	1.37
3	A	502[B]	FFO	C2-N3	5.70	1.51	1.37
3	B	903[A]	FFO	C5A-N5	5.05	1.45	1.36
3	B	903[A]	FFO	C4-N3	5.04	1.48	1.38
3	B	903[B]	FFO	C4-N3	5.00	1.48	1.38
3	D	502[A]	FFO	C5A-N5	4.95	1.45	1.36
3	B	903[B]	FFO	C5A-N5	4.89	1.45	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	502[B]	FFO	C5A-N5	4.88	1.45	1.36
3	A	502[B]	FFO	C5A-N5	4.77	1.45	1.36
3	A	502[B]	FFO	C4-N3	4.77	1.47	1.38
3	C	502[A]	FFO	C5A-N5	4.76	1.45	1.36
3	D	502[A]	FFO	C4-N3	4.69	1.47	1.38
3	B	903[A]	FFO	C2-NA2	4.69	1.45	1.34
3	A	502[A]	FFO	C4-N3	4.63	1.47	1.38
3	D	502[A]	FFO	C2-NA2	4.62	1.45	1.34
3	B	903[B]	FFO	C2-NA2	4.62	1.45	1.34
3	D	502[B]	FFO	C4-N3	4.58	1.47	1.38
3	D	502[B]	FFO	C2-NA2	4.53	1.45	1.34
3	C	502[A]	FFO	C2-NA2	4.50	1.44	1.34
3	A	502[B]	FFO	C2-NA2	4.48	1.44	1.34
3	C	502[B]	FFO	C2-NA2	4.38	1.44	1.34
3	A	502[A]	FFO	C2-NA2	4.38	1.44	1.34
3	C	502[A]	FFO	C4-N3	4.36	1.46	1.38
3	C	502[B]	FFO	C4-N3	4.28	1.46	1.38
3	A	502[A]	FFO	C5A-N5	4.28	1.44	1.36
3	C	502[B]	FFO	C5A-N5	3.91	1.43	1.36
2	A	501	PLG	C5-C4	-3.53	1.35	1.40
3	B	903[B]	FFO	C14-N10	3.35	1.48	1.38
3	D	502[B]	FFO	C14-N10	3.28	1.48	1.38
3	B	903[A]	FFO	C4A-C4	3.22	1.51	1.43
3	B	903[A]	FFO	C14-N10	3.20	1.48	1.38
3	D	502[A]	FFO	C4A-C4	3.19	1.51	1.43
3	A	502[B]	FFO	C4A-C4	3.18	1.51	1.43
3	D	502[A]	FFO	C14-N10	3.17	1.47	1.38
3	B	903[B]	FFO	C4A-C4	3.11	1.51	1.43
3	A	502[A]	FFO	C14-N10	3.08	1.47	1.38
3	A	502[A]	FFO	C4A-C4	3.03	1.51	1.43
3	A	502[B]	FFO	C14-N10	3.00	1.47	1.38
3	C	502[B]	FFO	C14-N10	2.96	1.47	1.38
3	D	502[B]	FFO	C4A-C4	2.95	1.51	1.43
3	C	502[B]	FFO	C4A-C4	2.93	1.51	1.43
3	C	502[A]	FFO	C14-N10	2.88	1.47	1.38
3	C	502[A]	FFO	C4A-C4	2.81	1.50	1.43
2	D	501	PLG	C2A-C2	2.77	1.55	1.50
3	B	903[B]	FFO	C11-C	2.55	1.55	1.50
3	D	502[B]	FFO	C11-C	2.47	1.55	1.50
3	B	903[A]	FFO	C11-C	2.44	1.55	1.50
2	D	501	PLG	C3-C2	-2.39	1.38	1.40
3	D	502[A]	FFO	C11-C	2.38	1.55	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	902	PLG	C5-C4	-2.38	1.37	1.40
2	D	501	PLG	C5-C4	-2.38	1.37	1.40
3	A	502[A]	FFO	C11-C	2.29	1.55	1.50
3	C	502[B]	FFO	C11-C	2.22	1.54	1.50
3	A	502[B]	FFO	C11-C	2.21	1.54	1.50
3	D	502[A]	FFO	O-C	-2.20	1.18	1.23
3	A	502[B]	FFO	O4-C4	-2.19	1.19	1.23
3	D	502[B]	FFO	O-C	-2.18	1.18	1.23
3	C	502[A]	FFO	O-C	-2.16	1.18	1.23
3	C	502[B]	FFO	O-C	-2.16	1.18	1.23
3	B	903[A]	FFO	O-C	-2.15	1.18	1.23
3	C	502[A]	FFO	C11-C	2.14	1.54	1.50
3	B	903[B]	FFO	O-C	-2.09	1.19	1.23
3	C	502[A]	FFO	O4-C4	-2.08	1.19	1.23
3	A	502[A]	FFO	O4-C4	-2.08	1.19	1.23
2	A	501	PLG	C3-C2	-2.07	1.38	1.40
3	D	502[B]	FFO	C9-N10	2.07	1.49	1.45
3	A	502[B]	FFO	O-C	-2.06	1.19	1.23
3	A	502[A]	FFO	O-C	-2.05	1.19	1.23

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502[B]	FFO	C4A-C4-N3	5.28	120.30	110.99
3	C	502[A]	FFO	C4A-C4-N3	5.12	120.02	110.99
3	A	502[A]	FFO	C4A-C4-N3	5.03	119.86	110.99
3	D	502[A]	FFO	C4A-C4-N3	4.90	119.63	110.99
3	D	502[B]	FFO	C4A-C4-N3	4.86	119.56	110.99
3	B	903[B]	FFO	C4A-C4-N3	4.85	119.54	110.99
3	B	903[A]	FFO	C4A-C4-N3	4.84	119.51	110.99
3	C	502[B]	FFO	O5B-C5A-N5	-4.80	116.47	124.63
3	C	502[B]	FFO	C4A-C4-N3	4.68	119.24	110.99
3	C	502[B]	FFO	C2-N1-C8A	4.30	121.19	113.43
3	C	502[A]	FFO	C2-N1-C8A	4.25	121.10	113.43
2	C	501	PLG	OP4-C5A-C5	4.20	117.36	109.35
2	A	501	PLG	C6-C5-C4	4.20	121.09	118.12
3	A	502[B]	FFO	C2-N1-C8A	4.16	120.93	113.43
3	A	502[A]	FFO	C2-N1-C8A	4.15	120.91	113.43
2	D	501	PLG	OP4-C5A-C5	4.03	117.03	109.35
3	B	903[B]	FFO	C2-N1-C8A	4.02	120.69	113.43
3	B	903[A]	FFO	C2-N1-C8A	3.92	120.50	113.43
2	A	501	PLG	OP4-C5A-C5	3.85	116.70	109.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	502[A]	FFO	C2-N1-C8A	3.78	120.25	113.43
3	D	502[B]	FFO	C2-N1-C8A	3.72	120.15	113.43
2	D	501	PLG	C6-C5-C4	3.53	120.62	118.12
3	A	502[A]	FFO	O5B-C5A-N5	-3.40	118.85	124.63
2	C	501	PLG	C6-C5-C4	3.24	120.41	118.12
2	A	501	PLG	C5-C6-N1	-3.22	118.46	123.82
2	B	902	PLG	OP4-C5A-C5	3.18	115.42	109.35
2	B	902	PLG	C4A-N-CA	-3.11	109.33	112.58
2	D	501	PLG	C5-C6-N1	-3.02	118.78	123.82
3	A	502[A]	FFO	C2-N3-C4	-2.96	119.71	125.10
3	A	502[B]	FFO	C2-N3-C4	-2.79	120.01	125.10
2	B	902	PLG	C5-C6-N1	-2.76	119.22	123.82
3	D	502[B]	FFO	C2-N3-C4	-2.73	120.13	125.10
3	B	903[B]	FFO	C2-N3-C4	-2.69	120.19	125.10
3	B	903[A]	FFO	CG-CB-CA	-2.65	108.20	113.16
3	C	502[B]	FFO	C2-N3-C4	-2.61	120.35	125.10
2	A	501	PLG	C4A-C4-C5	-2.60	116.82	119.71
2	A	501	PLG	C4A-C4-C3	2.58	122.81	120.04
3	D	502[A]	FFO	C2-N3-C4	-2.58	120.40	125.10
3	C	502[B]	FFO	C6-C9-N10	-2.54	105.60	112.23
3	B	903[A]	FFO	C2-N3-C4	-2.54	120.46	125.10
2	C	501	PLG	C4A-C4-C3	2.54	122.76	120.04
2	B	902	PLG	C6-C5-C4	2.53	119.91	118.12
3	C	502[A]	FFO	C2-N3-C4	-2.51	120.52	125.10
3	B	903[B]	FFO	O4-C4-C4A	-2.51	121.39	127.54
3	B	903[B]	FFO	O5B-C5A-N5	-2.45	120.46	124.63
2	C	501	PLG	C4A-N-CA	-2.42	110.06	112.58
3	B	903[B]	FFO	CG-CB-CA	-2.42	108.64	113.16
3	B	903[A]	FFO	C6-C9-N10	-2.41	105.95	112.23
3	C	502[A]	FFO	O4-C4-C4A	-2.37	121.73	127.54
3	D	502[A]	FFO	CG-CB-CA	-2.31	108.84	113.16
3	B	903[A]	FFO	O4-C4-C4A	-2.30	121.89	127.54
3	D	502[A]	FFO	O5B-C5A-N5	-2.30	120.72	124.63
3	D	502[A]	FFO	C6-C9-N10	-2.29	106.27	112.23
2	B	902	PLG	C3-C4-C5	2.29	120.91	118.72
3	C	502[A]	FFO	C6-C9-N10	-2.27	106.31	112.23
3	D	502[B]	FFO	O4-C4-C4A	-2.27	121.98	127.54
2	C	501	PLG	OP3-P-OP2	2.22	116.13	107.64
3	A	502[B]	FFO	CG-CB-CA	-2.21	109.02	113.16
3	A	502[B]	FFO	O4-C4-C4A	-2.21	122.12	127.54
3	A	502[A]	FFO	O4-C4-C4A	-2.15	122.28	127.54
2	B	902	PLG	C4A-C4-C5	-2.13	117.35	119.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502[A]	FFO	N3-C2-N1	-2.11	119.38	123.32
2	D	501	PLG	OXT-C-CA	2.11	120.07	112.74
3	D	502[B]	FFO	CG-CB-CA	-2.11	109.22	113.16
3	D	502[B]	FFO	C6-C9-N10	-2.07	106.83	112.23
2	C	501	PLG	C5-C6-N1	-2.06	120.38	123.82
3	B	903[B]	FFO	C6-C9-N10	-2.03	106.94	112.23
2	D	501	PLG	C4A-C4-C3	2.00	122.19	120.04

There are no chirality outliers.

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	PLG	C5-C4-C4A-N
2	B	902	PLG	C5-C4-C4A-N
2	C	501	PLG	C3-C4-C4A-N
2	C	501	PLG	C5-C4-C4A-N
2	D	501	PLG	C5-C4-C4A-N
3	B	903[A]	FFO	C15-C14-N10-C9
3	B	903[A]	FFO	C13-C14-N10-C9
4	B	906	EDO	O1-C1-C2-O2
4	C	504	EDO	O1-C1-C2-O2
2	A	501	PLG	C3-C4-C4A-N
2	B	902	PLG	C3-C4-C4A-N
2	D	501	PLG	C3-C4-C4A-N
3	C	502[B]	FFO	CT-CA-CB-CG
4	A	507	EDO	O1-C1-C2-O2
2	B	902	PLG	OXT-C-CA-N


There are no ring outliers.


9 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	505	EDO	1	0
3	B	903[B]	FFO	1	0
4	A	506	EDO	1	0
2	B	902	PLG	2	0
2	A	501	PLG	2	0
4	A	508	EDO	1	0
2	D	501	PLG	2	0
4	B	905	EDO	1	0
2	C	501	PLG	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	472/491 (96%)	-0.26	6 (1%) 77 78	20, 30, 48, 89	0
1	B	470/491 (95%)	-0.16	13 (2%) 53 51	20, 27, 61, 81	0
1	C	472/491 (96%)	-0.36	1 (0%) 95 94	19, 25, 39, 84	0
1	D	472/491 (96%)	-0.15	19 (4%) 38 36	18, 26, 64, 91	0
All	All	1886/1964 (96%)	-0.23	39 (2%) 63 64	18, 27, 53, 91	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	266	GLY	5.0
1	D	430	LEU	4.9
1	D	266	GLY	4.6
1	D	383	LEU	4.2
1	B	384	ALA	4.1
1	C	266	GLY	4.1
1	A	383	LEU	3.8
1	B	266	GLY	3.7
1	D	267	GLN	3.3
1	B	438	VAL	3.1
1	B	431	LYS	3.1
1	B	381	SER	3.0
1	D	0	HIS	3.0
1	B	430	LEU	2.9
1	D	431	LYS	2.9
1	D	263	PRO	2.8
1	D	381	SER	2.7
1	B	380	SER	2.7
1	D	384	ALA	2.5
1	B	385	PRO	2.5
1	D	438	VAL	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	139	TYR	2.4
1	D	264	LYS	2.4
1	B	455	ALA	2.3
1	D	377	PHE	2.3
1	D	380	SER	2.3
1	A	262	PRO	2.2
1	A	164	THR	2.2
1	B	264	LYS	2.2
1	A	267	GLN	2.2
1	D	426	HIS	2.1
1	D	439	ASN	2.1
1	B	377	PHE	2.1
1	D	164	THR	2.1
1	A	263	PRO	2.1
1	D	420	LEU	2.1
1	B	0	HIS	2.1
1	B	262	PRO	2.0
1	D	358[A]	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	EDO	A	506	4/4	0.73	0.17	39,39,41,44	0
4	EDO	B	905	4/4	0.76	0.20	38,39,39,45	0
4	EDO	D	504	4/4	0.78	0.19	31,38,39,41	0
4	EDO	A	507	4/4	0.82	0.10	32,40,41,44	0
4	EDO	A	505	4/4	0.83	0.10	47,49,54,57	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	EDO	B	907	4/4	0.85	0.22	35,35,37,44	0
3	FFO	B	903[B]	34/34	0.86	0.15	27,33,53,57	34
3	FFO	B	903[A]	34/34	0.86	0.15	28,33,53,57	34
4	EDO	B	901	4/4	0.86	0.14	41,43,46,52	0
4	EDO	B	906	4/4	0.87	0.13	39,40,47,52	0
4	EDO	A	508	4/4	0.89	0.17	37,37,38,41	0
3	FFO	D	502[A]	34/34	0.90	0.15	25,29,50,55	34
4	EDO	B	904	4/4	0.90	0.09	30,33,36,44	0
4	EDO	D	503	4/4	0.90	0.11	42,43,44,47	0
3	FFO	D	502[B]	34/34	0.90	0.15	25,30,50,55	34
4	EDO	D	506	4/4	0.90	0.15	33,35,44,48	0
4	EDO	D	505	4/4	0.91	0.09	34,34,36,38	0
4	EDO	C	505	4/4	0.91	0.14	33,35,39,40	0
4	EDO	C	503	4/4	0.92	0.10	29,29,31,33	0
3	FFO	A	502[B]	34/34	0.92	0.11	24,28,42,46	34
3	FFO	A	502[A]	34/34	0.92	0.11	24,28,42,46	34
4	EDO	C	504	4/4	0.93	0.08	25,27,28,29	0
4	EDO	A	504	4/4	0.94	0.11	24,27,31,35	0
4	EDO	A	503	4/4	0.95	0.08	25,27,32,32	0
3	FFO	C	502[A]	34/34	0.95	0.09	19,23,37,39	34
3	FFO	C	502[B]	34/34	0.95	0.09	19,23,37,39	34
2	PLG	C	501	20/20	0.97	0.08	18,20,22,22	0
2	PLG	A	501	20/20	0.97	0.08	21,22,27,27	0
2	PLG	B	902	20/20	0.97	0.07	18,22,26,27	0
2	PLG	D	501	20/20	0.98	0.07	18,21,24,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around FFO D 502 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FFO D 502 (B):**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around FFO C 502 (A):**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around FFO C 502 (B):**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)











## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.