



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2023 – 04:59 PM EDT

PDB ID : 3DUG
Title : Crystal structure of zn-dependent arginine carboxypeptidase complexed with zinc
Authors : Patskovsky, Y.; Ramagopal, U.A.; Toro, R.; Meyer, A.J.; Freeman, J.; Iizuka, M.; Bain, K.; Rodgers, L.; Raushel, F.; Sauder, J.M.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2008-07-17
Resolution : 2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	408	
1	B	408	
1	C	408	
1	D	408	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	408	
1	F	408	
1	G	408	
1	H	408	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	433	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 24575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	394	3012	1893	525	578	16	0	2	0
1	B	394	3012	1893	525	578	16	0	2	0
1	C	395	3026	1901	529	580	16	0	2	0
1	D	394	3001	1886	522	577	16	0	0	0
1	E	394	3001	1886	522	577	16	0	0	0
1	F	395	3021	1898	524	583	16	0	2	0
1	G	394	3001	1886	522	577	16	0	0	0
1	H	394	3027	1902	529	580	16	0	4	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total	Zn	0	0
			4	4		
2	B	4	Total	Zn	0	0
			4	4		
2	C	4	Total	Zn	0	0
			4	4		
2	D	4	Total	Zn	0	0
			4	4		
2	E	4	Total	Zn	0	0
			4	4		
2	F	4	Total	Zn	0	0
			4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	4	Total Zn 4 4	0	0
2	H	4	Total Zn 4 4	0	0

- Molecule 3 is ARGININE (three-letter code: ARG) (formula: $C_6H_{15}N_4O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 12 6 4 2	0	0
3	B	1	Total C N O 12 6 4 2	0	0
3	C	1	Total C N O 12 6 4 2	0	0
3	D	1	Total C N O 12 6 4 2	0	0
3	E	1	Total C N O 12 6 4 2	0	0
3	F	1	Total C N O 12 6 4 2	0	0
3	G	1	Total C N O 12 6 4 2	0	0
3	H	1	Total C N O 12 6 4 2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	24	Total O 24 24	0	0
5	B	37	Total O 37 37	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	34	Total 34	O 34	0	0
5	D	27	Total 27	O 27	0	0
5	E	40	Total 40	O 40	0	0
5	F	40	Total 40	O 40	0	0
5	G	31	Total 31	O 31	0	0
5	H	53	Total 53	O 53	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE



- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE





- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE









- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE




- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE




- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE





- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE





- Molecule 1: ZN-DEPENDENT ARGININE CARBOXYPEPTIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.33Å 146.04Å 255.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.62 37.37 – 2.62	Depositor EDS
% Data completeness (in resolution range)	99.1 (20.00-2.62) 99.1 (37.37-2.62)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 2.61Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.230 , 0.264 0.233 , 0.267	Depositor DCC
R_{free} test set	3818 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å ²)	56.0	Xtrriage
Anisotropy	0.315	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	24575	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, KCX, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3052	0.58	1/4115 (0.0%)
1	B	0.38	0/3052	0.59	2/4115 (0.0%)
1	C	0.39	0/3066	0.57	0/4133
1	D	0.38	0/3035	0.57	0/4093
1	E	0.38	0/3035	0.58	1/4093 (0.0%)
1	F	0.40	0/3061	0.59	0/4128
1	G	0.38	0/3035	0.58	0/4093
1	H	0.39	0/3071	0.59	1/4141 (0.0%)
All	All	0.38	0/24407	0.58	5/32911 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	2
1	D	0	1
1	E	0	2
1	F	0	1
1	G	0	2
1	H	0	2
All	All	0	12

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	297	ARG	CG-CD-NE	5.72	123.82	111.80
1	A	136	LEU	CA-CB-CG	5.58	128.12	115.30
1	B	297	ARG	NE-CZ-NH2	5.33	122.97	120.30
1	E	136	LEU	CA-CB-CG	5.23	127.34	115.30
1	H	136	LEU	CA-CB-CG	5.16	127.18	115.30

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	44	ALA	Peptide
1	B	42	LYS	Peptide
1	C	42	LYS	Peptide
1	C	44	ALA	Peptide
1	D	43	ASP	Peptide
1	E	42	LYS	Peptide
1	E	44	ALA	Peptide
1	F	42	LYS	Peptide
1	G	42	LYS	Peptide
1	G	44	ALA	Peptide
1	H	41	THR	Peptide
1	H	44	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3012	0	3020	20	0
1	B	3012	0	3019	20	0
1	C	3026	0	3034	18	0
1	D	3001	0	3002	23	0
1	E	3001	0	3002	22	0
1	F	3021	0	3019	16	0
1	G	3001	0	3002	20	0
1	H	3027	0	3032	18	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	4	0	0	0	0
2	E	4	0	0	0	0
2	F	4	0	0	0	0
2	G	4	0	0	0	0
2	H	4	0	0	0	0
3	A	12	0	12	0	0
3	B	12	0	12	0	0
3	C	12	0	12	0	0
3	D	12	0	12	1	0
3	E	12	0	12	1	0
3	F	12	0	12	1	0
3	G	12	0	12	0	0
3	H	12	0	12	0	0
4	A	6	0	8	1	0
4	B	24	0	32	2	0
4	D	6	0	8	0	0
4	E	12	0	16	0	0
4	G	6	0	8	0	0
4	H	6	0	8	0	0
5	A	24	0	0	0	0
5	B	37	0	0	0	0
5	C	34	0	0	0	0
5	D	27	0	0	1	0
5	E	40	0	0	0	0
5	F	40	0	0	0	0
5	G	31	0	0	0	0
5	H	53	0	0	0	0
All	All	24575	0	24306	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:305:ARG:HH21	1:E:305:ARG:HG2	1.16	1.07
1:D:305:ARG:HH21	1:D:305:ARG:HG2	1.19	1.06
1:D:305:ARG:HG2	1:D:305:ARG:NH2	1.78	0.93
1:E:305:ARG:HH21	1:E:305:ARG:CG	1.83	0.91
1:D:305:ARG:HH21	1:D:305:ARG:CG	1.85	0.88
1:B:105:VAL:HG22	1:B:182:KCX:HG2	1.70	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:GLU:H	1:B:382:THR:HG21	1.53	0.72
1:F:231:LYS:HG2	1:F:251:THR:HG21	1.71	0.72
1:D:374:GLU:H	1:D:382:THR:HG21	1.54	0.72
1:G:231:LYS:HG2	1:G:251:THR:HG21	1.72	0.71
1:H:374:GLU:H	1:H:382:THR:HG21	1.55	0.71
1:G:374:GLU:H	1:G:382:THR:HG21	1.56	0.71
1:D:231:LYS:HG2	1:D:251:THR:HG21	1.73	0.70
1:A:231:LYS:HG2	1:A:251:THR:HG21	1.74	0.69
1:H:231:LYS:HG2	1:H:251:THR:HG21	1.75	0.69
1:C:305:ARG:HH11	1:C:305:ARG:HG3	1.59	0.68
1:F:374:GLU:H	1:F:382:THR:HG21	1.57	0.68
1:B:231:LYS:HG2	1:B:251:THR:HG21	1.76	0.67
1:E:231:LYS:HG2	1:E:251:THR:HG21	1.77	0.67
1:C:374:GLU:H	1:C:382:THR:HG21	1.59	0.67
1:C:305:ARG:HG3	1:C:305:ARG:NH1	2.08	0.67
1:H:105:VAL:HG22	1:H:182:KCX:HG2	1.76	0.67
1:E:374:GLU:H	1:E:382:THR:HG21	1.60	0.66
1:F:105:VAL:HG22	1:F:182:KCX:HG2	1.77	0.65
1:A:374:GLU:H	1:A:382:THR:HG21	1.62	0.65
1:C:105:VAL:HG22	1:C:182:KCX:HG2	1.79	0.63
1:G:105:VAL:HG22	1:G:182:KCX:HG2	1.81	0.63
1:C:231:LYS:HG2	1:C:251:THR:HG21	1.79	0.62
1:E:305:ARG:CG	1:E:305:ARG:NH2	2.50	0.62
1:A:105:VAL:HG22	1:A:182:KCX:HG2	1.80	0.62
1:E:105:VAL:HG22	1:E:182:KCX:HG2	1.82	0.61
1:D:105:VAL:HG22	1:D:182:KCX:HG2	1.85	0.59
1:B:140:GLY:O	1:H:174:ARG:NH2	2.37	0.58
1:E:305:ARG:HG2	1:E:305:ARG:NH2	1.99	0.56
1:C:167[A]:ARG:NH2	1:C:211:ASP:OD2	2.38	0.56
1:E:5:ASP:HB2	1:E:44:ALA:HB3	1.89	0.55
1:F:266:ILE:O	1:F:297:ARG:NH1	2.40	0.54
1:B:321:HIS:H	4:B:432:GOL:H12	1.72	0.54
1:D:5:ASP:N	1:D:44:ALA:CB	2.71	0.54
1:H:266:ILE:O	1:H:297:ARG:NH1	2.40	0.54
1:C:305:ARG:HH11	1:C:305:ARG:CG	2.21	0.53
1:G:247:ILE:HG12	1:G:252:ILE:HG13	1.90	0.53
1:B:27:LEU:HD23	1:B:35:GLU:HG3	1.90	0.52
1:F:27:LEU:HB3	1:F:35:GLU:HB2	1.92	0.52
1:G:36:ILE:HG13	1:G:363:GLU:HG3	1.90	0.52
1:D:200:GLN:O	1:D:201:PHE:HB2	2.09	0.52
1:B:247:ILE:HG12	1:B:252:ILE:HG13	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:200:GLN:O	1:G:201:PHE:HB2	2.09	0.51
1:B:167:ARG:HH21	1:B:212:GLU:HB2	1.76	0.50
1:G:266:ILE:O	1:G:297:ARG:NH1	2.43	0.50
1:H:200:GLN:O	1:H:201:PHE:HB2	2.10	0.50
1:C:301:MET:O	1:C:305:ARG:HG2	2.12	0.50
1:C:200:GLN:O	1:C:201:PHE:HB2	2.11	0.50
1:F:200:GLN:O	1:F:201:PHE:HB2	2.11	0.50
1:E:266:ILE:O	1:E:297:ARG:NH1	2.45	0.50
1:A:200:GLN:O	1:A:201:PHE:HB2	2.12	0.50
1:B:138:ILE:HB	1:H:171:ARG:HD3	1.94	0.50
1:H:301:MET:O	1:H:305:ARG:CG	2.60	0.50
1:A:247:ILE:HG12	1:A:252:ILE:HG13	1.94	0.50
1:B:21:ILE:HG21	1:B:375:ASN:HD21	1.77	0.49
1:E:200:GLN:O	1:E:201:PHE:HB2	2.12	0.49
1:D:247:ILE:HG12	1:D:252:ILE:HG13	1.93	0.49
1:C:247:ILE:HG12	1:C:252:ILE:HG13	1.94	0.49
1:D:9:LYS:HB2	1:D:48:SER:HA	1.94	0.49
1:E:247:ILE:HG12	1:E:252:ILE:HG13	1.95	0.49
1:E:167:ARG:NH2	1:E:211:ASP:OD2	2.46	0.48
1:F:247:ILE:HG12	1:F:252:ILE:HG13	1.95	0.48
1:C:145:HIS:CE1	1:C:147:LEU:HB2	2.48	0.48
1:C:240:SER:HB3	1:C:352:LEU:HD11	1.96	0.48
1:B:200:GLN:O	1:B:201:PHE:HB2	2.14	0.48
1:F:63:VAL:HG12	1:F:316:ALA:HB3	1.96	0.48
1:G:63:VAL:HG12	1:G:316:ALA:HB3	1.95	0.47
1:G:167:ARG:HD2	1:G:212:GLU:HB2	1.96	0.47
1:A:167:ARG:HH21	1:A:212:GLU:HB2	1.78	0.47
1:A:174:ARG:NH2	1:C:140:GLY:O	2.47	0.47
1:A:305:ARG:HH21	1:A:305:ARG:HG2	1.79	0.47
1:H:301:MET:O	1:H:305:ARG:HG2	2.14	0.47
1:G:6:PHE:HB2	1:G:28:ILE:HB	1.96	0.47
1:H:167:ARG:HH21	1:H:212:GLU:HB2	1.78	0.47
1:H:247:ILE:HG12	1:H:252:ILE:HG13	1.95	0.47
1:B:171:ARG:HD3	1:D:138:ILE:HB	1.97	0.47
1:H:371:GLY:HA3	1:H:388:PHE:HB3	1.97	0.47
1:D:5:ASP:O	1:D:44:ALA:HB3	2.15	0.47
1:F:167:ARG:HH21	1:F:212:GLU:HB2	1.79	0.47
1:D:189:VAL:HB	3:D:429:ARG:HG2	1.97	0.46
1:F:297:ARG:H	1:F:297:ARG:HG2	1.54	0.46
1:D:103:ARG:HD2	1:D:180:LEU:HD13	1.97	0.46
1:G:9:LYS:HB2	1:G:48:SER:HA	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:LYS:HD3	1:A:352:LEU:O	2.16	0.45
1:H:240:SER:HB3	1:H:352:LEU:HD11	1.99	0.45
1:A:67:GLY:HA3	4:A:430:GOL:H32	1.99	0.45
1:B:7:LEU:HB3	1:B:46:VAL:HG13	1.99	0.45
1:G:21:ILE:HG13	1:G:375:ASN:HD21	1.81	0.45
1:B:59:MET:HG2	1:B:101:THR:HB	1.98	0.45
1:F:171:ARG:HD3	1:G:138:ILE:HB	1.98	0.45
1:D:63:VAL:HG12	1:D:316:ALA:HB3	1.98	0.45
1:E:375:ASN:HA	1:E:376:PRO:HD3	1.83	0.44
1:D:167:ARG:HD2	1:D:212:GLU:HB2	1.99	0.44
1:F:174:ARG:NH2	1:G:140:GLY:O	2.50	0.44
1:G:297:ARG:H	1:G:297:ARG:HG2	1.48	0.44
1:A:245:SER:HA	1:A:296:GLN:HG3	2.00	0.44
1:E:297:ARG:H	1:E:297:ARG:HG2	1.52	0.44
1:E:63:VAL:HG12	1:E:316:ALA:HB3	1.99	0.44
1:B:371:GLY:HA3	1:B:388:PHE:HB3	1.99	0.44
1:D:375:ASN:HA	1:D:376:PRO:HD3	1.84	0.44
1:E:29:ARG:HG2	1:E:34:ALA:HB2	2.00	0.44
1:E:7:LEU:HB3	1:E:46:VAL:HG22	1.98	0.44
1:D:371:GLY:HA3	1:D:388:PHE:HB3	1.98	0.44
1:B:210:VAL:HA	1:B:220:VAL:HG21	1.99	0.43
1:B:63:VAL:HG12	1:B:316:ALA:HB3	2.00	0.43
1:A:240:SER:HB3	1:A:352:LEU:HD11	2.01	0.43
1:D:240:SER:HB3	1:D:352:LEU:HD11	2.00	0.43
1:C:63:VAL:HG12	1:C:316:ALA:HB3	2.00	0.43
1:A:36:ILE:HD12	1:A:363:GLU:HG3	2.01	0.43
1:A:137:GLY:HA3	1:A:143:CYS:HB2	2.01	0.43
1:B:9:LYS:HA	1:B:9:LYS:HD2	1.84	0.43
1:D:245:SER:HA	1:D:296:GLN:HG3	2.01	0.43
1:G:371:GLY:HA3	1:G:388:PHE:HB3	2.00	0.43
1:A:171:ARG:HD3	1:C:138:ILE:HB	2.01	0.43
1:B:375:ASN:HA	1:B:376:PRO:HD3	1.83	0.42
1:C:371:GLY:HA3	1:C:388:PHE:HB3	2.01	0.42
1:G:8:ILE:HG12	1:G:47:ILE:HD12	2.01	0.42
1:H:63:VAL:HG12	1:H:316:ALA:HB3	2.01	0.42
1:H:297:ARG:H	1:H:297:ARG:HG2	1.47	0.42
1:D:167:ARG:HH21	1:D:212:GLU:HB2	1.85	0.42
1:E:240:SER:HB3	1:E:352:LEU:HD11	2.00	0.42
1:H:261:VAL:HG11	1:H:352:LEU:HD22	2.01	0.42
1:H:210:VAL:HA	1:H:220:VAL:HG21	2.01	0.42
1:A:35:GLU:HB3	1:A:39:ILE:HD12	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:69:ASP:HB2	1:C:86:TRP:CD2	2.54	0.42
1:C:247:ILE:HD13	1:C:262:LEU:HD21	2.01	0.42
1:F:210:VAL:HA	1:F:220:VAL:HG21	2.01	0.42
1:G:210:VAL:HA	1:G:220:VAL:HG21	2.01	0.42
1:A:375:ASN:HA	1:A:376:PRO:HD3	1.84	0.42
1:E:137:GLY:HA3	1:E:143:CYS:HB2	2.01	0.42
1:A:63:VAL:HG12	1:A:316:ALA:HB3	2.00	0.41
1:F:5:ASP:HB2	1:F:44:ALA:HB3	2.02	0.41
1:H:301:MET:O	1:H:305:ARG:HG3	2.21	0.41
1:E:371:GLY:HA3	1:E:388:PHE:HB3	2.02	0.41
1:E:189:VAL:HB	3:E:429:ARG:HG2	2.03	0.41
1:D:137:GLY:HA3	1:D:143:CYS:HB2	2.03	0.41
1:A:138:ILE:HB	1:G:171:ARG:HD3	2.02	0.41
1:E:69:ASP:HB2	1:E:86:TRP:CD2	2.56	0.41
1:G:69:ASP:HB2	1:G:86:TRP:CD2	2.56	0.41
1:F:35:GLU:HB3	1:F:39:ILE:HG12	2.03	0.40
1:F:223:HIS:HE1	3:F:429:ARG:O	2.03	0.40
1:D:327:GLN:NE2	5:D:434:HOH:O	2.53	0.40
1:A:371:GLY:HA3	1:A:388:PHE:HB3	2.04	0.40
1:B:219:LYS:HG3	4:B:433:GOL:H2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/408 (96%)	379 (96%)	14 (4%)	0	100	100
1	B	393/408 (96%)	377 (96%)	16 (4%)	0	100	100
1	C	394/408 (97%)	375 (95%)	18 (5%)	1 (0%)	41	62
1	D	391/408 (96%)	374 (96%)	17 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	391/408 (96%)	370 (95%)	20 (5%)	1 (0%)	41	62
1	F	394/408 (97%)	376 (95%)	18 (5%)	0	100	100
1	G	391/408 (96%)	375 (96%)	16 (4%)	0	100	100
1	H	395/408 (97%)	378 (96%)	17 (4%)	0	100	100
All	All	3142/3264 (96%)	3004 (96%)	136 (4%)	2 (0%)	51	74

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	40	ASN
1	E	40	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/329 (97%)	297 (93%)	21 (7%)	16	32
1	B	318/329 (97%)	295 (93%)	23 (7%)	14	27
1	C	319/329 (97%)	296 (93%)	23 (7%)	14	27
1	D	316/329 (96%)	298 (94%)	18 (6%)	20	39
1	E	316/329 (96%)	296 (94%)	20 (6%)	18	35
1	F	319/329 (97%)	302 (95%)	17 (5%)	22	43
1	G	316/329 (96%)	294 (93%)	22 (7%)	15	29
1	H	320/329 (97%)	302 (94%)	18 (6%)	21	40
All	All	2542/2632 (97%)	2380 (94%)	162 (6%)	17	34

All (162) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	21	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	35	GLU
1	A	39	ILE
1	A	40	ASN
1	A	41	THR
1	A	51	ASP
1	A	66	VAL
1	A	105	VAL
1	A	113	VAL
1	A	120	GLU
1	A	153	ASN
1	A	167	ARG
1	A	180	LEU
1	A	278	LYS
1	A	283	GLU
1	A	297	ARG
1	A	331	MET
1	A	372	VAL
1	A	382	THR
1	A	398	ARG
1	B	7	LEU
1	B	16	ILE
1	B	21	ILE
1	B	32	LYS
1	B	39	ILE
1	B	41	THR
1	B	43	ASP
1	B	66	VAL
1	B	105	VAL
1	B	113	VAL
1	B	120	GLU
1	B	136	LEU
1	B	167	ARG
1	B	180	LEU
1	B	262	LEU
1	B	283	GLU
1	B	297	ARG
1	B	305	ARG
1	B	331	MET
1	B	356	GLU
1	B	372	VAL
1	B	382	THR
1	B	398	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	7	LEU
1	C	17	GLN
1	C	21	ILE
1	C	32	LYS
1	C	39	ILE
1	C	41	THR
1	C	43	ASP
1	C	45	THR
1	C	51	ASP
1	C	66	VAL
1	C	79	SER
1	C	105	VAL
1	C	113	VAL
1	C	120	GLU
1	C	167[A]	ARG
1	C	167[B]	ARG
1	C	180	LEU
1	C	283	GLU
1	C	297	ARG
1	C	305	ARG
1	C	331	MET
1	C	382	THR
1	C	398	ARG
1	D	16	ILE
1	D	32	LYS
1	D	39	ILE
1	D	41	THR
1	D	45	THR
1	D	49	ILE
1	D	51	ASP
1	D	66	VAL
1	D	105	VAL
1	D	113	VAL
1	D	120	GLU
1	D	167	ARG
1	D	283	GLU
1	D	305	ARG
1	D	331	MET
1	D	372	VAL
1	D	382	THR
1	D	398	ARG
1	E	5	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	32	LYS
1	E	41	THR
1	E	43	ASP
1	E	66	VAL
1	E	74	GLU
1	E	105	VAL
1	E	113	VAL
1	E	120	GLU
1	E	136	LEU
1	E	153	ASN
1	E	174	ARG
1	E	180	LEU
1	E	283	GLU
1	E	297	ARG
1	E	331	MET
1	E	356	GLU
1	E	372	VAL
1	E	382	THR
1	E	398	ARG
1	F	10	SER
1	F	16	ILE
1	F	41	THR
1	F	43	ASP
1	F	66	VAL
1	F	113	VAL
1	F	120	GLU
1	F	136	LEU
1	F	153	ASN
1	F	167	ARG
1	F	180	LEU
1	F	283	GLU
1	F	297	ARG
1	F	331	MET
1	F	372	VAL
1	F	382	THR
1	F	398	ARG
1	G	7	LEU
1	G	20	GLU
1	G	23	LYS
1	G	41	THR
1	G	42	LYS
1	G	47	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	54	LEU
1	G	66	VAL
1	G	79	SER
1	G	105	VAL
1	G	113	VAL
1	G	120	GLU
1	G	153	ASN
1	G	167	ARG
1	G	180	LEU
1	G	283	GLU
1	G	297	ARG
1	G	305	ARG
1	G	331	MET
1	G	372	VAL
1	G	382	THR
1	G	398	ARG
1	H	7	LEU
1	H	32	LYS
1	H	41	THR
1	H	54	LEU
1	H	66	VAL
1	H	105	VAL
1	H	113	VAL
1	H	120	GLU
1	H	153	ASN
1	H	167	ARG
1	H	180	LEU
1	H	283	GLU
1	H	297	ARG
1	H	305	ARG
1	H	331	MET
1	H	372	VAL
1	H	382	THR
1	H	398	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	40	ASN
1	C	360	GLN
1	F	17	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KCX	G	182	1,2	9,11,12	0.88	0	5,12,14	1.15	0
1	KCX	C	182	1	9,11,12	0.96	0	5,12,14	1.47	1 (20%)
1	KCX	B	182	1,2	9,11,12	0.87	0	5,12,14	1.53	1 (20%)
1	KCX	F	182	1	9,11,12	0.89	0	5,12,14	1.50	1 (20%)
1	KCX	E	182	1,2	9,11,12	0.90	0	5,12,14	1.61	1 (20%)
1	KCX	A	182	1,2	9,11,12	0.99	0	5,12,14	1.39	1 (20%)
1	KCX	D	182	1,2	9,11,12	0.94	0	5,12,14	1.49	1 (20%)
1	KCX	H	182	1	9,11,12	0.87	0	5,12,14	1.23	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	G	182	1,2	-	2/9/10/12	-
1	KCX	C	182	1	-	2/9/10/12	-
1	KCX	B	182	1,2	-	2/9/10/12	-
1	KCX	F	182	1	-	2/9/10/12	-
1	KCX	E	182	1,2	-	2/9/10/12	-
1	KCX	A	182	1,2	-	2/9/10/12	-
1	KCX	D	182	1,2	-	2/9/10/12	-
1	KCX	H	182	1	-	2/9/10/12	-

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	F	182	KCX	OQ1-CX-NZ	-2.72	120.75	124.96
1	E	182	KCX	OQ1-CX-NZ	-2.67	120.81	124.96
1	B	182	KCX	OQ1-CX-NZ	-2.67	120.82	124.96
1	C	182	KCX	OQ1-CX-NZ	-2.49	121.09	124.96
1	D	182	KCX	OQ1-CX-NZ	-2.38	121.27	124.96
1	A	182	KCX	OQ1-CX-NZ	-2.36	121.30	124.96
1	H	182	KCX	OQ1-CX-NZ	-2.28	121.42	124.96

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	182	KCX	CG-CD-CE-NZ
1	D	182	KCX	CG-CD-CE-NZ
1	F	182	KCX	CG-CD-CE-NZ
1	G	182	KCX	CG-CD-CE-NZ
1	H	182	KCX	CG-CD-CE-NZ
1	E	182	KCX	CG-CD-CE-NZ
1	C	182	KCX	CG-CD-CE-NZ
1	A	182	KCX	CG-CD-CE-NZ
1	A	182	KCX	CA-CB-CG-CD
1	D	182	KCX	CA-CB-CG-CD
1	F	182	KCX	CA-CB-CG-CD
1	G	182	KCX	CA-CB-CG-CD
1	B	182	KCX	CA-CB-CG-CD
1	C	182	KCX	CA-CB-CG-CD
1	E	182	KCX	CA-CB-CG-CD
1	H	182	KCX	CA-CB-CG-CD

There are no ring outliers.

8 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	G	182	KCX	1	0
1	C	182	KCX	1	0
1	B	182	KCX	1	0
1	F	182	KCX	1	0
1	E	182	KCX	1	0
1	A	182	KCX	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	182	KCX	1	0
1	H	182	KCX	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 32 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ARG	C	429	-	10,11,11	0.77	1 (10%)	11,13,13	1.12	2 (18%)
4	GOL	E	430	-	5,5,5	0.36	0	5,5,5	0.33	0
4	GOL	E	431	-	5,5,5	0.37	0	5,5,5	0.19	0
3	ARG	B	429	-	10,11,11	0.72	1 (10%)	11,13,13	1.03	2 (18%)
4	GOL	B	430	-	5,5,5	0.37	0	5,5,5	0.28	0
4	GOL	B	431	-	5,5,5	0.45	0	5,5,5	0.25	0
4	GOL	B	432	-	5,5,5	0.30	0	5,5,5	0.38	0
3	ARG	F	429	-	10,11,11	0.74	1 (10%)	11,13,13	1.20	2 (18%)
4	GOL	B	433	-	5,5,5	0.36	0	5,5,5	0.37	0
4	GOL	D	430	-	5,5,5	0.34	0	5,5,5	0.32	0
3	ARG	A	429	-	10,11,11	0.79	1 (10%)	11,13,13	0.99	1 (9%)
3	ARG	G	429	-	10,11,11	0.74	1 (10%)	11,13,13	1.16	2 (18%)
4	GOL	A	430	-	5,5,5	0.46	0	5,5,5	0.10	0
4	GOL	H	430	-	5,5,5	0.40	0	5,5,5	0.52	0
3	ARG	D	429	-	10,11,11	0.71	1 (10%)	11,13,13	1.04	2 (18%)
3	ARG	H	429	-	10,11,11	0.75	1 (10%)	11,13,13	0.96	2 (18%)
3	ARG	E	429	-	10,11,11	0.77	1 (10%)	11,13,13	1.17	2 (18%)
4	GOL	G	430	-	5,5,5	0.48	0	5,5,5	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ARG	C	429	-	-	3/11/11/11	-
4	GOL	E	430	-	-	2/4/4/4	-
4	GOL	E	431	-	-	2/4/4/4	-
3	ARG	B	429	-	-	2/11/11/11	-
4	GOL	B	430	-	-	2/4/4/4	-
4	GOL	B	431	-	-	4/4/4/4	-
4	GOL	B	432	-	-	2/4/4/4	-
3	ARG	F	429	-	-	2/11/11/11	-
4	GOL	B	433	-	-	2/4/4/4	-
4	GOL	D	430	-	-	4/4/4/4	-
3	ARG	A	429	-	-	1/11/11/11	-
3	ARG	G	429	-	-	0/11/11/11	-
4	GOL	A	430	-	-	4/4/4/4	-
4	GOL	H	430	-	-	2/4/4/4	-
3	ARG	D	429	-	-	3/11/11/11	-
3	ARG	H	429	-	-	5/11/11/11	-
3	ARG	E	429	-	-	3/11/11/11	-
4	GOL	G	430	-	-	2/4/4/4	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	429	ARG	OXT-C	-2.37	1.22	1.30
3	C	429	ARG	OXT-C	-2.32	1.22	1.30
3	F	429	ARG	OXT-C	-2.26	1.23	1.30
3	E	429	ARG	OXT-C	-2.24	1.23	1.30
3	H	429	ARG	OXT-C	-2.23	1.23	1.30
3	G	429	ARG	OXT-C	-2.23	1.23	1.30
3	D	429	ARG	OXT-C	-2.17	1.23	1.30
3	B	429	ARG	OXT-C	-2.06	1.23	1.30

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	429	ARG	OXT-C-O	-2.97	117.35	124.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	429	ARG	OXT-C-O	-2.76	117.81	124.09
3	C	429	ARG	OXT-C-O	-2.76	117.83	124.09
3	G	429	ARG	OXT-C-O	-2.71	117.94	124.09
3	E	429	ARG	OXT-C-CA	2.51	121.94	113.38
3	A	429	ARG	OXT-C-O	-2.48	118.45	124.09
3	B	429	ARG	OXT-C-O	-2.35	118.76	124.09
3	H	429	ARG	OXT-C-O	-2.31	118.85	124.09
3	D	429	ARG	OXT-C-O	-2.30	118.87	124.09
3	F	429	ARG	OXT-C-CA	2.29	121.19	113.38
3	G	429	ARG	OXT-C-CA	2.27	121.13	113.38
3	C	429	ARG	OXT-C-CA	2.23	120.98	113.38
3	D	429	ARG	OXT-C-CA	2.17	120.78	113.38
3	B	429	ARG	OXT-C-CA	2.16	120.73	113.38
3	H	429	ARG	OXT-C-CA	2.02	120.26	113.38

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	429	ARG	O-C-CA-N
3	C	429	ARG	C-CA-CB-CG
3	H	429	ARG	N-CA-CB-CG
3	H	429	ARG	C-CA-CB-CG
4	A	430	GOL	O1-C1-C2-C3
4	B	430	GOL	O1-C1-C2-C3
4	B	431	GOL	O1-C1-C2-C3
4	B	431	GOL	C1-C2-C3-O3
4	B	431	GOL	O2-C2-C3-O3
4	B	432	GOL	C1-C2-C3-O3
4	D	430	GOL	C1-C2-C3-O3
4	E	430	GOL	C1-C2-C3-O3
4	E	431	GOL	O1-C1-C2-O2
4	E	431	GOL	O1-C1-C2-C3
3	A	429	ARG	NE-CD-CG-CB
4	G	430	GOL	O2-C2-C3-O3
3	D	429	ARG	NE-CD-CG-CB
3	E	429	ARG	NE-CD-CG-CB
3	C	429	ARG	OXT-C-CA-N
4	A	430	GOL	C1-C2-C3-O3
4	B	433	GOL	O1-C1-C2-C3
4	G	430	GOL	C1-C2-C3-O3
4	H	430	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	430	GOL	O1-C1-C2-O2
4	B	431	GOL	O1-C1-C2-O2
4	B	432	GOL	O2-C2-C3-O3
4	B	433	GOL	O1-C1-C2-O2
4	D	430	GOL	O2-C2-C3-O3
4	E	430	GOL	O2-C2-C3-O3
3	H	429	ARG	OXT-C-CA-N
4	A	430	GOL	O2-C2-C3-O3
3	B	429	ARG	OXT-C-CA-N
3	E	429	ARG	OXT-C-CA-N
3	B	429	ARG	O-C-CA-N
3	E	429	ARG	O-C-CA-N
3	H	429	ARG	O-C-CA-N
4	D	430	GOL	O1-C1-C2-C3
4	B	430	GOL	O1-C1-C2-O2
3	H	429	ARG	NE-CD-CG-CB
3	D	429	ARG	O-C-CA-N
3	F	429	ARG	O-C-CA-N
3	D	429	ARG	OXT-C-CA-N
3	F	429	ARG	OXT-C-CA-N
4	D	430	GOL	O1-C1-C2-O2
4	H	430	GOL	O1-C1-C2-O2

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	432	GOL	1	0
3	F	429	ARG	1	0
4	B	433	GOL	1	0
4	A	430	GOL	1	0
3	D	429	ARG	1	0
3	E	429	ARG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	393/408 (96%)	0.15	17 (4%) 35 29	45, 73, 104, 136	0
1	B	393/408 (96%)	0.26	16 (4%) 37 31	45, 74, 111, 136	0
1	C	394/408 (96%)	0.39	45 (11%) 5 3	47, 76, 114, 136	0
1	D	393/408 (96%)	0.35	27 (6%) 16 12	43, 75, 113, 142	0
1	E	393/408 (96%)	0.26	22 (5%) 24 19	45, 74, 110, 143	0
1	F	394/408 (96%)	0.56	47 (11%) 4 3	46, 72, 106, 136	0
1	G	393/408 (96%)	0.30	27 (6%) 16 12	39, 74, 110, 136	0
1	H	393/408 (96%)	0.26	25 (6%) 19 15	45, 69, 104, 136	0
All	All	3146/3264 (96%)	0.32	226 (7%) 15 11	39, 73, 110, 143	0

All (226) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	280	GLY	8.7
1	F	279	ALA	8.7
1	F	268	VAL	8.2
1	F	285	SER	7.7
1	F	286	LEU	7.2
1	H	277	ALA	7.2
1	F	271	TYR	7.1
1	F	277	ALA	6.9
1	F	276	GLY	6.8
1	F	281	ILE	6.4
1	F	291	LEU	6.3
1	F	287	ASN	6.1
1	D	44	ALA	6.1
1	F	292	VAL	6.0
1	C	280	GLY	6.0
1	G	291	LEU	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	279	ALA	5.6
1	H	281	ILE	5.5
1	C	28	ILE	5.5
1	F	275	GLU	5.4
1	C	279	ALA	5.3
1	C	272	ILE	5.3
1	C	276	GLY	5.3
1	G	292	VAL	5.3
1	C	47	ILE	5.3
1	F	283	GLU	5.3
1	C	39	ILE	5.2
1	C	6	PHE	5.0
1	C	286	LEU	5.0
1	E	40	ASN	5.0
1	H	286	LEU	4.9
1	G	47	ILE	4.9
1	F	267	PHE	4.8
1	F	44	ALA	4.8
1	F	272	ILE	4.8
1	E	280	GLY	4.8
1	D	43	ASP	4.7
1	F	284	GLU	4.7
1	A	278	LYS	4.7
1	G	276	GLY	4.6
1	D	40	ASN	4.6
1	C	271	TYR	4.6
1	C	278	LYS	4.5
1	D	39	ILE	4.5
1	A	280	GLY	4.4
1	E	275	GLU	4.3
1	B	6	PHE	4.3
1	B	292	VAL	4.2
1	C	273	LEU	4.2
1	G	273	LEU	4.2
1	G	275	GLU	4.2
1	H	280	GLY	4.2
1	F	282	ARG	4.1
1	C	275	GLU	4.1
1	B	280	GLY	4.1
1	D	7	LEU	4.1
1	C	277	ALA	4.0
1	G	39	ILE	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	273	LEU	3.9
1	F	8	ILE	3.9
1	A	275	GLU	3.9
1	C	26	LEU	3.8
1	F	398	ARG	3.8
1	D	385	GLU	3.8
1	B	47	ILE	3.8
1	F	278	LYS	3.8
1	F	289	GLU	3.7
1	D	29	ARG	3.7
1	H	268	VAL	3.7
1	F	195	ASP	3.7
1	E	42	LYS	3.6
1	G	281	ILE	3.6
1	H	282[A]	ARG	3.6
1	H	267	PHE	3.6
1	G	282	ARG	3.6
1	C	292	VAL	3.6
1	D	278	LYS	3.5
1	H	287	ASN	3.5
1	E	278	LYS	3.5
1	G	286	LEU	3.5
1	G	48	SER	3.4
1	C	284	GLU	3.4
1	E	43	ASP	3.4
1	C	46	VAL	3.4
1	G	278	LYS	3.4
1	A	276	GLY	3.4
1	D	47	ILE	3.4
1	C	43	ASP	3.3
1	D	28	ILE	3.3
1	E	277	ALA	3.3
1	D	46	VAL	3.3
1	G	46	VAL	3.3
1	F	9	LYS	3.3
1	C	285	SER	3.3
1	E	39	ILE	3.3
1	A	42	LYS	3.3
1	B	45	THR	3.2
1	F	290	ARG	3.2
1	C	40	ASN	3.2
1	E	6	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	295	LYS	3.2
1	C	270	ASP	3.2
1	H	275	GLU	3.2
1	C	7	LEU	3.2
1	H	292	VAL	3.2
1	H	330	TYR	3.2
1	H	279	ALA	3.2
1	F	40	ASN	3.1
1	H	270	ASP	3.1
1	D	378	ALA	3.1
1	F	6	PHE	3.1
1	D	300	PHE	3.1
1	G	280	GLY	3.1
1	H	192	ARG	3.1
1	F	246	PHE	3.1
1	E	47	ILE	3.1
1	E	7	LEU	3.0
1	F	29	ARG	3.0
1	F	47	ILE	3.0
1	H	278	LYS	3.0
1	H	289	GLU	3.0
1	G	373	ILE	3.0
1	A	279	ALA	3.0
1	F	293	GLY	3.0
1	G	279	ALA	3.0
1	C	287	ASN	3.0
1	B	291	LEU	3.0
1	B	395	VAL	3.0
1	C	293	GLY	2.9
1	C	37	GLY	2.9
1	H	272	ILE	2.9
1	C	8	ILE	2.9
1	F	46	VAL	2.8
1	G	44	ALA	2.8
1	D	6	PHE	2.8
1	F	288	LYS	2.8
1	A	291	LEU	2.8
1	C	27	LEU	2.8
1	F	244	ALA	2.7
1	D	26	LEU	2.7
1	A	292	VAL	2.7
1	C	42	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	378	ALA	2.7
1	A	250	GLU	2.7
1	C	369	ILE	2.7
1	C	274	GLY	2.7
1	C	246	PHE	2.7
1	G	313	GLY	2.6
1	D	36	ILE	2.6
1	F	294	LYS	2.6
1	C	281	ILE	2.6
1	E	41	THR	2.6
1	F	189	VAL	2.6
1	E	23	LYS	2.6
1	G	290	ARG	2.6
1	F	192	ARG	2.6
1	D	42	LYS	2.5
1	H	276	GLY	2.5
1	F	7	LEU	2.5
1	D	294	LYS	2.5
1	F	42	LYS	2.5
1	D	27	LEU	2.5
1	E	26	LEU	2.5
1	C	48	SER	2.5
1	C	45	THR	2.4
1	B	27	LEU	2.4
1	F	28	ILE	2.4
1	A	388	PHE	2.4
1	C	4	GLU	2.4
1	F	318	ILE	2.4
1	C	38	LYS	2.4
1	A	277	ALA	2.4
1	B	273	LEU	2.4
1	E	28	ILE	2.4
1	F	191	SER	2.4
1	E	45	THR	2.4
1	G	6	PHE	2.4
1	H	271	TYR	2.4
1	D	37	GLY	2.4
1	D	375	ASN	2.4
1	F	45	THR	2.4
1	D	398	ARG	2.4
1	D	227	LEU	2.3
1	G	45	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	398	ARG	2.3
1	D	20	GLU	2.3
1	G	272	ILE	2.3
1	F	49	ILE	2.3
1	C	395	VAL	2.3
1	G	287	ASN	2.3
1	H	381	ARG	2.3
1	E	281	ILE	2.3
1	B	371	GLY	2.3
1	C	9	LYS	2.3
1	G	43	ASP	2.3
1	H	357	ASN	2.3
1	A	395	VAL	2.2
1	C	13	TYR	2.2
1	G	29	ARG	2.2
1	E	73	GLU	2.2
1	H	293	GLY	2.2
1	H	189	VAL	2.2
1	A	282[A]	ARG	2.2
1	H	290	ARG	2.2
1	C	29	ARG	2.2
1	F	300	PHE	2.2
1	B	43	ASP	2.1
1	A	398	ARG	2.1
1	C	363	GLU	2.1
1	B	388	PHE	2.1
1	D	291	LEU	2.1
1	D	55	ILE	2.1
1	A	61	SER	2.1
1	H	274	GLY	2.1
1	A	41	THR	2.1
1	A	48	SER	2.1
1	B	282[A]	ARG	2.1
1	C	41	THR	2.1
1	G	331	MET	2.1
1	D	145	HIS	2.1
1	E	271	TYR	2.0
1	C	290	ARG	2.0
1	F	273	LEU	2.0
1	G	335	GLY	2.0
1	B	73	GLU	2.0
1	B	385	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	D	182	12/13	0.92	0.25	54,63,103,107	0
1	KCX	A	182	12/13	0.93	0.26	56,66,102,108	0
1	KCX	F	182	12/13	0.93	0.18	54,63,103,111	0
1	KCX	G	182	12/13	0.93	0.21	57,66,103,109	0
1	KCX	H	182	12/13	0.93	0.21	56,65,102,109	0
1	KCX	E	182	12/13	0.94	0.32	54,67,103,108	0
1	KCX	C	182	12/13	0.95	0.23	55,66,102,108	0
1	KCX	B	182	12/13	0.95	0.20	55,64,104,109	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	F	428	1/1	0.66	0.15	127,127,127,127	1
2	ZN	G	427	1/1	0.72	0.20	74,74,74,74	1
4	GOL	B	433	6/6	0.72	0.44	93,96,98,99	0
4	GOL	A	430	6/6	0.75	0.32	77,89,90,93	0
3	ARG	F	429	12/12	0.77	0.26	98,108,130,132	0
4	GOL	B	432	6/6	0.78	0.32	75,92,94,95	0
3	ARG	A	429	12/12	0.79	0.26	81,84,86,87	0
2	ZN	H	428	1/1	0.81	0.19	127,127,127,127	1
4	GOL	D	430	6/6	0.81	0.28	85,95,99,100	0
4	GOL	G	430	6/6	0.81	0.29	58,70,74,77	0
3	ARG	C	429	12/12	0.83	0.24	85,92,100,105	0
4	GOL	E	431	6/6	0.84	0.43	87,94,97,105	0
2	ZN	A	427	1/1	0.84	0.10	122,122,122,122	0
4	GOL	B	431	6/6	0.85	0.25	60,75,79,84	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ARG	H	429	12/12	0.86	0.21	68,82,106,108	0
3	ARG	D	429	12/12	0.86	0.17	78,84,85,85	0
2	ZN	F	427	1/1	0.87	0.24	113,113,113,113	0
4	GOL	E	430	6/6	0.87	0.23	84,89,93,101	0
2	ZN	A	428	1/1	0.89	0.28	106,106,106,106	1
3	ARG	B	429	12/12	0.89	0.17	61,74,94,95	0
3	ARG	G	429	12/12	0.89	0.25	87,95,102,103	0
2	ZN	C	426	1/1	0.89	0.19	117,117,117,117	0
3	ARG	E	429	12/12	0.90	0.17	66,71,76,77	0
4	GOL	B	430	6/6	0.91	0.28	95,100,103,106	0
2	ZN	C	427	1/1	0.91	0.21	67,67,67,67	1
4	GOL	H	430	6/6	0.91	0.29	67,81,86,100	0
2	ZN	D	426	1/1	0.92	0.18	128,128,128,128	0
2	ZN	D	427	1/1	0.92	0.32	78,78,78,78	1
2	ZN	C	428	1/1	0.92	0.15	106,106,106,106	1
2	ZN	H	427	1/1	0.93	0.08	118,118,118,118	0
2	ZN	E	428	1/1	0.93	0.20	91,91,91,91	1
2	ZN	G	426	1/1	0.94	0.37	78,78,78,78	1
2	ZN	B	428	1/1	0.94	0.15	87,87,87,87	1
2	ZN	D	428	1/1	0.95	0.20	89,89,89,89	1
2	ZN	E	427	1/1	0.95	0.33	76,76,76,76	1
2	ZN	A	426	1/1	0.95	0.15	104,104,104,104	0
2	ZN	G	428	1/1	0.95	0.21	101,101,101,101	1
2	ZN	F	425	1/1	0.95	0.16	93,93,93,93	0
2	ZN	B	426	1/1	0.95	0.35	77,77,77,77	1
2	ZN	B	427	1/1	0.96	0.38	80,80,80,80	1
2	ZN	B	425	1/1	0.96	0.22	85,85,85,85	0
2	ZN	H	425	1/1	0.97	0.15	93,93,93,93	0
2	ZN	E	426	1/1	0.97	0.17	102,102,102,102	0
2	ZN	A	425	1/1	0.97	0.23	92,92,92,92	0
2	ZN	G	425	1/1	0.97	0.22	93,93,93,93	0
2	ZN	C	425	1/1	0.97	0.18	93,93,93,93	0
2	ZN	E	425	1/1	0.97	0.22	88,88,88,88	0
2	ZN	F	426	1/1	0.97	0.22	98,98,98,98	0
2	ZN	D	425	1/1	0.98	0.19	88,88,88,88	0
2	ZN	H	426	1/1	0.98	0.12	95,95,95,95	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.