

Full wwPDB X-ray Structure Validation Report (i)

Nov 9, 2024 – 12:44 PM EST

PDB ID	:	6DVE
Title	:	Crystal structure of Mycobacterium tuberculosis transcription initiation com-
		plex(ECF selenomethionine-labelled sigma factor L) with 6 nt spacer
Authors	:	Lin, W.; Das, K.; Feng, Y.; Ebright, R.H.
Deposited on	:	2018-06-23
Resolution	:	3.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution				
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$				
R_{free}	164625	1155 (4.00-3.64)				
Clashscore	180529	$1222 \ (4.00-3.64)$				
Ramachandran outliers	177936	1182 (4.00-3.64)				
Sidechain outliers	177891	1174 (4.00-3.64)				
RSRZ outliers	164620	1156 (4.00-3.64)				

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
1	Δ	350	3%	100/	070/					
1	11	005	5%	12%	37%					
1	В	359	49%	15%	35%					
2	С	1178	<u>6%</u>							
	C	1170		/o	16%	•				
3	D	1316	80%	%	16%	·				
4	F	110	8%							
4	Ľ	110	57%	16%	26%					



α $\cdot \cdot$ \cdot	C		
Continued	trom	previous	paae
00100000000	J. 01.0	proceed as	P ~ 9 0 · · · ·

Mol	Chain	Length		Quality of chain		
5	F	177	9%	80%	18%	
6	G	12	25%	67%		
7	Н	24	25% 38%	63%		



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 24785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
1	Δ	225	Total	С	Ν	Ο	S	0	0	0
	220	1716	1080	296	338	2	0	0	0	
1	В	020	Total	С	Ν	0	S	0	0	0
	I D	232	1732	1093	296	341	2	0		0

• Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Chain	Residue	Modelled	Actual	Comment	Reference
А	-11	MET	-	initiating methionine	UNP P9WGZ1
A	-10	GLY	-	expression tag	UNP P9WGZ1
A	-9	HIS	-	expression tag	UNP P9WGZ1
А	-8	HIS	-	expression tag	UNP P9WGZ1
А	-7	HIS	-	expression tag	UNP P9WGZ1
А	-6	HIS	-	expression tag	UNP P9WGZ1
А	-5	HIS	-	expression tag	UNP P9WGZ1
А	-4	HIS	-	expression tag	UNP P9WGZ1
А	-3	HIS	-	expression tag	UNP P9WGZ1
A	-2	HIS	-	expression tag	UNP P9WGZ1
A	-1	HIS	-	expression tag	UNP P9WGZ1
А	0	HIS	-	expression tag	UNP P9WGZ1
В	-11	MET	-	initiating methionine	UNP P9WGZ1
В	-10	GLY	-	expression tag	UNP P9WGZ1
В	-9	HIS	-	expression tag	UNP P9WGZ1
В	-8	HIS	-	expression tag	UNP P9WGZ1
В	-7	HIS	-	expression tag	UNP P9WGZ1
В	-6	HIS	-	expression tag	UNP P9WGZ1
В	-5	HIS	-	expression tag	UNP P9WGZ1
В	-4	HIS	-	expression tag	UNP P9WGZ1
В	-3	HIS	-	expression tag	UNP P9WGZ1
В	-2	HIS	-	expression tag	UNP P9WGZ1
В	-1	HIS	-	expression tag	UNP P9WGZ1
В	0	HIS	-	expression tag	UNP P9WGZ1

There are 24 discrepancies between the modelled and reference sequences:



• Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues		A	toms		ZeroOcc	AltConf	Trace	
2	С	1126	Total 8724	C 5459	N 1531	0 1695	S 39	0	0	0

• Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues		A	toms		ZeroOcc	AltConf	Trace	
3	D	1265	Total 9895	C 6195	N 1794	O 1866	S 40	0	0	0

• Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues		Ato	ms		ZeroOcc	AltConf	Trace
4	Е	81	Total 630	C 403	N 106	O 121	0	0	0

• Molecule 5 is a protein called ECF RNA polymerase sigma factor SigL.

Mol	Chain	Residues		A	toms			ZeroOcc	AltConf	Trace
5	F	174	Total 1352	C 840	N 256	0 254	$\frac{\mathrm{Se}}{2}$	0	0	0

• Molecule 6 is a DNA chain called DNA (5'-D(*GP*CP*AP*TP*CP*CP*GP*TP*GP*AP* GP*T)-3').

Mol	Chain	Residues		Ate	\mathbf{oms}			ZeroOcc	AltConf	Trace
6	G	12	Total 244	C 117	N 45	0 71	Р 11	0	0	0

• Molecule 7 is a DNA chain called DNA (5'-D(P*CP*GP*TP*GP*TP*GP*AP*GP*TP*AP *AP*CP*TP*GP*TP*CP*AP*CP*GP*GP*AP*TP*GP*C)-3').

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
7	Н	24	Total 490	C 234	N 90	0 143	Р 23	0	0	0

• Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	D	2	TotalZn22	0	0



Chain C:

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



80%

16%

• Molecule 1: DNA-directed RNA polymerase subunit alpha















4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	142.76Å 160.61Å 240.18Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	46.68 - 3.81	Depositor
Resolution (A)	46.68 - 3.81	EDS
% Data completeness	58.5 (46.68-3.81)	Depositor
(in resolution range)	74.9(46.68-3.81)	EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.84 (at 3.77Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
D D .	0.200 , 0.248	Depositor
n, n_{free}	0.198 , 0.246	DCC
R_{free} test set	38930 reflections $(4.89%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	33.4	Xtriage
Anisotropy	1.117	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.28 , 68.7	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	24785	wwPDB-VP
Average B, all atoms $(Å^2)$	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.23	0/1742	0.44	0/2370
1	В	0.24	0/1758	0.44	0/2397
2	С	0.24	0/8883	0.42	0/12043
3	D	0.24	0/10061	0.40	0/13600
4	Ε	0.24	0/643	0.38	0/877
5	F	0.24	0/1372	0.40	0/1863
6	G	0.59	0/273	0.96	0/420
7	Н	0.60	0/549	0.98	0/846
All	All	0.26	0/25281	0.45	0/34416

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1716	0	1756	31	0
1	В	1732	0	1754	37	0
2	С	8724	0	8651	111	0
3	D	9895	0	9953	131	0
4	Е	630	0	622	15	0



0 0	f							
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes		
5	F	1352	0	1346	22	0		
6	G	244	0	137	6	0		
7	Н	490	0	272	18	0		
8	D	2	0	0	0	0		
All	All	24785	0	24491	320	0		

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (320) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:D:334:ARG:HD3	5:F:90:VAL:HG21	1.52	0.90
1:A:40:ARG:HE	1:B:33:THR:HG22	1.42	0.84
6:G:11:DT:H2'	6:G:12:DG:C8	2.16	0.80
7:H:2:DC:H2'	7:H:3:DG:C8	2.18	0.78
2:C:1024:THR:H	3:D:730:THR:HG21	1.50	0.76
1:B:81:LYS:HD3	1:B:165:ASP:HB2	1.66	0.76
1:B:182:ARG:HB3	1:B:187:THR:HA	1.68	0.74
1:B:84:VAL:HG12	1:B:199:LYS:HD2	1.71	0.73
2:C:928:ILE:HD11	3:D:817:LEU:HD11	1.71	0.72
3:D:1090:LYS:HB3	3:D:1092:GLU:HG2	1.72	0.72
3:D:832:ILE:HG22	3:D:834:ARG:H	1.55	0.71
2:C:541:VAL:HG12	2:C:578:TYR:HB2	1.72	0.71
7:H:6:DT:H2"	7:H:7:DC:H5'	1.71	0.71
2:C:593:MET:HA	2:C:628:THR:HG21	1.71	0.70
3:D:1173:THR:HG22	3:D:1193:VAL:HG21	1.73	0.70
3:D:1090:LYS:HE2	3:D:1103:ASP:HA	1.74	0.69
7:H:10:DT:H2'	7:H:11:DA:C8	2.28	0.68
2:C:32:VAL:HG13	2:C:33:PRO:HD3	1.75	0.68
2:C:558:ARG:HB3	2:C:570:TYR:HB3	1.76	0.68
3:D:337:THR:OG1	3:D:341:ASN:ND2	2.27	0.67
3:D:104:ILE:HD12	3:D:379:ASP:HB3	1.78	0.65
2:C:1087:GLU:HG3	2:C:1091:ILE:HD11	1.76	0.65
2:C:213:GLU:OE1	2:C:225:ARG:NH1	2.28	0.65
2:C:458:LEU:HD21	2:C:496:LEU:HD13	1.78	0.65
6:G:6:DA:H1'	6:G:7:DT:H5'	1.78	0.65
3:D:1045:PRO:HG2	3:D:1111:LEU:HB2	1.79	0.65
1:B:181:THR:O	1:B:189:PHE:HB2	1.97	0.64
3:D:1248:LEU:HD22	3:D:1258:ILE:HB	1.78	0.64
1:A:89:GLU:HB3	1:A:91:GLU:HG2	1.79	0.63



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:C:536:GLU:OE2	2:C:562:ARG:NH2	2.32	0.63
5:F:124:SER:HG	5:F:127:HIS:HD1	1.44	0.63
3:D:50:LYS:HE2	3:D:79:GLY:HA3	1.81	0.63
1:B:100:GLN:HG3	1:B:133:LYS:HB2	1.80	0.62
3:D:1247:GLY:O	3:D:1251:ASN:ND2	2.25	0.62
3:D:1051:GLY:HA2	3:D:1069:ASP:HB2	1.82	0.62
2:C:168:ILE:HB	2:C:173:ARG:HD2	1.82	0.62
3:D:363:PRO:HG2	5:F:15:MSE:HG3	1.80	0.61
5:F:50:ARG:NH1	7:H:4:DT:O4	2.33	0.61
6:G:12:DG:H2'	6:G:13:DA:C8	2.36	0.61
3:D:458:LYS:NZ	3:D:462:ASP:OD2	2.34	0.61
1:A:56:ILE:HB	1:A:59:VAL:HG22	1.84	0.60
3:D:34:ILE:HA	3:D:41:PRO:HA	1.83	0.60
3:D:453:LYS:HG3	3:D:476:VAL:HG11	1.83	0.60
2:C:47:PRO:HG2	2:C:581:VAL:HG13	1.83	0.59
3:D:356:ARG:NH2	5:F:46:GLU:OE2	2.36	0.59
2:C:571:VAL:HG22	2:C:572:PRO:HD2	1.83	0.59
2:C:686:GLN:HA	2:C:705:GLY:HA2	1.85	0.58
2:C:731:TYR:HE1	3:D:579:LEU:HB2	1.67	0.58
2:C:234:VAL:HG12	2:C:261:THR:HG21	1.85	0.58
1:A:56:ILE:HG12	1:A:136:VAL:HG22	1.85	0.58
3:D:1164:ARG:NH2	3:D:1216:ALA:O	2.37	0.57
2:C:1003:ASP:OD1	2:C:1004:ALA:N	2.37	0.57
2:C:824:ILE:HA	5:F:163:VAL:HG13	1.86	0.57
2:C:473:ARG:NH2	2:C:492:PRO:O	2.38	0.57
2:C:1084:THR:O	2:C:1088:LEU:HG	2.04	0.57
6:G:11:DT:H2'	6:G:12:DG:H8	1.70	0.57
2:C:854:SER:HB3	2:C:857:ASP:HB2	1.87	0.57
3:D:190:LYS:HE3	3:D:192:ASP:HB3	1.86	0.57
1:B:55:ARG:NH2	1:B:137:GLU:OE1	2.31	0.57
2:C:524:VAL:HG21	2:C:548:ILE:HD13	1.84	0.57
3:D:291:ARG:NH2	7:H:24:DG:O6	2.33	0.57
3:D:1045:PRO:HB2	3:D:1111:LEU:HD12	1.87	0.57
2:C:181:ARG:NH1	7:H:15:DG:OP2	2.37	0.56
6:G:5:DC:H2"	6:G:6:DA:C8	2.39	0.56
1:B:152:ASN:HB2	1:B:163:PRO:HB3	1.87	0.56
3:D:589:THR:HG22	3:D:670:ARG:HG2	1.86	0.56
3:D:832:ILE:HG13	3:D:851:ILE:HD11	1.87	0.56
3:D:1165:VAL:HG12	3:D:1205:PRO:HA	1.88	0.56
7:H:16:DT:H2'	7:H:17:DC:C6	2.40	0.56
2:C:467:ARG:NH1	7:H:14:DT:O2	2.39	0.56



	A L	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:C:628:THR:HG23	2:C:630:MET:H	1.70	0.56
5:F:32:ARG:HD3	7:H:9:DG:H4'	1.88	0.56
1:A:186:ARG:HG3	1:A:187:THR:HG23	1.88	0.56
3:D:1275:THR:HB	4:E:105:GLU:HG3	1.87	0.56
3:D:1085:ARG:HA	3:D:1112:MET:HA	1.89	0.55
3:D:1139:GLN:NE2	3:D:1149:ILE:O	2.38	0.55
2:C:450:THR:HG22	2:C:454:ARG:HE	1.70	0.55
2:C:1104:GLU:OE1	5:F:113:ARG:NH1	2.40	0.55
3:D:500:ARG:HD2	3:D:534:ALA:HB2	1.86	0.55
3:D:63:GLY:HA2	3:D:66:LYS:HE2	1.89	0.55
3:D:882:GLN:HG3	3:D:997:ILE:HD11	1.88	0.55
3:D:1131:GLN:HE21	3:D:1162:LEU:HD12	1.72	0.55
3:D:589:THR:HG21	3:D:688:MET:HG2	1.88	0.55
1:B:97:LEU:HB2	1:B:110:ILE:HG13	1.90	0.54
1:B:102:PRO:HB3	1:B:130:ASP:HA	1.89	0.54
3:D:111:PRO:O	3:D:113:ARG:NH1	2.36	0.54
3:D:340:LEU:HD11	3:D:405:LEU:HD11	1.88	0.54
1:B:129:ASN:OD1	1:B:130:ASP:N	2.37	0.54
1:B:148:PRO:HD2	1:B:151:GLN:HG3	1.89	0.54
2:C:377:ARG:NH2	2:C:383:GLU:OE1	2.38	0.54
3:D:369:ASN:ND2	5:F:45:GLN:OE1	2.39	0.54
1:A:4:SER:HB3	1:B:144:ARG:HH12	1.73	0.53
2:C:257:ILE:HD11	2:C:346:VAL:HG23	1.90	0.53
2:C:40:SER:HA	2:C:973:SER:HB2	1.90	0.53
3:D:530:GLU:HB2	3:D:578:ARG:HD2	1.89	0.53
1:A:4:SER:HB3	1:B:144:ARG:NH1	2.23	0.53
2:C:944:TRP:NE1	2:C:963:LEU:O	2.25	0.53
7:H:14:DT:H4'	7:H:15:DG:O5'	2.09	0.52
3:D:460:LEU:HD11	3:D:483:VAL:HG12	1.92	0.52
3:D:173:ARG:HH21	3:D:201:GLY:HA2	1.74	0.52
2:C:795:GLU:HG2	2:C:846:LYS:HG2	1.91	0.52
3:D:1092:GLU:HG3	3:D:1094:GLY:H	1.75	0.52
1:A:7:PRO:HG2	1:B:221:LEU:HD11	1.92	0.52
2:C:455:LEU:HD12	2:C:483:MET:HG3	1.92	0.52
3:D:1056:GLU:HB2	3:D:1063:LYS:HG3	1.91	0.52
3:D:1275:THR:O	3:D:1277:GLU:N	2.38	0.52
1:B:17:ASN:OD1	1:B:17:ASN:N	2.43	0.52
2:C:1067:ARG:HA	3:D:421:ARG:HA	1.92	0.52
3:D:473:LYS:NZ	3:D:477:GLU:OE2	2.39	0.52
1:A:217:GLU:HG2	1:B:232:ILE:HD12	1.91	0.52
2:C:190:THR:HG23	2:C:199:LEU:HB2	1.92	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:C:217:ASP:OD2	2:C:231:ARG:NH2	2.43	0.52
2:C:113:ASP:HB3	2:C:132:PRO:HG2	1.92	0.51
2:C:821:LEU:HA	2:C:824:ILE:HG12	1.91	0.51
2:C:1052:ILE:O	3:D:89:ARG:NH1	2.43	0.51
1:A:69:VAL:HG12	1:A:128:LEU:HG	1.93	0.51
3:D:789:LEU:HD22	3:D:793:TYR:HE2	1.75	0.51
3:D:826:ASN:HA	3:D:854:HIS:HB3	1.92	0.51
3:D:337:THR:O	5:F:92:SER:HA	2.11	0.51
2:C:83:VAL:HG13	2:C:87:GLU:HB2	1.91	0.51
2:C:720:LEU:HD23	2:C:913:VAL:HA	1.93	0.51
3:D:1169:ASP:H	3:D:1202:ALA:HB3	1.76	0.51
3:D:1220:TRP:CD1	3:D:1243:ASP:HB2	2.46	0.50
2:C:369:ASP:O	2:C:370:ILE:HG12	2.11	0.50
2:C:344:TYR:OH	2:C:364:PRO:O	2.25	0.50
2:C:1119:GLU:OE2	3:D:89:ARG:NH2	2.45	0.50
1:A:9:LEU:HD11	1:A:21:PHE:HB3	1.94	0.50
2:C:1045:SER:HB3	3:D:450:GLU:O	2.12	0.50
3:D:585:LEU:O	3:D:589:THR:OG1	2.27	0.49
3:D:826:ASN:HD21	3:D:828:LYS:HE2	1.75	0.49
1:B:99:LYS:NZ	1:B:104:GLU:O	2.42	0.49
3:D:890:ASP:OD1	3:D:963:ARG:NH2	2.39	0.49
1:B:24:GLU:HB2	1:B:191:LYS:HG3	1.93	0.49
3:D:585:LEU:HD13	3:D:673:PHE:HE2	1.78	0.49
1:A:22:VAL:HG12	1:A:193:ILE:HG12	1.94	0.49
3:D:366:ILE:HD11	5:F:15:MSE:HE2	1.95	0.49
4:E:89:GLU:OE2	4:E:97:ARG:NH1	2.45	0.49
1:A:217:GLU:HG2	1:B:232:ILE:HG23	1.95	0.49
3:D:827:PRO:HD3	3:D:854:HIS:CD2	2.47	0.49
3:D:826:ASN:HB3	3:D:832:ILE:HD11	1.95	0.49
5:F:31:LEU:HD21	7:H:10:DT:C2	2.48	0.49
7:H:14:DT:H2"	7:H:15:DG:H5"	1.94	0.49
3:D:729:VAL:HG11	3:D:802:ILE:HD11	1.95	0.49
3:D:1274:PRO:HG3	4:E:79:VAL:HG21	1.95	0.48
2:C:1087:GLU:HG2	2:C:1092:LYS:HG3	1.95	0.48
2:C:189:GLU:HB2	2:C:367:THR:HG21	1.95	0.48
2:C:216:VAL:HG22	2:C:222:VAL:HG22	1.93	0.48
2:C:1090:THR:OG1	2:C:1115:PRO:HB3	2.13	0.48
3:D:1270:ILE:HD13	4:E:56:TYR:HE2	1.78	0.48
6:G:14:DG:H2'	6:G:15:DT:C6	2.47	0.48
2:C:119:VAL:HG23	2:C:167:ILE:HD11	1.96	0.48
1:A:7:PRO:HA	1:A:25:PRO:HD2	1.95	0.48



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:C:38:ARG:HA	2:C:971:ILE:HG13	1.96	0.47
2:C:610:ASN:OD1	2:C:613:ARG:NH1	2.47	0.47
5:F:140:SER:HB3	5:F:143:GLN:HG3	1.96	0.47
2:C:592:ALA:HA	2:C:976:VAL:HG21	1.96	0.47
1:B:9:LEU:HD11	1:B:21:PHE:HB3	1.96	0.47
2:C:120:ASP:OD1	2:C:120:ASP:N	2.46	0.47
2:C:522:GLY:O	2:C:553:ARG:HA	2.13	0.47
1:B:179:ASP:HB2	1:B:191:LYS:HE2	1.96	0.47
2:C:369:ASP:C	2:C:371:ASP:H	2.18	0.47
3:D:634:LYS:HG2	3:D:665:GLU:HG2	1.96	0.47
3:D:1247:GLY:H	3:D:1251:ASN:ND2	2.11	0.47
2:C:202:VAL:HG21	2:C:345:LEU:HB2	1.96	0.47
2:C:891:ASN:OD1	2:C:891:ASN:N	2.47	0.47
3:D:505:HIS:CD2	3:D:507:LEU:HB2	2.49	0.47
4:E:64:ILE:HD11	4:E:98:GLU:OE2	2.15	0.47
2:C:444:ASN:O	2:C:447:SER:OG	2.27	0.47
2:C:1090:THR:OG1	2:C:1091:ILE:N	2.47	0.47
3:D:1054:ARG:HD3	3:D:1065:THR:HB	1.97	0.47
3:D:1055:LEU:H	3:D:1101:ASP:HB3	1.80	0.47
3:D:1154:ILE:O	3:D:1158:VAL:HG23	2.15	0.47
1:B:182:ARG:NH2	3:D:488:GLU:HG2	2.30	0.46
3:D:778:TRP:CD2	3:D:835:PRO:HG3	2.50	0.46
2:C:298:ASN:HA	2:C:302:LYS:HB2	1.97	0.46
3:D:556:ARG:NH1	4:E:35:ILE:O	2.48	0.46
2:C:642:VAL:HB	2:C:703:ALA:HB3	1.97	0.46
2:C:1045:SER:O	3:D:423:ASP:HB3	2.16	0.46
3:D:756:VAL:HG21	3:D:777:ILE:HD11	1.98	0.46
1:A:77:ILE:O	1:A:81:LYS:HG3	2.15	0.46
2:C:725:PRO:HA	2:C:730:ASN:HD21	1.80	0.46
3:D:827:PRO:O	3:D:858:LYS:NZ	2.38	0.46
5:F:170:LEU:HD22	5:F:175:VAL:HG21	1.96	0.46
2:C:848:ILE:HD13	2:C:874:ALA:HB2	1.96	0.46
1:A:222:ALA:HB1	1:B:208:LEU:HG	1.98	0.46
3:D:876:ARG:HG2	3:D:1226:PHE:HZ	1.81	0.46
3:D:453:LYS:O	3:D:457:MET:HG3	2.16	0.46
1:A:27:GLU:OE2	1:B:144:ARG:NH2	2.46	0.45
2:C:236:VAL:HG13	2:C:273:ALA:HB1	1.97	0.45
2:C:401:ARG:HA	2:C:404:MET:HE2	1.98	0.45
3:D:294:LYS:NZ	7:H:22:DA:O5'	2.49	0.45
1:A:144:ARG:NH2	1:B:27:GLU:OE2	2.49	0.45
5:F:28:ARG:NE	7:H:9:DG:H21	2.14	0.45



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:99:LYS:HG2	1:A:105:VAL:HG22	1.99	0.45
2:C:704:ASP:HB2	2:C:708:THR:HB	1.98	0.45
1:A:29:GLY:N	1:A:190:ASP:OD2	2.41	0.45
2:C:60:SER:OG	2:C:382:GLY:N	2.34	0.45
2:C:126:ASP:HA	2:C:170:GLY:HA3	1.99	0.45
2:C:486:ILE:HD11	3:D:849:TYR:HE2	1.81	0.45
3:D:384:ASN:H	3:D:401:SER:HB3	1.82	0.45
1:B:220:GLY:HA2	1:B:223:ARG:HB3	1.99	0.45
3:D:103:HIS:HB3	3:D:106:TYR:HD2	1.82	0.44
1:A:185:GLN:HG2	1:A:186:ARG:H	1.80	0.44
3:D:557:ILE:HG23	4:E:40:ILE:HD11	2.00	0.44
1:A:30:PHE:HE1	1:B:41:THR:HA	1.81	0.44
3:D:262:GLN:HB2	3:D:313:VAL:HG11	1.97	0.44
3:D:128:ILE:HD11	3:D:234:LEU:HD11	2.00	0.44
3:D:736:VAL:HG13	3:D:817:LEU:HD23	1.99	0.44
3:D:1166:THR:HB	3:D:1206:VAL:HG21	2.00	0.44
2:C:544:ALA:HB2	2:C:580:ASP:HB2	1.99	0.44
2:C:927:ASN:O	2:C:930:GLN:HG2	2.18	0.44
5:F:88:ASN:O	5:F:90:VAL:N	2.50	0.44
1:A:95:MET:HG2	1:A:112:PRO:HA	1.99	0.44
2:C:549:ASP:OD1	2:C:550:ALA:N	2.50	0.44
2:C:1090:THR:HG22	2:C:1118:PRO:HG3	1.99	0.44
3:D:1042:GLY:O	3:D:1083:ARG:NH2	2.48	0.44
2:C:588:SER:OG	2:C:589:VAL:N	2.51	0.44
2:C:760:ARG:HG2	2:C:865:VAL:HG22	2.00	0.44
2:C:168:ILE:HG12	2:C:431:PHE:HB3	2.00	0.44
3:D:646:ILE:O	3:D:649:GLU:HG3	2.18	0.43
4:E:47:VAL:HG23	4:E:56:TYR:CE1	2.53	0.43
3:D:235:ILE:HD12	3:D:241:TYR:HD1	1.83	0.43
3:D:588:LEU:HD23	3:D:723:TRP:CD1	2.54	0.43
2:C:32:VAL:H	2:C:33:PRO:HD3	1.84	0.43
7:H:14:DT:H6	7:H:14:DT:H2'	1.63	0.43
1:B:30:PHE:HA	1:B:33:THR:HG23	1.99	0.43
2:C:516:TYR:HD2	2:C:531:LEU:HD13	1.83	0.43
2:C:737:LEU:HG	2:C:895:ILE:HD12	1.99	0.43
3:D:823:LEU:HD23	3:D:835:PRO:HB3	2.00	0.43
1:A:218:LEU:HD12	1:A:218:LEU:HA	1.84	0.43
3:D:24:SER:HB2	3:D:94:HIS:HB3	2.00	0.43
3:D:1089:PHE:HA	3:D:1095:SER:HA	1.99	0.43
2:C:388:GLN:HG3	2:C:430:PHE:HB2	1.99	0.43
3:D:445:LYS:HB3	3:D:484:TRP:CZ3	2.54	0.43



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:10:SER:HB3	1:A:22:VAL:HG23	2.00	0.43
2:C:960:PRO:HD2	2:C:963:LEU:HD22	1.99	0.43
3:D:793:TYR:HB3	3:D:800:ILE:HG13	2.01	0.43
3:D:867:THR:HG22	3:D:1008:THR:HG23	2.01	0.43
2:C:107:PHE:HE1	2:C:418:ILE:HD11	1.83	0.43
3:D:139:VAL:HA	3:D:252:PHE:HA	2.01	0.43
1:B:28:PRO:HA	1:B:29:GLY:HA2	1.48	0.43
1:B:72:ASP:OD1	1:B:72:ASP:N	2.52	0.43
1:B:74:THR:HG21	3:D:608:GLU:HB2	2.00	0.43
2:C:313:ARG:HH22	2:C:337:ASP:CG	2.21	0.43
1:A:84:VAL:HG13	1:A:119:HIS:HB2	2.01	0.42
2:C:239:LYS:NZ	2:C:265:ASP:OD2	2.50	0.42
2:C:514:THR:OG1	2:C:585:GLN:NE2	2.47	0.42
7:H:7:DC:H2'	7:H:8:DA:C8	2.54	0.42
3:D:575:ALA:O	3:D:713:VAL:HG21	2.18	0.42
3:D:637:LEU:O	3:D:661:ALA:HA	2.19	0.42
1:B:22:VAL:HG12	1:B:193:ILE:HG12	2.01	0.42
3:D:1250:GLU:O	3:D:1254:ILE:HG12	2.19	0.42
7:H:9:DG:H2"	7:H:10:DT:OP1	2.19	0.42
1:A:112:PRO:HB2	1:A:116:VAL:HG23	2.01	0.42
1:B:170:PRO:HB2	1:B:202:ILE:HD11	2.01	0.42
1:B:176:TYR:HB3	1:B:194:LEU:HD23	2.02	0.42
2:C:974:THR:HG23	2:C:980:ALA:H	1.84	0.42
5:F:152:GLU:HG3	5:F:156:LYS:HE3	2.02	0.42
2:C:896:GLY:HA2	3:D:431:VAL:HG13	2.00	0.42
3:D:290:LEU:HA	3:D:293:LEU:HD12	2.02	0.42
3:D:789:LEU:HD22	3:D:793:TYR:CE2	2.54	0.42
1:A:173:LYS:HE3	1:A:173:LYS:HB2	1.93	0.42
2:C:751:HIS:CD2	2:C:877:ARG:HD2	2.54	0.42
2:C:1068:PHE:HZ	2:C:1076:MET:HG2	1.84	0.42
3:D:350:ARG:HD2	3:D:377:SER:OG	2.20	0.42
5:F:82:ARG:HB3	5:F:83:SER:H	1.65	0.42
2:C:276:ASP:O	2:C:279:ARG:HG2	2.20	0.42
2:C:558:ARG:HA	2:C:571:VAL:O	2.19	0.42
1:B:41:THR:HG21	1:B:215:LEU:HG	2.01	0.42
2:C:32:VAL:H	2:C:33:PRO:CD	2.33	0.42
2:C:286:PRO:HA	2:C:287:PRO:HD3	1.92	0.42
2:C:514:THR:HG1	2:C:585:GLN:NE2	2.18	0.42
4:E:47:VAL:HG11	4:E:53:LEU:HB2	2.01	0.42
2:C:182:SER:HB2	2:C:377:ARG:HB2	2.01	0.42
3:D:1005:GLU:HB3	3:D:1006:PRO:HD3	2.01	0.42



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:149:ALA:C	1:B:151:GLN:H	2.24	0.42	
2:C:1124:LEU:HD22	3:D:417:LEU:HD11	2.02	0.42	
3:D:353:ARG:HH22	5:F:42:ASP:HB3	1.85	0.42	
3:D:565:ILE:HG23	3:D:575:ALA:HB3	2.02	0.42	
3:D:816:THR:HG23	3:D:821:LYS:HA	2.02	0.42	
3:D:927:THR:HB	3:D:961:LYS:HB3	2.02	0.42	
2:C:720:LEU:HD12	2:C:1026:GLY:O	2.20	0.41	
2:C:844:SER:O	2:C:875:GLN:HB3	2.19	0.41	
2:C:853:PHE:HD2	2:C:868:LEU:HD23	1.85	0.41	
3:D:750:GLU:OE1	3:D:837:LYS:NZ	2.48	0.41	
3:D:774:LEU:HD23	3:D:777:ILE:HD12	2.02	0.41	
4:E:33:LEU:H	4:E:33:LEU:HD23	1.84	0.41	
2:C:514:THR:HG1	2:C:585:GLN:HE21	1.67	0.41	
2:C:1108:LYS:HE3	5:F:114:LEU:HD22	2.02	0.41	
3:D:446:LEU:HD12	3:D:446:LEU:H	1.85	0.41	
1:A:18:ARG:NH2	2:C:997:ASP:OD1	2.53	0.41	
2:C:140:ILE:HA	2:C:147:ILE:HG12	2.02	0.41	
2:C:1109:GLY:O	4:E:69:ASN:ND2	2.51	0.41	
3:D:1099:LEU:HD23	3:D:1099:LEU:HA	1.91	0.41	
4:E:60:ARG:HG2	4:E:104:LEU:HD11	2.02	0.41	
2:C:115:VAL:HG11	2:C:129:TYR:CZ	2.55	0.41	
2:C:1111:ASN:HB3	4:E:62:ARG:NH1	2.35	0.41	
3:D:1152:LYS:O	3:D:1156:VAL:HG23	2.20	0.41	
5:F:76:MSE:HE3	5:F:76:MSE:HB2	1.98	0.41	
3:D:363:PRO:HD3	5:F:52:TRP:CE2	2.55	0.41	
3:D:905:ALA:HB3	3:D:908:GLY:O	2.21	0.41	
3:D:1208:MET:HE3	3:D:1213:ALA:HB2	2.03	0.41	
1:A:81:LYS:NZ	1:A:165:ASP:HB2	2.35	0.41	
2:C:482:ARG:NH2	2:C:532:THR:O	2.53	0.41	
2:C:213:GLU:HG3	2:C:225:ARG:HB2	2.03	0.41	
2:C:598:GLU:HB3	2:C:977:PHE:HD2	1.85	0.41	
3:D:602:ALA:HB2	3:D:608:GLU:HG3	2.02	0.41	
3:D:611:VAL:HG22	3:D:634:LYS:HB2	2.03	0.41	
4:E:96:LEU:HD12	4:E:96:LEU:HA	1.91	0.41	
3:D:114:LEU:HD21	3:D:265:ILE:HD11	2.03	0.41	
3:D:634:LYS:HA	3:D:664:ALA:O	2.21	0.41	
3:D:886:VAL:O	3:D:992:GLY:N	2.54	0.40	
4:E:44:LEU:HA	4:E:47:VAL:HG12	2.03	0.40	
3:D:294:LYS:HB2	3:D:294:LYS:HE3	1.88	0.40	
3:D:991:ILE:HD12	3:D:1266:ARG:HH12	1.87	0.40	
3:D:1101:ASP:N	3:D:1101:ASP:OD1	2.55	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:VAL:O	1:A:69:VAL:HG22	2.22	0.40
3:D:111:PRO:HB3	7:H:22:DA:H5"	2.02	0.40
3:D:642:PRO:HG2	3:D:647:GLU:HB2	2.02	0.40
3:D:789:LEU:HD23	3:D:789:LEU:HA	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	223/359~(62%)	211 (95%)	12 (5%)	0	100	100
1	В	230/359~(64%)	208 (90%)	19 (8%)	3 (1%)	10	41
2	С	1124/1178 (95%)	1076 (96%)	43 (4%)	5~(0%)	30	65
3	D	1261/1316~(96%)	1200 (95%)	57 (4%)	4 (0%)	37	70
4	Е	79/110~(72%)	75~(95%)	4(5%)	0	100	100
5	F	172/177~(97%)	166 (96%)	6 (4%)	0	100	100
All	All	3089/3499~(88%)	2936 (95%)	141 (5%)	12 (0%)	30	65

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	159	ILE
2	С	370	ILE
3	D	678	PRO
1	В	150	VAL
3	D	593	PRO
3	D	1089	PHE
2	С	32	VAL
2	С	922	VAL



 $Continued \ from \ previous \ page...$

	3	1	1 5
Mol	Chain	\mathbf{Res}	Type
3	D	607	PRO
2	С	732	GLU
2	С	520	VAL
1	В	7	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	194/308~(63%)	190~(98%)	4 (2%)	48 67
1	В	191/308~(62%)	189 (99%)	2 (1%)	73 81
2	С	950/998~(95%)	935~(98%)	15 (2%)	58 73
3	D	1050/1095~(96%)	1040 (99%)	10 (1%)	73 81
4	Е	66/90~(73%)	66 (100%)	0	100 100
5	F	134/133~(101%)	128 (96%)	6 (4%)	23 49
All	All	2585/2932~(88%)	2548 (99%)	37 (1%)	62 76

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	2	LEU
1	А	111	VAL
1	А	171	VAL
1	А	182	ARG
1	В	79	ASN
1	В	182	ARG
2	С	32	VAL
2	С	54	LEU
2	С	119	VAL
2	С	126	ASP
2	С	363	VAL
2	С	370	ILE
2	С	373	PHE
2	С	571	VAL



	v	1	1 0
Mol	Chain	Res	Type
2	С	691	ASP
2	С	761	ASP
2	С	800	ASP
2	С	858	GLU
2	С	875	GLN
2	С	1062	GLN
2	С	1137	VAL
3	D	7	PHE
3	D	70	PHE
3	D	82	VAL
3	D	515	MET
3	D	535	ASP
3	D	539	ASP
3	D	650	LEU
3	D	738	VAL
3	D	817	LEU
3	D	1196	GLU
5	F	19	TYR
5	F	56	GLU
5	F	60	ASP
5	F	66	ARG
5	F	85	ARG
5	F	86	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis. There are no bond length outliers. There are no bond angle outliers. There are no chirality outliers. There are no torsion outliers. There are no ring outliers. No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSR	RZ>	$\cdot 2$	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	А	225/359~(62%)	0.18	9 (4%) 4	43	35	17, 47, 117, 159	0
1	В	232/359~(64%)	0.47	17 (7%)	22	21	23,68,131,190	0
2	С	1126/1178~(95%)	0.38	72 (6%)	27	24	10, 58, 145, 190	0
3	D	1265/1316~(96%)	0.41	48 (3%)	44	36	9, 70, 174, 237	0
4	Е	81/110 (73%)	0.78	9 (11%)	12	14	50, 83, 153, 208	0
5	F	172/177~(97%)	0.65	16 (9%)	16	16	34, 86, 160, 190	0
6	G	12/12~(100%)	1.33	3~(25%)	2	4	109, 142, 163, 165	0
7	Н	24/24~(100%)	1.35	6(25%)	2	4	113, 153, 212, 257	0
All	All	3137/3535 (88%)	0.42	180 (5%)	30	26	9,66,163,257	0

All (180) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	155	SER	7.9
2	С	192	ASP	7.4
3	D	1049	VAL	6.1
5	F	89	VAL	5.5
3	D	1281	ALA	4.9
1	В	154	ALA	4.6
2	С	237	LEU	4.6
1	В	156	GLY	4.6
2	С	979	GLY	4.6
3	D	1011	THR	4.0
3	D	773	ALA	4.0
4	Е	108	GLU	4.0
5	F	88	ASN	3.9
3	D	394	PRO	3.9
2	С	28	SER	3.8
1	В	157	ALA	3.7



6D	VE
-	•

Mol	Chain	Res	Type	RSRZ	
3	D	1106 GLU		3.7	
4	Е	57	ALA 3.7		
2	С	29	29 ASN 3.6		
1	А	2 LEU 3		3.6	
1	В	150	VAL	3.6	
6	G	14	DG	3.6	
7	Н	6	DT	3.6	
3	D	1026	GLY	3.6	
4	Е	28	GLY	3.6	
2	С	217	ASP	3.5	
3	D	746	LEU	3.4	
1	В	5	GLN	3.4	
3	D	820	MET	3.4	
2	C	218	LYS	3.4	
2	С	466	GLU	3.4	
2	С	464	SER	3.4	
2	С	325	GLY	3.4	
2	С	252 PHE		3.3	
4	Е	76 LEU		3.3	
3	D	13	GLY	3.3	
2	С	299	LEU	3.2	
1	В	4	SER	3.2	
6	G	15	DT	3.2	
2	С	195	THR	3.2	
2	С	219	ARG	3.1	
2	С	817	GLU	3.1	
2	С	191	ILE	3.1	
2	С	104	SER	3.1	
3	D	817	LEU	3.1	
2	C	1061	ALA	3.1	
3	D	580	ASP	3.1	
2	C	560	LEU	3.1	
2	C	193	LYS	3.0	
7	H	7	DC	3.0	
1	В	183	VAL	3.0	
3	D	1105	VAL	3.0	
2	С	329	THR	2.9	
2	C	324	VAL	2.9	
3	D	775	VAL	2.9	
1	A	150	VAL	2.9	
2	С	283	PRO	2.9	
2	С	284	GLY	2.9	



6DVE	
------	--

Mol	Chain	Res	Type	RSRZ	
1	В	185	GLN	2.9	
2	С	469	GLY	2.8	
2	С	815	THR	2.8	
1	В	1	MET	2.8	
2	С	923	PRO	2.8	
1	В	143	GLY	2.8	
1	В	2	LEU	2.7	
2	С	402	GLU	2.7	
3	D	1138	VAL	2.7	
4	Е	107	THR	2.7	
3	D	803	VAL	2.7	
1	В	89	GLU	2.7	
3	D	1007	GLY	2.7	
2	С	339	VAL	2.7	
1	В	149	ALA	2.7	
2	С	220	ASP	2.7	
3	D	6	PHE	2.7	
1	В	148	PRO	2.6	
2	С	327	PRO	2.6	
3	D	1136 ARG		2.6	
5	F	85	ARG	2.6	
2	С	702	ILE	2.6	
5	F	84	ALA	2.6	
3	D	1099	LEU	2.6	
2	С	328	ILE	2.6	
1	А	34	LEU	2.6	
2	С	981	GLN	2.6	
5	F	101	GLN	2.6	
2	С	268	VAL	2.6	
3	D	937	ILE	2.6	
1	А	223	ARG	2.6	
1	А	226	ASN	2.6	
3	D	750	GLU	2.5	
3	D	756	VAL	2.5	
3	D	780	GLU	2.5	
2	С	267	THR	2.5	
3	D	171	GLU	2.5	
2	С	248	ILE	2.5	
4	Е	88	GLN	2.5	
2	С	221	THR	2.5	
1	А	225	LEU	2.5	
2	С	946	VAL	2.5	



6D	VE
----	----

Mol	Chain	Res Type		RSRZ	
2	С	1148 ARG		2.5	
3	D	284	GLY	2.4	
5	F	78	ILE	2.4	
2	С	535	GLU	2.4	
2	С	99	PHE	2.4	
4	Е	106	HIS	2.4	
3	D	809	GLY	2.4	
7	Н	10	DT	2.4	
2	С	522	GLY	2.4	
2	С	566	GLY	2.4	
1	А	151	GLN	2.4	
3	D	1107	VAL	2.4	
3	D	1118	PRO	2.4	
5	F	176	THR	2.3	
7	Н	2	DC	2.3	
2	С	305	ARG	2.3	
2	С	509	PHE	2.3	
2	С	405	405 THR		
6	G	4	DG	2.3	
1	В	91 GLU		2.3	
5	F	100 GLU		2.3	
4	Е	75	ILE	2.3	
2	С	1123	VAL	2.3	
3	D	779	LYS	2.3	
5	F	96	SER	2.3	
2	С	261	THR	2.3	
2	С	523	VAL	2.3	
2	С	568	VAL	2.3	
3	D	1098	VAL	2.3	
2	С	547	PRO	2.2	
7	Н	25	DC	2.2	
2	С	224	VAL	2.2	
2	С	49	GLU	2.2	
2	С	844	SER	2.2	
5	F	99	PRO	2.2	
2	С	50	VAL	2.2	
1	А	199	LYS	2.2	
2	С	828	LYS	2.2	
3	D	814	THR	2.2	
2	С	988	LEU	2.2	
3	D	1168	ILE	2.2	
2	С	830	ARG	2.2	



6DVE

Mol	Chain	Res	Type	RSRZ	
2	С	470 LEU		2.2	
3	D	735	ASP	2.2	
2	С	697	GLU	2.2	
7	Н	14	DT	2.2	
5	F	62	ALA	2.2	
3	D	1217	THR	2.2	
3	D	86	LYS	2.1	
5	F	94	ASP	2.2	
2	С	1147	LEU	2.1	
4	Е	53	LEU	2.1	
2	С	97	GLU	2.1	
3	D	765	LEU	2.1	
1	А	142	ARG	2.1	
2	С	310	ARG	2.1	
3	D	1175	PHE	2.1	
5	F	69	69 LEU 2.		
3	D	196 LYS		2.1	
2	С	335	GLU	2.1	
3	D	957	ILE	2.1	
5	F	80	GLU	2.1	
3	D	498	LEU	2.1	
2	С	230	ARG	2.1	
3	D	1266	ARG	2.1	
3	D	1027	GLY	2.1	
2	С	137	ALA	2.1	
5	F	177	ARG	2.1	
2	С	824	ILE	2.1	
3	D	1157	ILE	2.1	
3	D	1043	LYS	2.1	
3	D	798	PRO	2.0	
1	В	177	LYS	2.0	
2	С	229	LYS	2.0	
3	D	1108	GLY	2.0	
3	D	797	ASN	2.0	
2	С	232	GLN	2.0	
2	С	583	PRO	2.0	
5	F	64	PRO	2.0	
2	С	955	TRP	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
8	ZN	D	2002	1/1	0.97	0.05	82,82,82,82	0
8	ZN	D	2001	1/1	1.00	0.04	57,57,57,57	0

6.5 Other polymers (i)

There are no such residues in this entry.

