



Full wwPDB EM Validation Report ⓘ

Nov 4, 2024 – 04:22 AM JST

PDB ID : 7DX9
EMDB ID : EMD-30900
Title : Trypsin-digested S protein of SARS-CoV-2 bound with PD of ACE2 in the conformation 3 (3 up RBD and 2 PD bound)
Authors : Yan, R.H.; Zhang, Y.Y.; Li, Y.N.; Ye, F.F.; Guo, Y.Y.; Xia, L.; Zhong, X.Y.; Chi, X.M.; Zhou, Q.
Deposited on : 2021-01-18
Resolution : 3.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1283	
1	B	1283	
1	C	1283	
2	D	817	
2	E	817	
3	F	2	
3	G	2	
3	H	2	
3	I	2	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	2	 50% 50%
3	K	2	 100%
3	L	2	 50% 100%
3	M	2	 50% 100%
3	N	2	 50% 100%
3	O	2	 50% 50%
3	P	2	 50% 50%
3	Q	2	 100%
3	R	2	 50% 50%
3	S	2	 100%
3	T	2	 100%
3	U	2	 100%
3	V	2	 50% 50%
3	W	2	 100%
3	X	2	 50% 50%
3	Y	2	 50% 100%
3	Z	2	 50% 50%
3	a	2	 50% 50%
3	b	2	 50% 100%
3	c	2	 50% 100%
3	d	2	 100%
3	e	2	 100%
3	f	2	 100%
3	g	2	 50% 100%
3	h	2	 50% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	i	2	100% 
3	j	2	100% 
3	k	2	100% 

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 34620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1006	7866	5022	1309	1499	36	0	0
1	B	1006	7866	5022	1309	1499	36	0	0
1	C	1007	7872	5025	1310	1501	36	0	0

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1274	LEU	-	expression tag	UNP P0DTC2
A	1275	GLU	-	expression tag	UNP P0DTC2
A	1276	ASP	-	expression tag	UNP P0DTC2
A	1277	TYR	-	expression tag	UNP P0DTC2
A	1278	LYS	-	expression tag	UNP P0DTC2
A	1279	ASP	-	expression tag	UNP P0DTC2
A	1280	ASP	-	expression tag	UNP P0DTC2
A	1281	ASP	-	expression tag	UNP P0DTC2
A	1282	ASP	-	expression tag	UNP P0DTC2
A	1283	LYS	-	expression tag	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1274	LEU	-	expression tag	UNP P0DTC2
B	1275	GLU	-	expression tag	UNP P0DTC2
B	1276	ASP	-	expression tag	UNP P0DTC2
B	1277	TYR	-	expression tag	UNP P0DTC2
B	1278	LYS	-	expression tag	UNP P0DTC2
B	1279	ASP	-	expression tag	UNP P0DTC2
B	1280	ASP	-	expression tag	UNP P0DTC2
B	1281	ASP	-	expression tag	UNP P0DTC2
B	1282	ASP	-	expression tag	UNP P0DTC2
B	1283	LYS	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1274	LEU	-	expression tag	UNP P0DTC2
C	1275	GLU	-	expression tag	UNP P0DTC2
C	1276	ASP	-	expression tag	UNP P0DTC2
C	1277	TYR	-	expression tag	UNP P0DTC2
C	1278	LYS	-	expression tag	UNP P0DTC2
C	1279	ASP	-	expression tag	UNP P0DTC2
C	1280	ASP	-	expression tag	UNP P0DTC2
C	1281	ASP	-	expression tag	UNP P0DTC2
C	1282	ASP	-	expression tag	UNP P0DTC2
C	1283	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called Angiotensin-converting enzyme 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	D	595	4857	3108	804	916	29	0	0
2	E	595	4857	3108	804	916	29	0	0

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	-11	MET	-	expression tag	UNP Q9BYF1
D	-10	ALA	-	expression tag	UNP Q9BYF1
D	-9	SER	-	expression tag	UNP Q9BYF1
D	-8	GLY	-	expression tag	UNP Q9BYF1
D	-7	ARG	-	expression tag	UNP Q9BYF1
D	10	TRP	-	insertion	UNP Q9BYF1
D	11	SER	-	insertion	UNP Q9BYF1
D	12	HIS	-	insertion	UNP Q9BYF1
D	13	PRO	-	insertion	UNP Q9BYF1
D	14	GLN	-	insertion	UNP Q9BYF1
D	15	PHE	-	insertion	UNP Q9BYF1
D	16	GLU	-	insertion	UNP Q9BYF1
D	17	LYS	-	insertion	UNP Q9BYF1
E	-11	MET	-	expression tag	UNP Q9BYF1
E	-10	ALA	-	expression tag	UNP Q9BYF1
E	-9	SER	-	expression tag	UNP Q9BYF1
E	-8	GLY	-	expression tag	UNP Q9BYF1
E	-7	ARG	-	expression tag	UNP Q9BYF1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	10	TRP	-	insertion	UNP Q9BYF1
E	11	SER	-	insertion	UNP Q9BYF1
E	12	HIS	-	insertion	UNP Q9BYF1
E	13	PRO	-	insertion	UNP Q9BYF1
E	14	GLN	-	insertion	UNP Q9BYF1
E	15	PHE	-	insertion	UNP Q9BYF1
E	16	GLU	-	insertion	UNP Q9BYF1
E	17	LYS	-	insertion	UNP Q9BYF1

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	F	2	28	16	2	10	0	0
3	G	2	28	16	2	10	0	0
3	H	2	28	16	2	10	0	0
3	I	2	28	16	2	10	0	0
3	J	2	28	16	2	10	0	0
3	K	2	28	16	2	10	0	0
3	L	2	28	16	2	10	0	0
3	M	2	28	16	2	10	0	0
3	N	2	28	16	2	10	0	0
3	O	2	28	16	2	10	0	0
3	P	2	28	16	2	10	0	0
3	Q	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	R	2	28	16	2	10	0	0
3	S	2	28	16	2	10	0	0
3	T	2	28	16	2	10	0	0
3	U	2	28	16	2	10	0	0
3	V	2	28	16	2	10	0	0
3	W	2	28	16	2	10	0	0
3	X	2	28	16	2	10	0	0
3	Y	2	28	16	2	10	0	0
3	Z	2	28	16	2	10	0	0
3	a	2	28	16	2	10	0	0
3	b	2	28	16	2	10	0	0
3	c	2	28	16	2	10	0	0
3	d	2	28	16	2	10	0	0
3	e	2	28	16	2	10	0	0
3	f	2	28	16	2	10	0	0
3	g	2	28	16	2	10	0	0
3	h	2	28	16	2	10	0	0
3	i	2	28	16	2	10	0	0
3	j	2	28	16	2	10	0	0
3	k	2	28	16	2	10	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	


Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	B	1	Total 14	8	1	5	0
4	B	1	Total 14	8	1	5	0
4	B	1	Total 14	8	1	5	0
4	B	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	C	1	Total 14	8	1	5	0
4	D	1	Total 14	8	1	5	0
4	E	1	Total 14	8	1	5	0






• Molecule 1: Spike glycoprotein







• Molecule 2: Angiotensin-converting enzyme 2





● Molecule 2: Angiotensin-converting enzyme 2



P289	W349	S409	P469	L529	E589	TYR	SER	LYS
N290	D350	L410	K470	C530	P590	ALA	ARG	LYS
I291	L351	S411	D471	Q531	L591	MET	ILE	LYS
D292	G352	A412	Q472	A532	F592	ARG	ASN	ASN
V293	K353	A413	W473	A533	T593	GLN	ASP	LYS
T294	G354	T414	W474	K534	W594	PHE	ARG	ARG
A296	D355	P415	K475	H535	L595	LEU	LEU	SER
M297	F356	K416	K476	E536	K596	VAL	ASN	GLY
V298	R357	H417	W477	G537	D597	ASN	ASP	ASN
D299	I358	L418	W478	P538	Q598	GLN	SER	TYR
D300	L359	K419	E479	L539	W599	MET	LEU	ALA
A301	M360	S420	M480	H540	K600	ILE	GLU	SER
W302	C361	I421	K481	K541	N601	LEU	PHE	ASP
D303	K363	G422	R482	C542	S602	GLY	ILE	ILE
A304	V364	L423	E483	D543	F603	GLU	GLN	SER
Q305	T365	L424	I484	I544	W604	GLU	PRO	LYS
R306	M366	S425	V485	S545	G605	ASP	THR	GLY
I307	D367	P426	G486	N546	W606	VAL	LEU	ASN
F308	D368	D427	V487	S547	S607	ALA	PRO	PRO
K309	F369	F428	V488	T548	T608	ASN	PRO	GLY
E310	L370	Q429	E489	E549	D609	LEU	ASN	PHE
A311	L371	D431	P490	A550	W610	LYS	GLN	GLN
E312	A372	N432	V491	G551	S611	PRO	PRO	ASN
K313	H373	E433	P492	Q552	P612	ILE	VAL	THR
F314	H374	E434	H493	K553	Y613	SER	SER	ASP
F315	E375	T434	D494	L554	A614	PHE	ILE	VAL
V316	M376	E435	E495	F555	D615	ASN	LEU	GLN
S317	G377	I436	T496	N556	GLN	PHE	ILE	THR
V318	H378	N437	Y497	M557	ILE	VAL	VAL	PHE
G319	I379	F438	C498	L558	LYS	THR	PHE	GLY
L320	Q380	L439	D499	R559	VAL	ALA	VAL	VAL
P321	Y381	L440	P500	L560	ARG	LYS	VAL	VAL
M322	D382	K441	A501	G561	ILE	ASN	MET	ILE
M323	M383	Q442	S502	S562	SER	VAL	GLY	VAL
T324	A384	A443	L503	S563	LYS	ASP	ILE	ILE
Q325	Y385	L444	F504	E564	ALA	ILE	VAL	VAL
G326	A386	T445	H505	P565	LEU	LEU	GLY	GLY
F327	A387	I446	V506	N566	GLY	ARG	ILE	ILE
W328	Q388	V447	S507	T567	LYS	THR	VAL	VAL
E329	P389	G448	N508	L568	ALA	GLU	LEU	LEU
N330	F390	T449	D509	A569	TYR	VAL	ILE	ILE
S331	L391	P451	Y510	E571	TRP	ALA	THR	THR
M332	L392	F452	S511	N572	ASN	ILE	GLY	ILE
L333	R393	T453	I512	W573	ASP	ARG	MET	ARG
T334	N394	Y454	R514	V574	ASN	GLU	ASP	ASP
D335	G395	M455	Y515	G575	MET	THR	SER	SER
P336	A396	L456	Y516	A576	TYR	LEU	TYR	LEU
G337	N397	E457	T517	K577	PHE	PHE	ARG	ARG
N338	E398	K458	R518	N578	ARG	ARG	SER	SER
V339	G399	W459	T519	M579	SER	SER	SER	SER
Q340	F400	R460	L520	N580	VAL	VAL	VAL	VAL
K341	H401	W461	Y521	V581	ALA	ALA	ALA	ALA
A342	E402	M462	Q522	R582	SER	ARG	ARG	ARG
V343	A403	V463	F523	F583	THR	THR	THR	THR
C344	V404	F464	Q524	L584	LEU	LEU	LEU	LEU
H345	G405	K465	F525	L585	GLY	GLY	GLY	GLY
P346	E406	G466	Q526	L586	ASP	ASP	ASP	ASP
T347	I407	E467	E527	Y587	ARG	ARG	ARG	ARG
A348	M408	I468	A528	F588				

● Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1
MAG2

● Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50%  50%

MAG1
MAG2

● Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50%  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U: 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V: 50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W: 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X: 50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y: 50% 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f: 



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	14918	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.136	Depositor
Minimum map value	-0.070	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	313.056, 313.056, 313.056	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/8042	0.55	0/10939
1	B	0.58	0/8042	0.54	0/10939
1	C	0.58	0/8048	0.55	0/10947
2	D	0.35	0/4994	0.50	0/6785
2	E	0.35	0/4994	0.50	0/6785
All	All	0.52	0/34120	0.53	0/46395

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	988/1283 (77%)	865 (88%)	95 (10%)	28 (3%)	4	27
1	B	988/1283 (77%)	862 (87%)	98 (10%)	28 (3%)	4	27
1	C	989/1283 (77%)	868 (88%)	98 (10%)	23 (2%)	5	31
2	D	593/817 (73%)	563 (95%)	28 (5%)	2 (0%)	37	67
2	E	593/817 (73%)	564 (95%)	27 (5%)	2 (0%)	37	67
All	All	4151/5483 (76%)	3722 (90%)	346 (8%)	83 (2%)	8	34

All (83) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	48	LEU
1	A	331	ASN
1	A	518	LEU
1	A	536	ASN
1	B	48	LEU
1	B	329	PHE
1	B	331	ASN
1	B	518	LEU
1	B	536	ASN
1	B	697	MET
1	B	814	LYS
1	C	48	LEU
1	C	325	SER
1	C	518	LEU
1	C	695	TYR
1	C	701	ALA
1	A	41	LYS
1	A	46	SER
1	A	339	GLY
1	A	534	VAL
1	A	591	SER
1	A	742	ILE
1	A	743	CYS
1	B	41	LYS
1	B	46	SER
1	B	332	ILE
1	B	339	GLY
1	B	534	VAL
1	B	695	TYR
1	B	810	SER
1	C	41	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	46	SER
1	C	339	GLY
1	C	531	THR
1	C	534	VAL
2	D	343	VAL
2	E	343	VAL
1	A	43	PHE
1	A	332	ILE
1	A	336	CYS
1	A	522	ALA
1	A	535	LYS
1	B	43	PHE
1	B	333	THR
1	B	336	CYS
1	B	522	ALA
1	C	43	PHE
1	C	324	GLU
1	C	333	THR
1	C	336	CYS
1	C	522	ALA
1	C	710	ASN
2	D	423	LEU
2	E	423	LEU
1	A	44	ARG
1	A	324	GLU
1	A	333	THR
1	A	349	SER
1	A	520	ALA
1	A	746	SER
1	B	44	ARG
1	B	349	SER
1	B	520	ALA
1	B	813	SER
1	C	44	ARG
1	C	349	SER
1	C	520	ALA
1	A	40	ASP
1	A	42	VAL
1	A	47	VAL
1	A	327	VAL
1	A	328	ARG
1	B	40	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	42	VAL
1	B	47	VAL
1	B	812	PRO
1	C	40	ASP
1	C	42	VAL
1	C	47	VAL
1	B	811	LYS
1	C	329	PHE
1	B	594	GLY
1	A	526	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	881/1122 (78%)	787 (89%)	94 (11%)	5	26
1	B	881/1122 (78%)	794 (90%)	87 (10%)	6	28
1	C	882/1122 (79%)	778 (88%)	104 (12%)	4	22
2	D	525/721 (73%)	518 (99%)	7 (1%)	65	81
2	E	525/721 (73%)	518 (99%)	7 (1%)	65	81
All	All	3694/4808 (77%)	3395 (92%)	299 (8%)	12	35

All (299) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ASP
1	A	46	SER
1	A	48	LEU
1	A	97	LYS
1	A	109	THR
1	A	116	SER
1	A	118	LEU
1	A	122	ASN
1	A	137	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	141	LEU
1	A	143	VAL
1	A	158	ARG
1	A	164	ASN
1	A	169	GLU
1	A	195	LYS
1	A	205	SER
1	A	208	THR
1	A	221	SER
1	A	282	ASN
1	A	296	LEU
1	A	301	CYS
1	A	308	VAL
1	A	314	GLN
1	A	315	THR
1	A	324	GLU
1	A	325	SER
1	A	326	ILE
1	A	335	LEU
1	A	353	TRP
1	A	355	ARG
1	A	375	SER
1	A	383	SER
1	A	389	ASP
1	A	390	LEU
1	A	406	GLU
1	A	421	TYR
1	A	430	THR
1	A	438	SER
1	A	440	ASN
1	A	500	THR
1	A	514	SER
1	A	517	LEU
1	A	518	LEU
1	A	525	CYS
1	A	529	LYS
1	A	531	THR
1	A	536	ASN
1	A	537	LYS
1	A	540	ASN
1	A	546	LEU
1	A	553	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	554	GLU
1	A	556	ASN
1	A	558	LYS
1	A	576	VAL
1	A	583	GLU
1	A	588	THR
1	A	592	PHE
1	A	599	THR
1	A	602	THR
1	A	646	ARG
1	A	673	SER
1	A	704	SER
1	A	710	ASN
1	A	735	SER
1	A	747	THR
1	A	748	GLU
1	A	779	GLN
1	A	786	LYS
1	A	787	GLN
1	A	791	THR
1	A	808	ASP
1	A	854	LYS
1	A	855	PHE
1	A	856	ASN
1	A	868	GLU
1	A	878	LEU
1	A	912	THR
1	A	916	LEU
1	A	935	GLN
1	A	964	LYS
1	A	968	SER
1	A	969	ASN
1	A	974	SER
1	A	976	VAL
1	A	1030	SER
1	A	1037	SER
1	A	1045	LYS
1	A	1074	ASN
1	A	1094	VAL
1	A	1104	VAL
1	A	1114	ILE
1	A	1126	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1141	LEU
1	B	40	ASP
1	B	46	SER
1	B	48	LEU
1	B	97	LYS
1	B	109	THR
1	B	116	SER
1	B	118	LEU
1	B	122	ASN
1	B	137	ASN
1	B	141	LEU
1	B	143	VAL
1	B	158	ARG
1	B	164	ASN
1	B	169	GLU
1	B	195	LYS
1	B	205	SER
1	B	208	THR
1	B	221	SER
1	B	282	ASN
1	B	296	LEU
1	B	301	CYS
1	B	308	VAL
1	B	310	LYS
1	B	314	GLN
1	B	315	THR
1	B	319	ARG
1	B	324	GLU
1	B	333	THR
1	B	334	ASN
1	B	335	LEU
1	B	353	TRP
1	B	355	ARG
1	B	375	SER
1	B	383	SER
1	B	389	ASP
1	B	390	LEU
1	B	406	GLU
1	B	421	TYR
1	B	430	THR
1	B	438	SER
1	B	440	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	500	THR
1	B	514	SER
1	B	517	LEU
1	B	518	LEU
1	B	525	CYS
1	B	529	LYS
1	B	531	THR
1	B	533	LEU
1	B	536	ASN
1	B	540	ASN
1	B	546	LEU
1	B	553	THR
1	B	554	GLU
1	B	556	ASN
1	B	558	LYS
1	B	576	VAL
1	B	583	GLU
1	B	588	THR
1	B	591	SER
1	B	599	THR
1	B	602	THR
1	B	646	ARG
1	B	673	SER
1	B	693	ILE
1	B	696	THR
1	B	703	ASN
1	B	727	LEU
1	B	778	THR
1	B	787	GLN
1	B	814	LYS
1	B	856	ASN
1	B	886	TRP
1	B	937	SER
1	B	974	SER
1	B	975	SER
1	B	976	VAL
1	B	977	LEU
1	B	1017	GLU
1	B	1077	THR
1	B	1094	VAL
1	B	1104	VAL
1	B	1126	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1129	VAL
1	B	1132	ILE
1	B	1136	THR
1	B	1145	LEU
1	C	40	ASP
1	C	46	SER
1	C	48	LEU
1	C	97	LYS
1	C	109	THR
1	C	116	SER
1	C	118	LEU
1	C	122	ASN
1	C	137	ASN
1	C	141	LEU
1	C	143	VAL
1	C	158	ARG
1	C	164	ASN
1	C	169	GLU
1	C	195	LYS
1	C	205	SER
1	C	208	THR
1	C	221	SER
1	C	282	ASN
1	C	296	LEU
1	C	301	CYS
1	C	308	VAL
1	C	314	GLN
1	C	315	THR
1	C	319	ARG
1	C	328	ARG
1	C	329	PHE
1	C	332	ILE
1	C	335	LEU
1	C	353	TRP
1	C	355	ARG
1	C	375	SER
1	C	383	SER
1	C	389	ASP
1	C	390	LEU
1	C	406	GLU
1	C	421	TYR
1	C	430	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	438	SER
1	C	440	ASN
1	C	500	THR
1	C	514	SER
1	C	517	LEU
1	C	518	LEU
1	C	525	CYS
1	C	528	LYS
1	C	533	LEU
1	C	540	ASN
1	C	546	LEU
1	C	553	THR
1	C	554	GLU
1	C	556	ASN
1	C	558	LYS
1	C	576	VAL
1	C	583	GLU
1	C	588	THR
1	C	591	SER
1	C	599	THR
1	C	602	THR
1	C	646	ARG
1	C	673	SER
1	C	690	GLN
1	C	693	ILE
1	C	696	THR
1	C	702	GLU
1	C	704	SER
1	C	722	VAL
1	C	727	LEU
1	C	729	VAL
1	C	738	CYS
1	C	746	SER
1	C	773	GLU
1	C	785	VAL
1	C	787	GLN
1	C	791	THR
1	C	826	VAL
1	C	855	PHE
1	C	856	ASN
1	C	868	GLU
1	C	878	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	883	THR
1	C	902	MET
1	C	916	LEU
1	C	929	SER
1	C	937	SER
1	C	939	SER
1	C	951	VAL
1	C	967	SER
1	C	982	SER
1	C	994	ASP
1	C	1005	GLN
1	C	1074	ASN
1	C	1076	THR
1	C	1077	THR
1	C	1092	GLU
1	C	1094	VAL
1	C	1100	THR
1	C	1104	VAL
1	C	1123	SER
1	C	1125	ASN
1	C	1132	ILE
1	C	1141	LEU
1	C	1142	GLN
1	C	1144	GLU
2	D	107	VAL
2	D	344	CYS
2	D	345	HIS
2	D	347	THR
2	D	361	CYS
2	D	423	LEU
2	D	425	SER
2	E	107	VAL
2	E	344	CYS
2	E	345	HIS
2	E	347	THR
2	E	361	CYS
2	E	423	LEU
2	E	425	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (103) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	GLN
1	A	137	ASN
1	A	188	ASN
1	A	239	GLN
1	A	317	ASN
1	A	354	ASN
1	A	360	ASN
1	A	394	ASN
1	A	422	ASN
1	A	440	ASN
1	A	498	GLN
1	A	540	ASN
1	A	556	ASN
1	A	580	GLN
1	A	644	GLN
1	A	655	HIS
1	A	658	ASN
1	A	710	ASN
1	A	804	GLN
1	A	901	GLN
1	A	914	ASN
1	A	919	ASN
1	A	920	GLN
1	A	926	GLN
1	A	992	GLN
1	A	1054	GLN
1	B	134	GLN
1	B	137	ASN
1	B	188	ASN
1	B	239	GLN
1	B	354	ASN
1	B	360	ASN
1	B	394	ASN
1	B	422	ASN
1	B	440	ASN
1	B	498	GLN
1	B	540	ASN
1	B	556	ASN
1	B	580	GLN
1	B	644	GLN
1	B	658	ASN
1	B	703	ASN
1	B	784	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	804	GLN
1	B	901	GLN
1	B	907	ASN
1	B	914	ASN
1	B	926	GLN
1	B	935	GLN
1	B	969	ASN
1	B	992	GLN
1	B	1010	GLN
1	B	1071	GLN
1	B	1101	HIS
1	B	1106	GLN
1	C	134	GLN
1	C	137	ASN
1	C	188	ASN
1	C	239	GLN
1	C	317	ASN
1	C	354	ASN
1	C	360	ASN
1	C	394	ASN
1	C	422	ASN
1	C	440	ASN
1	C	498	GLN
1	C	536	ASN
1	C	540	ASN
1	C	556	ASN
1	C	580	GLN
1	C	644	GLN
1	C	658	ASN
1	C	690	GLN
1	C	703	ASN
1	C	762	GLN
1	C	787	GLN
1	C	856	ASN
1	C	901	GLN
1	C	914	ASN
1	C	919	ASN
1	C	926	GLN
1	C	969	ASN
1	C	992	GLN
1	C	1125	ASN
1	C	1142	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	24	GLN
2	D	58	ASN
2	D	96	GLN
2	D	175	GLN
2	D	239	HIS
2	D	277	ASN
2	D	472	GLN
2	D	505	HIS
2	D	586	ASN
2	E	24	GLN
2	E	58	ASN
2	E	96	GLN
2	E	175	GLN
2	E	239	HIS
2	E	277	ASN
2	E	472	GLN
2	E	505	HIS
2	E	586	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

64 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	F	1	1,3	14,14,15	0.54	0	17,19,21	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	F	2	3	14,14,15	0.25	0	17,19,21	0.58	0
3	NAG	G	1	1,3	14,14,15	0.58	1 (7%)	17,19,21	0.57	0
3	NAG	G	2	3	14,14,15	0.31	0	17,19,21	0.46	0
3	NAG	H	1	1,3	14,14,15	0.32	0	17,19,21	0.40	0
3	NAG	H	2	3	14,14,15	0.38	0	17,19,21	0.36	0
3	NAG	I	1	1,3	14,14,15	0.34	0	17,19,21	1.14	1 (5%)
3	NAG	I	2	3	14,14,15	0.26	0	17,19,21	0.47	0
3	NAG	J	1	1,3	14,14,15	0.32	0	17,19,21	0.70	1 (5%)
3	NAG	J	2	3	14,14,15	0.21	0	17,19,21	0.39	0
3	NAG	K	1	1,3	14,14,15	0.74	1 (7%)	17,19,21	0.91	1 (5%)
3	NAG	K	2	3	14,14,15	0.33	0	17,19,21	0.69	1 (5%)
3	NAG	L	1	1,3	14,14,15	0.21	0	17,19,21	0.44	0
3	NAG	L	2	3	14,14,15	0.26	0	17,19,21	0.37	0
3	NAG	M	1	1,3	14,14,15	0.55	0	17,19,21	0.51	0
3	NAG	M	2	3	14,14,15	0.27	0	17,19,21	0.58	0
3	NAG	N	1	1,3	14,14,15	0.60	1 (7%)	17,19,21	0.56	0
3	NAG	N	2	3	14,14,15	0.29	0	17,19,21	0.47	0
3	NAG	O	1	1,3	14,14,15	0.23	0	17,19,21	1.37	1 (5%)
3	NAG	O	2	3	14,14,15	0.19	0	17,19,21	0.51	0
3	NAG	P	1	1,3	14,14,15	0.54	0	17,19,21	0.71	1 (5%)
3	NAG	P	2	3	14,14,15	0.36	0	17,19,21	0.46	0
3	NAG	Q	1	1,3	14,14,15	0.38	0	17,19,21	0.39	0
3	NAG	Q	2	3	14,14,15	0.20	0	17,19,21	0.74	0
3	NAG	R	1	1,3	14,14,15	0.36	0	17,19,21	0.48	0
3	NAG	R	2	3	14,14,15	0.54	0	17,19,21	1.30	1 (5%)
3	NAG	S	1	1,3	14,14,15	0.65	1 (7%)	17,19,21	0.43	0
3	NAG	S	2	3	14,14,15	0.33	0	17,19,21	1.35	2 (11%)
3	NAG	T	1	1,3	14,14,15	0.40	0	17,19,21	0.45	0
3	NAG	T	2	3	14,14,15	0.24	0	17,19,21	0.48	0
3	NAG	U	1	1,3	14,14,15	0.54	0	17,19,21	0.50	0
3	NAG	U	2	3	14,14,15	0.24	0	17,19,21	0.58	0
3	NAG	V	1	1,3	14,14,15	0.60	1 (7%)	17,19,21	0.56	0
3	NAG	V	2	3	14,14,15	0.29	0	17,19,21	0.46	0
3	NAG	W	1	1,3	14,14,15	0.33	0	17,19,21	0.62	0
3	NAG	W	2	3	14,14,15	0.51	0	17,19,21	0.47	0
3	NAG	X	1	1,3	14,14,15	0.39	0	17,19,21	0.73	0
3	NAG	X	2	3	14,14,15	0.28	0	17,19,21	1.31	2 (11%)
3	NAG	Y	1	1,3	14,14,15	0.69	1 (7%)	17,19,21	0.70	0
3	NAG	Y	2	3	14,14,15	0.40	0	17,19,21	1.40	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	Z	1	1,3	14,14,15	0.70	1 (7%)	17,19,21	0.66	0
3	NAG	Z	2	3	14,14,15	0.29	0	17,19,21	0.64	0
3	NAG	a	1	1,3	14,14,15	0.24	0	17,19,21	0.68	1 (5%)
3	NAG	a	2	3	14,14,15	0.18	0	17,19,21	0.49	0
3	NAG	b	1	2,3	14,14,15	0.62	1 (7%)	17,19,21	0.73	0
3	NAG	b	2	3	14,14,15	0.53	0	17,19,21	0.36	0
3	NAG	c	1	2,3	14,14,15	0.42	0	17,19,21	0.65	0
3	NAG	c	2	3	14,14,15	0.27	0	17,19,21	0.69	1 (5%)
3	NAG	d	1	2,3	14,14,15	0.29	0	17,19,21	0.62	0
3	NAG	d	2	3	14,14,15	0.30	0	17,19,21	0.63	0
3	NAG	e	1	2,3	14,14,15	0.30	0	17,19,21	0.51	0
3	NAG	e	2	3	14,14,15	0.36	0	17,19,21	0.47	0
3	NAG	f	1	2,3	14,14,15	0.22	0	17,19,21	0.62	0
3	NAG	f	2	3	14,14,15	0.33	0	17,19,21	0.59	1 (5%)
3	NAG	g	1	2,3	14,14,15	0.62	1 (7%)	17,19,21	0.73	0
3	NAG	g	2	3	14,14,15	0.54	0	17,19,21	0.37	0
3	NAG	h	1	2,3	14,14,15	0.42	0	17,19,21	0.65	0
3	NAG	h	2	3	14,14,15	0.27	0	17,19,21	0.68	1 (5%)
3	NAG	i	1	2,3	14,14,15	0.29	0	17,19,21	0.62	0
3	NAG	i	2	3	14,14,15	0.29	0	17,19,21	0.62	0
3	NAG	j	1	2,3	14,14,15	0.31	0	17,19,21	0.52	0
3	NAG	j	2	3	14,14,15	0.36	0	17,19,21	0.47	0
3	NAG	k	1	2,3	14,14,15	0.23	0	17,19,21	0.61	0
3	NAG	k	2	3	14,14,15	0.32	0	17,19,21	0.60	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	F	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	4/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	1/6/23/26	0/1/1/1
3	NAG	I	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	J	2	3	-	3/6/23/26	0/1/1/1
3	NAG	K	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	K	2	3	-	3/6/23/26	0/1/1/1
3	NAG	L	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1
3	NAG	M	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	M	2	3	-	2/6/23/26	0/1/1/1
3	NAG	N	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	4/6/23/26	0/1/1/1
3	NAG	O	1	1,3	-	6/6/23/26	0/1/1/1
3	NAG	O	2	3	-	2/6/23/26	0/1/1/1
3	NAG	P	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	P	2	3	-	2/6/23/26	0/1/1/1
3	NAG	Q	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	1/6/23/26	0/1/1/1
3	NAG	R	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	R	2	3	-	5/6/23/26	0/1/1/1
3	NAG	S	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	S	2	3	-	4/6/23/26	0/1/1/1
3	NAG	T	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
3	NAG	U	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
3	NAG	V	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	V	2	3	-	4/6/23/26	0/1/1/1
3	NAG	W	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	W	2	3	-	2/6/23/26	0/1/1/1
3	NAG	X	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	X	2	3	-	3/6/23/26	0/1/1/1
3	NAG	Y	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Y	2	3	-	5/6/23/26	0/1/1/1
3	NAG	Z	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Z	2	3	-	3/6/23/26	0/1/1/1
3	NAG	a	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	a	2	3	-	0/6/23/26	0/1/1/1
3	NAG	b	1	2,3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	b	2	3	-	2/6/23/26	0/1/1/1
3	NAG	c	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	c	2	3	-	2/6/23/26	0/1/1/1
3	NAG	d	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	d	2	3	-	4/6/23/26	0/1/1/1
3	NAG	e	1	2,3	-	0/6/23/26	0/1/1/1
3	NAG	e	2	3	-	0/6/23/26	0/1/1/1
3	NAG	f	1	2,3	-	0/6/23/26	0/1/1/1
3	NAG	f	2	3	-	2/6/23/26	0/1/1/1
3	NAG	g	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	g	2	3	-	2/6/23/26	0/1/1/1
3	NAG	h	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	h	2	3	-	2/6/23/26	0/1/1/1
3	NAG	i	1	2,3	-	2/6/23/26	0/1/1/1
3	NAG	i	2	3	-	4/6/23/26	0/1/1/1
3	NAG	j	1	2,3	-	0/6/23/26	0/1/1/1
3	NAG	j	2	3	-	0/6/23/26	0/1/1/1
3	NAG	k	1	2,3	-	0/6/23/26	0/1/1/1
3	NAG	k	2	3	-	2/6/23/26	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	K	1	NAG	O5-C1	-2.67	1.39	1.43
3	Z	1	NAG	O5-C1	-2.54	1.39	1.43
3	Y	1	NAG	O5-C1	-2.32	1.40	1.43
3	g	1	NAG	O5-C1	-2.17	1.40	1.43
3	S	1	NAG	O5-C1	-2.16	1.40	1.43
3	b	1	NAG	O5-C1	-2.16	1.40	1.43
3	V	1	NAG	O5-C1	-2.12	1.40	1.43
3	N	1	NAG	O5-C1	-2.11	1.40	1.43
3	G	1	NAG	O5-C1	-2.05	1.40	1.43

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	O	1	NAG	C2-N2-C7	4.70	129.59	122.90
3	Y	2	NAG	C2-N2-C7	4.40	129.16	122.90
3	S	2	NAG	C2-N2-C7	4.34	129.08	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	R	2	NAG	C2-N2-C7	4.30	129.03	122.90
3	X	2	NAG	C2-N2-C7	4.26	128.97	122.90
3	I	1	NAG	C1-O5-C5	3.33	116.70	112.19
3	c	2	NAG	C1-O5-C5	2.47	115.53	112.19
3	h	2	NAG	C1-O5-C5	2.43	115.49	112.19
3	K	1	NAG	O4-C4-C3	-2.38	104.84	110.35
3	Y	2	NAG	C1-C2-N2	2.38	114.55	110.49
3	X	2	NAG	C1-C2-N2	2.36	114.52	110.49
3	P	1	NAG	C1-O5-C5	2.30	115.31	112.19
3	J	1	NAG	C1-O5-C5	2.29	115.29	112.19
3	S	2	NAG	C1-C2-N2	2.22	114.28	110.49
3	Y	2	NAG	C1-O5-C5	2.08	115.01	112.19
3	a	1	NAG	C1-O5-C5	2.07	115.00	112.19
3	k	2	NAG	C1-O5-C5	2.06	114.98	112.19
3	K	2	NAG	C1-O5-C5	2.03	114.95	112.19
3	f	2	NAG	C1-O5-C5	2.03	114.94	112.19

There are no chirality outliers.

All (120) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	d	1	NAG	C8-C7-N2-C2
3	d	1	NAG	O7-C7-N2-C2
3	d	2	NAG	C3-C2-N2-C7
3	d	2	NAG	C8-C7-N2-C2
3	d	2	NAG	O7-C7-N2-C2
3	i	1	NAG	C8-C7-N2-C2
3	i	1	NAG	O7-C7-N2-C2
3	i	2	NAG	C3-C2-N2-C7
3	i	2	NAG	C8-C7-N2-C2
3	i	2	NAG	O7-C7-N2-C2
3	O	2	NAG	O5-C5-C6-O6
3	Q	1	NAG	O5-C5-C6-O6
3	P	2	NAG	O5-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
3	K	1	NAG	O5-C5-C6-O6
3	M	2	NAG	O5-C5-C6-O6
3	U	2	NAG	O5-C5-C6-O6
3	Z	1	NAG	O5-C5-C6-O6
3	f	2	NAG	O5-C5-C6-O6
3	k	2	NAG	O5-C5-C6-O6
3	b	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	c	2	NAG	O5-C5-C6-O6
3	g	1	NAG	O5-C5-C6-O6
3	h	2	NAG	O5-C5-C6-O6
3	P	1	NAG	O5-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
3	M	2	NAG	C4-C5-C6-O6
3	U	2	NAG	C4-C5-C6-O6
3	L	1	NAG	C4-C5-C6-O6
3	P	1	NAG	C4-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
3	c	1	NAG	O5-C5-C6-O6
3	h	1	NAG	O5-C5-C6-O6
3	Q	1	NAG	C4-C5-C6-O6
3	Z	1	NAG	C4-C5-C6-O6
3	c	2	NAG	C4-C5-C6-O6
3	h	2	NAG	C4-C5-C6-O6
3	P	2	NAG	C4-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
3	b	2	NAG	C4-C5-C6-O6
3	g	2	NAG	C4-C5-C6-O6
3	O	2	NAG	C4-C5-C6-O6
3	L	2	NAG	O5-C5-C6-O6
3	K	2	NAG	C4-C5-C6-O6
3	J	2	NAG	C8-C7-N2-C2
3	J	2	NAG	O7-C7-N2-C2
3	O	1	NAG	C8-C7-N2-C2
3	O	1	NAG	O7-C7-N2-C2
3	R	2	NAG	C8-C7-N2-C2
3	R	2	NAG	O7-C7-N2-C2
3	S	2	NAG	C8-C7-N2-C2
3	S	2	NAG	O7-C7-N2-C2
3	X	2	NAG	C8-C7-N2-C2
3	X	2	NAG	O7-C7-N2-C2
3	Y	2	NAG	C8-C7-N2-C2
3	Y	2	NAG	O7-C7-N2-C2
3	f	2	NAG	C4-C5-C6-O6
3	k	2	NAG	C4-C5-C6-O6
3	R	2	NAG	C4-C5-C6-O6
3	Y	1	NAG	C4-C5-C6-O6
3	c	1	NAG	C4-C5-C6-O6
3	h	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	O	1	NAG	O5-C5-C6-O6
3	X	1	NAG	C4-C5-C6-O6
3	b	1	NAG	C4-C5-C6-O6
3	g	1	NAG	C4-C5-C6-O6
3	b	2	NAG	O5-C5-C6-O6
3	g	2	NAG	O5-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
3	L	2	NAG	C4-C5-C6-O6
3	L	1	NAG	O5-C5-C6-O6
3	Z	2	NAG	O5-C5-C6-O6
3	X	1	NAG	O5-C5-C6-O6
3	S	1	NAG	O5-C5-C6-O6
3	Y	1	NAG	O5-C5-C6-O6
3	Z	2	NAG	C4-C5-C6-O6
3	S	1	NAG	C4-C5-C6-O6
3	a	1	NAG	C4-C5-C6-O6
3	a	1	NAG	O5-C5-C6-O6
3	d	2	NAG	C1-C2-N2-C7
3	i	2	NAG	C1-C2-N2-C7
3	G	2	NAG	C1-C2-N2-C7
3	N	2	NAG	C1-C2-N2-C7
3	V	2	NAG	C1-C2-N2-C7
3	S	2	NAG	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	M	1	NAG	O5-C5-C6-O6
3	U	1	NAG	O5-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
3	W	2	NAG	O5-C5-C6-O6
3	W	2	NAG	C4-C5-C6-O6
3	T	2	NAG	C4-C5-C6-O6
3	T	2	NAG	O5-C5-C6-O6
3	R	1	NAG	C4-C5-C6-O6
3	H	2	NAG	C4-C5-C6-O6
3	I	1	NAG	C3-C2-N2-C7
3	K	2	NAG	C3-C2-N2-C7
3	Q	2	NAG	C3-C2-N2-C7
3	S	2	NAG	C3-C2-N2-C7
3	Z	2	NAG	C3-C2-N2-C7
3	Y	2	NAG	C4-C5-C6-O6
3	R	1	NAG	O5-C5-C6-O6
3	Y	2	NAG	O5-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	O	1	NAG	C1-C2-N2-C7
3	V	2	NAG	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	N	2	NAG	C4-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	G	2	NAG	C3-C2-N2-C7
3	N	2	NAG	C3-C2-N2-C7
3	O	1	NAG	C3-C2-N2-C7
3	R	2	NAG	C3-C2-N2-C7
3	V	2	NAG	C3-C2-N2-C7
3	X	2	NAG	C3-C2-N2-C7
3	Y	2	NAG	C3-C2-N2-C7
3	V	2	NAG	O5-C5-C6-O6
3	N	2	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




























































































5.6 Ligand geometry [i](#)

29 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1408	1	14,14,15	0.32	0	17,19,21	0.38	0
4	NAG	A	1407	1	14,14,15	0.23	0	17,19,21	0.49	0
4	NAG	C	1407	1	14,14,15	0.23	0	17,19,21	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	1405	1	14,14,15	0.56	0	17,19,21	1.25	1 (5%)
4	NAG	C	1409	1	14,14,15	0.51	0	17,19,21	0.35	0
4	NAG	B	1406	1	14,14,15	0.30	0	17,19,21	0.38	0
4	NAG	A	1401	1	14,14,15	0.29	0	17,19,21	0.33	0
4	NAG	E	901	2	14,14,15	0.38	0	17,19,21	0.59	1 (5%)
4	NAG	A	1405	1	14,14,15	0.55	0	17,19,21	1.26	1 (5%)
4	NAG	A	1402	1	14,14,15	0.22	0	17,19,21	0.63	0
4	NAG	A	1403	1	14,14,15	0.21	0	17,19,21	0.41	0
4	NAG	B	1401	1	14,14,15	0.29	0	17,19,21	0.33	0
4	NAG	C	1405	1	14,14,15	0.57	0	17,19,21	1.26	1 (5%)
4	NAG	C	1403	1	14,14,15	0.20	0	17,19,21	0.42	0
4	NAG	A	1404	1	14,14,15	0.48	0	17,19,21	0.53	0
4	NAG	B	1403	1	14,14,15	0.20	0	17,19,21	0.42	0
4	NAG	B	1408	1	14,14,15	0.32	0	17,19,21	0.39	0
4	NAG	A	1409	1	14,14,15	0.41	0	17,19,21	1.15	2 (11%)
4	NAG	C	1406	1	14,14,15	0.29	0	17,19,21	0.38	0
4	NAG	C	1402	1	14,14,15	0.21	0	17,19,21	0.63	0
4	NAG	A	1406	1	14,14,15	0.30	0	17,19,21	0.38	0
4	NAG	B	1407	1	14,14,15	0.23	0	17,19,21	0.50	0
4	NAG	C	1401	1	14,14,15	0.29	0	17,19,21	0.33	0
4	NAG	B	1402	1	14,14,15	0.23	0	17,19,21	0.63	0
4	NAG	B	1404	1	14,14,15	0.46	0	17,19,21	0.54	0
4	NAG	C	1404	1	14,14,15	0.47	0	17,19,21	0.54	0
4	NAG	C	1408	1	14,14,15	0.30	0	17,19,21	0.39	0
4	NAG	A	1410	-	14,14,15	0.35	0	17,19,21	0.41	0
4	NAG	D	901	2	14,14,15	0.38	0	17,19,21	0.60	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1408	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1407	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1407	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1405	1	-	5/6/23/26	0/1/1/1
4	NAG	C	1409	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1406	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1401	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	901	2	-	2/6/23/26	0/1/1/1
4	NAG	A	1405	1	-	5/6/23/26	0/1/1/1
4	NAG	A	1402	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1403	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1401	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1405	1	-	5/6/23/26	0/1/1/1
4	NAG	C	1403	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1404	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1403	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1408	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1409	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1406	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1402	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1406	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1407	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1401	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1402	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1404	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1404	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1408	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1410	-	-	0/6/23/26	0/1/1/1
4	NAG	D	901	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1405	NAG	C2-N2-C7	4.32	129.06	122.90
4	B	1405	NAG	C2-N2-C7	4.30	129.02	122.90
4	A	1405	NAG	C2-N2-C7	4.29	129.02	122.90
4	A	1409	NAG	C8-C7-N2	2.26	119.93	116.10
4	A	1409	NAG	C2-N2-C7	-2.08	119.94	122.90
4	D	901	NAG	C1-O5-C5	2.08	115.01	112.19
4	E	901	NAG	C1-O5-C5	2.02	114.92	112.19

There are no chirality outliers.

All (60) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1406	NAG	O5-C5-C6-O6
4	B	1406	NAG	O5-C5-C6-O6
4	C	1406	NAG	O5-C5-C6-O6
4	A	1401	NAG	O5-C5-C6-O6
4	B	1401	NAG	O5-C5-C6-O6
4	C	1401	NAG	O5-C5-C6-O6
4	A	1402	NAG	C4-C5-C6-O6
4	B	1402	NAG	C4-C5-C6-O6
4	C	1402	NAG	C4-C5-C6-O6
4	A	1402	NAG	O5-C5-C6-O6
4	A	1404	NAG	O5-C5-C6-O6
4	B	1402	NAG	O5-C5-C6-O6
4	B	1404	NAG	O5-C5-C6-O6
4	C	1402	NAG	O5-C5-C6-O6
4	C	1404	NAG	O5-C5-C6-O6
4	A	1405	NAG	O5-C5-C6-O6
4	B	1405	NAG	O5-C5-C6-O6
4	C	1405	NAG	O5-C5-C6-O6
4	C	1409	NAG	C4-C5-C6-O6
4	A	1408	NAG	O5-C5-C6-O6
4	B	1408	NAG	O5-C5-C6-O6
4	C	1408	NAG	O5-C5-C6-O6
4	A	1405	NAG	C4-C5-C6-O6
4	B	1405	NAG	C4-C5-C6-O6
4	C	1405	NAG	C4-C5-C6-O6
4	A	1405	NAG	C8-C7-N2-C2
4	A	1405	NAG	O7-C7-N2-C2
4	B	1405	NAG	C8-C7-N2-C2
4	B	1405	NAG	O7-C7-N2-C2
4	C	1405	NAG	C8-C7-N2-C2
4	C	1405	NAG	O7-C7-N2-C2
4	C	1409	NAG	O5-C5-C6-O6
4	A	1406	NAG	C4-C5-C6-O6
4	B	1406	NAG	C4-C5-C6-O6
4	C	1406	NAG	C4-C5-C6-O6
4	A	1404	NAG	C4-C5-C6-O6
4	B	1404	NAG	C4-C5-C6-O6
4	C	1404	NAG	C4-C5-C6-O6
4	D	901	NAG	O5-C5-C6-O6
4	E	901	NAG	O5-C5-C6-O6
4	A	1403	NAG	O5-C5-C6-O6
4	B	1403	NAG	O5-C5-C6-O6
4	C	1403	NAG	O5-C5-C6-O6

Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	A	1403	NAG	C4-C5-C6-O6
4	B	1403	NAG	C4-C5-C6-O6
4	C	1403	NAG	C4-C5-C6-O6
4	B	1408	NAG	C4-C5-C6-O6
4	C	1408	NAG	C4-C5-C6-O6
4	A	1408	NAG	C4-C5-C6-O6
4	B	1401	NAG	C4-C5-C6-O6
4	A	1401	NAG	C4-C5-C6-O6
4	C	1401	NAG	C4-C5-C6-O6
4	D	901	NAG	C4-C5-C6-O6
4	E	901	NAG	C4-C5-C6-O6
4	A	1407	NAG	C1-C2-N2-C7
4	C	1407	NAG	C1-C2-N2-C7
4	B	1407	NAG	C1-C2-N2-C7
4	A	1405	NAG	C3-C2-N2-C7
4	B	1405	NAG	C3-C2-N2-C7
4	C	1405	NAG	C3-C2-N2-C7



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30900. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 129



Y Index: 141




Z Index: 148


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 245 nm³; this corresponds to an approximate mass of 221 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30900 and PDB model 7DX9. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5670	 0.2910
A	 0.7760	 0.4190
B	 0.6780	 0.3710
C	 0.6850	 0.3680
D	 0.3980	 0.1150
E	 0.0420	 0.0130
F	 0.7860	 0.3890
G	 0.5000	 0.0770
H	 0.5000	 0.2640
I	 0.7500	 0.4150
J	 0.6790	 0.3990
K	 0.7860	 0.4050
L	 0.6430	 0.3280
M	 0.3930	 0.1670
N	 0.0360	 0.0740
O	 0.4640	 0.2730
P	 0.7140	 0.4250
Q	 0.7140	 0.3730
R	 0.4640	 0.2930
S	 0.8210	 0.4580
T	 0.6430	 0.2690
U	 0.5710	 0.2850
V	 0.4290	 0.2150
W	 0.7860	 0.4330
X	 0.7140	 0.3360
Y	 0.4640	 0.3400
Z	 0.6790	 0.3080
a	 0.6070	 0.2590
b	 0.0360	 -0.0100
c	 0.1430	 -0.0460
d	 0.2860	 0.1590
e	 0.0360	 0.1650
f	 0.0710	 0.1640
g	 0.0000	 0.0170
h	 0.0000	 -0.0710



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.0000	 -0.0430
j	 0.0000	 0.0690
k	 0.0000	 0.0340