



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 23, 2023 – 01:45 AM EDT

PDB ID : 3DYG
Title : T. Brucei Farnesyl Diphosphate Synthase Complexed with Bisphosphonate BPH-461
Authors : Cao, R.; Gao, Y.; Robinson, H.; Goddard, A.; Oldfield, E.
Deposited on : 2008-07-27
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	 2% 70% 20% • 8%
1	B	390	 2% 63% 27% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACT	B	8002	-	-	X	-

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 6377 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FARNESYL PYROPHOSPHATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	358	2871	1829	473	541	28	0	0	0
1	B	358	2871	1829	473	541	28	0	0	0

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	expression tag	UNP Q86C09
A	-21	GLY	-	expression tag	UNP Q86C09
A	-20	SER	-	expression tag	UNP Q86C09
A	-19	SER	-	expression tag	UNP Q86C09
A	-18	HIS	-	expression tag	UNP Q86C09
A	-17	HIS	-	expression tag	UNP Q86C09
A	-16	HIS	-	expression tag	UNP Q86C09
A	-15	HIS	-	expression tag	UNP Q86C09
A	-14	HIS	-	expression tag	UNP Q86C09
A	-13	HIS	-	expression tag	UNP Q86C09
A	-12	SER	-	expression tag	UNP Q86C09
A	-11	SER	-	expression tag	UNP Q86C09
A	-10	GLY	-	expression tag	UNP Q86C09
A	-9	LEU	-	expression tag	UNP Q86C09
A	-8	VAL	-	expression tag	UNP Q86C09
A	-7	PRO	-	expression tag	UNP Q86C09
A	-6	ARG	-	expression tag	UNP Q86C09
A	-5	GLY	-	expression tag	UNP Q86C09
A	-4	SER	-	expression tag	UNP Q86C09
A	-3	HIS	-	expression tag	UNP Q86C09
A	-2	MET	-	expression tag	UNP Q86C09
A	-1	ALA	-	expression tag	UNP Q86C09
A	0	SER	-	expression tag	UNP Q86C09
B	-22	MET	-	expression tag	UNP Q86C09
B	-21	GLY	-	expression tag	UNP Q86C09

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	SER	-	expression tag	UNP Q86C09
B	-19	SER	-	expression tag	UNP Q86C09
B	-18	HIS	-	expression tag	UNP Q86C09
B	-17	HIS	-	expression tag	UNP Q86C09
B	-16	HIS	-	expression tag	UNP Q86C09
B	-15	HIS	-	expression tag	UNP Q86C09
B	-14	HIS	-	expression tag	UNP Q86C09
B	-13	HIS	-	expression tag	UNP Q86C09
B	-12	SER	-	expression tag	UNP Q86C09
B	-11	SER	-	expression tag	UNP Q86C09
B	-10	GLY	-	expression tag	UNP Q86C09
B	-9	LEU	-	expression tag	UNP Q86C09
B	-8	VAL	-	expression tag	UNP Q86C09
B	-7	PRO	-	expression tag	UNP Q86C09
B	-6	ARG	-	expression tag	UNP Q86C09
B	-5	GLY	-	expression tag	UNP Q86C09
B	-4	SER	-	expression tag	UNP Q86C09
B	-3	HIS	-	expression tag	UNP Q86C09
B	-2	MET	-	expression tag	UNP Q86C09
B	-1	ALA	-	expression tag	UNP Q86C09
B	0	SER	-	expression tag	UNP Q86C09

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Mg 3 3	0	0
2	B	3	Total Mg 3 3	0	0

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 3-FLUORO-1-(2-HYDROXY-2,2-DIPHOSPHONOETHYL)PYRIDINIUM (three-letter code: NI9) (formula: C₇H₁₁FNO₇P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total	C	F	N	O	P	0	0
			18	7	1	1	7	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	F	N	O			P
4	B	1	18	7	1	1	7	2	0	0

- Molecule 5 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
5	A	1	4	2	1	1	0	0
5	B	1	4	2	1	1	0	0

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 8 6 2	0	0
6	B	1	Total C O 8 6 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	251	Total O 251 251	0	0
7	B	310	Total O 310 310	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FARNESYL PYROPHOSPHATE SYNTHASE



- Molecule 1: FARNESYL PYROPHOSPHATE SYNTHASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	135.56Å 118.52Å 63.19Å 90.00° 112.36° 90.00°	Depositor
Resolution (Å)	29.22 – 2.10 29.22 – 2.09	Depositor EDS
% Data completeness (in resolution range)	95.6 (29.22-2.10) 95.2 (29.22-2.09)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.11 (at 2.10Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.207 , 0.250 0.202 , 0.246	Depositor DCC
R_{free} test set	1607 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	22.6	Xtrriage
Anisotropy	0.468	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6377	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ACT, NI9, MPD, BME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/2930	0.58	0/3961
1	B	0.37	0/2930	0.57	0/3961
All	All	0.38	0/5860	0.57	0/7922

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2871	0	2832	86	0
1	B	2871	0	2832	107	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	4	0	3	0	0
3	B	4	0	3	4	0
4	A	18	0	7	1	0
4	B	18	0	7	1	0
5	A	4	0	5	1	0
5	B	4	0	5	1	0
6	A	8	0	14	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	8	0	14	5	0
7	A	251	0	0	14	0
7	B	310	0	0	12	0
All	All	6377	0	5722	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:ASP:HB2	1:B:186:ASP:O	1.71	0.90
1:A:61:LEU:HD11	1:A:226:LEU:HD23	1.58	0.85
1:B:127:GLN:HE21	1:B:127:GLN:H	1.26	0.82
1:B:163:ARG:HH21	6:B:7002:MPD:C1	1.93	0.81
1:B:47:LYS:N	1:B:47:LYS:HD2	1.97	0.79
1:B:184:LYS:HD3	1:B:191:GLN:NE2	1.99	0.78
1:A:127:GLN:H	1:A:127:GLN:HE21	1.34	0.76
1:A:209:VAL:HG22	1:A:252:GLN:HG2	1.70	0.73
1:A:186:ASP:O	1:B:123:ASP:HB2	1.89	0.72
1:B:258:MET:HE1	1:B:367:LYS:HA	1.71	0.72
1:B:57:VAL:O	1:B:61:LEU:HD23	1.91	0.70
1:A:186:ASP:O	1:B:123:ASP:CB	2.40	0.70
1:A:365:ARG:HH12	1:A:367:LYS:HD2	1.56	0.70
1:B:96:GLN:HE22	3:B:8002:ACT:H1	1.58	0.69
1:A:209:VAL:HG11	1:A:249:GLU:HA	1.74	0.69
1:B:163:ARG:HH21	6:B:7002:MPD:H12	1.58	0.67
1:B:83:HIS:HD2	7:B:5300:HOH:O	1.76	0.67
1:B:156:ASP:O	1:B:160:ARG:HG3	1.96	0.66
1:A:127:GLN:H	1:A:127:GLN:NE2	1.94	0.65
1:A:209:VAL:CG1	1:A:249:GLU:HA	2.27	0.65
1:B:163:ARG:HE	6:B:7002:MPD:H4	1.61	0.64
1:B:241:GLU:O	1:B:245:MET:HG2	1.97	0.64
1:B:127:GLN:H	1:B:127:GLN:NE2	1.95	0.64
1:B:258:MET:CE	1:B:367:LYS:HA	2.27	0.64
1:A:315:ARG:NH1	7:A:5535:HOH:O	2.31	0.64
1:A:123:ASP:CB	1:B:186:ASP:O	2.45	0.64
1:B:96:GLN:NE2	3:B:8002:ACT:H1	2.13	0.63
1:A:163:ARG:NH2	1:B:20:GLU:OE2	2.25	0.63
1:B:30:ASN:ND2	1:B:33:ARG:HH12	1.97	0.63
1:B:22:GLU:HG3	7:B:5407:HOH:O	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:ASN:HD22	1:B:33:ARG:HH12	1.46	0.62
1:B:267:LEU:HG	1:B:269:LYS:HG2	1.81	0.62
1:A:61:LEU:CD1	1:A:226:LEU:HD23	2.30	0.61
1:A:98:HIS:CE1	1:A:137:LYS:HE3	2.35	0.61
1:B:163:ARG:O	1:B:167:THR:HG23	2.01	0.60
1:A:25:PHE:CE1	1:B:167:THR:HG22	2.36	0.60
1:A:25:PHE:HE1	1:B:167:THR:HG22	1.65	0.60
1:B:59:GLU:O	1:B:62:LEU:HB2	2.02	0.60
1:A:15:MET:O	1:A:19:GLU:HG3	2.02	0.60
1:B:184:LYS:HB3	1:B:191:GLN:HE21	1.67	0.60
1:A:163:ARG:HB3	6:A:7001:MPD:H12	1.83	0.59
1:B:110:VAL:HA	1:B:120:ARG:CD	2.33	0.59
1:A:189:VAL:O	1:B:123:ASP:HB2	2.01	0.58
1:B:30:ASN:HD22	1:B:33:ARG:NH1	2.01	0.58
1:B:37:LYS:HE3	7:B:5510:HOH:O	2.01	0.58
1:A:166:TYR:OH	1:B:21:LEU:HD21	2.03	0.58
1:B:328:ALA:HA	7:B:5454:HOH:O	2.03	0.58
1:A:1:MET:HA	1:A:4:GLN:HG2	1.85	0.57
1:A:365:ARG:NH1	1:A:367:LYS:HD2	2.19	0.57
1:A:159:CYS:SG	5:A:9001:BME:S2	2.51	0.56
1:A:315:ARG:O	1:A:319:GLU:HG3	2.04	0.56
1:B:10:TYR:HB2	1:B:90:TRP:CZ2	2.41	0.56
1:B:194:THR:HG21	7:B:5266:HOH:O	2.05	0.56
1:B:254:GLN:OE1	1:B:365:ARG:HD3	2.06	0.56
1:B:109:SER:O	1:B:120:ARG:HD2	2.06	0.56
1:B:312:THR:O	1:B:316:LEU:HG	2.05	0.56
1:B:62:LEU:O	1:B:63:SER:OG	2.22	0.56
1:A:255:ASP:HA	1:A:258:MET:HE3	1.89	0.55
1:A:181:ASP:HB2	7:A:5374:HOH:O	2.07	0.55
1:B:74:ASP:OD2	1:B:74:ASP:N	2.38	0.55
1:B:159:CYS:SG	5:B:9002:BME:S2	2.54	0.55
1:B:96:GLN:HE22	3:B:8002:ACT:CH3	2.20	0.55
1:A:185:LEU:HD22	1:B:34:TYR:CD2	2.42	0.55
1:A:241:GLU:O	1:A:245:MET:HG2	2.07	0.55
1:B:339:GLU:O	1:B:343:LYS:HG3	2.07	0.55
1:B:243:LEU:HG	1:B:340:LEU:HB3	1.89	0.54
1:B:197:PHE:HA	7:B:5266:HOH:O	2.07	0.54
1:A:83:HIS:HD2	7:A:5096:HOH:O	1.88	0.54
1:A:112:ARG:NH2	4:A:3001:NI9:O1	2.26	0.54
7:A:5402:HOH:O	1:B:158:LEU:HD13	2.07	0.54
1:B:50:ARG:CZ	1:B:96:GLN:OE1	2.56	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:266:ARG:NH2	1:A:366:GLN:HB3	2.23	0.53
1:A:50:ARG:NH2	7:A:5400:HOH:O	2.41	0.53
1:B:1:MET:HB2	7:B:5457:HOH:O	2.07	0.53
1:B:340:LEU:HD13	7:B:5391:HOH:O	2.08	0.53
1:B:19:GLU:O	1:B:23:LEU:HD22	2.08	0.53
1:B:112:ARG:NH2	4:B:4001:NI9:O1	2.31	0.52
1:A:277:ALA:HA	1:A:302:TYR:CE2	2.45	0.52
1:A:210:LYS:O	1:A:214:ALA:HB3	2.10	0.52
1:A:163:ARG:NH2	7:A:5157:HOH:O	2.43	0.52
1:B:317:TYR:O	1:B:322:LEU:HD23	2.10	0.52
1:B:209:VAL:HG22	1:B:252:GLN:HG2	1.91	0.51
1:A:2:PRO:HG3	7:A:5350:HOH:O	2.11	0.51
1:A:160:ARG:HD2	1:A:227:ILE:HD11	1.93	0.51
1:B:115:LYS:HZ2	1:B:115:LYS:HB2	1.75	0.51
1:B:232:LEU:N	1:B:233:PRO:HD2	2.25	0.51
1:B:12:GLU:OE1	1:B:83:HIS:HE1	1.93	0.51
1:A:1:MET:HG3	1:A:5:MET:CE	2.39	0.51
1:A:80:ARG:HD3	7:A:5221:HOH:O	2.10	0.51
1:B:209:VAL:HG11	1:B:249:GLU:HA	1.92	0.51
1:A:162:ASN:ND2	7:A:5086:HOH:O	2.43	0.51
1:A:47:LYS:HE3	7:A:5356:HOH:O	2.11	0.51
1:B:184:LYS:HE3	7:B:5538:HOH:O	2.11	0.51
1:B:115:LYS:HB2	1:B:115:LYS:NZ	2.25	0.50
1:A:346:LEU:HD21	7:A:5503:HOH:O	2.11	0.50
1:B:80:ARG:HG2	1:B:80:ARG:HH11	1.76	0.50
1:B:317:TYR:HA	1:B:322:LEU:HD23	1.94	0.50
1:A:123:ASP:CG	1:B:189:VAL:O	2.49	0.50
1:B:160:ARG:NH2	7:B:5297:HOH:O	2.44	0.50
1:A:323:GLN:HA	1:A:323:GLN:HE21	1.75	0.50
1:B:209:VAL:CG1	1:B:249:GLU:HA	2.43	0.49
1:B:278:LYS:HE3	7:B:5198:HOH:O	2.11	0.49
1:B:28:ASP:O	1:B:32:VAL:HG23	2.13	0.49
1:B:334:ALA:O	1:B:338:LYS:HG3	2.12	0.49
1:A:123:ASP:HB2	1:B:189:VAL:O	2.13	0.49
1:B:4:GLN:O	1:B:8:GLN:HG3	2.12	0.49
1:A:1:MET:HG3	1:A:5:MET:HE2	1.95	0.48
1:A:12:GLU:OE1	1:A:83:HIS:HE1	1.95	0.48
1:B:254:GLN:HG2	1:B:326:TYR:OH	2.14	0.48
1:A:157:LEU:HD21	1:A:224:MET:HE2	1.96	0.48
1:B:246:LEU:HD21	1:B:336:GLN:HB2	1.96	0.47
3:B:8002:ACT:H3	7:B:5063:HOH:O	2.12	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:VAL:HG23	1:A:285:THR:N	2.30	0.47
1:B:15:MET:O	1:B:19:GLU:HG3	2.15	0.47
1:B:127:GLN:HE21	1:B:127:GLN:N	2.03	0.47
1:A:98:HIS:HD2	1:A:133:GLY:O	1.98	0.46
1:A:366:GLN:O	1:A:367:LYS:C	2.54	0.46
1:B:98:HIS:HD2	1:B:133:GLY:O	1.97	0.46
1:A:343:LYS:HA	1:A:346:LEU:HD22	1.98	0.46
1:A:10:TYR:HB2	1:A:90:TRP:CZ2	2.49	0.46
1:A:33:ARG:HG2	1:A:37:LYS:HE2	1.97	0.46
1:A:266:ARG:HH22	1:A:366:GLN:HB3	1.81	0.46
1:A:61:LEU:HD11	1:A:226:LEU:CD2	2.40	0.45
1:B:315:ARG:O	1:B:318:GLU:HB3	2.16	0.45
1:A:301:ASN:ND2	1:A:312:THR:HG21	2.31	0.45
1:A:306:ASP:OD1	1:A:306:ASP:C	2.55	0.45
1:A:22:GLU:CD	7:A:5225:HOH:O	2.54	0.45
1:B:205:TYR:CZ	1:B:209:VAL:HG21	2.52	0.45
1:A:127:GLN:HE21	1:A:127:GLN:N	2.08	0.44
1:A:219:LEU:HD22	1:A:223:VAL:HG23	1.98	0.44
1:B:276:ASP:HB3	1:B:278:LYS:HE2	1.99	0.44
1:A:232:LEU:HB3	1:A:233:PRO:HD3	2.00	0.44
1:B:306:ASP:O	1:B:310:VAL:HG23	2.16	0.44
1:B:277:ALA:HA	1:B:302:TYR:CE2	2.52	0.44
1:B:315:ARG:O	1:B:319:GLU:HG3	2.18	0.44
1:A:82:LEU:HD23	1:A:82:LEU:HA	1.82	0.44
1:A:117:CYS:O	1:A:121:HIS:HD2	2.01	0.44
1:A:365:ARG:NH1	1:A:367:LYS:CD	2.80	0.44
1:A:83:HIS:O	1:A:87:VAL:HG23	2.18	0.43
1:A:1:MET:HB3	1:A:2:PRO:HD3	2.00	0.43
1:B:62:LEU:HD21	1:B:78:ARG:HG3	2.00	0.43
1:B:184:LYS:HD3	1:B:191:GLN:HE21	1.82	0.43
1:A:209:VAL:HG22	1:A:252:GLN:CG	2.45	0.43
1:B:291:SER:O	1:B:295:VAL:HG23	2.18	0.43
1:B:163:ARG:NH2	6:B:7002:MPD:H12	2.29	0.43
1:A:77:ARG:O	1:A:81:VAL:HG23	2.19	0.43
1:B:47:LYS:N	1:B:47:LYS:CD	2.77	0.43
1:A:30:ASN:HD21	1:B:183:ASN:HD22	1.66	0.43
1:B:210:LYS:O	1:B:214:ALA:HB3	2.18	0.43
1:B:275:GLN:H	1:B:275:GLN:HG2	1.43	0.43
1:A:123:ASP:CB	1:B:189:VAL:O	2.66	0.43
1:B:125:THR:HB	1:B:127:GLN:NE2	2.33	0.43
1:A:78:ARG:HG3	1:A:78:ARG:HH11	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:ARG:HE	6:B:7002:MPD:H12	1.85	0.42
1:B:332:ALA:O	1:B:336:GLN:HG3	2.19	0.42
1:A:21:LEU:HD21	1:B:166:TYR:OH	2.19	0.42
1:B:172:GLN:O	1:B:176:VAL:HG22	2.19	0.42
1:A:96:GLN:O	1:A:100:LEU:HG	2.19	0.42
1:A:218:TYR:C	1:A:221:PRO:HD2	2.39	0.42
1:B:5:MET:HG2	1:B:86:CYS:SG	2.59	0.42
1:B:340:LEU:HD12	1:B:340:LEU:HA	1.87	0.42
1:A:186:ASP:O	1:B:123:ASP:HB3	2.18	0.42
1:A:115:LYS:HE3	7:A:5360:HOH:O	2.20	0.42
1:A:27:MET:HG2	1:A:32:VAL:HG23	2.02	0.41
1:B:160:ARG:CD	1:B:227:ILE:HD11	2.50	0.41
1:A:367:LYS:HB3	7:A:5356:HOH:O	2.19	0.41
1:A:343:LYS:HB2	1:A:343:LYS:HE3	1.65	0.41
1:A:157:LEU:HD21	1:A:224:MET:CE	2.50	0.41
1:A:189:VAL:O	1:B:123:ASP:CB	2.68	0.41
1:A:49:ASN:HD22	1:A:49:ASN:HA	1.66	0.41
1:B:160:ARG:HD3	1:B:227:ILE:HD11	2.03	0.41
1:B:209:VAL:HG13	1:B:252:GLN:CB	2.51	0.41
1:A:185:LEU:HD22	1:B:34:TYR:HD2	1.85	0.40
1:B:315:ARG:NE	1:B:319:GLU:OE2	2.47	0.40
1:B:276:ASP:HB2	1:B:278:LYS:HG2	2.04	0.40
1:A:218:TYR:O	1:A:221:PRO:HD2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	354/390 (91%)	347 (98%)	7 (2%)	0	100 100
1	B	354/390 (91%)	344 (97%)	9 (2%)	1 (0%)	41 41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	708/780 (91%)	691 (98%)	16 (2%)	1 (0%)	51	54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	63	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/340 (92%)	303 (97%)	10 (3%)	39	41
1	B	313/340 (92%)	298 (95%)	15 (5%)	25	24
All	All	626/680 (92%)	601 (96%)	25 (4%)	31	32

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	ASP
1	A	127	GLN
1	A	157	LEU
1	A	163	ARG
1	A	176	VAL
1	A	179	MET
1	A	185	LEU
1	A	216	TYR
1	A	219	LEU
1	A	346	LEU
1	B	1	MET
1	B	23	LEU
1	B	35	LEU
1	B	60	SER
1	B	62	LEU
1	B	64	LEU
1	B	77	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	115	LYS
1	B	127	GLN
1	B	138	SER
1	B	185	LEU
1	B	216	TYR
1	B	229	SER
1	B	340	LEU
1	B	358	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	49	ASN
1	A	83	HIS
1	A	98	HIS
1	A	121	HIS
1	A	127	GLN
1	A	162	ASN
1	A	183	ASN
1	A	204	ASN
1	A	252	GLN
1	A	323	GLN
1	B	8	GLN
1	B	30	ASN
1	B	49	ASN
1	B	83	HIS
1	B	98	HIS
1	B	127	GLN
1	B	146	HIS
1	B	183	ASN
1	B	191	GLN
1	B	204	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	MPD	A	7001	-	7,7,7	0.76	0	9,10,10	6.42	6 (66%)
3	ACT	B	8002	-	3,3,3	2.01	1 (33%)	3,3,3	0.76	0
4	NI9	B	4001	2	17,18,18	1.59	5 (29%)	25,29,29	1.50	4 (16%)
5	BME	B	9002	-	3,3,3	2.30	1 (33%)	1,2,2	0.29	0
3	ACT	A	8001	-	3,3,3	1.88	1 (33%)	3,3,3	0.86	0
6	MPD	B	7002	-	7,7,7	0.44	0	9,10,10	0.58	0
5	BME	A	9001	-	3,3,3	2.27	1 (33%)	1,2,2	0.70	0
4	NI9	A	3001	2	17,18,18	1.58	3 (17%)	25,29,29	1.71	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPD	A	7001	-	-	1/5/5/5	-
5	BME	B	9002	-	-	0/1/1/1	-
4	NI9	B	4001	2	-	12/23/23/23	0/1/1/1
6	MPD	B	7002	-	-	0/5/5/5	-
5	BME	A	9001	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NI9	A	3001	2	-	12/23/23/23	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	9002	BME	O1-C1	-3.95	1.21	1.42
5	A	9001	BME	O1-C1	-3.92	1.21	1.42
4	A	3001	NI9	P2-C1	3.64	1.87	1.85
4	B	4001	NI9	P2-O5	-3.44	1.45	1.50
4	A	3001	NI9	P2-O5	-3.43	1.45	1.50
3	B	8002	ACT	O-C	2.91	1.35	1.22
3	A	8001	ACT	O-C	2.71	1.34	1.22
4	B	4001	NI9	C5-N	2.25	1.40	1.34
4	A	3001	NI9	C5-N	2.24	1.40	1.34
4	B	4001	NI9	P1-C1	2.23	1.86	1.85
4	B	4001	NI9	P1-O7	-2.22	1.50	1.54
4	B	4001	NI9	C3-N	2.13	1.38	1.35

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	7001	MPD	O2-C2-CM	-10.61	74.03	108.08
6	A	7001	MPD	O2-C2-C1	-9.44	77.79	108.08
6	A	7001	MPD	CM-C2-C1	8.06	127.37	110.57
6	A	7001	MPD	O2-C2-C3	6.63	134.69	109.80
6	A	7001	MPD	CM-C2-C3	-6.50	79.71	109.96
4	A	3001	NI9	C2-N-C3	-5.95	114.72	119.54
4	B	4001	NI9	C2-N-C3	-4.56	115.84	119.54
6	A	7001	MPD	C1-C2-C3	-4.23	90.28	109.96
4	A	3001	NI9	C2-N-C5	2.98	122.00	119.62
4	B	4001	NI9	P2-C1-P1	-2.77	107.85	112.81
4	B	4001	NI9	P1-C1-O2	2.54	113.08	107.30
4	A	3001	NI9	C5-N-C3	2.34	123.28	121.17
4	B	4001	NI9	C5-N-C3	2.31	123.26	121.17
4	A	3001	NI9	P1-C1-O2	2.16	112.20	107.30

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	3001	NI9	O2-C1-P2-O1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	3001	NI9	O2-C1-P2-O3
4	A	3001	NI9	O2-C1-P2-O5
4	A	3001	NI9	C2-C1-P2-O1
4	A	3001	NI9	C2-C1-P2-O3
4	A	3001	NI9	C2-C1-P2-O5
4	A	3001	NI9	P1-C1-P2-O1
4	A	3001	NI9	P1-C1-P2-O3
4	A	3001	NI9	P1-C1-P2-O5
4	A	3001	NI9	C1-C2-N-C3
4	A	3001	NI9	C1-C2-N-C5
4	B	4001	NI9	O2-C1-P2-O1
4	B	4001	NI9	O2-C1-P2-O3
4	B	4001	NI9	O2-C1-P2-O5
4	B	4001	NI9	C2-C1-P2-O1
4	B	4001	NI9	C2-C1-P2-O3
4	B	4001	NI9	C2-C1-P2-O5
4	B	4001	NI9	P1-C1-P2-O1
4	B	4001	NI9	P1-C1-P2-O3
4	B	4001	NI9	P1-C1-P2-O5
4	B	4001	NI9	C1-C2-N-C3
4	B	4001	NI9	C1-C2-N-C5
6	A	7001	MPD	O2-C2-C3-C4
4	A	3001	NI9	C2-C1-P1-O6
4	B	4001	NI9	C2-C1-P1-O6


There are no ring outliers.

7 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	7001	MPD	1	0
3	B	8002	ACT	4	0
4	B	4001	NI9	1	0
5	B	9002	BME	1	0
6	B	7002	MPD	5	0
5	A	9001	BME	1	0
4	A	3001	NI9	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	358/390 (91%)	0.16	7 (1%) 65 69	14, 27, 42, 55	0
1	B	358/390 (91%)	0.03	7 (1%) 65 69	13, 26, 43, 54	2 (0%)
All	All	716/780 (91%)	0.10	14 (1%) 65 69	13, 26, 43, 55	2 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	64	LEU	6.2
1	B	64	LEU	4.6
1	B	176	VAL	4.4
1	A	123	ASP	4.2
1	B	74	ASP	3.8
1	A	74	ASP	3.1
1	B	123	ASP	3.1
1	B	308	GLU	2.8
1	A	4	GLN	2.7
1	A	63	SER	2.6
1	A	307	SER	2.5
1	B	320	ALA	2.3
1	B	305	GLY	2.1
1	A	263	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	A	3002	1/1	0.69	0.17	23,23,23,23	0
2	MG	B	4003	1/1	0.69	0.12	29,29,29,29	0
6	MPD	B	7002	8/8	0.81	0.23	45,47,48,48	0
2	MG	B	4002	1/1	0.83	0.15	23,23,23,23	0
3	ACT	B	8002	4/4	0.86	0.21	39,41,41,42	0
6	MPD	A	7001	8/8	0.87	0.17	36,41,46,47	0
5	BME	A	9001	4/4	0.89	0.24	36,40,40,46	0
5	BME	B	9002	4/4	0.89	0.22	34,39,42,47	0
4	NI9	A	3001	18/18	0.94	0.17	17,22,42,42	0
2	MG	A	3003	1/1	0.95	0.11	22,22,22,22	0
4	NI9	B	4001	18/18	0.95	0.17	18,22,40,43	0
3	ACT	A	8001	4/4	0.96	0.14	37,37,39,39	0
2	MG	A	3004	1/1	0.96	0.08	20,20,20,20	0
2	MG	B	4004	1/1	0.97	0.12	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NI9 A 3001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.