

Full wwPDB X-ray Structure Validation Report (i)

Jun 23, 2024 – 11:40 AM EDT

PDB ID	:	5DZK
Title	:	Crystal structure of the active form of the proteolytic complex clpP1 and clpP2
Authors	:	LI, M.; Wlodawer, A.; Maurizi, M.
Deposited on	:	2015-09-25
Resolution	:	3.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution			
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$			
R _{free}	130704	1447 (3.10-3.06)			
Ramachandran outliers	138981	1487 (3.10-3.06)			
Sidechain outliers	138945	1486 (3.10-3.06)			
RSRZ outliers	127900	1416 (3.10-3.06)			

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	214	79%	10% • 8%
1	В	214	79%	13% • 7%
1	С	214	78%	13% • 8%
1	D	214	79%	13% 8%
1	Е	214	82%	11% 7%
1	F	214	76%	14% • 8%
1	G	214	80%	11% 9%



Continued from previous page... Chain Length Quality of chain Mol 1 214• 8% \mathbf{a} 82% 9% 1 b 21479% 14% • 7% 2141 \mathbf{c} 78% 14% 8% 1 d 21479% 8% 11% • 1 214е 80% 12% • 7% 214f 1 80% 12% 8% 1 214g 78% 14% 8% 21 3 67% 33% 33% 223 67% 33% $\mathbf{3}$ 3 267% 33% 243 67% 33% 2Ο 3 100% 2Р 3 33% 67% Q 3 2100% 3 2 \mathbf{R} 67% 33% \mathbf{S} 23 33% 33% 33% $\mathbf{2}$ Т 3 33% 67% U 3 2100% 2V 3 67% 33% W 23 100% Х 23 67% 33% 2Υ 3 100% 2Ζ 3 67% 33% 23 0 67% 33% 23 р 67% 33%



Mol	Chain	Length	Quality of chain						
2	q	3	33% 33%	33%					
2	r	3	67%	33%					
2	s	3	33% 67%	ó					
2	t	3	100%						
2	u	3	33% 67%	6					
2	V	3	67%	33%					
2	W	3	100%						
2	x	3	33% 67%	, 0					
2	у	3	100%						
2	Z	3	67%	33%					
3	Н	200	76%	12% • 11%					
3	Ι	200	77%	11% • 11%					
3	J	200	78%	10% • 11%					
3	K	200	76%	10% • 11%					
3	L	200	78%	10% • 11%					
3	М	200	75%	13% • 11%					
3	N	200	80%	9% • 10%					
3	h	200	76%	13% 11%					
3	i	200	75%	13% • 11%					
3	i	200	78%	10% 11%					
3	k	200	76%	12% • 11%					
3	1	200	76%	12% 11%					
3	m	200	70/0	120/ 110/					
2	n	200	/0%	12% • 11%					
J	11	200	/0%	12% • 11%					



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 40976 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1		100	Total	С	Ν	0	S	0	0	0
	A	190	1508	948	257	295	8	0	0	0
1	D	200	Total	С	Ν	0	S	0	0	0
	D	200	1534	963	262	301	8	0	0	0
1	С	106	Total	С	Ν	0	S	0	0	0
1		190	1508	948	257	295	8	0	0	0
1	П	106	Total	С	Ν	0	S	0	0	0
	D	190	1508	948	257	295	8	0	0	0
1	F	200	Total	С	Ν	0	S	0	0	0
1		200	1534	963	262	301	8	0	0	0
1	Б	106	Total	С	Ν	0	S	0	0	0
	Г	190	1508	948	257	295	8	0	0	0
1	C	105	Total	С	Ν	0	S	0	0	0
1	G	195	1502	945	256	293	3 8	0	0	0
1	0	107	Total	С	Ν	0	S	0	0	0
1	a	197	1513	951	258	296	8	0	0	
1	h	200	Total	С	Ν	0	S	0	0	0
	U	200	1534	963	262	301	8	0	0	0
1	C	107	Total	С	Ν	0	\mathbf{S}	0	0	0
	C	191	1513	951	258	296	8	0	0	0
1	d	106	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	u	190	1508	948	257	295	8	0	0	0
1	0	200	Total	С	Ν	0	S	0	0	0
1	r e	200	1534	963	262	301	8	0	0	0
1	f	106	Total	С	Ν	Ο	\mathbf{S}	0	0	0
		190	1508	948	257	295	8	0	U	0
1	ſ	106	Total	С	Ν	0	S	0	0	0
	8	190	1508	948	257	295	8		0	U

• Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit 2.

• Molecule 2 is a protein called BEZ-LEU-LEU.



Mol	Chain	Residues	At	om	s		ZeroOcc	AltConf	Trace
2	О	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	Р	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	Q	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	R	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	S	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	Т	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	U	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	V	3	Total (25 1	C .9	N 2	O 4	0	0	0
2	W	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	Х	3	Total (25 1	C 9	N 2	0 4	0	0	0
2	Y	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	Z	3	Total (25 1	C 9	N 2	0 4	0	0	0
2	1	3	Total $(25 1)$	C .9	N 2	0 4	0	0	0
2	2	3	Total (25 1	C 9	N 2	0 4	0	0	0
2	0	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	р	3	Total (25 1	C 9	N 2	0 4	0	0	0
2	q	3	Total $(25 1)$	C .9	N 2	0 4	0	0	0
2	r	3	Total $(25 1)$	C .9	N 2	0 4	0	0	0
2	s	3	Total (25 1	C .9	N 2	0 4	0	0	0
2	t	3	$\begin{array}{c} \text{Total} & 0 \\ 25 & 1 \end{array}$	C .9	N 2	0 4	0	0	0
2	u	3	$\begin{array}{cc} \text{Total} & 0 \\ 25 & 1 \end{array}$	C .9	N 2	0 4	0	0	0
2	V	3	Total (25 1	C .9	N 2	O 4	0	0	0



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	2 w	3	Total	С	Ν	0	0	0	0
	vv		25	19	2	4	0	0	0
2	v	2	Total	С	Ν	Ο	0	0	0
	А	ა	25	19	2	4	0	0	
9	2 y	3	Total	С	Ν	Ο	0	0	0
			25	19	2	4	0	0	
0	7	2	Total	С	Ν	0	0	0	0
	Z	5	25	19	2	4	0	0	
2	9	9	Total	С	Ν	Ο	0	0	0
	5	9	25	19	2	4	0	0	0
2 4	4	2	Total	С	Ν	Ο	0	0	0
	4	ა	25	19	2	4	0	0	U

• Molecule 3 is a protein called ATP-dependent Clp protease proteolytic subunit 1.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
9	тт	170	Total	С	Ν	0	S	0	0	0
3	п	178	1357	858	229	261	9	0	0	0
9	т	170	Total	С	Ν	0	S	0	0	0
0	1	170	1357	858	229	261	9	0	0	0
3	Т	178	Total	С	Ν	Ο	\mathbf{S}	0	0	0
5	J	170	1357	858	229	261	9	0	0	0
3	K	178	Total	С	Ν	Ο	\mathbf{S}	0	0	0
5	Γ	170	1357	858	229	261	9	0	0	0
3	т	178	Total	С	Ν	0	S	0	0	0
0		170	1357	858	229	261	9		0	0
3	2 M	178	Total	С	Ν	0	S	0	0	0
0	111	170	1357	858	229	261	9	0	0	0
3	3 N	179	Total	С	Ν	Ο	S	0	0	0
0	11	115	1362	861	230	262	9	0	0	0
3	h	178	Total	С	Ν	Ο	\mathbf{S}	0	0	0
0	11	170	1357	858	229	261	9	0	0	0
3	i	178	Total	С	Ν	Ο	\mathbf{S}	0	0	0
0	1	170	1357	858	229	261	9	0	0	0
3	i	178	Total	С	Ν	Ο	\mathbf{S}	0	0	0
0	J	170	1357	858	229	261	9	0	0	0
3	Ŀ	178	Total	С	Ν	Ο	\mathbf{S}	0	0	0
0	K	170	1357	858	229	261	9	0	0	0
2	3 1	178	Total	С	Ν	Ο	S	0	0	Ο
J		1/8	1357	858	229	261	9		U	U
3	2	178	Total	С	Ν	0	S	0	0	0
			1357	858	229	261	9			0



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	n	178	Total 1357	C 858	N 229	0 261	${ m S} 9$	0	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total O 1 1	0	0
4	С	1	Total O 1 1	0	0
4	D	1	Total O 1 1	0	0
4	Е	1	Total O 1 1	0	0
4	G	2	Total O 2 2	0	0
4	Н	2	Total O 2 2	0	0
4	Ι	4	Total O 4 4	0	0
4	J	1	Total O 1 1	0	0
4	К	2	Total O 2 2	0	0
4	L	2	Total O 2 2	0	0
4	М	3	Total O 3 3	0	0
4	Ν	2	Total O 2 2	0	0
4	a	1	Total O 1 1	0	0
4	b	1	Total O 1 1	0	0
4	с	1	Total O 1 1	0	0
4	d	2	TotalO22	0	0
4	е	1	Total O 1 1	0	0
4	h	4	Total O 4 4	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	i	3	Total O 3 3	0	0
4	j	3	Total O 3 3	0	0
4	k	6	Total O 6 6	0	0
4	1	2	Total O 2 2	0	0
4	m	4	Total O 4 4	0	0
4	n	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ATP-dependent Clp protease proteolytic subunit 2







• Molecule 1: ATP-dependent Clp protease proteolytic subunit 2





• Molecule 1: ATP-dependent Clp protease proteolytic subunit 2





 \bullet Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

			• 770
MET ASN SER GLN GLN GLN FLC ALA ALA ALA ALA ALA ALA ALA ALA ALA A	M87 94 94 1100 6106 8110 8110 8131	H135 H135 G144 E151 1157 E158 E158 M164	K174 D184 R185 R207 K208 L209

S210 A211 Q212 T213 A214

• Molecule 1: ATP-dependent Clp protease proteolytic subunit 2



GLN THR ALA

 \bullet Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

Chain g:	78%	14% 8%	
MET ASN SER CLN SER ASN SER CLN CLN CLN CLN CLN CLN CLN CLN CLN CLN	049 050 161 161 173 173 173 173 173 173 173 173 173 17	N131 1134 1136 1136 1136 1136 1136 1136 1	M164
D184 R185 R207 R207 R209 L209 ALA ALA ALA ALA ALA			
• Molecule 2: BEZ-LEU-LEU			
Chain O:	100%		



Page 13	Full wwPD	B X-ray Structure Va	lidation Report
There are no out	ior residues record	ad for this chain	
• Molecule 2: BE	Z-LEU-LEU	eu for this cham.	
Chain P:	33%	67%	
BEZ801 L802 L803			
• Molecule 2: BE	Z-LEU-LEU		
Chain Q:		100%	
There are no outl	ier residues recorde	ed for this chain.	
• Molecule 2: BE	Z-LEU-LEU		
Chain R:	67%		33%
BE2801 L802 L803			
• Molecule 2: BE	Z-LEU-LEU		
Chain S:	33%	33%	33%
BE2801 L802 L803			
• Molecule 2: BE	Z-LEU-LEU		
Chain T:	33%	67%	
862801 1802 1803			
• Molecule 2: BE	Z-LEU-LEU		
Chain U:		100%	
There are no outl	ier residues recorde	ed for this chain.	
• Molecule 2: BE	Z-LEU-LEU		
Chain V:	67%		33%
BE2801 L802 L803			
• Molecule 2: BE	Z-LEU-LEU		
Chain W:		100%	



• Molecule 2: BEZ-LEU-LEU

Chain X:	67%	33%
BE2801 1802 11803 11803		
• Molecule 2: BEZ-LEU-L	EU	
Chain Y:	100%	
There are no outlier residu	es recorded for this ch	ain.
• Molecule 2: BEZ-LEU-L	EU	
Chain Z:	67%	33%
BE2201 L803 L803		
• Molecule 2: BEZ-LEU-L	EU	
Chain 1:	67%	33%
BE2801 1802 1.803 1.803		
• Molecule 2: BEZ-LEU-L	EU	
Chain 2:	67%	33%
BEZ 801 L902 L903		
• Molecule 2: BEZ-LEU-L	EU	
Chain o:	67%	33%
BE2801 L802 L803		
• Molecule 2: BEZ-LEU-L	EU	
Chain p: 33%		67%
822901 1802 1.803		

• Molecule 2: BEZ-LEU-LEU



Chain q:	33%	33%	33%
BFZ 801 L802 L803			
• Molecule 2:	BEZ-LEU-LEU		
Chain r:	679	%	33%
BEZ801 L802 L803			
• Molecule 2:	BEZ-LEU-LEU		
Chain s:	33%	67%	
BEZ801 L802 L803			
• Molecule 2:	BEZ-LEU-LEU		
Chain t:		100%	
There are no	outlier residues red	corded for this chain.	
• Molecule 2:	BEZ-LEU-LEU		
Chain u:	33%	67%	
Chann u.	5570	01,0	
Cinam u.	5576		
 Molecule 2: 	BEZ-LEU-LEU		
 Molecule 2: Chain v: 	BEZ-LEU-LEU	%	33%
Molecule 2: Chain v:	BEZ-LEU-LEU	%	33%
 Molecule 2: Chain v: Molecule 2: Molecule 2: 	BEZ-LEU-LEU 67 BEZ-LEU-LEU	%	33%
 Molecule 2: Chain v: Molecule 2: Chain v: Chain w: 	BEZ-LEU-LEU 67 BEZ-LEU-LEU	%	33%
 Molecule 2: Chain v: Molecule 2: Chain w: Chain w: There are no 	BEZ-LEU-LEU BEZ-LEU-LEU outlier residues ree	% 100% corded for this chain.	33%
 Molecule 2: Chain v: Molecule 2: Molecule 2: Chain w: There are no Molecule 2: 	BEZ-LEU-LEU BEZ-LEU-LEU outlier residues red BEZ-LEU-LEU	% 100% corded for this chain.	33%
 Molecule 2: Chain v: Molecule 2: Chain v: Molecule 2: Chain w: There are no Molecule 2: Chain x: 	BEZ-LEU-LEU BEZ-LEU-LEU outlier residues ree BEZ-LEU-LEU 33%	% 100% corded for this chain.	33%
 Molecule 2: Chain v: Molecule 2: Chain v: Molecule 2: Chain w: There are no Molecule 2: Chain x: 	BEZ-LEU-LEU 67 BEZ-LEU-LEU outlier residues red BEZ-LEU-LEU 33%	% 100% corded for this chain. 67%	33%

• Molecule 2: BEZ-LEU-LEU				
Chain y:	100%			•
There are no outlier residues red	corded for this chain.			
• Molecule 2: BEZ-LEU-LEU				
Chain z: 67	%	33%		
1503 1503 1503				
• Molecule 2: BEZ-LEU-LEU				
Chain 3: 67	%	33%		
1803210 1803 1803				
• Molecule 2: BEZ-LEU-LEU				
Chain 4: 67	%	33%		
BEZ301 L803 L803				
• Molecule 3: ATP-dependent C	Clp protease proteolytic sub	unit 1		
Chain H:	76%	12%	• 11%	
MET SER CLN VAL THR ASP MET ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	L25 E35 N36 N36 L49 L49 L49 L49 L49 L62 S72 S72 S72 E101	1120 1120 1121 1121 1123 1123	1130 G131 K147	R152 D170 R173
V186 T191 T191 ALA ALA ALA ALA ALA GLU GLU				
• Molecule 3: ATP-dependent C	Clp protease proteolytic sub	unit 1		
Chain I:	77%	11% •	11%	
MET SER CALN VAL THR ARF ARF ARG CLN CALN CALN CALN CALN CALN CALN CALN	E35 N37 N37 N37 L44 L50 L50 S72 E101 E101 E101 E112 1120 L122 H122	V129 V129 G131 G131	R164 D170 R173	V186 R192 ALA
HIS VAL ASN GLY GLU GLN				
• Molecule 3: ATP-dependent C	Clp protease proteolytic sub	unit 1		
Chain J:	78%	10% •	11%	



MET SER GLN VAL THR ASP ASP ASN SER SER GLN GLY

VAL ASN GLY GLU ALA GLN

• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1

Chain K:			76%				10%	·	11%	I
MET SER GLN VAL THR ASP ASP ASS SER GLN CLEU	S15 L16 D18 S19 S19	E22 R23 L24 L25	E35 V36 N37	140 L44	L49 L50 L51 L62	S72 M95 E101	L121 M122 H123	L126	V129 E149	D170 R173 V186

ALA HIS VAL ASN GLY GLU ALA GLU GLN

• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1

Chain L:	78%	10%	• 11%	•
MET SER SER CIN CIN ARF ARC ARC ARC ARC SER ARC CIN CIU CIU CIU CIU CIU	D18 519 519 519 522 125 125 135 137 144 149 149 149 149 149 160	P67 872 872 872 872 812 H121 H123 H123 H123	V129 D170 R173	11 <mark>90</mark> T191 R192 ALA HIS

VAL ASN GLY GLU ALA GLN

• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1

Chain M:	75%	13% •	11%
MET MET SER CALN VAL ARG ARG ARG ARG ARG ARG ARG ARG ARG ARG	E35 V36 N37 L49 L49 L49 L50 D59 S72 S72 S72 S72	1119 1120 1121 1122 1126 1126 1126	V127 D170 E173 E179 E182



• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1

Chain N:	80%	9% • 10%
MET SER CLIM VAL THR ASP MET ARG SER ASR CLIM CLIM CLIM CLIM CLIM	117 218 218 218 218 22 218 22 238 144 144 144 144 144 144 144 148 148 14	L121 H123 H123 H123 L170 L170 L170 L170 L173 L173 L173 L173 L173 L173 L173 L173
ALA GLN		
• Molecule 3: ATP-de	pendent Clp protease proteoly	tic subunit 1
Chain h:	76%	13% 11%





• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1





• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1

Chain j:	78%	10	% 11%
MET MET SER CLIN VAL ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	519 E22 E22 E23 E23 E35 N37 N37 E44 L44 L49 L49 L50	L62 872 872 1120 1120 1120 1123 1123 1123	D170 D170 R173 V186 V186 R191 A1A A1A A1A A1A A1A A1A A1A

GLY GLU ALA GLN

• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1



R192 ALA HIS VAL ASN GLY GLV ALA ALA CLU

• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1



Chain m: 76% 12% • 11%



V186 T191 R192 ALA ALA ALA ASN GLY GLV GLV GLV

• Molecule 3: ATP-dependent Clp protease proteolytic subunit 1

Chain n:	76%	12% · 11%	
MET MET GLIN VAL THR ASP MET ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	D18 319 822 822 823 8235 8235 835 835 835 126 149 149 149 149 150 150	872 E101 E101 1120 1121 1121 1122 1126 1128 1128 1128 1128	E179





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	205.94Å 183.35Å 188.45Å	Depositor
a, b, c, α , β , γ	90.00° 94.44° 90.00°	Depositor
Bosolution (Å)	72.24 - 3.07	Depositor
	72.14 - 3.07	EDS
% Data completeness	93.2 (72.24-3.07)	Depositor
(in resolution range)	93.2(72.14-3.07)	EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.83 (at 3.07 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
B B.	0.198 , 0.232	Depositor
II, II, <i>free</i>	0.201 , 0.232	DCC
R_{free} test set	6092 reflections $(5.03%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	59.3	Xtriage
Anisotropy	0.223	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 26.7	EDS
L-test for $twinning^2$	$ < L >=0.46, < L^2>=0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	40976	wwPDB-VP
Average B, all atoms $(Å^2)$	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 36.13 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.2426e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BEZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.82	0/1529	1.03	8/2068~(0.4%)	
1	В	0.83	0/1555	1.04	7/2104~(0.3%)	
1	С	0.86	0/1529	1.06	6/2068~(0.3%)	
1	D	0.91	1/1529~(0.1%)	1.08	5/2068~(0.2%)	
1	Е	0.87	0/1555	0.99	3/2104~(0.1%)	
1	F	0.83	0/1529	1.07	8/2068~(0.4%)	
1	G	0.83	0/1523	1.01	5/2060~(0.2%)	
1	а	0.84	0/1534	1.01	3/2075~(0.1%)	
1	b	0.86	0/1555	1.07	5/2104~(0.2%)	
1	с	0.91	2/1534~(0.1%)	1.22	11/2075~(0.5%)	
1	d	0.84	1/1529~(0.1%)	1.07	9/2068~(0.4%)	
1	е	0.87	2/1555~(0.1%)	1.14	9/2104~(0.4%)	
1	f	0.86	1/1529~(0.1%)	1.04	4/2068~(0.2%)	
1	g	0.86	1/1529~(0.1%)	1.13	9/2068~(0.4%)	
2	1	0.85	0/16	1.53	0/19	
2	2	1.06	0/16	1.61	0/19	
2	3	0.61	0/16	1.52	0/19	
2	4	0.80	0/16	1.91	1/19~(5.3%)	
2	0	0.83	0/16	1.13	0/19	
2	Р	0.66	0/16	1.88	0/19	
2	Q	0.69	0/16	1.35	0/19	
2	R	0.78	0/16	1.46	0/19	
2	S	0.45	0/16	1.94	1/19~(5.3%)	
2	Т	0.89	0/16	1.32	0/19	
2	U	0.71	0/16	1.13	0/19	
2	V	0.58	0/16	1.86	1/19~(5.3%)	
2	W	0.95	0/16	1.50	0/19	
2	Х	0.76	0/16	1.15	0/19	
2	Y	0.93	0/16	1.19	0/19	
2	Ζ	1.21	0/16	1.99	1/19~(5.3%)	
2	0	0.61	0/16	1.67	0/19	
2	р	0.52	$0/\overline{16}$	1.54	0/19	



Mal	Chain	Bond lengths		Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
2	q	0.44	0/16	2.09	1/19~(5.3%)	
2	r	0.92	0/16	1.35	0/19	
2	s	0.66	0/16	1.84	0/19	
2	t	0.61	0/16	1.47	0/19	
2	u	0.57	0/16	1.76	0/19	
2	V	0.64	0/16	1.29	0/19	
2	W	0.75	0/16	1.47	0/19	
2	Х	0.69	0/16	1.81	1/19~(5.3%)	
2	у	0.92	0/16	1.60	0/19	
2	Z	0.82	0/16	2.09	1/19~(5.3%)	
3	Н	0.86	0/1379	1.03	8/1864~(0.4%)	
3	Ι	0.92	1/1379~(0.1%)	1.14	9/1864~(0.5%)	
3	J	0.90	0/1379	1.11	8/1864~(0.4%)	
3	Κ	0.83	0/1379	1.03	6/1864~(0.3%)	
3	L	0.82	0/1379	1.02	4/1864~(0.2%)	
3	М	0.84	1/1379~(0.1%)	1.03	10/1864~(0.5%)	
3	Ν	0.82	1/1384~(0.1%)	1.04	6/1871~(0.3%)	
3	h	0.84	2/1379~(0.1%)	1.03	5/1864~(0.3%)	
3	i	0.84	1/1379~(0.1%)	1.10	10/1864~(0.5%)	
3	j	0.80	0/1379	1.05	6/1864~(0.3%)	
3	k	0.82	0/1379	1.05	7/1864~(0.4%)	
3	1	0.81	0/1379	1.01	6/1864 (0.3%)	
3	m	0.85	1/1379~(0.1%)	1.03	4/1864~(0.2%)	
3	n	0.87	0/1379	1.10	$1\overline{2/1864}\ (0.6\%)$	
All	All	0.85	15/41273~(0.0%)	1.07	200/55737~(0.4%)	

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
3	h	26	SER	CB-OG	-9.46	1.29	1.42
3	Ν	179	GLU	CD-OE2	-7.57	1.17	1.25
1	е	94	GLN	CG-CD	-7.03	1.34	1.51
1	с	205	GLU	CD-OE2	-6.52	1.18	1.25
1	е	151	GLU	CD-OE1	-6.52	1.18	1.25
3	М	179	GLU	CD-OE1	-6.38	1.18	1.25
3	h	192	ARG	N-CA	6.00	1.58	1.46
1	D	21	GLU	CD-OE2	-5.70	1.19	1.25
1	f	158	GLU	CD-OE2	-5.63	1.19	1.25
3	m	101	GLU	CD-OE1	-5.53	1.19	1.25
3	Ι	163	GLU	CD-OE1	-5.48	1.19	1.25
1	с	205	GLU	CD-OE1	5.42	1.31	1.25
1	g	151	GLU	CD-OE1	-5.38	1.19	1.25



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	i	179	GLU	CD-OE1	-5.30	1.19	1.25
1	d	94	GLN	CD-OE1	5.01	1.34	1.24

All (200) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	с	99	ASP	CB-CG-OD1	-19.46	100.79	118.30
1	с	99	ASP	CB-CG-OD2	18.03	134.53	118.30
1	g	99	ASP	CB-CG-OD1	-15.39	104.45	118.30
1	g	99	ASP	CB-CG-OD2	15.32	132.09	118.30
1	е	94	GLN	CA-CB-CG	-14.42	81.67	113.40
3	J	168	ASP	CB-CG-OD1	14.32	131.19	118.30
1	е	174	LYS	CD-CE-NZ	12.95	141.49	111.70
1	D	174	LYS	CD-CE-NZ	12.53	140.53	111.70
1	е	100	ILE	CG1-CB-CG2	-12.44	84.03	111.40
3	h	26	SER	CB-CA-C	-11.12	88.98	110.10
3	N	170	ASP	CB-CG-OD1	10.96	128.16	118.30
3	i	119	ARG	NE-CZ-NH1	10.51	125.55	120.30
3	Ι	164	ARG	CB-CG-CD	10.25	138.25	111.60
3	J	170	ASP	CB-CG-OD1	10.03	127.33	118.30
3	i	170	ASP	CB-CG-OD1	9.90	127.21	118.30
3	m	170	ASP	CB-CG-OD1	9.89	127.20	118.30
3	h	170	ASP	CB-CG-OD2	-9.72	109.56	118.30
3	Ι	170	ASP	CB-CG-OD1	9.48	126.83	118.30
3	L	126	LEU	CA-CB-CG	9.20	136.47	115.30
3	n	119	ARG	NE-CZ-NH1	9.10	124.85	120.30
1	b	86	LEU	CB-CG-CD1	9.04	126.36	111.00
3	Ι	170	ASP	CB-CG-OD2	-8.92	110.28	118.30
3	K	126	LEU	CA-CB-CG	8.87	135.71	115.30
3	n	126	LEU	CA-CB-CG	8.74	135.40	115.30
1	a	86	LEU	CB-CG-CD1	8.66	125.72	111.00
3	m	170	ASP	CB-CG-OD2	-8.59	110.57	118.30
3	j	43	ARG	CG-CD-NE	8.58	129.81	111.80
3	J	170	ASP	CB-CG-OD2	-8.50	110.65	118.30
1	В	160	MET	CG-SD-CE	8.49	113.78	100.20
3	h	170	ASP	CB-CG-OD1	8.29	125.76	118.30
1	d	201	ASP	CB-CG-OD2	8.26	125.73	118.30
1	С	160	MET	CG-SD-CE	8.24	113.39	100.20
1	с	205	GLU	CG-CD-OE2	-8.22	101.86	118.30
1	A	86	LEU	CB-CG-CD1	8.17	124.88	111.00
1	с	160	MET	CG-SD-CE	8.15	113.25	100.20
1	F	160	MET	CG-SD-CE	8.02	113.03	100.20



5l	DΖK
~ -	

Mol	Chain	\mathbf{Res}	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
1	D	107	GLN	CB-CA-C	-7.94	94.52	110.40
3	k	171	ARG	CA-CB-CG	7.90	130.78	113.40
3	i	124	GLN	CB-CA-C	-7.89	94.62	110.40
1	с	205	GLU	CG-CD-OE1	7.74	133.79	118.30
3	Ι	163	GLU	CB-CG-CD	-7.72	93.36	114.20
1	С	107	GLN	CB-CA-C	-7.69	95.01	110.40
3	J	168	ASP	CB-CG-OD2	-7.66	111.41	118.30
1	В	163	LEU	CA-CB-CG	7.55	132.67	115.30
3	i	164	ARG	CG-CD-NE	7.55	127.66	111.80
3	n	164	ARG	CG-CD-NE	7.55	127.65	111.80
3	1	170	ASP	CB-CG-OD2	7.47	125.03	118.30
3	М	126	LEU	CB-CA-C	7.35	124.17	110.20
1	b	131	ARG	NE-CZ-NH2	-7.33	116.64	120.30
1	с	163	LEU	CA-CB-CG	7.30	132.09	115.30
3	Н	119	ARG	NE-CZ-NH2	7.25	123.92	120.30
1	В	31	ASN	CB-CA-C	-7.16	96.07	110.40
1	d	159	ARG	CG-CD-NE	-7.16	96.77	111.80
3	Ν	170	ASP	CB-CG-OD2	-7.12	111.89	118.30
1	a	31	ASN	CB-CA-C	-7.05	96.30	110.40
3	i	170	ASP	CB-CG-OD2	-7.04	111.97	118.30
1	С	31	ASN	CB-CA-C	-7.02	96.37	110.40
1	f	31	ASN	CB-CA-C	-6.99	96.42	110.40
1	е	31	ASN	CB-CA-C	-6.88	96.65	110.40
1	А	31	ASN	CB-CA-C	-6.84	96.71	110.40
3	Κ	51	LEU	CB-CG-CD1	-6.82	99.40	111.00
3	Ν	179	GLU	CG-CD-OE1	6.80	131.90	118.30
3	Ι	119	ARG	CG-CD-NE	6.79	126.06	111.80
1	Е	31	ASN	CB-CA-C	-6.78	96.84	110.40
3	М	170	ASP	CB-CG-OD2	6.78	124.40	118.30
3	1	192	ARG	NE-CZ-NH1	6.75	123.68	120.30
1	d	201	ASP	CB-CG-OD1	-6.74	112.23	118.30
3	n	170	ASP	CB-CG-OD2	6.71	124.34	118.30
3	n	120	ILE	CG1-CB-CG2	-6.70	96.67	111.40
1	b	31	ASN	CB-CA-C	-6.68	97.04	110.40
1	D	31	ASN	CB-CA-C	-6.66	97.09	110.40
1	А	105	LEU	N-CA-C	-6.51	93.41	111.00
3	М	192	ARG	NE-CZ-NH1	6.49	123.55	120.30
3	j	120	ILE	CG1-CB-CG2	-6.49	97.12	111.40
1	g	31	ASN	CB-CA-C	-6.46	97.49	110.40
2	Z	803	LEU	CA-CB-CG	6.45	130.14	115.30
1	е	131	ARG	NE-CZ-NH2	-6.43	117.09	120.30
2	n	802	LEU	CA-CB-CG	6.42	130.06	115.30



5DZK

Mol	Chain	Res	Tvne	Atoms	Z	$Observed(^{o})$	Ideal(°)
1	B	131	ARG	NE-CZ-NH2	-6.37	117.11	120.30
1	F	157	ILE	CB-CA-C	6.36	124.32	111.60
3	i	50	LEU	CA-CB-CG	6.35	129.91	115.30
3	I	192	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	d	157	ILE	CB-CA-C	6.28	124.17	111.60
1	F	31	ASN	CB-CA-C	-6.28	97.83	110.40
3	i	130	THR	CB-CA-C	-6.27	94.67	111.60
1	d	158	GLU	OE1-CD-OE2	-6.26	115.78	123.30
1	d	31	ASN	CB-CA-C	-6.23	97.94	110.40
3	j	130	THR	CB-CA-C	-6.22	94.81	111.60
3	k	170	ASP	CB-CG-OD2	6.22	123.90	118.30
3	N	179	GLU	CG-CD-OE2	-6.20	105.91	118.30
3	m	50	LEU	CA-CB-CG	6.19	129.55	115.30
2	Ζ	803	LEU	CA-CB-CG	6.17	129.50	115.30
1	G	31	ASN	CB-CA-C	-6.14	98.11	110.40
3	n	192	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	a	131	ARG	NE-CZ-NH2	-6.08	117.26	120.30
3	L	50	LEU	CA-CB-CG	6.08	129.28	115.30
1	С	174	LYS	CA-CB-CG	6.04	126.68	113.40
3	1	50	LEU	CA-CB-CG	6.02	129.15	115.30
3	М	126	LEU	CB-CG-CD2	6.01	121.21	111.00
3	Ι	120	ILE	CA-CB-CG1	-6.01	99.59	111.00
3	n	179	GLU	CG-CD-OE2	5.99	130.29	118.30
1	D	157	ILE	CB-CA-C	5.99	123.58	111.60
3	j	170	ASP	CB-CG-OD2	5.99	123.69	118.30
3	Ι	50	LEU	CA-CB-CG	5.98	129.05	115.30
3	L	170	ASP	CB-CG-OD2	5.95	123.66	118.30
1	с	31	ASN	CB-CA-C	-5.91	98.59	110.40
1	f	134	ILE	CB-CA-C	-5.90	99.79	111.60
3	Н	131	GLY	N-CA-C	5.90	127.85	113.10
3	N	192	ARG	NE-CZ-NH1	5.90	123.25	120.30
3	1	120	ILE	CA-CB-CG1	-5.89	99.80	111.00
3	Н	50	LEU	CA-CB-CG	5.88	128.83	115.30
1	b	174	LYS	CA-CB-CG	5.88	126.34	113.40
1	е	151	GLU	CG-CD-OE2	5.88	130.05	118.30
3	j	50	LEU	CA-CB-CG	5.87	128.80	115.30
3	H	170	ASP	CB-CG-OD2	5.85	123.56	118.30
1	C	134	ILE	CB-CA-C	-5.84	99.92	111.60
1	E	131	ARG	NE-CZ-NH2	-5.84	117.38	120.30
3	J	50	LEU	CA-CB-CG	5.81	128.66	115.30
1	е	151	GLU	CG-CD-OE1	-5.81	106.68	118.30
3	n	119	ARG	CD-NE-CZ	5.80	131.72	123.60



5DZK	
0DDIX	

Mol	Chain	Res	Tvpe	Atoms	Z	Observed(^o)	Ideal(°)
3	K	40	ILE	CG1-CB-CG2	-5.79	98.66	111.40
3	i	179	GLU	CG-CD-OE2	5.79	129.88	118.30
3	M	120	ILE	CA-CB-CG1	-5.79	100.01	111.00
1	g	151	GLU	CG-CD-OE1	-5.78	106.74	118.30
3	M	179	GLU	CG-CD-OE2	5.78	129.86	118.30
3	1	40	ILE	CG1-CB-CG2	-5.76	98.72	111.40
1	b	151	GLU	OE1-CD-OE2	-5.75	116.40	123.30
1	В	134	ILE	CB-CA-C	-5.75	100.11	111.60
3	K	50	LEU	CA-CB-CG	5.73	128.47	115.30
3	Н	119	ARG	CG-CD-NE	5.72	123.81	111.80
3	k	192	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	f	174	LYS	CD-CE-NZ	5.70	124.82	111.70
3	K	170	ASP	CB-CG-OD2	5.68	123.41	118.30
1	е	157	ILE	CB-CA-C	5.67	122.94	111.60
3	М	119	ARG	CG-CD-NE	5.67	123.71	111.80
1	В	93	MET	CG-SD-CE	-5.67	91.13	100.20
1	С	131	ARG	NE-CZ-NH2	-5.64	117.48	120.30
2	V	803	LEU	CA-CB-CG	5.63	128.24	115.30
3	L	190	ILE	CA-CB-CG1	5.60	121.64	111.00
1	g	134	ILE	CB-CA-C	-5.58	100.43	111.60
3	j	43	ARG	CB-CG-CD	-5.58	97.11	111.60
2	4	803	LEU	CA-CB-CG	5.56	128.10	115.30
3	k	43	ARG	CG-CD-NE	5.55	123.45	111.80
1	g	151	GLU	CG-CD-OE2	5.54	129.38	118.30
1	g	131	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	А	93	MET	CG-SD-CE	-5.52	91.37	100.20
1	G	131	ARG	NE-CZ-NH2	-5.50	117.55	120.30
3	М	182	GLU	OE1-CD-OE2	-5.46	116.74	123.30
1	A	134	ILE	CB-CA-C	-5.46	100.68	111.60
3	h	40	ILE	CG1-CB-CG2	-5.46	99.39	111.40
3	K	37	ASN	CB-CA-C	-5.41	99.57	110.40
3	k	40	ILE	CG1-CB-CG2	-5.41	99.49	111.40
3	i	119	ARG	CD-NE-CZ	5.38	131.13	123.60
1	G	174	LYS	CD-CE-NZ	5.37	124.04	111.70
1	d	174	LYS	CA-CB-CG	5.35	125.18	113.40
1	F	93	MET	CG-SD-CE	-5.35	91.64	100.20
1	F	174	LYS	CD-CE-NZ	5.35	124.00	111.70
1	g	70	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	F	134	ILE	CB-CA-C	-5.34	100.92	111.60
1	С	196	ASP	CB-CG-OD2	5.33	123.10	118.30
3	H	147	LYS	CB-CG-CD	5.33	125.45	111.60
1	F	208	LYS	CD-CE-NZ	5.32	123.94	111.70



5DZK

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(^o)	$Ideal(^{o})$
1	с	174	LYS	CD-CE-NZ	5.32	123.94	111.70
3	М	179	GLU	CG-CD-OE1	-5.31	107.68	118.30
3	1	43	ARG	CG-CD-NE	5.31	122.94	111.80
1	G	134	ILE	CB-CA-C	-5.30	101.00	111.60
1	е	134	ILE	CB-CA-C	-5.29	101.03	111.60
1	А	184	ASP	CB-CG-OD2	5.28	123.05	118.30
1	А	131	ARG	NE-CZ-NH2	-5.28	117.66	120.30
3	n	37	ASN	CB-CA-C	-5.28	99.85	110.40
1	Е	134	ILE	CB-CA-C	-5.27	101.06	111.60
3	N	37	ASN	CB-CA-C	-5.26	99.87	110.40
3	J	43	ARG	NE-CZ-NH1	5.26	122.93	120.30
3	Н	43	ARG	NE-CZ-NH2	-5.25	117.67	120.30
1	с	75	TYR	CB-CG-CD1	5.25	124.15	121.00
3	i	179	GLU	CG-CD-OE1	-5.25	107.80	118.30
3	m	119	ARG	CG-CD-NE	5.25	122.83	111.80
1	d	159	ARG	CA-CB-CG	5.23	124.91	113.40
1	В	184	ASP	CB-CG-OD2	5.22	123.00	118.30
1	f	158	GLU	OE1-CD-OE2	-5.22	117.04	123.30
3	J	37	ASN	CB-CA-C	-5.21	99.98	110.40
3	J	43	ARG	NE-CZ-NH2	-5.20	117.70	120.30
3	n	130	THR	N-CA-CB	5.18	120.15	110.30
3	n	130	THR	CB-CA-C	-5.14	97.73	111.60
1	G	69	ASP	CB-CG-OD1	-5.13	113.68	118.30
1	d	131	ARG	NE-CZ-NH2	-5.10	117.75	120.30
3	М	190	ILE	CA-CB-CG1	5.10	120.68	111.00
3	Ι	131	GLY	N-CA-C	5.10	125.84	113.10
1	D	134	ILE	CB-CA-C	-5.09	101.41	111.60
3	Н	43	ARG	CG-CD-NE	5.09	122.50	111.80
1	А	151	GLU	CA-CB-CG	5.09	124.59	113.40
2	Х	802	LEU	CA-CB-CG	5.08	126.98	115.30
2	S	802	LEU	CA-CB-CG	5.08	126.97	115.30
3	n	179	GLU	CG-CD-OE1	-5.08	108.15	118.30
3	k	43	ARG	NE-CZ-NH2	-5.06	117.77	120.30
3	k	43	ARG	NE-CZ-NH1	5.05	122.82	120.30
1	g	69	ASP	CB-CG-OD1	-5.03	113.78	118.30
3	h	192	ARG	NE-CZ-NH1	5.03	122.81	120.30
1	F	156	GLU	CG-CD-OE1	5.02	128.35	118.30
1	с	134	ILE	CB-CA-C	-5.02	101.56	111.60

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	194/214~(91%)	187 (96%)	6 (3%)	1 (0%)	29	61
1	В	198/214~(92%)	191 (96%)	5 (2%)	2(1%)	15	47
1	С	194/214~(91%)	188 (97%)	4 (2%)	2(1%)	15	47
1	D	194/214~(91%)	188 (97%)	5 (3%)	1 (0%)	29	61
1	Е	198/214~(92%)	190 (96%)	6 (3%)	2(1%)	15	47
1	F	194/214~(91%)	187 (96%)	5 (3%)	2 (1%)	15	47
1	G	193/214~(90%)	186 (96%)	6 (3%)	1 (0%)	29	61
1	a	195/214~(91%)	189 (97%)	5 (3%)	1 (0%)	29	61
1	b	198/214~(92%)	189 (96%)	6 (3%)	3 (2%)	10	37
1	с	195/214~(91%)	189 (97%)	4 (2%)	2 (1%)	15	47
1	d	194/214~(91%)	188 (97%)	4 (2%)	2 (1%)	15	47
1	е	198/214~(92%)	188 (95%)	8 (4%)	2 (1%)	15	47
1	f	194/214~(91%)	188 (97%)	5 (3%)	1 (0%)	29	61
1	g	194/214~(91%)	188 (97%)	4 (2%)	2 (1%)	15	47
2	1	1/3~(33%)	1 (100%)	0	0	100	100
2	2	1/3~(33%)	1 (100%)	0	0	100	100
2	3	1/3~(33%)	1 (100%)	0	0	100	100
2	4	1/3~(33%)	1 (100%)	0	0	100	100
2	Ο	1/3~(33%)	1 (100%)	0	0	100	100
2	Р	1/3~(33%)	1 (100%)	0	0	100	100
2	Q	1/3~(33%)	1 (100%)	0	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
2	R	1/3~(33%)	1 (100%)	0	0	100	100
2	S	1/3~(33%)	1 (100%)	0	0	100	100
2	Т	1/3~(33%)	1 (100%)	0	0	100	100
2	U	1/3~(33%)	1 (100%)	0	0	100	100
2	V	1/3~(33%)	1 (100%)	0	0	100	100
2	W	1/3~(33%)	1 (100%)	0	0	100	100
2	Х	1/3~(33%)	1 (100%)	0	0	100	100
2	Y	1/3~(33%)	1 (100%)	0	0	100	100
2	Z	1/3~(33%)	1 (100%)	0	0	100	100
2	О	1/3~(33%)	1 (100%)	0	0	100	100
2	р	1/3~(33%)	1 (100%)	0	0	100	100
2	q	1/3~(33%)	0	1 (100%)	0	100	100
2	r	1/3~(33%)	1 (100%)	0	0	100	100
2	s	1/3~(33%)	1 (100%)	0	0	100	100
2	t	1/3~(33%)	1 (100%)	0	0	100	100
2	u	1/3~(33%)	1 (100%)	0	0	100	100
2	V	1/3~(33%)	1 (100%)	0	0	100	100
2	W	1/3~(33%)	1 (100%)	0	0	100	100
2	х	1/3~(33%)	1 (100%)	0	0	100	100
2	У	1/3~(33%)	1 (100%)	0	0	100	100
2	Z	1/3~(33%)	1 (100%)	0	0	100	100
3	Н	176/200~(88%)	169 (96%)	7 (4%)	0	100	100
3	Ι	176/200~(88%)	171 (97%)	5 (3%)	0	100	100
3	J	176/200~(88%)	171 (97%)	5 (3%)	0	100	100
3	К	176/200~(88%)	170 (97%)	6 (3%)	0	100	100
3	L	176/200~(88%)	170 (97%)	6 (3%)	0	100	100
3	М	176/200~(88%)	170 (97%)	6 (3%)	0	100	100
3	Ν	177/200~(88%)	170 (96%)	7 (4%)	0	100	100
3	h	176/200~(88%)	171 (97%)	5 (3%)	0	100	100
3	i	176/200~(88%)	171 (97%)	5 (3%)	0	100	100
3	j	176/200~(88%)	171 (97%)	5 (3%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
3	k	176/200~(88%)	170~(97%)	6 (3%)	0	100	100
3	1	176/200~(88%)	169~(96%)	7 (4%)	0	100	100
3	m	176/200~(88%)	171 (97%)	5(3%)	0	100	100
3	n	176/200~(88%)	170~(97%)	6 (3%)	0	100	100
All	All	5226/5880~(89%)	5047 (97%)	155 (3%)	24 (0%)	29	61

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	209	LEU
1	В	48	VAL
1	Е	48	VAL
1	G	48	VAL
1	b	48	VAL
1	е	48	VAL
1	g	48	VAL
1	С	48	VAL
1	D	48	VAL
1	a	48	VAL
1	b	210	SER
1	с	48	VAL
1	d	48	VAL
1	f	48	VAL
1	F	48	VAL
1	А	48	VAL
1	В	106	GLY
1	Е	106	GLY
1	е	106	GLY
1	g	106	GLY
1	С	106	GLY
1	b	106	GLY
1	с	106	GLY
1	d	106	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



5DZK

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	163/178~(92%)	142 (87%)	21 (13%)	4	17	
1	В	165/178~(93%)	142 (86%)	23 (14%)	3	14	
1	С	163/178~(92%)	140 (86%)	23 (14%)	3	14	
1	D	163/178~(92%)	141 (86%)	22 (14%)	4	15	
1	Е	165/178~(93%)	145 (88%)	20 (12%)	5	19	
1	F	163/178~(92%)	137 (84%)	26 (16%)	2	10	
1	G	162/178~(91%)	143 (88%)	19 (12%)	5	20	
1	a	163/178~(92%)	143 (88%)	20 (12%)	4	18	
1	b	165/178~(93%)	140 (85%)	25 (15%)	3	11	
1	с	163/178~(92%)	142 (87%)	21 (13%)	4	17	
1	d	163/178~(92%)	142 (87%)	21 (13%)	4	17	
1	е	165/178~(93%)	145 (88%)	20 (12%)	5	19	
1	f	163/178~(92%)	143 (88%)	20 (12%)	4	18	
1	g	163/178~(92%)	142 (87%)	21 (13%)	4	17	
2	1	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	2	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	3	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	4	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	О	2/2~(100%)	2 (100%)	0	100	100	
2	Р	2/2~(100%)	0	2 (100%)	0	0	
2	Q	2/2~(100%)	2 (100%)	0	100	100	
2	R	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	S	2/2~(100%)	0	2 (100%)	0	0	
2	Т	2/2~(100%)	0	2 (100%)	0	0	
2	U	2/2~(100%)	2 (100%)	0	100	100	
2	V	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	W	2/2~(100%)	2 (100%)	0	100	100	
2	Х	2/2 (100%)	1 (50%)	1 (50%)	0	0	
2	Y	2/2~(100%)	2 (100%)	0	100	100	
2	Ζ	2/2~(100%)	1 (50%)	1 (50%)	0	0	
2	О	2/2~(100%)	1 (50%)	1 (50%)	0	0	

analysed, and the total number of residues.



$\alpha \cdot \cdot \cdot$	C		
Continued	trom	previous	page
• • • • • • • • • • • •	J	P · · · · · · · · · · · · · · · · · · ·	r ~g ····

Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
2	р	2/2~(100%)	0	2(100%)	0	0
2	q	2/2~(100%)	0	2(100%)	0	0
2	r	2/2~(100%)	1 (50%)	1 (50%)	0	0
2	s	2/2~(100%)	0	2 (100%)	0	0
2	t	2/2~(100%)	2(100%)	0	100	100
2	u	2/2~(100%)	0	2 (100%)	0	0
2	V	2/2~(100%)	1 (50%)	1 (50%)	0	0
2	W	2/2~(100%)	2(100%)	0	100	100
2	х	2/2~(100%)	1 (50%)	1 (50%)	0	0
2	У	2/2~(100%)	2 (100%)	0	100	100
2	Z	2/2~(100%)	1 (50%)	1 (50%)	0	0
3	Н	139/157~(88%)	117 (84%)	22 (16%)	2	10
3	Ι	139/157~(88%)	121 (87%)	18 (13%)	4	17
3	J	139/157~(88%)	119 (86%)	20 (14%)	3	13
3	K	139/157~(88%)	114 (82%)	25 (18%)	1	7
3	L	139/157~(88%)	120 (86%)	19 (14%)	3	15
3	М	139/157~(88%)	117 (84%)	22 (16%)	2	10
3	Ν	139/157~(88%)	121 (87%)	18 (13%)	4	17
3	h	139/157~(88%)	115 (83%)	24 (17%)	2	8
3	i	139/157~(88%)	116 (84%)	23 (16%)	2	9
3	j	139/157~(88%)	121 (87%)	18 (13%)	4	17
3	k	139/157~(88%)	117 (84%)	22 (16%)	2	10
3	1	139/157~(88%)	116 (84%)	23 (16%)	2	9
3	m	139/157~(88%)	115 (83%)	24 (17%)	2	8
3	n	139/157~(88%)	118 (85%)	21 (15%)	3	11
All	All	4291/4746 (90%)	3663~(85%)	628 (15%)	3	13

All (628) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	15	ILE
1	А	22	HIS
1	А	27	VAL



Mol	Chain	Res	Type
1	А	36	LEU
1	А	50	ASP
1	А	61	LEU
1	А	86	LEU
1	А	87	MET
1	А	110	SER
1	А	131	ARG
1	А	135	HIS
1	А	136	GLN
1	А	142	VAL
1	А	144	GLN
1	А	151	GLU
1	А	152	ILE
1	А	158	GLU
1	А	184	ASP
1	А	185	ARG
1	А	207	ARG
1	А	209	LEU
1	В	15	ILE
1	В	22	HIS
1	В	27	VAL
1	В	36	LEU
1	В	50	ASP
1	В	61	LEU
1	В	86	LEU
1	В	87	MET
1	В	97	ARG
1	В	110	SER
1	В	135	HIS
1	В	136	GLN
1	В	140	SER
1	В	144	GLN
1	В	152	ILE
1	В	158	GLU
1	В	163	LEU
1	В	184	ASP
1	В	185	ARG
1	В	207	ARG
1	В	209	LEU
1	В	210	SER
1	В	212	GLN
2	Р	802	LEU



Mol	Chain	Res	Type
2	Р	803	LEU
1	С	15	ILE
1	С	27	VAL
1	С	36	LEU
1	С	43	PHE
1	С	50	ASP
1	С	61	LEU
1	С	73	THR
1	С	86	LEU
1	С	87	MET
1	С	97	ARG
1	С	107	GLN
1	С	110	SER
1	С	131	ARG
1	С	135	HIS
1	С	136	GLN
1	С	144	GLN
1	С	152	ILE
1	С	158	GLU
1	С	164	MET
1	С	168	LEU
1	С	185	ARG
1	С	207	ARG
1	С	209	LEU
1	D	15	ILE
1	D	22	HIS
1	D	27	VAL
1	D	36	LEU
1	D	61	LEU
1	D	86	LEU
1	D	87	MET
1	D	97	ARG
1	D	110	SER
1	D	131	ARG
1	D	135	HIS
1	D	136	GLN
1	D	144	GLN
1	D	152	ILE
1	D	157	ILE
1	D	158	GLU
1	D	159	ARG
1	D	164	MET



Mol	Chain	Res	Type
1	D	184	ASP
1	D	185	ARG
1	D	207	ARG
1	D	210	SER
2	R	802	LEU
1	Е	15	ILE
1	Е	22	HIS
1	Е	27	VAL
1	Е	36	LEU
1	Е	50	ASP
1	Е	73	THR
1	Е	86	LEU
1	Е	87	MET
1	Е	110	SER
1	Е	131	ARG
1	Е	135	HIS
1	Е	144	GLN
1	Е	152	ILE
1	Е	164	MET
1	Е	185	ARG
1	Е	207	ARG
1	Е	208	LYS
1	Е	209	LEU
1	Е	210	SER
1	Е	212	GLN
2	S	802	LEU
2	S	803	LEU
1	F	15	ILE
1	F	22	HIS
1	F	27	VAL
1	F	36	LEU
1	F	43	PHE
1	F	50	ASP
1	F	61	LEU
1	F	71	ASP
1	F	84	THR
1	F	86	LEU
1	F	87	MET
1	F	110	SER
1	F	131	ARG
1	F	135	HIS
1	F	136	GLN



Mol	Chain	Res	Type
1	F	144	GLN
1	F	152	ILE
1	F	157	ILE
1	F	158	GLU
1	F	159	ARG
1	F	164	MET
1	F	170	ARG
1	F	185	ARG
1	F	207	ARG
1	F	208	LYS
1	F	209	LEU
2	Т	802	LEU
2	Т	803	LEU
1	G	15	ILE
1	G	22	HIS
1	G	24	SER
1	G	27	VAL
1	G	36	LEU
1	G	73	THR
1	G	86	LEU
1	G	87	MET
1	G	110	SER
1	G	131	ARG
1	G	135	HIS
1	G	136	GLN
1	G	144	GLN
1	G	152	ILE
1	G	158	GLU
1	G	184	ASP
1	G	185	ARG
1	G	188	ILE
1	G	207	ARG
3	Н	17	THR
3	Н	19	SER
3	Н	22	GLU
3	Н	24	LEU
3	Н	25	LEU
3	Н	35	GLU
3	Н	37	ASN
3	Н	44	LEU
3	Н	49	LEU
3	Н	50	LEU



Mol	Chain	Res	Type
3	Н	62	LEU
3	Н	72	SER
3	Н	95	MET
3	Н	101	GLU
3	Н	121	LEU
3	Н	123	HIS
3	Н	129	VAL
3	Н	147	LYS
3	Н	173	ARG
3	Н	186	VAL
3	Н	191	THR
3	Н	192	ARG
2	V	803	LEU
3	Ι	17	THR
3	Ι	19	SER
3	Ι	22	GLU
3	Ι	24	LEU
3	Ι	35	GLU
3	Ι	37	ASN
3	Ι	44	LEU
3	Ι	49	LEU
3	Ι	50	LEU
3	Ι	62	LEU
3	Ι	72	SER
3	I	101	GLU
3	Ι	121	LEU
3	Ι	123	HIS
3	Ι	129	VAL
3	I	173	ARG
3	I	186	VAL
3	I	192	ARG
3	J	17	THR
3	J	19	SER
3	J	22	GLU
3	J	24	
3	J	25	LEU
3	J	35	GLU
3	J	37	ASN
3	J	44	
3	J	49	
3	J	50	
3	J	62	LEU



\mathbf{Mol}	Chain	Res	Type
3	J	67	PRO
3	J	72	SER
3	J	101	GLU
3	J	121	LEU
3	J	123	HIS
3	J	129	VAL
3	J	173	ARG
3	J	186	VAL
3	J	192	ARG
2	X	802	LEU
3	K	17	THR
3	K	19	SER
3	K	22	GLU
3	K	24	LEU
3	K	25	LEU
3	K	35	GLU
3	K	37	ASN
3	K	40	ILE
3	K	44	LEU
3	K	49	LEU
3	K	50	LEU
3	K	51	LEU
3	K	62	LEU
3	Κ	72	SER
3	K	95	MET
3	K	101	GLU
3	K	121	LEU
3	Κ	123	HIS
3	Κ	126	LEU
3	Κ	129	VAL
3	K	149	GLU
3	Κ	173	ARG
3	K	186	VAL
3	K	191	THR
3	K	192	ARG
3	L	17	THR
3	L	19	SER
3	L	22	GLU
3	L	25	LEU
3	L	35	GLU
3	L	37	ASN
3	L	44	LEU



Mol	Chain	Res	Type
3	L	49	LEU
3	L	50	LEU
3	L	62	LEU
3	L	67	PRO
3	L	72	SER
3	L	95	MET
3	L	101	GLU
3	L	121	LEU
3	L	123	HIS
3	L	126	LEU
3	L	129	VAL
3	L	173	ARG
2	Ζ	803	LEU
3	М	17	THR
3	М	19	SER
3	М	22	GLU
3	М	24	LEU
3	М	25	LEU
3	М	35	GLU
3	М	37	ASN
3	М	44	LEU
3	М	49	LEU
3	М	50	LEU
3	М	59	ASP
3	М	62	LEU
3	М	72	SER
3	М	101	GLU
3	М	121	LEU
3	М	123	HIS
3	М	129	VAL
3	М	173	ARG
3	М	182	GLU
3	М	186	VAL
3	М	191	THR
3	М	192	ARG
2	1	802	LEU
3	Ν	17	THR
3	N	19	SER
3	N	22	GLU
3	N	35	GLU
3	N	37	ASN
3	N	44	LEU



Mol	Chain	Res	Type
3	N	49	LEU
3	N	50	LEU
3	N	62	LEU
3	N	72	SER
3	N	95	MET
3	N	101	GLU
3	N	121	LEU
3	N	123	HIS
3	N	129	VAL
3	N	173	ARG
3	N	186	VAL
3	N	192	ARG
2	2	803	LEU
1	a	15	ILE
1	a	22	HIS
1	a	27	VAL
1	a	36	LEU
1	a	50	ASP
1	a	73	THR
1	a	86	LEU
1	a	87	MET
1	a	110	SER
1	a	131	ARG
1	a	135	HIS
1	a	136	GLN
1	a	144	GLN
1	a	152	ILE
1	a	158	GLU
1	a	164	MET
1	a	185	ARG
1	a	207	ARG
1	a	209	LEU
1	a	210	SER
2	0	802	LEU
1	b	15	ILE
1	b	22	HIS
1	b	27	VAL
1	b	36	LEU
1	b	50	ASP
1	b	61	LEU
1	b	73	THR
1	b	84	THR



Mol	Chain	Res	Type
1	b	86	LEU
1	b	87	MET
1	b	110	SER
1	b	135	HIS
1	b	136	GLN
1	b	144	GLN
1	b	152	ILE
1	b	158	GLU
1	b	159	ARG
1	b	164	MET
1	b	180	ARG
1	b	185	ARG
1	b	188	ILE
1	b	207	ARG
1	b	209	LEU
1	b	210	SER
1	b	212	GLN
2	р	802	LEU
2	р	803	LEU
1	с	15	ILE
1	с	22	HIS
1	с	27	VAL
1	с	36	LEU
1	с	50	ASP
1	с	86	LEU
1	с	87	MET
1	с	110	SER
1	с	131	ARG
1	с	135	HIS
1	с	136	GLN
1	с	144	GLN
1	с	152	ILE
1	с	158	GLU
1	с	163	LEU
1	с	164	MET
1	с	185	ARG
1	с	207	ARG
1	с	208	LYS
1	с	209	LEU
1	с	210	SER
2	q	802	LEU
2	q	803	LEU



Mol	Chain	Res	Type
1	d	15	ILE
1	d	22	HIS
1	d	27	VAL
1	d	36	LEU
1	d	50	ASP
1	d	61	LEU
1	d	86	LEU
1	d	87	MET
1	d	97	ARG
1	d	110	SER
1	d	131	ARG
1	d	135	HIS
1	d	136	GLN
1	d	144	GLN
1	d	152	ILE
1	d	157	ILE
1	d	158	GLU
1	d	159	ARG
1	d	164	MET
1	d	185	ARG
1	d	207	ARG
2	r	803	LEU
1	е	15	ILE
1	е	22	HIS
1	е	27	VAL
1	е	36	LEU
1	е	86	LEU
1	е	87	MET
1	е	100	ILE
1	е	110	SER
1	е	135	HIS
1	е	144	GLN
1	е	152	ILE
1	е	157	ILE
1	е	158	GLU
1	е	164	MET
1	е	184	ASP
1	е	185	ARG
1	е	207	ARG
1	е	209	LEU
1	е	210	SER
1	е	212	GLN



Mol	Chain	Res	Type
2	s	802	LEU
2	S	803	LEU
1	f	15	ILE
1	f	22	HIS
1	f	27	VAL
1	f	36	LEU
1	f	50	ASP
1	f	61	LEU
1	f	73	THR
1	f	86	LEU
1	f	87	MET
1	f	110	SER
1	f	131	ARG
1	f	135	HIS
1	f	144	GLN
1	f	152	ILE
1	f	164	MET
1	f	175	ASP
1	f	185	ARG
1	f	207	ARG
1	f	209	LEU
1	f	210	SER
1	g	15	ILE
1	g	22	HIS
1	g	27	VAL
1	g	36	LEU
1	g	50	ASP
1	g	61	LEU
1	g	73	THR
1	g	86	LEU
1	g	87	MET
1	g	110	SER
1	g	135	HIS
1	g	136	GLN
1	g	144	GLN
1	g	152	ILE
1	g	158	GLU
1	g	159	ARG
1	g	164	MET
1	g	184	ASP
1	g	185	ARG
1	g	207	ARG



Mol	Chain	Res	Type
1	g	209	LEU
2	u	802	LEU
2	u	803	LEU
3	h	17	THR
3	h	19	SER
3	h	22	GLU
3	h	24	LEU
3	h	25	LEU
3	h	35	GLU
3	h	37	ASN
3	h	39	GLU
3	h	44	LEU
3	h	49	LEU
3	h	50	LEU
3	h	62	LEU
3	h	72	SER
3	h	95	MET
3	h	101	GLU
3	h	121	LEU
3	h	123	HIS
3	h	129	VAL
3	h	148	LYS
3	h	152	ARG
3	h	173	ARG
3	h	186	VAL
3	h	191	THR
3	h	192	ARG
2	V	802	LEU
3	i	17	THR
3	i	19	SER
3	i	22	GLU
3	i	24	LEU
3	i	25	LEU
3	i	35	GLU
3	i	37	ASN
3	i	44	LEU
3	i	49	LEU
3	i	50	LEU
3	i	62	LEU
3	i	72	SER
3	i	95	MET
3	i	101	GLU



Mol	Chain	Res	Type
3	i	121	LEU
3	i	123	HIS
3	i	126	LEU
3	i	129	VAL
3	i	130	THR
3	i	173	ARG
3	i	186	VAL
3	i	191	THR
3	i	192	ARG
3	i	17	THR
3	j	19	SER
3	j	22	GLU
3	j	24	LEU
3	i	35	GLU
3	j	37	ASN
3	i	44	LEU
3	j	49	LEU
3	j	50	LEU
3	j	62	LEU
3	j	72	SER
3	j	101	GLU
3	j	121	LEU
3	j	123	HIS
3	j	129	VAL
3	j	173	ARG
3	j	186	VAL
3	j	191	THR
2	x	803	LEU
3	k	17	THR
3	k	19	SER
3	k	22	GLU
3	k	24	LEU
3	k	35	GLU
3	k	37	ASN
3	k	39	GLU
3	k	43	ARG
3	k	44	LEU
3	k	49	LEU
3	k	50	LEU
3	k	62	LEU
3	k	72	SER
3	k	95	MET



Mol	Chain	Res	Type
3	k	101	GLU
3	k	121	LEU
3	k	123	HIS
3	k	129	VAL
3	k	148	LYS
3	k	171	ARG
3	k	173	ARG
3	k	182	GLU
3	1	17	THR
3	1	19	SER
3	1	22	GLU
3	1	24	LEU
3	1	25	LEU
3	1	35	GLU
3	1	37	ASN
3	1	40	ILE
3	1	44	LEU
3	1	49	LEU
3	1	50	LEU
3	1	62	LEU
3	1	72	SER
3	1	83	LEU
3	1	101	GLU
3	l	121	LEU
3	1	123	HIS
3	l	129	VAL
3	1	148	LYS
3	1	173	ARG
3	1	186	VAL
3	1	191	THR
3	1	192	ARG
2	Z	803	LEU
3	m	17	THR
3	m	19	SER
3	m	22	GLU
3	m	24	LEU
3	m	25	LEU
3	m	35	GLU
3	m	37	ASN
3	m	44	LEU
3	m	49	LEU
3	m	50	LEU



Mol	Chain	Res	Type
3	m	62	LEU
3	m	72	SER
3	m	95	MET
3	m	101	GLU
3	m	121	LEU
3	m	123	HIS
3	m	129	VAL
3	m	149	GLU
3	m	152	ARG
3	m	156	GLU
3	m	173	ARG
3	m	186	VAL
3	m	191	THR
3	m	192	ARG
2	3	803	LEU
3	n	17	THR
3	n	19	SER
3	n	22	GLU
3	n	24	LEU
3	n	25	LEU
3	n	35	GLU
3	n	37	ASN
3	n	44	LEU
3	n	49	LEU
3	n	50	LEU
3	n	62	LEU
3	n	67	PRO
3	n	72	SER
3	n	101	GLU
3	n	121	LEU
3	n	123	HIS
3	n	126	LEU
3	n	129	VAL
3	n	173	ARG
3	n	186	VAL
3	n	192	ARG
2	4	803	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (46) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	94	GLN
	~	-	



Mol	Chain	Res	Type
1	В	94	GLN
1	В	107	GLN
1	С	94	GLN
1	С	144	GLN
1	Е	212	GLN
1	F	59	GLN
1	F	94	GLN
1	F	107	GLN
1	F	171	HIS
1	G	94	GLN
1	G	107	GLN
3	Н	37	ASN
3	Ι	37	ASN
3	Ι	65	ASN
3	Ι	142	GLN
3	J	37	ASN
3	J	65	ASN
3	K	37	ASN
3	L	37	ASN
3	L	124	GLN
3	М	37	ASN
3	М	65	ASN
3	N	37	ASN
3	N	117	HIS
3	Ν	124	GLN
1	a	94	GLN
1	a	144	GLN
1	b	94	GLN
1	b	146	GLN
1	с	94	GLN
1	е	212	GLN
1	f	94	GLN
1	g	94	GLN
3	h	37	ASN
3	i	37	ASN
3	i	65	ASN
3	j	37	ASN
3	j	154	ASN
3	k	37	ASN
3	k	124	GLN
3	1	37	ASN
3	m	37	ASN



Continued from previous page...

Mol	Chain	Res	Type
3	m	124	GLN
3	n	37	ASN
3	n	124	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2		($\mathbf{DWAB}(\mathbf{A}^2)$	Q < 0.9	
1	А	196/214~(91%)	-0.15	0	100	100	5	1,66,90,117	0
1	В	200/214~(93%)	-0.19	0	100	100	48	8,64,93,118	0
1	С	196/214~(91%)	-0.15	0	100	100	4	6, 60, 88, 100	0
1	D	196/214~(91%)	-0.24	0	100	100	48	8, 60, 82, 102	0
1	Е	200/214~(93%)	-0.11	0	100	100	48	8, 65, 92, 141	0
1	F	196/214~(91%)	0.02	0	100	100	5'	7, 75, 92, 115	0
1	G	195/214~(91%)	-0.02	0	100	100	5	5, 72, 93, 107	0
1	a	197/214~(92%)	-0.13	0	100	100	55	2,63,91,112	0
1	b	200/214~(93%)	-0.19	0	100	100	50	0, 63, 93, 124	0
1	с	197/214~(92%)	-0.20	0	100	100	50	0, 67, 92, 110	0
1	d	196/214~(91%)	-0.20	0	100	100	48	8, 64, 91, 113	0
1	e	200/214~(93%)	-0.12	0	100	100	4'	7,65,93,125	0
1	f	196/214~(91%)	-0.07	0	100	100	48	8, 67, 91, 111	0
1	g	196/214~(91%)	-0.07	0	100	100	49	9,66,89,109	0
2	1	2/3~(66%)	0.39	0	100	100	9	1, 91, 91, 97	0
2	2	2/3~(66%)	1.16	1 (50%)	0	8	6, 86, 86, 112	0
2	3	2/3~(66%)	0.84	0	100	100	94	4, 94, 94, 100	0
2	4	2/3~(66%)	0.25	0	100	100	8	7, 87, 87, 88	0
2	Ο	2/3~(66%)	0.36	0	100	100	9	9, 99, 99, 99	0
2	Р	2/3~(66%)	0.01	0	100	100	9	6, 96, 96, 101	0
2	Q	2/3~(66%)	-0.03	0	100	100	9	2, 92, 92, 95	0
2	R	2/3~(66%)	0.61	0	100	100	8	9, 89, 89, 95	0
2	S	2/3~(66%)	0.32	0	100	100	90	0, 90, 90, 112	0
2	Т	2/3~(66%)	1.44	0	100	100	102	, 102, 102, 114	0



Mol	Chain	Analysed	$\langle RSRZ \rangle$	#	# RSRZ > 2		$OWAB(Å^2)$	Q<0.9
2	U	2/3~(66%)	0.47	0	100	100	93, 93, 93, 105	0
2	V	2/3~(66%)	-0.02	0	100	100	83, 83, 83, 89	0
2	W	2/3~(66%)	-0.12	0	100	100	76, 76, 76, 84	0
2	Х	2/3~(66%)	0.38	0	100	100	82, 82, 82, 91	0
2	Y	2/3~(66%)	-0.23	0	100	100	85, 85, 85, 88	0
2	Z	2/3~(66%)	0.67	0	100	100	89, 89, 89, 103	0
2	О	2/3~(66%)	-0.10	0	100	100	98, 98, 98, 100	0
2	р	2/3~(66%)	0.10	0	100	100	95, 95, 95, 102	0
2	q	2/3~(66%)	0.40	0	100	100	97, 97, 97, 109	0
2	r	2/3~(66%)	0.51	0	100	100	91,91,91,100	0
2	s	2/3~(66%)	0.35	0	100	100	89, 89, 89, 98	0
2	t	2/3~(66%)	1.01	0	100	100	98, 98, 98, 105	0
2	u	2/3~(66%)	0.44	0	100	100	98, 98, 98, 108	0
2	v	2/3~(66%)	-0.23	0	100	100	82, 82, 82, 88	0
2	w	2/3~(66%)	-0.25	0	100	100	88, 88, 88, 89	0
2	x	2/3~(66%)	0.29	0	100	100	77, 77, 77, 97	0
2	У	2/3~(66%)	-0.12	0	100	100	88, 88, 88, 90	0
2	Z	2/3~(66%)	1.02	0	100	100	80, 80, 80, 95	0
3	Н	178/200~(89%)	-0.15	0	100	100	46, 61, 82, 117	0
3	Ι	178/200~(89%)	-0.16	0	100	100	44, 54, 81, 121	0
3	J	178/200~(89%)	-0.18	0	100	100	48, 53, 82, 96	0
3	K	178/200~(89%)	0.01	0	100	100	45, 60, 87, 116	0
3	L	178/200~(89%)	-0.00	0	100	100	51, 71, 95, 104	0
3	М	178/200~(89%)	0.10	1 (0	%) 8	9 77	53, 73, 91, 114	0
3	N	179/200~(89%)	-0.10	0	100	100	48, 67, 88, 110	0
3	h	178/200~(89%)	-0.14	0	100	100	46, 64, 86, 113	0
3	i	178/200~(89%)	-0.11	0	100	100	48, 67, 92, 118	0
3	j	178/200~(89%)	-0.09	0	100	100	49, 65, 94, 116	0
3	k	178/200 (89%)	-0.08	0	100	100	48, 61, 84, 101	0
3	1	$\overline{178/200}\ (89\%)$	-0.08	0	100	100	46, 59, 80, 100	0
3	m	178/200~(89%)	-0.17	0	100	100	44, 58, 82, 120	0



Continued from previous page...

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
3	n	178/200~(89%)	-0.05	0 100 100	45, 59, 85, 126	0
All	All	5310/5880~(90%)	-0.11	2 (0%) 100 100	44, 64, 91, 141	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	2	803	LEU	2.0
3	М	192	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

