



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 19, 2024 – 05:27 PM EST

PDB ID : 9E0C
Title : Structure of proline utilization A complexed with 1-benzofuran-5-ylmethanol
Authors : Tanner, J.J.; Meeks, K.R.
Deposited on : 2024-10-17
Resolution : 1.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2202 (1.34-1.30)
Clashscore	180529	2378 (1.34-1.30)
Ramachandran outliers	177936	2325 (1.34-1.30)
Sidechain outliers	177891	2325 (1.34-1.30)
RSRZ outliers	164620	2199 (1.34-1.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1235	
1	B	1235	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	FMT	B	1309	-	-	X	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 21105 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bifunctional protein PutA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1216	Total 9065	5729	1608	1692	36	0	25	0
1	B	1210	Total 9031	5700	1621	1676	34	0	27	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP F7X6I3
A	0	MET	-	expression tag	UNP F7X6I3
B	-1	SER	-	expression tag	UNP F7X6I3
B	0	MET	-	expression tag	UNP F7X6I3

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	0	1
			106	54	18	30	4		
2	B	1	Total	C	N	O	P	0	1
			106	54	18	30	4		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			7	4 3		
3	A	1	Total	C O	0	0
			7	4 3		
3	B	1	Total	C O	0	0
			7	4 3		
3	B	1	Total	C O	0	0
			7	4 3		
3	B	1	Total	C O	0	0
			7	4 3		

- Molecule 4 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 3 1 2	0	0
4	B	1	Total C O 3 1 2	0	0
4	B	1	Total C O 3 1 2	0	0
4	B	1	Total C O 3 1 2	0	0

- Molecule 5 is (1-benzofuran-5-yl)methanol (three-letter code: A1BDX) (formula: C₉H₈O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	9	2		
5	B	1	Total	C	O	0	0
			11	9	2		

- Molecule 6 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	B	1	Total O S 5 4 1	0	0
7	B	1	Total O S 5 4 1	0	0

- Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Mg 1 1	0	0
8	B	1	Total Mg 1 1	0	0

- Molecule 9 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 10 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			16	10	6		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	1295	Total 1295	O 1295	0	0
11	B	1282	Total 1282	O 1282	0	4


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional protein PutA



- Molecule 1: Bifunctional protein PutA





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	100.37Å 101.64Å 125.92Å 90.00° 106.42° 90.00°	Depositor
Resolution (Å)	48.14 – 1.32 48.14 – 1.32	Depositor EDS
% Data completeness (in resolution range)	93.1 (48.14-1.32) 93.9 (48.14-1.32)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 1.32Å)	Xtrriage
Refinement program	PHENIX 1.21rc1_5156	Depositor
R, R_{free}	0.172 , 0.190 0.171 , 0.189	Depositor DCC
R_{free} test set	28571 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	17.3	Xtrriage
Anisotropy	0.269	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	21105	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, SO4, FAD, FMT, MG, A1BDX, 1PE, NAD, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/9285	0.61	0/12646
1	B	0.35	0/9276	0.62	0/12624
All	All	0.34	0/18561	0.62	0/25270

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9065	0	9105	45	0
1	B	9031	0	9050	55	0
2	A	106	0	62	5	0
2	B	106	0	62	4	0
3	A	14	0	20	0	0
3	B	21	0	30	3	0
4	A	3	0	1	0	0
4	B	9	0	3	4	0
5	A	11	0	0	0	0
5	B	11	0	0	0	0
6	A	44	0	26	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	44	0	26	2	0
7	A	25	0	0	1	0
7	B	10	0	0	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
9	B	10	0	14	0	0
10	B	16	0	22	0	0
11	A	1295	0	0	9	1
11	B	1282	0	0	9	1
All	All	21105	0	18421	101	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:844:CYS:SG	6:B:1311:NAD:C4N	2.72	0.77
1:A:473:TYR:HB2	2:A:1301[A]:FAD:HM72	1.69	0.75
1:A:281:VAL:HG13	1:A:285[B]:LEU:HD23	1.71	0.72
1:B:674:GLU:OE1	11:B:1401:HOH:O	2.07	0.72
1:B:793:GLN:OE1	11:B:1402:HOH:O	2.08	0.72
1:B:339[A]:VAL:HG21	1:B:350:LEU:HD21	1.75	0.69
1:B:473:TYR:HB2	2:B:1301[B]:FAD:HM72	1.75	0.67
1:A:473:TYR:HB2	2:A:1301[B]:FAD:HM72	1.77	0.67
1:A:339[A]:VAL:HG21	1:A:350:LEU:HD21	1.78	0.64
1:A:796:ASP:OD1	11:A:1401:HOH:O	2.15	0.63
1:B:473:TYR:HB2	2:B:1301[A]:FAD:HM72	1.79	0.63
1:A:844:CYS:SG	6:A:1305:NAD:C4N	2.85	0.63
1:A:996[B]:ILE:HD12	1:A:1218:ILE:HG12	1.81	0.63
1:A:286:LEU:HD21	1:A:322:VAL:HG11	1.79	0.63
1:B:1213:GLU:HG3	4:B:1309:FMT:H	1.81	0.62
1:B:838:ASP:OD1	1:B:843[A]:ARG:NH2	2.34	0.61
1:A:873:ILE:HG13	1:A:883:VAL:HB	1.83	0.60
1:A:1183:LEU:O	11:A:1402:HOH:O	2.17	0.59
1:B:650:MET:O	1:B:654:LEU:HG	2.02	0.58
1:B:539:GLU:OE1	11:B:1403:HOH:O	2.16	0.58
1:B:286:LEU:HD21	1:B:322:VAL:HG11	1.86	0.58
1:B:297:LYS:HD2	1:B:329:LEU:HA	1.85	0.57
1:B:838:ASP:HB3	1:B:843[A]:ARG:HH12	1.69	0.57
1:B:1213:GLU:CG	4:B:1309:FMT:H	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197[B]:THR:HG21	1:B:474:ALA:HB1	1.88	0.55
1:B:1213:GLU:H	4:B:1309:FMT:H	1.70	0.55
1:A:793:GLN:OE1	11:A:1403:HOH:O	2.17	0.55
1:B:844:CYS:SG	6:B:1311:NAD:C3N	2.96	0.53
1:B:1213:GLU:H	4:B:1309:FMT:C	2.21	0.53
1:B:1056:TRP:CD1	1:B:1142:PRO:HD3	2.43	0.53
1:A:458:GLU:OE1	11:A:1404:HOH:O	2.19	0.52
1:B:782:GLY:O	1:B:811:THR:HA	2.10	0.52
1:A:995:TYR:OH	1:A:1002[A]:GLY:O	2.22	0.51
1:A:298:ASN:ND2	11:A:1411:HOH:O	2.29	0.51
1:A:1026:LEU:HD23	1:A:1038:PRO:HG2	1.92	0.50
1:B:968[B]:TYR:OH	11:B:1404:HOH:O	2.18	0.49
1:A:562:LEU:HD11	1:A:654:LEU:HD12	1.95	0.49
1:B:937:LEU:HD12	11:B:2256:HOH:O	2.12	0.49
1:B:78:LYS:NZ	1:B:459:GLU:OE2	2.36	0.48
1:B:274[B]:SER:OG	11:B:1405:HOH:O	2.20	0.48
1:A:706:TRP:CE3	1:A:707:ASN:HA	2.49	0.48
1:A:759[A]:LEU:HD13	1:A:769:LEU:HD21	1.95	0.48
1:A:157:SER:OG	7:A:1310:SO4:O4	2.30	0.48
1:A:375[B]:ASP:OD1	11:A:1405:HOH:O	2.20	0.47
1:A:473:TYR:CB	2:A:1301[B]:FAD:HM72	2.44	0.47
1:A:961:ASP:OD2	1:B:1055:LYS:NZ	2.40	0.47
1:A:844:CYS:SG	6:A:1305:NAD:C3N	3.03	0.47
1:B:662:GLY:HA2	11:B:1462:HOH:O	2.14	0.47
1:B:706:TRP:CE3	1:B:707:ASN:HA	2.50	0.47
1:B:1196:GLY:HA3	3:B:1306:PEG:H22	1.96	0.46
1:A:248:GLY:HA3	1:A:299:TYR:CG	2.50	0.46
1:B:708:PHE:CD1	3:B:1308:PEG:H31	2.51	0.46
1:A:272:ARG:HB3	1:A:277:GLN:HG3	1.97	0.46
1:B:1026:LEU:HD23	1:B:1038:PRO:HG2	1.98	0.45
1:B:1229:LEU:HD23	1:B:1232:ILE:HD12	1.98	0.45
1:B:396:ILE:HD11	1:B:520:VAL:HB	1.98	0.45
1:A:717:ILE:HG12	1:A:727:VAL:HG11	1.99	0.45
1:B:374:TRP:HZ3	1:B:1229:LEU:HB3	1.80	0.45
2:B:1301[A]:FAD:H9	2:B:1301[A]:FAD:H1'1	1.75	0.45
1:B:186:MET:O	1:B:190:MET:HG3	2.17	0.45
1:A:782:GLY:O	1:A:811:THR:HA	2.17	0.45
1:B:712:ILE:HD13	1:B:781:THR:HG21	1.99	0.44
1:B:448:CYS:HB2	1:B:453:GLY:HA3	1.99	0.44
1:B:892[B]:LYS:NZ	11:B:1427:HOH:O	2.44	0.44
1:B:197[B]:THR:HG22	1:B:475:PRO:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:618:ARG:NH2	11:A:1424:HOH:O	2.39	0.43
1:A:1056:TRP:CD1	1:A:1142:PRO:HD3	2.53	0.43
1:B:159:VAL:HG13	1:B:164:LEU:HD12	1.99	0.43
1:B:473:TYR:CB	2:B:1301[A]:FAD:HM72	2.48	0.43
1:A:1037:VAL:HG11	1:B:166:ALA:HB1	2.01	0.43
1:B:248:GLY:HA3	1:B:299:TYR:CG	2.54	0.43
1:B:272:ARG:HB3	1:B:277:GLN:HG3	2.01	0.42
1:A:1053:PHE:CE2	1:A:1057:LEU:HD11	2.55	0.42
1:B:545:ARG:HA	3:B:1307:PEG:H22	2.01	0.42
1:A:834:THR:HG22	1:A:1001[B]:ILE:HD11	2.01	0.42
2:A:1301[A]:FAD:H8A	11:A:1786:HOH:O	2.19	0.42
1:B:369:VAL:HG12	1:B:421:ALA:HB3	2.00	0.42
1:A:221:ASP:HB2	1:A:473:TYR:CZ	2.54	0.42
1:A:650:MET:O	1:A:654:LEU:HG	2.20	0.42
1:A:531:HIS:CE1	1:A:1232:ILE:HG23	2.54	0.42
1:B:617:VAL:HG12	1:B:774:GLU:HB2	2.02	0.42
1:B:1069:ALA:HA	1:B:1117:ALA:HB1	2.01	0.42
1:B:288[B]:ARG:HD3	11:B:1499:HOH:O	2.20	0.41
1:A:1180:ILE:HG23	1:A:1188:LEU:HD12	2.02	0.41
1:B:128:GLY:O	1:B:130:TRP:N	2.49	0.41
1:B:410:LEU:HD11	1:B:431:ILE:HG23	2.02	0.41
1:B:297:LYS:HG3	1:B:332:TRP:HB2	2.02	0.41
1:A:617:VAL:HG12	1:A:774:GLU:HB2	2.02	0.41
1:B:338:VAL:HG22	1:B:367:ARG:HB3	2.03	0.41
1:A:253:GLY:HA2	11:A:2363:HOH:O	2.20	0.41
1:A:918:THR:HB	1:A:923:PHE:CD1	2.56	0.41
2:A:1301[B]:FAD:H4'	2:A:1301[B]:FAD:H1'1	1.82	0.41
1:A:931:LEU:HD13	1:A:936:ASP:HB2	2.01	0.41
1:A:937:LEU:HD21	1:A:947:HIS:CD2	2.56	0.41
1:B:75:LEU:HD11	1:B:456:LEU:HD13	2.03	0.41
1:B:223:LEU:HD21	1:B:475:PRO:HB3	2.03	0.41
1:A:58:LYS:HD3	1:A:61:ARG:NH2	2.36	0.40
1:A:55:THR:OG1	1:A:522:ARG:NH2	2.43	0.40
1:A:338:VAL:HG22	1:A:367:ARG:HB3	2.04	0.40
1:A:336:GLY:HA2	1:A:365:MET:O	2.22	0.40
1:B:700[B]:ILE:HG12	1:B:725:ASN:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:A:1407:HOH:O	11:B:2315:HOH:O[2_556]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1235/1235 (100%)	1217 (98%)	18 (2%)	0	100	100
1	B	1229/1235 (100%)	1207 (98%)	22 (2%)	0	100	100
All	All	2464/2470 (100%)	2424 (98%)	40 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	909/951 (96%)	903 (99%)	6 (1%)	81	57
1	B	900/951 (95%)	892 (99%)	8 (1%)	75	48
All	All	1809/1902 (95%)	1795 (99%)	14 (1%)	81	53

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	TYR
1	A	342	TYR
1	A	730	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	872	HIS
1	A	934	LEU
1	A	1013	ARG
1	B	39	TYR
1	B	157[A]	SER
1	B	157[B]	SER
1	B	181[A]	ARG
1	B	181[B]	ARG
1	B	342	TYR
1	B	730	LYS
1	B	934	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 2 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAD	A	1305	8	42,48,48	2.20	11 (26%)	50,73,73	1.62	4 (8%)
2	FAD	A	1301[B]	-	54,58,58	2.30	16 (29%)	71,89,89	1.65	16 (22%)
5	A1BDX	A	1304	-	9,12,12	2.62	5 (55%)	10,16,16	0.92	0
4	FMT	A	1303	-	2,2,2	0.49	0	1,1,1	0.29	0
10	1PE	B	1304	-	15,15,15	0.27	0	14,14,14	0.37	0
4	FMT	B	1303	-	2,2,2	0.80	0	1,1,1	0.32	0
3	PEG	B	1307	-	6,6,6	0.25	0	5,5,5	0.26	0
3	PEG	A	1312	-	6,6,6	0.27	0	5,5,5	0.18	0
7	SO4	A	1310	-	4,4,4	0.67	0	6,6,6	0.07	0
7	SO4	A	1308	-	4,4,4	0.67	0	6,6,6	0.14	0
3	PEG	A	1302	-	6,6,6	0.26	0	5,5,5	0.20	0
7	SO4	A	1307	-	4,4,4	0.61	0	6,6,6	0.16	0
5	A1BDX	B	1310	-	9,12,12	2.59	5 (55%)	10,16,16	0.92	0
7	SO4	A	1309	-	4,4,4	0.69	0	6,6,6	0.15	0
7	SO4	B	1312	-	4,4,4	0.57	0	6,6,6	0.20	0
3	PEG	B	1308	-	6,6,6	0.25	0	5,5,5	0.26	0
2	FAD	B	1301[A]	-	54,58,58	2.21	16 (29%)	71,89,89	1.50	11 (15%)
9	PGE	B	1302	-	9,9,9	0.33	0	8,8,8	0.50	0
2	FAD	B	1301[B]	-	54,58,58	2.46	18 (33%)	71,89,89	1.51	13 (18%)
3	PEG	B	1306	-	6,6,6	0.26	0	5,5,5	0.20	0
4	FMT	B	1309	-	2,2,2	0.63	0	1,1,1	0.54	0
4	FMT	B	1305	-	2,2,2	0.62	0	1,1,1	0.23	0
7	SO4	B	1313	-	4,4,4	0.66	0	6,6,6	0.11	0
2	FAD	A	1301[A]	-	54,58,58	2.25	15 (27%)	71,89,89	1.48	11 (15%)
7	SO4	A	1306	-	4,4,4	0.58	0	6,6,6	0.30	0
6	NAD	B	1311	8	42,48,48	2.12	8 (19%)	50,73,73	1.58	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	A	1312	-	-	1/4/4/4	-
6	NAD	A	1305	8	-	1/26/62/62	0/5/5/5
2	FAD	B	1301[B]	-	-	9/30/50/50	0/6/6/6
3	PEG	B	1306	-	-	1/4/4/4	-
6	NAD	B	1311	8	-	1/26/62/62	0/5/5/5
2	FAD	A	1301[B]	-	-	2/30/50/50	0/6/6/6
3	PEG	B	1308	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	1301[A]	-	-	2/30/50/50	0/6/6/6
5	A1BDX	A	1304	-	-	0/2/2/2	0/2/2/2
9	PGE	B	1302	-	-	0/7/7/7	-
10	1PE	B	1304	-	-	3/13/13/13	-
3	PEG	A	1302	-	-	0/4/4/4	-
2	FAD	A	1301[A]	-	-	11/30/50/50	0/6/6/6
3	PEG	B	1307	-	-	2/4/4/4	-
5	A1BDX	B	1310	-	-	0/2/2/2	0/2/2/2

All (94) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1301[B]	FAD	PA-O3P	-10.67	1.48	1.59
2	B	1301[A]	FAD	PA-O3P	-9.72	1.49	1.59
2	A	1301[B]	FAD	PA-O3P	-9.33	1.49	1.59
2	A	1301[A]	FAD	PA-O3P	-9.08	1.49	1.59
6	B	1311	NAD	PA-O3	-7.66	1.51	1.59
6	A	1305	NAD	PA-O3	-7.36	1.51	1.59
2	B	1301[B]	FAD	O4-C4	7.11	1.37	1.23
2	A	1301[B]	FAD	O4-C4	6.92	1.36	1.23
2	A	1301[A]	FAD	O4-C4	6.48	1.35	1.23
6	A	1305	NAD	C2N-N1N	6.36	1.42	1.35
2	B	1301[A]	FAD	O4-C4	6.27	1.35	1.23
6	B	1311	NAD	C2N-N1N	6.09	1.41	1.35
2	B	1301[B]	FAD	O2-C2	5.68	1.35	1.24
5	B	1310	A1BDX	C05-C06	5.32	1.46	1.39
5	A	1304	A1BDX	C05-C06	5.27	1.46	1.39
6	A	1305	NAD	C7N-N7N	5.09	1.42	1.33
2	A	1301[B]	FAD	O2-C2	4.90	1.34	1.24
2	A	1301[A]	FAD	O2-C2	4.73	1.33	1.24
6	B	1311	NAD	C7N-N7N	4.60	1.41	1.33
2	B	1301[A]	FAD	O2-C2	4.56	1.33	1.24
2	A	1301[B]	FAD	C4X-N5	4.20	1.39	1.30
2	B	1301[B]	FAD	C4X-N5	4.12	1.39	1.30
2	A	1301[A]	FAD	P-O3P	3.97	1.63	1.59
2	B	1301[A]	FAD	C4X-N5	3.84	1.39	1.30
2	A	1301[A]	FAD	C4X-N5	3.84	1.39	1.30
2	B	1301[B]	FAD	C2-N1	3.15	1.43	1.36
2	A	1301[B]	FAD	PA-O5B	-3.15	1.47	1.59
5	A	1304	A1BDX	C11-C03	3.13	1.44	1.37
5	B	1310	A1BDX	C05-C04	3.05	1.43	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1310	A1BDX	C11-C03	3.01	1.44	1.37
5	A	1304	A1BDX	C05-C04	3.00	1.43	1.36
5	A	1304	A1BDX	C10-C06	-2.99	1.37	1.43
2	A	1301[B]	FAD	P-O3P	2.98	1.62	1.59
2	A	1301[A]	FAD	C6A-N6A	2.93	1.44	1.34
2	B	1301[B]	FAD	C6A-N6A	2.93	1.44	1.34
2	A	1301[B]	FAD	C6A-N6A	2.91	1.44	1.34
6	B	1311	NAD	C6A-N6A	2.90	1.44	1.34
2	A	1301[A]	FAD	O2'-C2'	-2.88	1.37	1.43
2	B	1301[A]	FAD	C6A-N6A	2.84	1.44	1.34
5	B	1310	A1BDX	C10-C06	-2.80	1.37	1.43
2	A	1301[A]	FAD	C2-N1	2.79	1.43	1.36
6	A	1305	NAD	C2A-N3A	2.78	1.36	1.32
2	B	1301[A]	FAD	C2A-N3A	2.76	1.36	1.32
2	B	1301[B]	FAD	C2A-N3A	2.74	1.36	1.32
2	B	1301[B]	FAD	O2'-C2'	-2.73	1.37	1.43
2	B	1301[B]	FAD	PA-O5B	-2.72	1.48	1.59
2	A	1301[A]	FAD	C2A-N3A	2.70	1.36	1.32
2	A	1301[B]	FAD	C2-N1	2.68	1.42	1.36
6	A	1305	NAD	C6A-N6A	2.67	1.43	1.34
2	A	1301[B]	FAD	O4'-C4'	-2.66	1.37	1.43
2	B	1301[A]	FAD	O4'-C4'	-2.60	1.37	1.43
6	A	1305	NAD	C6N-N1N	2.55	1.41	1.35
2	A	1301[B]	FAD	C2A-N3A	2.55	1.36	1.32
6	A	1305	NAD	PA-O5B	-2.55	1.49	1.59
2	A	1301[A]	FAD	O4'-C4'	-2.54	1.38	1.43
2	A	1301[B]	FAD	O2'-C2'	-2.53	1.38	1.43
2	B	1301[A]	FAD	P-O3P	2.50	1.62	1.59
2	B	1301[B]	FAD	C10-N1	2.49	1.38	1.33
2	B	1301[B]	FAD	P-O3P	2.48	1.62	1.59
2	A	1301[A]	FAD	PA-O5B	-2.47	1.49	1.59
2	B	1301[B]	FAD	O4'-C4'	-2.46	1.38	1.43
2	B	1301[A]	FAD	O2'-C2'	-2.46	1.38	1.43
2	A	1301[B]	FAD	O4B-C4B	-2.36	1.39	1.45
2	B	1301[B]	FAD	O2B-C2B	-2.34	1.37	1.43
2	A	1301[B]	FAD	C10-N1	2.31	1.37	1.33
6	B	1311	NAD	C1B-N9A	-2.30	1.44	1.49
2	B	1301[B]	FAD	O4B-C4B	-2.29	1.39	1.45
5	A	1304	A1BDX	C11-C10	2.28	1.47	1.42
2	B	1301[B]	FAD	C1B-N9A	-2.28	1.44	1.49
2	B	1301[A]	FAD	C1B-N9A	-2.28	1.44	1.49
2	A	1301[B]	FAD	C1B-N9A	-2.27	1.44	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1301[A]	FAD	C10-N1	2.24	1.37	1.33
2	B	1301[B]	FAD	PA-O2A	-2.24	1.45	1.55
6	B	1311	NAD	C2A-N3A	2.23	1.35	1.32
6	A	1305	NAD	C2D-C3D	-2.23	1.47	1.53
2	B	1301[A]	FAD	O4B-C4B	-2.20	1.40	1.45
2	B	1301[A]	FAD	C2-N1	2.20	1.41	1.36
6	A	1305	NAD	C2B-C3B	-2.18	1.47	1.53
2	B	1301[A]	FAD	PA-O5B	-2.16	1.50	1.59
2	A	1301[A]	FAD	PA-O2A	-2.16	1.45	1.55
5	B	1310	A1BDX	C11-C10	2.16	1.46	1.42
2	A	1301[B]	FAD	PA-O2A	-2.14	1.45	1.55
6	A	1305	NAD	O3D-C3D	-2.14	1.37	1.43
6	B	1311	NAD	C6N-N1N	2.14	1.40	1.35
6	A	1305	NAD	C1B-N9A	-2.12	1.44	1.49
2	B	1301[A]	FAD	PA-O2A	-2.11	1.45	1.55
6	B	1311	NAD	PA-O5B	-2.10	1.51	1.59
2	A	1301[A]	FAD	O4B-C4B	-2.10	1.40	1.45
2	A	1301[B]	FAD	O3'-C3'	-2.06	1.37	1.43
2	B	1301[B]	FAD	P-O1P	2.06	1.57	1.50
2	A	1301[A]	FAD	C1B-N9A	-2.05	1.44	1.49
2	B	1301[A]	FAD	O2B-C2B	-2.04	1.37	1.43
2	B	1301[A]	FAD	P-O1P	2.04	1.57	1.50
2	B	1301[B]	FAD	O3'-C3'	-2.01	1.38	1.43

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1311	NAD	N3A-C2A-N1A	-6.84	119.39	128.67
6	A	1305	NAD	N3A-C2A-N1A	-6.72	119.55	128.67
2	A	1301[B]	FAD	N3A-C2A-N1A	-6.63	119.67	128.67
2	A	1301[A]	FAD	N3A-C2A-N1A	-6.38	120.01	128.67
2	B	1301[B]	FAD	N3A-C2A-N1A	-6.27	120.16	128.67
2	B	1301[A]	FAD	N3A-C2A-N1A	-6.18	120.28	128.67
6	A	1305	NAD	C4B-O4B-C1B	-4.84	105.49	109.92
6	B	1311	NAD	C4B-O4B-C1B	-4.34	105.95	109.92
6	A	1305	NAD	C4D-O4D-C1D	-3.95	106.31	109.92
2	A	1301[B]	FAD	C4-C4X-N5	3.92	123.63	118.21
2	A	1301[B]	FAD	O2A-PA-O3P	-3.39	98.12	107.27
2	A	1301[A]	FAD	O2P-P-O3P	-3.24	98.50	107.27
2	A	1301[A]	FAD	C4-C4X-N5	3.24	122.69	118.21
2	B	1301[B]	FAD	C4-C4X-N5	3.24	122.68	118.21
2	A	1301[A]	FAD	O2A-PA-O3P	-3.20	98.63	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1301[B]	FAD	O2P-P-O3P	-3.16	98.73	107.27
6	B	1311	NAD	C4A-C5A-N7A	-3.10	106.06	109.34
2	B	1301[A]	FAD	O2-C2-N1	-3.02	116.78	121.80
2	A	1301[B]	FAD	O2P-P-O3P	-2.94	99.32	107.27
2	A	1301[B]	FAD	C4X-C4-N3	2.89	120.62	113.25
2	B	1301[A]	FAD	C4B-O4B-C1B	-2.86	107.30	109.92
2	A	1301[B]	FAD	O5'-P-O1P	2.83	120.13	108.94
2	B	1301[A]	FAD	C4-C4X-N5	2.74	121.99	118.21
2	A	1301[B]	FAD	O3P-P-O1P	2.74	118.94	110.70
2	A	1301[A]	FAD	C4X-C4-N3	2.74	120.22	113.25
2	B	1301[A]	FAD	C5X-C9A-N10	2.71	120.42	117.97
2	A	1301[A]	FAD	C4-N3-C2	-2.70	120.85	125.64
2	B	1301[B]	FAD	O2A-PA-O3P	-2.69	99.99	107.27
6	B	1311	NAD	C3N-C7N-N7N	2.63	120.98	117.74
2	A	1301[B]	FAD	C5X-C9A-N10	2.62	120.34	117.97
2	B	1301[A]	FAD	C4-N3-C2	-2.61	121.00	125.64
2	B	1301[A]	FAD	C9-C9A-N10	-2.61	118.35	121.85
2	B	1301[A]	FAD	C4X-C10-N10	2.61	120.21	116.48
2	A	1301[B]	FAD	C9-C9A-N10	-2.58	118.38	121.85
2	B	1301[B]	FAD	C4-N3-C2	-2.52	121.16	125.64
2	A	1301[B]	FAD	O4-C4-C4X	-2.48	119.98	126.53
2	A	1301[B]	FAD	C4B-O4B-C1B	-2.47	107.66	109.92
2	B	1301[B]	FAD	C4X-C4-N3	2.47	119.54	113.25
2	A	1301[A]	FAD	O3P-P-O1P	2.45	118.06	110.70
2	B	1301[A]	FAD	C2'-C1'-N10	2.43	121.68	110.20
2	A	1301[B]	FAD	C4-N3-C2	-2.39	121.41	125.64
6	A	1305	NAD	C1B-N9A-C4A	-2.35	122.52	126.64
2	B	1301[B]	FAD	C10-C4X-N5	-2.34	120.03	124.81
2	B	1301[B]	FAD	O3P-P-O1P	2.31	117.67	110.70
2	B	1301[A]	FAD	C4X-C4-N3	2.26	119.02	113.25
2	B	1301[A]	FAD	O4-C4-C4X	-2.21	120.69	126.53
2	A	1301[B]	FAD	O3P-PA-O1A	2.20	117.32	110.70
2	B	1301[B]	FAD	C5X-C9A-N10	2.19	119.95	117.97
2	A	1301[A]	FAD	C4A-C5A-N7A	-2.19	107.03	109.34
2	B	1301[B]	FAD	C9-C9A-N10	-2.18	118.93	121.85
2	B	1301[B]	FAD	C4B-O4B-C1B	-2.13	107.97	109.92
2	A	1301[A]	FAD	C5X-C9A-N10	2.11	119.87	117.97
2	B	1301[B]	FAD	C4X-C10-N10	2.11	119.50	116.48
2	B	1301[B]	FAD	O4-C4-C4X	-2.08	121.05	126.53
2	A	1301[A]	FAD	O4-C4-C4X	-2.07	121.06	126.53
6	B	1311	NAD	C1B-N9A-C4A	-2.07	123.01	126.64
2	A	1301[B]	FAD	O2P-P-O5'	-2.05	98.30	107.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1301[B]	FAD	C4A-C5A-N7A	-2.02	107.21	109.34
2	A	1301[B]	FAD	C10-C4X-N5	-2.01	120.69	124.81
2	A	1301[A]	FAD	C10-C4X-N5	-2.01	120.70	124.81

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1301[A]	FAD	C5B-O5B-PA-O1A
2	A	1301[A]	FAD	C5B-O5B-PA-O2A
2	A	1301[A]	FAD	C5B-O5B-PA-O3P
2	A	1301[A]	FAD	P-O3P-PA-O5B
2	A	1301[B]	FAD	N10-C1'-C2'-O2'
2	A	1301[B]	FAD	N10-C1'-C2'-C3'
2	B	1301[A]	FAD	N10-C1'-C2'-O2'
2	B	1301[A]	FAD	N10-C1'-C2'-C3'
2	B	1301[B]	FAD	C5B-O5B-PA-O3P
2	A	1301[A]	FAD	C3B-C4B-C5B-O5B
2	B	1301[B]	FAD	C3B-C4B-C5B-O5B
3	A	1312	PEG	O2-C3-C4-O4
2	A	1301[A]	FAD	C2'-C3'-C4'-O4'
2	B	1301[B]	FAD	C2'-C3'-C4'-O4'
2	A	1301[A]	FAD	C2'-C3'-C4'-C5'
2	B	1301[B]	FAD	O3'-C3'-C4'-O4'
2	A	1301[A]	FAD	O4B-C4B-C5B-O5B
2	A	1301[A]	FAD	O3'-C3'-C4'-C5'
10	B	1304	1PE	OH5-C14-C24-OH4
3	B	1306	PEG	O1-C1-C2-O2
2	A	1301[A]	FAD	O3'-C3'-C4'-O4'
2	B	1301[B]	FAD	O4B-C4B-C5B-O5B
2	B	1301[B]	FAD	P-O3P-PA-O5B
3	B	1307	PEG	C4-C3-O2-C2
3	B	1308	PEG	O2-C3-C4-O4
10	B	1304	1PE	OH7-C16-C26-OH6
10	B	1304	1PE	C16-C26-OH6-C15
6	A	1305	NAD	C4D-C5D-O5D-PN
6	B	1311	NAD	C4D-C5D-O5D-PN
3	B	1307	PEG	C1-C2-O2-C3
2	B	1301[B]	FAD	O3'-C3'-C4'-C5'
2	B	1301[B]	FAD	C2'-C3'-C4'-C5'
3	B	1308	PEG	C1-C2-O2-C3
2	B	1301[B]	FAD	C4'-C5'-O5'-P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1301[A]	FAD	C4'-C5'-O5'-P
3	B	1308	PEG	C4-C3-O2-C2
3	B	1308	PEG	O1-C1-C2-O2



There are no ring outliers.



11 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1305	NAD	2	0
2	A	1301[B]	FAD	3	0
3	B	1307	PEG	1	0
7	A	1310	SO4	1	0
3	B	1308	PEG	1	0
2	B	1301[A]	FAD	3	0
2	B	1301[B]	FAD	1	0
3	B	1306	PEG	1	0
4	B	1309	FMT	4	0
2	A	1301[A]	FAD	2	0
6	B	1311	NAD	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1216/1235 (98%)	0.38	62 (5%) 34 40	9, 22, 38, 61	25 (2%)
1	B	1210/1235 (97%)	0.40	92 (7%) 21 23	8, 20, 40, 64	27 (2%)
All	All	2426/2470 (98%)	0.39	154 (6%) 27 31	8, 21, 39, 64	52 (2%)

All (154) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	491	LEU	8.4
1	B	490	LEU	6.8
1	B	1231	ALA	6.8
1	B	487	VAL	6.0
1	A	493	ASN	5.9
1	B	1229	LEU	5.8
1	B	1222	ALA	5.8
1	B	1223	ALA	5.7
1	B	1232	ILE	5.6
1	B	510	ILE	5.6
1	B	508	VAL	5.5
1	B	918	THR	5.5
1	B	1230	MET	5.4
1	B	486	LEU	5.3
1	B	1227	ALA	5.3
1	A	494	GLY	5.2
1	B	914	LEU	5.2
1	A	1227	ALA	5.1
1	B	485	TYR	4.9
1	B	484	ALA	4.9
1	B	500	VAL	4.8
1	A	134	LEU	4.7
1	B	481	THR	4.7
1	B	915	ALA	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	79	HIS	4.5
1	A	1222	ALA	4.4
1	A	1223	ALA	4.4
1	B	479	HIS	4.4
1	B	1225	GLY	4.3
1	A	82	SER	4.3
1	A	490	LEU	4.2
1	A	1225	GLY	4.2
1	A	1232	ILE	4.2
1	B	134	LEU	4.1
1	A	1230	MET	4.1
1	B	482	LEU	4.0
1	B	478	THR	4.0
1	B	1228	SER	4.0
1	A	1228	SER	3.9
1	B	503	ILE	3.8
1	B	84	VAL	3.8
1	A	491	LEU	3.7
1	B	495	ALA	3.7
1	A	500	VAL	3.6
1	A	495	ALA	3.6
1	B	66	SER	3.6
1	B	14	ALA	3.5
1	A	129	ASN	3.5
1	A	484	ALA	3.5
1	B	60	ILE	3.5
1	B	129	ASN	3.4
1	A	137	SER	3.4
1	A	1231	ALA	3.4
1	B	488	ARG	3.4
1	B	1233	GLY	3.4
1	B	439	PHE	3.4
1	A	128	GLY	3.4
1	A	1229	LEU	3.3
1	B	133	HIS	3.3
1	B	128	GLY	3.3
1	A	79	HIS	3.3
1	B	223	LEU	3.3
1	B	156	THR	3.3
1	B	75	LEU	3.2
1	B	483	LEU	3.2
1	B	506	PRO	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	116	THR	3.2
1	A	912	ILE	3.1
1	A	130	TRP	3.1
1	B	127	ASP	3.1
1	B	1226	ASN	3.1
1	A	156	THR	3.1
1	A	111	ILE	3.1
1	A	492	GLU	3.1
1	A	14	ALA	3.0
1	A	132	SER	3.0
1	A	485	TYR	3.0
1	B	1224	GLY	3.0
1	B	916	SER	2.9
1	A	1226	ASN	2.9
1	A	481	THR	2.9
1	A	115	ALA	2.9
1	B	456	LEU	2.9
1	B	138	ARG	2.8
1	A	1224	GLY	2.8
1	B	132	SER	2.8
1	B	1221	ALA	2.8
1	B	74	ALA	2.7
1	B	912	ILE	2.7
1	B	155	LEU	2.7
1	A	487	VAL	2.7
1	B	68	ALA	2.7
1	B	115	ALA	2.7
1	B	917	GLU	2.7
1	A	586	ALA	2.7
1	A	114	THR	2.6
1	A	125	ILE	2.6
1	A	506	PRO	2.6
1	A	905	LEU	2.6
1	A	503	ILE	2.6
1	A	223	LEU	2.6
1	B	72	ILE	2.6
1	B	116	THR	2.5
1	B	415	VAL	2.5
1	A	801	ALA	2.5
1	B	83	GLY	2.5
1	A	120	LEU	2.5
1	B	905	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	489	ARG	2.4
1	A	451	GLY	2.4
1	A	937	LEU	2.4
1	A	1233	GLY	2.4
1	A	127	ASP	2.4
1	B	451	GLY	2.3
1	B	496	ASN	2.3
1	B	463	ARG	2.3
1	A	195	PHE	2.3
1	B	499	PHE	2.3
1	B	125	ILE	2.3
1	A	155	LEU	2.3
1	A	482	LEU	2.3
1	B	130	TRP	2.3
1	B	63	ALA	2.3
1	B	71	LEU	2.3
1	B	514	ILE	2.3
1	A	1221	ALA	2.3
1	B	64	ALA	2.3
1	B	460	VAL	2.3
1	B	524[A]	MET	2.2
1	B	195	PHE	2.2
1	A	483	LEU	2.2
1	A	112	PRO	2.2
1	A	571	ALA	2.2
1	B	509	SER	2.2
1	A	904	GLY	2.2
1	B	937	LEU	2.2
1	B	438	ASP	2.2
1	B	513	LEU	2.2
1	A	796	ASP	2.1
1	B	76	ARG	2.1
1	B	1200	ARG	2.1
1	A	771	ALA	2.1
1	A	913	GLY	2.1
1	B	139	SER	2.1
1	B	501	HIS	2.1
1	B	412	ALA	2.0
1	A	113	ASP	2.0
1	B	511	ASP	2.0
1	B	112	PRO	2.0
1	B	919	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	504	ASN	2.0
1	B	461	VAL	2.0
1	A	486	LEU	2.0
1	B	466	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PEG	A	1302	7/7	0.80	0.14	26,30,37,43	0
7	SO4	A	1310	5/5	0.80	0.14	35,37,41,41	5
3	PEG	B	1308	7/7	0.82	0.15	26,32,40,41	0
3	PEG	B	1306	7/7	0.83	0.14	30,37,45,47	0
3	PEG	A	1312	7/7	0.84	0.13	31,36,43,47	0
7	SO4	A	1308	5/5	0.86	0.15	26,26,31,39	5
5	A1BDX	A	1304	11/11	0.89	0.12	16,19,21,26	11
3	PEG	B	1307	7/7	0.89	0.10	32,35,42,44	0
4	FMT	B	1305	3/3	0.89	0.10	32,32,36,40	0
4	FMT	B	1309	3/3	0.90	0.11	14,14,18,18	3
10	1PE	B	1304	16/16	0.90	0.11	26,34,37,39	0
4	FMT	A	1303	3/3	0.91	0.09	25,25,30,31	0
7	SO4	A	1309	5/5	0.91	0.11	33,33,39,46	5
9	PGE	B	1302	10/10	0.92	0.09	29,35,40,40	0
7	SO4	B	1313	5/5	0.93	0.08	42,42,44,46	5
5	A1BDX	B	1310	11/11	0.93	0.10	17,18,23,31	11
4	FMT	B	1303	3/3	0.93	0.11	13,13,30,35	0
6	NAD	A	1305	44/44	0.95	0.09	16,21,24,31	0
7	SO4	A	1307	5/5	0.95	0.09	23,28,36,36	5

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FAD	B	1301[B]	53/53	0.95	0.07	14,18,22,24	53
2	FAD	B	1301[A]	53/53	0.95	0.07	14,18,22,25	53
8	MG	B	1314	1/1	0.96	0.05	18,18,18,18	1
2	FAD	A	1301[B]	53/53	0.96	0.07	12,17,20,24	53
2	FAD	A	1301[A]	53/53	0.96	0.07	13,18,19,21	53
6	NAD	B	1311	44/44	0.97	0.06	13,15,17,28	0
7	SO4	B	1312	5/5	0.98	0.06	15,16,19,20	0
7	SO4	A	1306	5/5	0.98	0.05	17,18,22,23	0
8	MG	A	1311	1/1	0.98	0.05	21,21,21,21	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around A1BDX B 1310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD A 1305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 1301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD B 1301 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD A 1301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 1301 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.