



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 07:08 am BST

PDB ID : 2E11
Title : The Crystal Structure of XC1258 from Xanthomonas campestris: A CN-hydrolase Superfamily Protein with an Arsenic Adduct in the Active Site
Authors : Chin, K.-H.; Tsai, Y.-D.; Chan, N.-L.; Huang, K.-F.; Wang, A.H.-J.; Chou, S.-H.
Deposited on : 2006-10-17
Resolution : 1.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3923 (1.76-1.72)
Ramachandran outliers	138981	3878 (1.76-1.72)
Sidechain outliers	138945	3878 (1.76-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	266	
1	B	266	
1	C	266	
1	D	266	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9208 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	265	Total 2113	C 1339	N 385	O 382	S 7	0	0	0
1	B	265	Total 2113	C 1339	N 385	O 382	S 7	0	0	0
1	C	265	Total 2113	C 1339	N 385	O 382	S 7	0	0	0
1	D	265	Total 2113	C 1339	N 385	O 382	S 7	0	0	0

- Molecule 2 is CACODYLATE ION (three-letter code: CAC) (formula: C₂H₆AsO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	As	C	O		
2	A	1	Total 4	As 1	C 2	O 1	0	0
2	B	1	Total 4	As 1	C 2	O 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	As	C	O	0	0
			4	1	2	1		
2	D	1	Total	As	C	O	0	0
			4	1	2	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	202	Total	O	0	0
			202	202		
3	B	196	Total	O	0	0
			196	196		
3	C	186	Total	O	0	0
			186	186		
3	D	156	Total	O	0	0
			156	156		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: Hydrolase

Chain A: 





- Molecule 1: Hydrolase

Chain B: 




- Molecule 1: Hydrolase

Chain C: 



- Molecule 1: Hydrolase

Chain D: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	143.28Å 154.31Å 51.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	104.83 – 1.73	Depositor
% Data completeness (in resolution range)	97.2 (104.83-1.73)	Depositor
R_{merge}	0.14	Depositor
R_{sym}	0.04	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.140 , 0.217	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	9208	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	0/2166	0.69	0/2944
1	B	0.58	0/2166	0.72	0/2944
1	C	0.55	0/2166	0.68	0/2944
1	D	0.56	0/2166	0.71	0/2944
All	All	0.57	0/8664	0.70	0/11776

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2113	0	2048	29	0
1	B	2113	0	2048	22	0
1	C	2113	0	2048	20	0
1	D	2113	0	2048	18	0
2	A	4	0	0	1	0
2	B	4	0	0	1	0
2	C	4	0	0	1	0
2	D	4	0	0	1	0
3	A	202	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	196	0	0	1	0
3	C	186	0	0	4	0
3	D	156	0	0	0	0
All	All	9208	0	8192	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:154:ASN:HD21	1:C:166:PHE:H	1.27	0.83
1:A:154:ASN:HD21	1:A:166:PHE:H	1.32	0.77
1:B:154:ASN:HD21	1:B:166:PHE:H	1.33	0.76
1:D:154:ASN:HD21	1:D:166:PHE:H	1.34	0.75
1:B:13:THR:HG21	3:B:1437:HOH:O	1.87	0.74
1:B:60:MET:HE3	1:B:85:LEU:HD13	1.70	0.72
1:B:60:MET:CE	1:B:85:LEU:HD13	2.20	0.72
1:B:1:MET:HG3	1:B:243:ALA:HB1	1.73	0.71
1:D:29:LEU:CD2	1:D:39:VAL:HG11	2.24	0.67
1:A:246:LEU:HD21	1:A:250:ARG:CZ	2.25	0.67
1:B:13:THR:HG22	1:B:25:TYR:OH	1.95	0.67
1:B:137:ARG:NH1	1:B:159:GLU:OE2	2.23	0.66
1:B:60:MET:HE2	1:B:60:MET:HA	1.78	0.64
1:A:246:LEU:HD23	1:A:246:LEU:C	2.18	0.62
1:D:195:LEU:HD12	1:D:249:HIS:CE1	2.34	0.62
1:B:177:SER:OG	1:B:212:HIS:HD2	1.82	0.62
1:B:29:LEU:HB3	1:B:75:LEU:HD11	1.83	0.61
1:C:137:ARG:NH1	1:C:159:GLU:OE2	2.28	0.61
1:C:144:TYR:HB2	2:C:1266:CAC:O2	2.01	0.60
1:C:110:ARG:HD3	1:C:151:PHE:CE2	2.36	0.60
1:B:1:MET:HG3	1:B:243:ALA:CB	2.32	0.60
1:A:177:SER:OG	1:A:212:HIS:HD2	1.85	0.60
1:C:177:SER:OG	1:C:212:HIS:HD2	1.84	0.59
1:B:60:MET:HA	1:B:60:MET:CE	2.33	0.59
1:B:258:ASP:OD2	1:D:114:ARG:HD2	2.03	0.58
1:A:246:LEU:CD2	1:A:250:ARG:HD2	2.34	0.58
1:A:225:GLN:NE2	3:A:1428:HOH:O	2.36	0.58
1:D:29:LEU:HD21	1:D:39:VAL:HG11	1.85	0.57
1:B:60:MET:HE2	1:B:60:MET:CA	2.34	0.56
1:A:246:LEU:HD23	1:A:246:LEU:O	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:PHE:HE1	1:A:264:LEU:CD2	2.22	0.53
1:D:29:LEU:HD22	1:D:39:VAL:HG11	1.90	0.53
1:C:29:LEU:HB3	1:C:75:LEU:HD11	1.91	0.53
1:A:119:HIS:H	1:A:119:HIS:CD2	2.29	0.51
1:D:114:ARG:HA	1:D:119:HIS:CD2	2.45	0.51
1:C:249:HIS:HD2	3:C:1288:HOH:O	1.95	0.49
1:C:231:ARG:NH2	3:C:1443:HOH:O	2.45	0.49
1:C:248:GLU:O	1:C:252:ARG:HG3	2.12	0.49
1:A:246:LEU:HD21	1:A:250:ARG:NE	2.28	0.49
1:C:119:HIS:HE1	3:C:1355:HOH:O	1.95	0.49
1:A:262:PHE:HE1	1:A:264:LEU:HD22	1.79	0.47
1:A:144:TYR:HB2	2:A:1266:CAC:O2	2.14	0.47
1:A:99:THR:HG23	1:A:101:ASP:OD2	2.14	0.46
1:A:97:TRP:CE2	1:A:131:VAL:HG21	2.50	0.46
1:D:154:ASN:HD22	1:D:165:ASP:HB2	1.81	0.46
1:D:209:ASN:O	1:D:210:GLN:HG2	2.16	0.46
1:C:110:ARG:HD3	1:C:151:PHE:CZ	2.50	0.45
1:D:177:SER:OG	1:D:212:HIS:HD2	2.00	0.45
1:A:246:LEU:HD21	1:A:250:ARG:HD2	1.98	0.45
1:C:15:TRP:CH2	1:C:50:SER:HB2	2.52	0.45
1:A:246:LEU:CD2	1:A:246:LEU:C	2.84	0.44
1:C:134:LYS:HE2	3:C:1439:HOH:O	2.17	0.44
1:D:144:TYR:HB2	2:D:1266:CAC:O2	2.18	0.44
1:B:60:MET:HE1	1:B:85:LEU:HD13	1.95	0.44
1:D:195:LEU:HD12	1:D:249:HIS:HE1	1.82	0.44
1:D:97:TRP:CE2	1:D:131:VAL:HG21	2.52	0.44
1:C:228:VAL:HG12	1:D:230:ILE:HG22	2.00	0.44
1:D:170:LEU:HD22	1:D:199:ALA:HB3	1.99	0.44
1:A:64:THR:HG21	1:A:83:VAL:HG21	2.00	0.44
1:B:119:HIS:H	1:B:119:HIS:CD2	2.36	0.44
1:A:114:ARG:HA	1:A:119:HIS:CD2	2.53	0.43
1:C:97:TRP:CE2	1:C:131:VAL:HG21	2.53	0.43
1:A:15:TRP:CE2	1:A:208:GLY:HA3	2.54	0.43
1:A:262:PHE:CE1	1:A:264:LEU:HD22	2.53	0.43
1:A:99:THR:CG2	1:A:103:ALA:HB3	2.49	0.43
1:A:154:ASN:HD22	1:A:165:ASP:HB2	1.83	0.43
1:A:228:VAL:HG12	1:B:230:ILE:HG22	2.00	0.43
1:D:15:TRP:CE2	1:D:208:GLY:HA3	2.54	0.42
1:B:29:LEU:HD21	1:B:41:LEU:HD21	2.01	0.42
1:A:29:LEU:HB3	1:A:75:LEU:HD11	2.01	0.42
1:C:231:ARG:HG2	1:D:226:PRO:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:GLN:HG3	3:A:1285:HOH:O	2.19	0.42
1:B:170:LEU:HA	1:B:199:ALA:O	2.19	0.42
1:A:246:LEU:HD21	1:A:250:ARG:NH1	2.35	0.41
1:C:88:GLU:OE2	1:C:89:HIS:CD2	2.73	0.41
1:B:113:PHE:HB2	2:B:1266:CAC:O2	2.20	0.41
1:C:170:LEU:HA	1:C:199:ALA:O	2.20	0.41
1:C:195:LEU:HD12	1:C:249:HIS:CE1	2.55	0.41
1:A:246:LEU:HD21	1:A:250:ARG:CD	2.51	0.41
1:B:97:TRP:CE2	1:B:131:VAL:HG21	2.56	0.41
1:C:154:ASN:HD22	1:C:165:ASP:HB2	1.85	0.41
1:A:113:PHE:CZ	1:A:115:PHE:HB3	2.56	0.41
1:A:170:LEU:HA	1:A:199:ALA:O	2.21	0.41
1:B:154:ASN:HD22	1:B:165:ASP:HB2	1.86	0.40
1:D:190:ARG:O	1:D:194:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/266 (99%)	257 (98%)	5 (2%)	1 (0%)	34	17
1	B	263/266 (99%)	257 (98%)	5 (2%)	1 (0%)	34	17
1	C	263/266 (99%)	254 (97%)	9 (3%)	0	100	100
1	D	263/266 (99%)	254 (97%)	9 (3%)	0	100	100
All	All	1052/1064 (99%)	1022 (97%)	28 (3%)	2 (0%)	47	29

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	143	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	143	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/216 (100%)	211 (98%)	4 (2%)	57	36
1	B	215/216 (100%)	212 (99%)	3 (1%)	67	50
1	C	215/216 (100%)	209 (97%)	6 (3%)	43	19
1	D	215/216 (100%)	210 (98%)	5 (2%)	50	27
All	All	860/864 (100%)	842 (98%)	18 (2%)	53	30

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	99	THR
1	A	114	ARG
1	A	154	ASN
1	B	104	LEU
1	B	154	ASN
1	B	246	LEU
1	C	1	MET
1	C	47	SER
1	C	85	LEU
1	C	154	ASN
1	C	231	ARG
1	C	246	LEU
1	D	1	MET
1	D	80	THR
1	D	88	GLU
1	D	154	ASN
1	D	246	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	119	HIS
1	A	154	ASN
1	A	174	ASN
1	A	212	HIS
1	A	225	GLN
1	A	249	HIS
1	B	119	HIS
1	B	154	ASN
1	B	212	HIS
1	B	225	GLN
1	B	249	HIS
1	C	89	HIS
1	C	119	HIS
1	C	154	ASN
1	C	212	HIS
1	C	249	HIS
1	D	117	ASN
1	D	119	HIS
1	D	154	ASN
1	D	212	HIS
1	D	225	GLN
1	D	249	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CAC	A	1266	1	0,3,4	0.00	-	0,3,6	0.00	-
2	CAC	B	1266	1	0,3,4	0.00	-	0,3,6	0.00	-
2	CAC	C	1266	1	0,3,4	0.00	-	0,3,6	0.00	-
2	CAC	D	1266	1	0,3,4	0.00	-	0,3,6	0.00	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1266	CAC	1	0
2	B	1266	CAC	1	0
2	C	1266	CAC	1	0
2	D	1266	CAC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.