



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2023 – 12:52 AM EDT

PDB ID : 2E1U
Title : Crystal structure of Dendranthema morifolium DmAT
Authors : Unno, H.; Ichimaida, F.; Kusunoki, M.; Nakayama, T.
Deposited on : 2006-10-28
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	 4% 83% 12% ...
1	B	454	 6% 84% 12% ...

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7629 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called acyl transferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	440	3466	2229	573	646	18	0	0	0
1	B	440	3466	2229	573	646	18	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	356	356	356	0	0
2	B	341	341	341	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: acyl transferase



- Molecule 1: acyl transferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	52.65Å 122.98Å 70.27Å 90.00° 94.21° 90.00°	Depositor
Resolution (Å)	33.88 – 2.20 33.70 – 2.20	Depositor EDS
% Data completeness (in resolution range)	89.7 (33.88-2.20) 89.7 (33.70-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.78 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.194 , 0.248 0.192 , 0.248	Depositor DCC
R_{free} test set	2023 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtrriage
Anisotropy	0.082	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7629	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/3549	0.67	3/4821 (0.1%)
1	B	0.57	0/3549	0.64	0/4821
All	All	0.57	0/7098	0.65	3/9642 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	7	LEU	N-CA-C	8.62	134.29	111.00
1	A	6	ILE	C-N-CA	6.69	138.42	121.70
1	A	284	TRP	CA-CB-CG	5.72	124.58	113.70

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	7	LEU	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	422	LYS	Peptide
1	A	6	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3466	0	3457	74	0
1	B	3466	0	3457	55	0
2	A	356	0	0	11	0
2	B	341	0	0	16	0
All	All	7629	0	6914	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:CYS:HB3	2:B:678:HOH:O	1.49	1.13
1:B:55:SER:O	1:B:59:GLU:HG2	1.53	1.08
1:A:212:LYS:NZ	2:A:772:HOH:O	1.90	1.04
1:A:55:SER:O	1:A:59:GLU:HG2	1.59	1.01
1:A:391:ARG:HH11	1:A:391:ARG:HG2	1.24	1.01
1:A:289:LYS:HE2	1:A:335:GLY:H	1.19	1.00
1:A:391:ARG:CB	1:A:422:LYS:NZ	2.25	0.99
1:B:439:MET:HE3	1:B:443:VAL:HG23	1.50	0.91
1:A:391:ARG:HB2	1:A:422:LYS:NZ	1.83	0.91
1:B:439:MET:CE	1:B:443:VAL:HG23	2.00	0.90
1:B:123:ARG:NH2	2:B:579:HOH:O	2.05	0.88
1:A:391:ARG:CB	1:A:422:LYS:HZ3	1.87	0.87
1:A:391:ARG:HD3	1:A:394:ASP:OD2	1.75	0.86
1:A:391:ARG:HB3	1:A:422:LYS:NZ	1.90	0.85
1:B:316:TYR:HE1	2:B:795:HOH:O	1.59	0.85
1:B:439:MET:CE	1:B:443:VAL:CG2	2.57	0.83
1:A:289:LYS:CE	1:A:335:GLY:H	1.93	0.80
1:A:289:LYS:NZ	2:A:589:HOH:O	2.15	0.80
1:A:27:LEU:HD21	2:A:809:HOH:O	1.85	0.75
1:A:284:TRP:HZ3	1:A:296:GLN:OE1	1.69	0.75
1:A:393:TYR:CD1	1:A:421:CYS:O	2.40	0.75
1:B:412:HIS:HE1	2:B:746:HOH:O	1.70	0.75
1:A:289:LYS:HE2	1:A:335:GLY:N	1.98	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:LYS:NZ	2:A:524:HOH:O	2.19	0.74
1:B:316:TYR:CE1	2:B:795:HOH:O	2.38	0.73
1:A:421:CYS:O	1:A:422:LYS:HB2	1.88	0.73
1:A:423:GLU:OE1	2:A:734:HOH:O	2.08	0.72
1:A:391:ARG:HB2	1:A:422:LYS:HZ3	1.44	0.72
1:A:54:ARG:HB3	2:A:773:HOH:O	1.92	0.70
1:B:253:ARG:HD2	1:B:426:GLU:OE1	1.91	0.70
1:B:344:LYS:NZ	2:B:773:HOH:O	2.27	0.68
1:B:377:MET:HE3	1:B:377:MET:HA	1.74	0.68
1:A:391:ARG:HG2	1:A:391:ARG:NH1	1.99	0.67
1:A:393:TYR:HB3	1:A:422:LYS:HB2	1.77	0.67
1:A:393:TYR:CB	1:A:422:LYS:HB2	2.26	0.66
1:A:412:HIS:ND1	1:A:413:ASN:ND2	2.44	0.66
1:A:391:ARG:HB3	1:A:422:LYS:HZ1	1.60	0.65
1:A:179:PHE:CD2	1:A:183:LYS:HE2	2.31	0.65
1:A:297:LEU:HD13	1:A:381:MET:HE3	1.78	0.64
1:B:439:MET:HE2	1:B:443:VAL:CG2	2.26	0.64
1:B:439:MET:HE3	1:B:443:VAL:CG2	2.21	0.63
1:A:180:CYS:HA	1:A:183:LYS:HE3	1.81	0.62
1:A:393:TYR:HB3	1:A:422:LYS:CB	2.30	0.62
1:B:393:TYR:CD1	1:B:421:CYS:O	2.54	0.61
1:B:209:ARG:HA	2:B:795:HOH:O	2.00	0.61
1:B:266:GLN:OE1	2:B:782:HOH:O	2.16	0.60
1:A:297:LEU:HD13	1:A:381:MET:CE	2.32	0.60
1:B:421:CYS:SG	2:B:728:HOH:O	2.35	0.59
1:B:140:ARG:HH11	1:B:140:ARG:HG2	1.68	0.59
1:B:412:HIS:CE1	2:B:746:HOH:O	2.51	0.58
1:A:391:ARG:HG2	2:A:624:HOH:O	2.03	0.57
1:A:116:GLU:C	2:A:587:HOH:O	2.42	0.57
1:A:230:ASN:ND2	1:A:230:ASN:H	2.02	0.57
1:A:297:LEU:HB3	1:A:381:MET:HG2	1.86	0.57
1:A:421:CYS:SG	1:A:429:GLU:HG3	2.45	0.57
1:B:38:ARG:NH2	1:B:225:LYS:O	2.36	0.56
1:B:304:ARG:HH22	1:B:362:LEU:HA	1.70	0.56
1:B:253:ARG:HG3	1:B:426:GLU:HB3	1.88	0.55
1:A:389:LYS:HE3	1:A:389:LYS:HA	1.87	0.55
1:B:262:ARG:HD2	1:B:266:GLN:HE21	1.72	0.55
1:A:80:VAL:O	1:A:80:VAL:HG22	2.09	0.52
1:A:391:ARG:HB2	1:A:422:LYS:HZ2	1.69	0.52
1:A:280:CYS:O	1:A:284:TRP:HB2	2.09	0.52
1:A:304:ARG:HH22	1:A:362:LEU:HA	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:THR:O	1:A:387:THR:OG1	2.27	0.52
1:B:439:MET:HE2	1:B:443:VAL:HG23	1.82	0.52
1:A:235:THR:HG22	2:A:643:HOH:O	2.10	0.52
1:B:106:THR:HG23	2:B:467:HOH:O	2.08	0.52
1:A:391:ARG:HB3	1:A:422:LYS:HZ3	1.61	0.51
1:B:36:TRP:HB3	1:B:170:HIS:HB3	1.92	0.51
1:A:422:LYS:HE3	1:A:425:ASN:ND2	2.25	0.51
1:B:106:THR:CG2	2:B:467:HOH:O	2.59	0.50
1:B:180:CYS:CB	2:B:678:HOH:O	2.30	0.50
1:B:218:GLU:O	1:B:222:LYS:HG3	2.12	0.49
1:B:262:ARG:HH22	1:B:336:LYS:HD2	1.78	0.49
1:B:140:ARG:HG2	1:B:140:ARG:NH1	2.28	0.48
1:A:223:ARG:NH2	1:B:370:ASN:HD21	2.10	0.48
1:A:391:ARG:HD2	1:A:394:ASP:HB2	1.95	0.48
1:A:179:PHE:CE2	1:A:183:LYS:HE2	2.47	0.48
1:B:422:LYS:HG3	2:B:729:HOH:O	2.13	0.48
1:A:284:TRP:CD1	1:A:346:ILE:HD11	2.49	0.48
1:A:218:GLU:O	1:A:222:LYS:HG3	2.14	0.47
1:B:418:ILE:HG12	1:B:430:ILE:HG12	1.96	0.47
1:A:284:TRP:HH2	1:A:296:GLN:CB	2.27	0.47
1:A:421:CYS:O	1:A:422:LYS:CB	2.56	0.47
1:B:253:ARG:HH21	1:B:257:ASN:HD22	1.62	0.47
1:B:253:ARG:HE	1:B:257:ASN:ND2	2.12	0.47
1:A:284:TRP:CH2	1:A:296:GLN:CB	2.97	0.46
1:B:206:LEU:HD21	1:B:208:ASP:HB2	1.97	0.46
1:B:232:ASP:OD1	2:B:769:HOH:O	2.20	0.46
1:B:71:ILE:O	1:B:74:LYS:HG2	2.14	0.46
1:A:266:GLN:HE21	1:A:266:GLN:HB2	1.56	0.46
1:B:253:ARG:HE	1:B:257:ASN:HD21	1.62	0.46
1:A:284:TRP:CH2	1:A:296:GLN:HB3	2.51	0.46
1:A:391:ARG:CD	1:A:394:ASP:OD2	2.56	0.46
1:A:393:TYR:CG	1:A:421:CYS:O	2.69	0.46
1:B:387:THR:O	1:B:387:THR:OG1	2.32	0.46
1:A:83:LEU:HB2	1:A:149:LEU:HD21	1.99	0.45
1:A:393:TYR:HB2	1:A:422:LYS:HG3	2.00	0.44
1:A:422:LYS:HE3	1:A:425:ASN:HD22	1.83	0.44
1:B:250:ILE:HG12	2:B:735:HOH:O	2.16	0.44
1:B:421:CYS:SG	1:B:429:GLU:HG2	2.57	0.44
1:A:212:LYS:CE	2:A:772:HOH:O	2.57	0.43
1:A:423:GLU:N	2:A:734:HOH:O	2.28	0.43
1:B:297:LEU:HD13	1:B:381:MET:CE	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:SER:O	1:B:417:SER:HA	2.19	0.43
1:A:77:TYR:CD2	1:A:78:PRO:HD3	2.54	0.43
1:B:259:LEU:HB3	1:B:339:PHE:CZ	2.54	0.42
1:B:297:LEU:C	1:B:297:LEU:HD23	2.39	0.42
1:A:289:LYS:HG2	1:A:334:ILE:HG23	2.01	0.42
1:B:122:PRO:HA	1:B:246:ARG:O	2.19	0.42
1:A:381:MET:SD	1:B:377:MET:HE2	2.59	0.42
1:B:417:SER:O	1:B:430:ILE:HA	2.20	0.42
1:A:284:TRP:CH2	1:A:296:GLN:HB2	2.55	0.42
1:A:36:TRP:HB3	1:A:170:HIS:HB3	2.01	0.41
1:A:393:TYR:CB	1:A:422:LYS:CB	2.95	0.41
1:B:393:TYR:O	1:B:402:PRO:HD2	2.21	0.41
1:A:283:ILE:HD11	1:A:442:PHE:HZ	1.85	0.41
1:A:417:SER:O	1:A:430:ILE:HA	2.19	0.41
1:A:385:SER:O	1:A:417:SER:HA	2.20	0.41
1:A:69:LEU:O	1:A:73:LEU:HG	2.21	0.41
1:A:381:MET:SD	1:B:377:MET:CE	3.09	0.41
1:A:77:TYR:CG	1:A:78:PRO:HD3	2.55	0.41
1:B:164:ILE:HD12	1:B:397:PHE:CE2	2.55	0.41
1:B:328:ALA:HB2	1:B:345:LEU:CD1	2.51	0.41
1:A:393:TYR:O	1:A:402:PRO:HD2	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/454 (96%)	421 (97%)	13 (3%)	2 (0%)	29	31
1	B	436/454 (96%)	424 (97%)	9 (2%)	3 (1%)	22	22
All	All	872/908 (96%)	845 (97%)	22 (2%)	5 (1%)	25	26

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	422	LYS
1	A	7	LEU
1	B	421	CYS
1	B	422	LYS
1	B	225	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	388/400 (97%)	373 (96%)	15 (4%)	32	41
1	B	388/400 (97%)	378 (97%)	10 (3%)	46	58
All	All	776/800 (97%)	751 (97%)	25 (3%)	39	50

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ILE
1	A	7	LEU
1	A	50	LEU
1	A	52	ILE
1	A	67	HIS
1	A	223	ARG
1	A	284	TRP
1	A	321	VAL
1	A	339	PHE
1	A	363	LYS
1	A	377	MET
1	A	387	THR
1	A	389	LYS
1	A	391	ARG
1	A	399	TRP
1	B	50	LEU
1	B	56	GLN
1	B	106	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	123	ARG
1	B	196	GLU
1	B	215	MET
1	B	362	LEU
1	B	370	ASN
1	B	371	ASP
1	B	399	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	230	ASN
1	A	257	ASN
1	A	266	GLN
1	A	413	ASN
1	A	425	ASN
1	B	28	GLN
1	B	257	ASN
1	B	266	GLN
1	B	370	ASN
1	B	425	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	440/454 (96%)	0.20	19 (4%) 35 33	27, 38, 58, 90	0
1	B	440/454 (96%)	0.28	29 (6%) 18 17	27, 38, 56, 77	0
All	All	880/908 (96%)	0.24	48 (5%) 25 24	27, 38, 57, 90	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	359	ASP	5.6
1	B	361	VAL	5.5
1	B	370	ASN	5.3
1	B	90	THR	5.1
1	B	423	GLU	4.9
1	B	224	ALA	4.5
1	B	215	MET	4.3
1	A	142	SER	3.9
1	B	362	LEU	3.9
1	B	223	ARG	3.9
1	A	423	GLU	3.9
1	B	201	ASN	3.8
1	B	88	ALA	3.7
1	B	360	GLY	3.7
1	A	412	HIS	3.7
1	B	142	SER	3.6
1	B	363	LYS	3.6
1	A	370	ASN	3.5
1	A	20	ASP	3.4
1	B	20	ASP	3.4
1	A	89	PRO	3.3
1	A	143	ASP	3.1
1	A	121	HIS	3.0
1	A	391	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	141	LEU	2.9
1	B	143	ASP	2.8
1	B	141	LEU	2.7
1	B	21	THR	2.7
1	B	231	GLU	2.7
1	B	99	GLU	2.7
1	A	206	LEU	2.7
1	A	19	PRO	2.6
1	B	218	GLU	2.6
1	B	87	PRO	2.5
1	A	359	ASP	2.5
1	A	223	ARG	2.4
1	A	201	ASN	2.4
1	B	424	SER	2.4
1	B	19	PRO	2.3
1	B	306	ALA	2.3
1	B	89	PRO	2.3
1	A	231	GLU	2.2
1	B	271	GLU	2.2
1	A	222	LYS	2.1
1	B	358	LYS	2.1
1	A	140	ARG	2.1
1	A	230	ASN	2.1
1	B	54	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.