



Full wwPDB EM Validation Report ⓘ

Nov 25, 2024 – 12:58 PM EST

PDB ID : 9E8J
EMDB ID : EMD-47722
Title : Nub1/Fat10-processing human 26S proteasome bound to Txnl1 with Rpt1 at top of spiral staircase
Authors : Arkinson, C.; Gee, C.L.; Martin, A.
Deposited on : 2024-11-05
Resolution : 3.47 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	8% 88% 6% 6%
2	B	440	5% 85% 5% 10%
3	C	406	8% 88% 7% 5%
4	D	418	8% 85% 5% 9%
5	E	389	13% 67% 19% 12%
6	F	439	8% 74% 7% 18%
7	G	246	93% 5% 5%
8	H	234	93% 6% 6%
9	I	261	90% 5% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	J	248	
11	K	241	
12	L	263	
13	M	255	
14	U	953	
15	V	534	
16	W	456	
17	X	422	
18	Y	389	
19	Z	324	
20	a	376	
21	b	377	
22	c	424	
23	d	350	
24	e	70	
25	f	908	
26	g	601	
27	u	289	
28	v	12	

2 Entry composition [i](#)

There are 32 unique types of molecules in this entry. The entry contains 70858 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	407	3199	2015	561	605	18	0	0

- Molecule 2 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	396	3107	1957	529	606	15	0	0

- Molecule 3 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	386	3051	1919	547	567	18	0	0

- Molecule 4 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	380	3040	1923	524	580	13	0	0

- Molecule 5 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	343	2701	1699	477	509	16	0	0

- Molecule 6 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	359	2801	1768	485	532	16	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	239	1820	1157	304	346	13	0	0

- Molecule 8 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	232	1813	1158	307	342	6	0	0

- Molecule 9 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	248	1895	1195	324	368	8	0	0

- Molecule 10 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	239	1733	1076	315	337	5	0	0

- Molecule 11 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	228	1737	1092	286	349	10	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	83	LYS	ALA	conflict	UNP P28066

- Molecule 12 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	238	1850	1159	334	346	11	0	0

- Molecule 13 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	240	1856	1178	314	353	11	0	0

- Molecule 14 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	U	844	6584	4178	1119	1243	44	0	0

- Molecule 15 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	V	443	3608	2299	644	652	13	0	0

- Molecule 16 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	W	438	3570	2261	609	677	23	0	0

- Molecule 17 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	X	378	2994	1909	507	566	12	0	0

- Molecule 18 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	Y	380	3127	1995	535	580	17	0	0

- Molecule 19 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	Z	286	2281	1457	392	427	5	0	0

- Molecule 20 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	a	373	2995	1911	510	559	15	0	0

- Molecule 21 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	b	191	1458	910	261	279	8	0	0

- Molecule 22 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	c	289	2269	1436	391	423	19	0	0

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	311	LEU	-	expression tag	UNP O00487
c	312	ILE	-	expression tag	UNP O00487
c	313	ASN	-	expression tag	UNP O00487
c	314	HIS	-	expression tag	UNP O00487
c	315	HIS	-	expression tag	UNP O00487
c	316	HIS	-	expression tag	UNP O00487
c	317	HIS	-	expression tag	UNP O00487
c	318	HIS	-	expression tag	UNP O00487
c	319	HIS	-	expression tag	UNP O00487
c	320	ASP	-	expression tag	UNP O00487
c	321	TYR	-	expression tag	UNP O00487
c	322	ASP	-	expression tag	UNP O00487
c	323	ILE	-	expression tag	UNP O00487
c	324	PRO	-	expression tag	UNP O00487
c	325	THR	-	expression tag	UNP O00487
c	326	THR	-	expression tag	UNP O00487
c	327	ALA	-	expression tag	UNP O00487
c	328	SER	-	expression tag	UNP O00487
c	329	GLU	-	expression tag	UNP O00487
c	330	ASN	-	expression tag	UNP O00487
c	331	LEU	-	expression tag	UNP O00487
c	332	TYR	-	expression tag	UNP O00487
c	333	PHE	-	expression tag	UNP O00487
c	334	GLN	-	expression tag	UNP O00487
c	335	GLY	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	336	GLU	-	expression tag	UNP O00487
c	337	LEU	-	expression tag	UNP O00487
c	338	GLY	-	expression tag	UNP O00487
c	339	MET	-	expression tag	UNP O00487
c	340	ARG	-	expression tag	UNP O00487
c	341	GLY	-	expression tag	UNP O00487
c	342	SER	-	expression tag	UNP O00487
c	343	ALA	-	expression tag	UNP O00487
c	344	GLY	-	expression tag	UNP O00487
c	345	LYS	-	expression tag	UNP O00487
c	346	ALA	-	expression tag	UNP O00487
c	347	GLY	-	expression tag	UNP O00487
c	348	GLU	-	expression tag	UNP O00487
c	349	GLY	-	expression tag	UNP O00487
c	350	GLU	-	expression tag	UNP O00487
c	351	ILE	-	expression tag	UNP O00487
c	352	PRO	-	expression tag	UNP O00487
c	353	ALA	-	expression tag	UNP O00487
c	354	PRO	-	expression tag	UNP O00487
c	355	LEU	-	expression tag	UNP O00487
c	356	ALA	-	expression tag	UNP O00487
c	357	GLY	-	expression tag	UNP O00487
c	358	THR	-	expression tag	UNP O00487
c	359	VAL	-	expression tag	UNP O00487
c	360	SER	-	expression tag	UNP O00487
c	361	LYS	-	expression tag	UNP O00487
c	362	ILE	-	expression tag	UNP O00487
c	363	LEU	-	expression tag	UNP O00487
c	364	VAL	-	expression tag	UNP O00487
c	365	LYS	-	expression tag	UNP O00487
c	366	GLU	-	expression tag	UNP O00487
c	367	GLY	-	expression tag	UNP O00487
c	368	ASP	-	expression tag	UNP O00487
c	369	THR	-	expression tag	UNP O00487
c	370	VAL	-	expression tag	UNP O00487
c	371	LYS	-	expression tag	UNP O00487
c	372	ALA	-	expression tag	UNP O00487
c	373	GLY	-	expression tag	UNP O00487
c	374	GLN	-	expression tag	UNP O00487
c	375	THR	-	expression tag	UNP O00487
c	376	VAL	-	expression tag	UNP O00487
c	377	LEU	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	378	VAL	-	expression tag	UNP O00487
c	379	LEU	-	expression tag	UNP O00487
c	380	GLU	-	expression tag	UNP O00487
c	381	ALA	-	expression tag	UNP O00487
c	382	MET	-	expression tag	UNP O00487
c	383	LYS	-	expression tag	UNP O00487
c	384	MET	-	expression tag	UNP O00487
c	385	GLU	-	expression tag	UNP O00487
c	386	THR	-	expression tag	UNP O00487
c	387	GLU	-	expression tag	UNP O00487
c	388	ILE	-	expression tag	UNP O00487
c	389	ASN	-	expression tag	UNP O00487
c	390	ALA	-	expression tag	UNP O00487
c	391	PRO	-	expression tag	UNP O00487
c	392	THR	-	expression tag	UNP O00487
c	393	ASP	-	expression tag	UNP O00487
c	394	GLY	-	expression tag	UNP O00487
c	395	LYS	-	expression tag	UNP O00487
c	396	VAL	-	expression tag	UNP O00487
c	397	GLU	-	expression tag	UNP O00487
c	398	LYS	-	expression tag	UNP O00487
c	399	VAL	-	expression tag	UNP O00487
c	400	LEU	-	expression tag	UNP O00487
c	401	VAL	-	expression tag	UNP O00487
c	402	LYS	-	expression tag	UNP O00487
c	403	GLU	-	expression tag	UNP O00487
c	404	ARG	-	expression tag	UNP O00487
c	405	ASP	-	expression tag	UNP O00487
c	406	ALA	-	expression tag	UNP O00487
c	407	VAL	-	expression tag	UNP O00487
c	408	GLN	-	expression tag	UNP O00487
c	409	GLY	-	expression tag	UNP O00487
c	410	GLY	-	expression tag	UNP O00487
c	411	GLN	-	expression tag	UNP O00487
c	412	GLY	-	expression tag	UNP O00487
c	413	LEU	-	expression tag	UNP O00487
c	414	ILE	-	expression tag	UNP O00487
c	415	LYS	-	expression tag	UNP O00487
c	416	ILE	-	expression tag	UNP O00487
c	417	GLY	-	expression tag	UNP O00487
c	418	VAL	-	expression tag	UNP O00487
c	419	HIS	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	420	HIS	-	expression tag	UNP O00487
c	421	HIS	-	expression tag	UNP O00487
c	422	HIS	-	expression tag	UNP O00487
c	423	HIS	-	expression tag	UNP O00487
c	424	HIS	-	expression tag	UNP O00487

- Molecule 23 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	d	269	2188	1414	359	406	9	0	0

- Molecule 24 is a protein called 26S proteasome complex subunit SEM1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
24	e	41	353	217	55	81	0	0

- Molecule 25 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	f	832	6442	4076	1090	1231	45	0	0

- Molecule 26 is a protein called Isoform 2 of NEDD8 ultimate buster 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	g	95	771	487	139	144	1	0	0


- Molecule 27 is a protein called Thioredoxin-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	u	172	1376	865	226	276	9	0	0

- Molecule 28 is a protein called substrate peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
28	v	11	55	33	11	11	0	0

- Molecule 29 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
29	A	1	Total 31	C 10	N 5	O 13	P 3	0
29	B	1	Total 31	C 10	N 5	O 13	P 3	0
29	C	1	Total 31	C 10	N 5	O 13	P 3	0
29	F	1	Total 31	C 10	N 5	O 13	P 3	0

- Molecule 30 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
30	A	1	Total 1	Mg 1	0
30	B	1	Total 1	Mg 1	0
30	C	1	Total 1	Mg 1	0
30	D	1	Total 1	Mg 1	0
30	F	1	Total 1	Mg 1	0

- Molecule 31 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:

$C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
31	D	1	Total	C	N	O	P	0
			27	10	5	10	2	
31	E	1	Total	C	N	O	P	0
			27	10	5	10	2	


- Molecule 32 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
32	u	1	Total	Zn	0
			1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 26S proteasome regulatory subunit 7




- Molecule 2: 26S proteasome regulatory subunit 4




- Molecule 3: 26S protease regulatory subunit 8




- Molecule 4: 26S proteasome regulatory subunit 6B







• Molecule 5: 26S protease regulatory subunit 10B



• Molecule 6: 26S proteasome regulatory subunit 6A




• Molecule 7: Proteasome subunit alpha type-6






• Molecule 8: Proteasome subunit alpha type-2





• Molecule 9: Proteasome subunit alpha type-4





• Molecule 10: Proteasome subunit alpha type-7




• Molecule 11: Proteasome subunit alpha type-5




• Molecule 12: Proteasome subunit alpha type-1




• Molecule 13: Proteasome subunit alpha type-3




• Molecule 14: 26S proteasome non-ATPase regulatory subunit 1




• Molecule 15: 26S proteasome non-ATPase regulatory subunit 3





• Molecule 16: 26S proteasome non-ATPase regulatory subunit 12








• Molecule 17: 26S proteasome non-ATPase regulatory subunit 11




• Molecule 18: 26S proteasome non-ATPase regulatory subunit 6




• Molecule 19: 26S proteasome non-ATPase regulatory subunit 7




• Molecule 20: 26S proteasome non-ATPase regulatory subunit 13








• Molecule 24: 26S proteasome complex subunit SEM1



• Molecule 25: 26S proteasome non-ATPase regulatory subunit 2



• Molecule 26: Isoform 2 of NEDD8 ultimate buster 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	19309	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.618	Depositor
Minimum map value	-0.230	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.034	Depositor
Recommended contour level	0.15	Depositor
Map size (Å)	356.32, 356.32, 356.32	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.048, 1.048, 1.048	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, ADP, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3250	0.50	0/4386
2	B	0.34	0/3153	0.50	0/4255
3	C	0.34	0/3092	0.51	0/4154
4	D	0.41	0/3090	0.55	0/4168
5	E	0.56	0/2742	0.75	1/3696 (0.0%)
6	F	0.36	0/2838	0.51	0/3825
7	G	0.35	0/1853	0.52	1/2515 (0.0%)
8	H	0.35	0/1852	0.52	0/2507
9	I	0.32	0/1925	0.51	0/2606
10	J	0.31	0/1758	0.50	0/2394
11	K	0.33	0/1763	0.49	0/2383
12	L	0.31	0/1885	0.51	0/2552
13	M	0.35	0/1891	0.51	0/2552
14	U	0.32	0/6696	0.46	0/9052
15	V	0.29	0/3678	0.50	0/4965
16	W	0.28	0/3618	0.46	0/4868
17	X	0.31	0/3038	0.45	0/4095
18	Y	0.34	0/3185	0.49	0/4290
19	Z	0.36	0/2324	0.48	0/3150
20	a	0.28	0/3053	0.49	0/4133
21	b	0.29	0/1478	0.51	0/2001
22	c	0.38	0/2311	0.57	1/3124 (0.0%)
23	d	0.27	0/2234	0.44	0/3018
24	e	0.29	0/362	0.40	0/490
25	f	0.27	0/6550	0.46	0/8865
26	g	0.28	0/778	0.67	2/1041 (0.2%)
27	u	0.31	0/1403	0.49	0/1892
28	v	0.82	0/4	0.89	0/4
All	All	0.34	0/71804	0.51	5/96981 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
4	D	0	2
5	E	0	16
6	F	0	1
8	H	0	1
14	U	0	1
All	All	0	22

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	c	23	PRO	N-CA-CB	6.05	110.57	103.30
26	g	166	ARG	N-CA-C	-5.78	95.40	111.00
26	g	165	ALA	CB-CA-C	5.68	118.61	110.10
5	E	267	PHE	N-CA-CB	-5.64	100.45	110.60
7	G	10	ASP	CB-CA-C	-5.25	99.89	110.40

There are no chirality outliers.

All (22) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	53	THR	Peptide
4	D	313	ARG	Sidechain
4	D	85	ILE	Peptide
5	E	113	ARG	Sidechain
5	E	185	ARG	Sidechain
5	E	213	ARG	Sidechain
5	E	216	ARG	Sidechain
5	E	223	ARG	Sidechain
5	E	228	CYS	Mainchain
5	E	272	ARG	Sidechain
5	E	291	ARG	Sidechain
5	E	294	ARG	Sidechain
5	E	297	ARG	Sidechain
5	E	309	ARG	Sidechain
5	E	344	ARG	Sidechain
5	E	356	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
5	E	372	ARG	Sidechain
5	E	84	ARG	Sidechain
5	E	85	ARG	Sidechain
6	F	61	ARG	Sidechain
8	H	4	ARG	Sidechain
14	U	873	PRO	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/433 (93%)	373 (93%)	28 (7%)	2 (0%)	25	59
2	B	392/440 (89%)	351 (90%)	40 (10%)	1 (0%)	37	69
3	C	384/406 (95%)	349 (91%)	32 (8%)	3 (1%)	16	51
4	D	378/418 (90%)	330 (87%)	44 (12%)	4 (1%)	12	44
5	E	339/389 (87%)	297 (88%)	33 (10%)	9 (3%)	4	28
6	F	353/439 (80%)	307 (87%)	45 (13%)	1 (0%)	37	69
7	G	237/246 (96%)	217 (92%)	17 (7%)	3 (1%)	10	41
8	H	230/234 (98%)	212 (92%)	18 (8%)	0	100	100
9	I	246/261 (94%)	232 (94%)	13 (5%)	1 (0%)	30	64
10	J	237/248 (96%)	213 (90%)	24 (10%)	0	100	100
11	K	224/241 (93%)	209 (93%)	15 (7%)	0	100	100
12	L	236/263 (90%)	227 (96%)	9 (4%)	0	100	100
13	M	238/255 (93%)	219 (92%)	19 (8%)	0	100	100
14	U	834/953 (88%)	731 (88%)	98 (12%)	5 (1%)	22	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	V	441/534 (83%)	415 (94%)	24 (5%)	2 (0%)	25	59
16	W	436/456 (96%)	415 (95%)	20 (5%)	1 (0%)	44	76
17	X	376/422 (89%)	354 (94%)	22 (6%)	0	100	100
18	Y	378/389 (97%)	362 (96%)	16 (4%)	0	100	100
19	Z	284/324 (88%)	252 (89%)	29 (10%)	3 (1%)	12	44
20	a	371/376 (99%)	331 (89%)	40 (11%)	0	100	100
21	b	189/377 (50%)	158 (84%)	31 (16%)	0	100	100
22	c	287/424 (68%)	239 (83%)	45 (16%)	3 (1%)	13	46
23	d	267/350 (76%)	246 (92%)	20 (8%)	1 (0%)	30	64
24	e	37/70 (53%)	34 (92%)	3 (8%)	0	100	100
25	f	824/908 (91%)	757 (92%)	66 (8%)	1 (0%)	48	79
26	g	93/601 (16%)	68 (73%)	25 (27%)	0	100	100
27	u	170/289 (59%)	162 (95%)	6 (4%)	2 (1%)	11	43
All	All	8884/10746 (83%)	8060 (91%)	782 (9%)	42 (0%)	27	59

All (42) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	367	ASP
2	B	278	ALA
3	C	82	LYS
4	D	413	GLU
5	E	122	MET
5	E	267	PHE
5	E	268	ASP
5	E	328	TYR
5	E	357	ALA
7	G	10	ASP
7	G	11	ARG
7	G	184	LYS
14	U	42	VAL
16	W	41	GLN
19	Z	146	ASP
19	Z	226	ILE
22	c	116	PRO
22	c	145	VAL
22	c	285	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	f	433	LEU
3	C	81	ASP
4	D	219	VAL
5	E	295	LEU
14	U	172	ASP
14	U	242	LEU
14	U	812	ALA
15	V	318	GLN
23	d	332	SER
1	A	116	LYS
3	C	355	SER
4	D	324	PRO
4	D	411	GLU
5	E	125	GLU
5	E	304	PRO
9	I	107	CYS
15	V	494	MET
27	u	119	ILE
27	u	279	LYS
5	E	297	ARG
19	Z	177	ARG
6	F	203	VAL
14	U	815	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	350/372 (94%)	328 (94%)	22 (6%)	15 43
2	B	348/385 (90%)	326 (94%)	22 (6%)	15 43
3	C	338/352 (96%)	312 (92%)	26 (8%)	10 35
4	D	333/366 (91%)	314 (94%)	19 (6%)	17 45
5	E	298/341 (87%)	228 (76%)	70 (24%)	0 3
6	F	304/379 (80%)	273 (90%)	31 (10%)	6 26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	192/210 (91%)	184 (96%)	8 (4%)	25	54
8	H	190/191 (100%)	176 (93%)	14 (7%)	11	36
9	I	191/221 (86%)	179 (94%)	12 (6%)	15	43
10	J	158/211 (75%)	151 (96%)	7 (4%)	24	54
11	K	189/204 (93%)	179 (95%)	10 (5%)	19	47
12	L	198/224 (88%)	190 (96%)	8 (4%)	27	56
13	M	192/212 (91%)	175 (91%)	17 (9%)	8	31
14	U	718/816 (88%)	666 (93%)	52 (7%)	12	38
15	V	391/460 (85%)	365 (93%)	26 (7%)	14	41
16	W	403/416 (97%)	383 (95%)	20 (5%)	20	49
17	X	325/362 (90%)	304 (94%)	21 (6%)	14	41
18	Y	335/344 (97%)	322 (96%)	13 (4%)	27	57
19	Z	257/295 (87%)	240 (93%)	17 (7%)	14	41
20	a	333/336 (99%)	315 (95%)	18 (5%)	18	46
21	b	167/312 (54%)	157 (94%)	10 (6%)	16	43
22	c	252/359 (70%)	235 (93%)	17 (7%)	13	41
23	d	237/294 (81%)	229 (97%)	8 (3%)	32	60
24	e	37/63 (59%)	34 (92%)	3 (8%)	9	34
25	f	702/763 (92%)	667 (95%)	35 (5%)	20	49
26	g	85/527 (16%)	81 (95%)	4 (5%)	22	52
27	u	156/253 (62%)	137 (88%)	19 (12%)	4	20
All	All	7679/9268 (83%)	7150 (93%)	529 (7%)	15	39

All (529) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	ASP
1	A	38	GLN
1	A	39	SER
1	A	60	ASN
1	A	65	ILE
1	A	69	ASP
1	A	118	PHE
1	A	143	ASP
1	A	144	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171	ASP
1	A	174	TYR
1	A	233	THR
1	A	268	LYS
1	A	296	GLN
1	A	353	HIS
1	A	355	PHE
1	A	363	SER
1	A	380	SER
1	A	386	ARG
1	A	402	LYS
1	A	403	ILE
1	A	431	THR
2	B	41	LYS
2	B	56	THR
2	B	66	GLU
2	B	86	LYS
2	B	120	HIS
2	B	142	ASP
2	B	242	GLN
2	B	255	LEU
2	B	262	ASP
2	B	290	ILE
2	B	295	TYR
2	B	314	ASN
2	B	332	ASN
2	B	365	PHE
2	B	383	LEU
2	B	387	LYS
2	B	399	CYS
2	B	401	GLU
2	B	405	MET
2	B	428	TYR
2	B	429	LYS
2	B	431	GLN
3	C	21	ARG
3	C	23	TYR
3	C	24	TYR
3	C	38	LYS
3	C	41	ASN
3	C	53	ASN
3	C	55	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	81	ASP
3	C	101	LYS
3	C	119	ASP
3	C	142	LYS
3	C	155	ASP
3	C	206	HIS
3	C	237	MET
3	C	256	SER
3	C	269	VAL
3	C	275	GLU
3	C	287	LYS
3	C	295	THR
3	C	299	ASP
3	C	322	GLU
3	C	327	ASP
3	C	333	SER
3	C	339	THR
3	C	346	LYS
3	C	395	SER
4	D	60	TYR
4	D	76	GLN
4	D	78	GLU
4	D	105	SER
4	D	156	SER
4	D	164	TYR
4	D	167	ILE
4	D	171	ASP
4	D	224	THR
4	D	231	VAL
4	D	233	SER
4	D	313	ARG
4	D	324	PRO
4	D	337	ASP
4	D	347	THR
4	D	371	SER
4	D	374	ASP
4	D	414	HIS
4	D	418	LYS
5	E	35	GLU
5	E	37	THR
5	E	38	LYS
5	E	42	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	47	LEU
5	E	65	THR
5	E	75	ASN
5	E	79	TYR
5	E	85	ARG
5	E	88	ASP
5	E	100	LEU
5	E	109	ARG
5	E	110	TYR
5	E	113	ARG
5	E	114	GLU
5	E	115	VAL
5	E	116	ASP
5	E	120	TYR
5	E	130	VAL
5	E	133	SER
5	E	135	ILE
5	E	138	LEU
5	E	143	ARG
5	E	155	ASN
5	E	190	GLN
5	E	193	CYS
5	E	194	ASN
5	E	196	LEU
5	E	198	VAL
5	E	201	SER
5	E	203	ILE
5	E	204	VAL
5	E	205	ASP
5	E	206	LYS
5	E	208	ILE
5	E	216	ARG
5	E	218	MET
5	E	223	ARG
5	E	224	ASP
5	E	245	GLU
5	E	268	ASP
5	E	272	ARG
5	E	275	MET
5	E	277	MET
5	E	279	THR
5	E	285	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	286	ASP
5	E	297	ARG
5	E	298	LYS
5	E	301	ILE
5	E	302	ASP
5	E	303	LEU
5	E	307	GLN
5	E	309	ARG
5	E	322	LYS
5	E	323	HIS
5	E	326	ILE
5	E	335	SER
5	E	339	ASN
5	E	343	LEU
5	E	344	ARG
5	E	352	MET
5	E	356	ARG
5	E	359	HIS
5	E	360	ASP
5	E	363	VAL
5	E	364	GLN
5	E	377	SER
5	E	378	LYS
5	E	379	LYS
6	F	61	ARG
6	F	66	LEU
6	F	71	ASP
6	F	74	LYS
6	F	75	GLU
6	F	76	ASN
6	F	77	SER
6	F	79	LYS
6	F	81	LYS
6	F	179	GLU
6	F	180	ARG
6	F	193	LYS
6	F	209	LYS
6	F	211	LYS
6	F	213	GLU
6	F	215	LEU
6	F	217	ILE
6	F	218	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	221	LYS
6	F	226	TYR
6	F	233	LYS
6	F	250	LYS
6	F	259	MET
6	F	295	ARG
6	F	335	VAL
6	F	349	ASP
6	F	358	ASN
6	F	366	MET
6	F	397	LYS
6	F	402	GLU
6	F	435	LEU
7	G	12	HIS
7	G	14	THR
7	G	87	SER
7	G	115	CYS
7	G	120	ASP
7	G	122	SER
7	G	166	THR
7	G	244	GLU
8	H	3	GLU
8	H	4	ARG
8	H	16	SER
8	H	48	THR
8	H	70	LYS
8	H	89	ARG
8	H	93	LEU
8	H	112	GLN
8	H	133	SER
8	H	152	SER
8	H	180	GLU
8	H	219	ARG
8	H	227	LYS
8	H	228	ASP
9	I	9	THR
9	I	19	TYR
9	I	38	LEU
9	I	49	ARG
9	I	70	GLU
9	I	80	THR
9	I	153	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	163	CYS
9	I	179	TYR
9	I	198	ASN
9	I	206	LEU
9	I	239	LYS
10	J	55	ASP
10	J	84	ILE
10	J	91	CYS
10	J	94	HIS
10	J	136	PHE
10	J	144	LEU
10	J	228	TYR
11	K	36	THR
11	K	69	GLU
11	K	71	ASP
11	K	78	MET
11	K	86	LYS
11	K	152	GLN
11	K	162	PHE
11	K	164	GLN
11	K	179	SER
11	K	229	PHE
12	L	7	ASP
12	L	53	GLN
12	L	114	SER
12	L	138	ASP
12	L	159	MET
12	L	180	MET
12	L	211	SER
12	L	227	ASP
13	M	41	CYS
13	M	59	GLU
13	M	66	LEU
13	M	67	PHE
13	M	85	ARG
13	M	87	LEU
13	M	123	THR
13	M	141	SER
13	M	152	ASP
13	M	158	TYR
13	M	163	CYS
13	M	169	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	173	LYS
13	M	206	ASP
13	M	209	PHE
13	M	215	TRP
13	M	229	LYS
14	U	33	ASP
14	U	46	GLU
14	U	69	TYR
14	U	87	LEU
14	U	94	SER
14	U	96	TYR
14	U	99	THR
14	U	107	HIS
14	U	112	CYS
14	U	127	ASP
14	U	147	TYR
14	U	151	ILE
14	U	163	PHE
14	U	179	TYR
14	U	180	SER
14	U	186	SER
14	U	193	PHE
14	U	219	CYS
14	U	223	LEU
14	U	244	MET
14	U	250	PHE
14	U	254	GLU
14	U	255	SER
14	U	341	PHE
14	U	364	VAL
14	U	365	CYS
14	U	373	ASN
14	U	374	SER
14	U	378	CYS
14	U	388	ASP
14	U	392	TRP
14	U	407	SER
14	U	415	HIS
14	U	438	GLN
14	U	456	ASP
14	U	467	ASN
14	U	531	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	U	602	LEU
14	U	608	SER
14	U	633	CYS
14	U	643	SER
14	U	675	MET
14	U	691	SER
14	U	717	ILE
14	U	722	ASP
14	U	747	SER
14	U	772	TRP
14	U	786	THR
14	U	787	CYS
14	U	813	TYR
14	U	889	LEU
14	U	901	GLN
15	V	61	GLU
15	V	62	HIS
15	V	65	ARG
15	V	96	ARG
15	V	100	MET
15	V	103	SER
15	V	115	LYS
15	V	139	MET
15	V	201	ARG
15	V	212	TYR
15	V	225	ASP
15	V	279	GLN
15	V	285	TRP
15	V	304	GLU
15	V	358	MET
15	V	389	ASP
15	V	399	ARG
15	V	424	GLN
15	V	427	GLN
15	V	468	SER
15	V	478	GLN
15	V	481	SER
15	V	490	SER
15	V	492	LYS
15	V	494	MET
15	V	496	PHE
16	W	60	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
16	W	78	LYS
16	W	96	GLN
16	W	126	ASP
16	W	221	LYS
16	W	224	LEU
16	W	230	MET
16	W	247	TYR
16	W	248	ARG
16	W	251	TYR
16	W	280	ASP
16	W	289	ARG
16	W	326	MET
16	W	338	THR
16	W	345	GLU
16	W	377	ARG
16	W	392	PHE
16	W	427	ASP
16	W	445	LEU
16	W	451	MET
17	X	89	VAL
17	X	136	LEU
17	X	151	SER
17	X	153	LEU
17	X	157	LEU
17	X	172	LEU
17	X	177	TYR
17	X	229	TYR
17	X	233	TYR
17	X	237	GLU
17	X	254	MET
17	X	261	LEU
17	X	301	ASP
17	X	310	ARG
17	X	320	SER
17	X	325	LYS
17	X	327	TYR
17	X	337	ARG
17	X	357	SER
17	X	373	LYS
17	X	379	ASP
18	Y	14	ASN
18	Y	23	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	Y	30	GLU
18	Y	87	GLU
18	Y	104	MET
18	Y	113	ARG
18	Y	143	TYR
18	Y	181	LYS
18	Y	269	SER
18	Y	288	PHE
18	Y	292	TYR
18	Y	314	LEU
18	Y	378	ASN
19	Z	8	LYS
19	Z	40	LEU
19	Z	43	TRP
19	Z	49	ASP
19	Z	53	SER
19	Z	74	TYR
19	Z	119	SER
19	Z	121	LEU
19	Z	187	LEU
19	Z	193	ASN
19	Z	199	LYS
19	Z	225	GLN
19	Z	228	TYR
19	Z	234	PHE
19	Z	235	ASN
19	Z	255	ASP
19	Z	268	SER
20	a	32	LYS
20	a	128	LEU
20	a	139	GLU
20	a	143	ASN
20	a	163	TYR
20	a	171	SER
20	a	211	PHE
20	a	212	ASN
20	a	219	HIS
20	a	226	ARG
20	a	231	GLN
20	a	252	LYS
20	a	280	MET
20	a	313	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	a	328	ASP
20	a	330	ARG
20	a	345	GLN
20	a	362	SER
21	b	48	ASN
21	b	64	LEU
21	b	75	LEU
21	b	78	VAL
21	b	94	HIS
21	b	126	LYS
21	b	129	LYS
21	b	130	ARG
21	b	134	GLU
21	b	142	ASN
22	c	51	MET
22	c	63	ASP
22	c	66	THR
22	c	107	MET
22	c	115	HIS
22	c	168	MET
22	c	175	ARG
22	c	180	ASN
22	c	190	GLN
22	c	199	HIS
22	c	200	TYR
22	c	208	ARG
22	c	209	LYS
22	c	257	LYS
22	c	261	GLU
22	c	265	MET
22	c	284	LEU
23	d	94	MET
23	d	95	TYR
23	d	101	GLU
23	d	158	ARG
23	d	237	MET
23	d	243	LYS
23	d	248	LYS
23	d	280	GLU
24	e	37	HIS
24	e	41	ASP
24	e	63	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	f	44	GLU
25	f	112	ASN
25	f	115	PRO
25	f	127	SER
25	f	205	CYS
25	f	219	LYS
25	f	226	TYR
25	f	236	CYS
25	f	250	ARG
25	f	256	PHE
25	f	258	LYS
25	f	296	PHE
25	f	297	MET
25	f	306	GLU
25	f	370	MET
25	f	403	LYS
25	f	404	ASP
25	f	418	LEU
25	f	433	LEU
25	f	434	TYR
25	f	471	LEU
25	f	520	LEU
25	f	524	MET
25	f	540	GLN
25	f	543	MET
25	f	546	SER
25	f	565	ASN
25	f	584	SER
25	f	646	MET
25	f	677	HIS
25	f	700	SER
25	f	722	SER
25	f	737	ASN
25	f	789	SER
25	f	808	ASN
26	g	113	ARG
26	g	131	ILE
26	g	150	ASN
26	g	166	ARG
27	u	124	MET
27	u	139	ASN
27	u	149	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
27	u	157	LEU
27	u	160	ASP
27	u	165	LEU
27	u	180	MET
27	u	182	PHE
27	u	199	ASN
27	u	204	MET
27	u	219	GLU
27	u	247	PHE
27	u	249	GLN
27	u	250	SER
27	u	259	ARG
27	u	263	PHE
27	u	268	THR
27	u	276	ASN
27	u	278	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (76) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	296	GLN
1	A	314	ASN
1	A	433	ASN
2	B	257	GLN
4	D	83	GLN
4	D	380	GLN
4	D	412	GLN
5	E	39	GLN
5	E	45	ASN
5	E	75	ASN
5	E	190	GLN
5	E	220	ASN
5	E	262	ASN
6	F	76	ASN
6	F	208	HIS
6	F	214	ASN
6	F	218	GLN
6	F	316	GLN
6	F	325	GLN
7	G	75	ASN
7	G	127	GLN
8	H	52	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	146	GLN
9	I	198	ASN
9	I	240	HIS
10	J	92	GLN
10	J	116	GLN
10	J	159	ASN
11	K	164	GLN
12	L	59	HIS
14	U	149	GLN
14	U	207	ASN
14	U	267	ASN
14	U	345	ASN
14	U	355	ASN
14	U	373	ASN
14	U	389	ASN
14	U	398	ASN
15	V	64	GLN
15	V	109	ASN
15	V	177	ASN
15	V	232	HIS
15	V	282	ASN
16	W	440	ASN
17	X	44	GLN
17	X	48	GLN
17	X	127	GLN
17	X	406	ASN
18	Y	14	ASN
18	Y	280	GLN
20	a	12	GLN
20	a	168	ASN
21	b	76	HIS
21	b	101	GLN
21	b	137	ASN
21	b	161	ASN
22	c	44	HIS
22	c	101	GLN
22	c	197	ASN
22	c	256	ASN
23	d	127	ASN
23	d	195	ASN
23	d	202	GLN
23	d	228	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	d	234	GLN
25	f	325	GLN
25	f	329	ASN
25	f	355	ASN
25	f	387	GLN
25	f	701	ASN
25	f	782	HIS
25	f	790	GLN
25	f	868	HIS
26	g	135	GLN
26	g	168	ASN
26	g	170	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
29	ATP	F	501	30	28,33,33	0.82	1 (3%)	34,52,52	0.78	1 (2%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
29	ATP	C	501	30	28,33,33	0.86	1 (3%)	34,52,52	0.83	1 (2%)
29	ATP	B	501	30	28,33,33	0.85	1 (3%)	34,52,52	0.77	2 (5%)
31	ADP	D	501	30	24,29,29	0.74	0	29,45,45	0.77	1 (3%)
31	ADP	E	501	-	24,29,29	0.73	0	29,45,45	0.81	1 (3%)
29	ATP	A	501	30	28,33,33	0.81	1 (3%)	34,52,52	0.84	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	ATP	F	501	30	-	6/18/38/38	0/3/3/3
29	ATP	C	501	30	-	8/18/38/38	0/3/3/3
29	ATP	B	501	30	-	6/18/38/38	0/3/3/3
31	ADP	D	501	30	-	4/12/32/32	0/3/3/3
31	ADP	E	501	-	-	3/12/32/32	0/3/3/3
29	ATP	A	501	30	-	2/18/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
29	C	501	ATP	C1'-N9	-2.55	1.43	1.49
29	F	501	ATP	C1'-N9	-2.41	1.44	1.49
29	A	501	ATP	C1'-N9	-2.18	1.44	1.49
29	B	501	ATP	PB-O3B	-2.06	1.57	1.59

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	B	501	ATP	C4'-O4'-C1'	-2.69	107.46	109.92
29	C	501	ATP	C5-C6-N6	2.37	123.91	120.31
29	B	501	ATP	C5-C6-N6	2.31	123.83	120.31
29	A	501	ATP	C5-C6-N6	2.28	123.78	120.31
31	D	501	ADP	C5-C6-N6	2.25	123.75	120.31
31	E	501	ADP	C5-C6-N6	2.18	123.63	120.31
29	F	501	ATP	C5-C6-N6	2.14	123.57	120.31

There are no chirality outliers.

All (29) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
29	B	501	ATP	C5'-O5'-PA-O1A
29	B	501	ATP	C5'-O5'-PA-O2A
29	B	501	ATP	C5'-O5'-PA-O3A
29	B	501	ATP	O4'-C4'-C5'-O5'
29	C	501	ATP	C5'-O5'-PA-O2A
29	C	501	ATP	C5'-O5'-PA-O3A
29	F	501	ATP	C5'-O5'-PA-O1A
29	F	501	ATP	C5'-O5'-PA-O2A
29	F	501	ATP	C5'-O5'-PA-O3A
31	D	501	ADP	C5'-O5'-PA-O2A
31	D	501	ADP	C5'-O5'-PA-O3A
31	E	501	ADP	PA-O3A-PB-O3B
31	E	501	ADP	C5'-O5'-PA-O2A
31	E	501	ADP	C5'-O5'-PA-O3A
29	A	501	ATP	O4'-C4'-C5'-O5'
31	D	501	ADP	O4'-C4'-C5'-O5'
29	C	501	ATP	O4'-C4'-C5'-O5'
29	C	501	ATP	C3'-C4'-C5'-O5'
29	F	501	ATP	C3'-C4'-C5'-O5'
31	D	501	ADP	C3'-C4'-C5'-O5'
29	B	501	ATP	C3'-C4'-C5'-O5'
29	F	501	ATP	O4'-C4'-C5'-O5'
29	A	501	ATP	C3'-C4'-C5'-O5'
29	B	501	ATP	PB-O3B-PG-O3G
29	C	501	ATP	PB-O3A-PA-O2A
29	C	501	ATP	C5'-O5'-PA-O1A
29	C	501	ATP	C4'-C5'-O5'-PA
29	F	501	ATP	PB-O3B-PG-O1G
29	C	501	ATP	PB-O3A-PA-O1A


There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
25	f	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	f	646:MET	C	647:GLY	N	3.77


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47722. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 200




Y Index: 172




Z Index: 192


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 582 nm³; this corresponds to an approximate mass of 526 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.288 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.288 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.47	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	6.14	8.71	6.71

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.14 differs from the reported value 3.47 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-47722 and PDB model 9E8J. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).


























































9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6600	 0.3750
A	 0.6760	 0.4140
B	 0.6950	 0.4400
C	 0.7280	 0.4500
D	 0.7200	 0.4410
E	 0.6320	 0.3570
F	 0.6100	 0.3610
G	 0.7180	 0.4170
H	 0.7320	 0.4250
I	 0.7260	 0.4060
J	 0.7320	 0.4070
K	 0.7160	 0.4060
L	 0.7280	 0.4090
M	 0.6940	 0.3900
U	 0.6620	 0.3720
V	 0.6050	 0.3250
W	 0.6270	 0.3530
X	 0.6910	 0.3810
Y	 0.7620	 0.4110
Z	 0.7200	 0.4240
a	 0.6000	 0.2920
b	 0.6070	 0.3340
c	 0.6740	 0.4080
d	 0.5530	 0.2890
e	 0.6670	 0.3560
f	 0.6100	 0.3150
g	 0.0200	 0.0650
u	 0.5690	 0.3850
v	 0.9270	 0.5470

