



wwPDB EM Validation Summary Report ⓘ

Nov 25, 2024 – 12:54 PM EST

PDB ID : 9E8K
EMDB ID : EMD-47723
Title : Nub1/Fat10-processing human 26S proteasome bound to Txnl1 with Rpt6 at top of spiral staircase
Authors : Arkinson, C.; Gee, C.L.; Martin, A.
Deposited on : 2024-11-05
Resolution : 4.08 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	
2	C	406	
3	G	246	
4	H	234	
5	I	261	
6	J	248	
7	L	263	
8	M	255	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	O	277	
10	W	456	
11	X	422	
12	Y	389	
13	a	376	
14	b	377	
15	d	350	
16	u	289	
17	v	8	
18	D	418	
19	E	389	
20	F	439	
21	B	440	
22	K	241	
23	c	424	
24	Z	324	
25	V	534	
26	e	70	
27	U	953	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
28	ADP	A	501	-	-	X	-
28	ADP	F	501	-	-	X	-
29	ATP	C	501	-	-	X	-
29	ATP	D	501	-	-	X	-
29	ATP	E	501	-	-	X	-

2 Entry composition [i](#)

There are 31 unique types of molecules in this entry. The entry contains 62343 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	359	2804	1765	496	526	17	0	0

- Molecule 2 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	364	2884	1817	517	533	17	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	G	238	1811	1152	303	343	13	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	H	230	1715	1090	289	330	6	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	I	248	1895	1195	324	368	8	0	0

- Molecule 6 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	J	239	1704	1056	308	335	5	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	L	236	1838	1151	332	344	11	0	0

- Molecule 8 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	M	238	1839	1166	311	351	11	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	O	44	355	222	64	66	3	0	0

- Molecule 10 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	W	438	3570	2261	609	677	23	0	0

- Molecule 11 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	X	378	2994	1909	507	566	12	0	0

- Molecule 12 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	Y	380	3127	1995	535	580	17	0	0

- Molecule 13 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	a	373	2995	1911	510	559	15	0	0

- Molecule 14 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	b	188	Total	C	N	O	S	0	0
			1437	895	258	276	8		

- Molecule 15 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	d	269	Total	C	N	O	S	0	0
			2188	1414	359	406	9		

- Molecule 16 is a protein called Thioredoxin-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	u	172	Total	C	N	O	S	0	0
			1376	865	226	276	9		

- Molecule 17 is a protein called substrate peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	v	8	Total	C	N	O	0	0
			40	24	8	8		

- Molecule 18 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	D	366	Total	C	N	O	S	0	0
			2912	1843	505	553	11		

- Molecule 19 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	E	368	Total	C	N	O	S	0	0
			2932	1846	522	548	16		

- Molecule 20 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	F	367	Total	C	N	O	S	0	0
			2877	1818	498	544	17		

- Molecule 21 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	B	326	2544	1600	435	498	11	0	0

- Molecule 22 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	K	228	1729	1086	284	349	10	0	0

- Molecule 23 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	c	271	2145	1359	368	401	17	0	0

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	311	LEU	-	expression tag	UNP O00487
c	312	ILE	-	expression tag	UNP O00487
c	313	ASN	-	expression tag	UNP O00487
c	314	HIS	-	expression tag	UNP O00487
c	315	HIS	-	expression tag	UNP O00487
c	316	HIS	-	expression tag	UNP O00487
c	317	HIS	-	expression tag	UNP O00487
c	318	HIS	-	expression tag	UNP O00487
c	319	HIS	-	expression tag	UNP O00487
c	320	ASP	-	expression tag	UNP O00487
c	321	TYR	-	expression tag	UNP O00487
c	322	ASP	-	expression tag	UNP O00487
c	323	ILE	-	expression tag	UNP O00487
c	324	PRO	-	expression tag	UNP O00487
c	325	THR	-	expression tag	UNP O00487
c	326	THR	-	expression tag	UNP O00487
c	327	ALA	-	expression tag	UNP O00487
c	328	SER	-	expression tag	UNP O00487
c	329	GLU	-	expression tag	UNP O00487
c	330	ASN	-	expression tag	UNP O00487
c	331	LEU	-	expression tag	UNP O00487
c	332	TYR	-	expression tag	UNP O00487
c	333	PHE	-	expression tag	UNP O00487
c	334	GLN	-	expression tag	UNP O00487
c	335	GLY	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	336	GLU	-	expression tag	UNP O00487
c	337	LEU	-	expression tag	UNP O00487
c	338	GLY	-	expression tag	UNP O00487
c	339	MET	-	expression tag	UNP O00487
c	340	ARG	-	expression tag	UNP O00487
c	341	GLY	-	expression tag	UNP O00487
c	342	SER	-	expression tag	UNP O00487
c	343	ALA	-	expression tag	UNP O00487
c	344	GLY	-	expression tag	UNP O00487
c	345	LYS	-	expression tag	UNP O00487
c	346	ALA	-	expression tag	UNP O00487
c	347	GLY	-	expression tag	UNP O00487
c	348	GLU	-	expression tag	UNP O00487
c	349	GLY	-	expression tag	UNP O00487
c	350	GLU	-	expression tag	UNP O00487
c	351	ILE	-	expression tag	UNP O00487
c	352	PRO	-	expression tag	UNP O00487
c	353	ALA	-	expression tag	UNP O00487
c	354	PRO	-	expression tag	UNP O00487
c	355	LEU	-	expression tag	UNP O00487
c	356	ALA	-	expression tag	UNP O00487
c	357	GLY	-	expression tag	UNP O00487
c	358	THR	-	expression tag	UNP O00487
c	359	VAL	-	expression tag	UNP O00487
c	360	SER	-	expression tag	UNP O00487
c	361	LYS	-	expression tag	UNP O00487
c	362	ILE	-	expression tag	UNP O00487
c	363	LEU	-	expression tag	UNP O00487
c	364	VAL	-	expression tag	UNP O00487
c	365	LYS	-	expression tag	UNP O00487
c	366	GLU	-	expression tag	UNP O00487
c	367	GLY	-	expression tag	UNP O00487
c	368	ASP	-	expression tag	UNP O00487
c	369	THR	-	expression tag	UNP O00487
c	370	VAL	-	expression tag	UNP O00487
c	371	LYS	-	expression tag	UNP O00487
c	372	ALA	-	expression tag	UNP O00487
c	373	GLY	-	expression tag	UNP O00487
c	374	GLN	-	expression tag	UNP O00487
c	375	THR	-	expression tag	UNP O00487
c	376	VAL	-	expression tag	UNP O00487
c	377	LEU	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	378	VAL	-	expression tag	UNP O00487
c	379	LEU	-	expression tag	UNP O00487
c	380	GLU	-	expression tag	UNP O00487
c	381	ALA	-	expression tag	UNP O00487
c	382	MET	-	expression tag	UNP O00487
c	383	LYS	-	expression tag	UNP O00487
c	384	MET	-	expression tag	UNP O00487
c	385	GLU	-	expression tag	UNP O00487
c	386	THR	-	expression tag	UNP O00487
c	387	GLU	-	expression tag	UNP O00487
c	388	ILE	-	expression tag	UNP O00487
c	389	ASN	-	expression tag	UNP O00487
c	390	ALA	-	expression tag	UNP O00487
c	391	PRO	-	expression tag	UNP O00487
c	392	THR	-	expression tag	UNP O00487
c	393	ASP	-	expression tag	UNP O00487
c	394	GLY	-	expression tag	UNP O00487
c	395	LYS	-	expression tag	UNP O00487
c	396	VAL	-	expression tag	UNP O00487
c	397	GLU	-	expression tag	UNP O00487
c	398	LYS	-	expression tag	UNP O00487
c	399	VAL	-	expression tag	UNP O00487
c	400	LEU	-	expression tag	UNP O00487
c	401	VAL	-	expression tag	UNP O00487
c	402	LYS	-	expression tag	UNP O00487
c	403	GLU	-	expression tag	UNP O00487
c	404	ARG	-	expression tag	UNP O00487
c	405	ASP	-	expression tag	UNP O00487
c	406	ALA	-	expression tag	UNP O00487
c	407	VAL	-	expression tag	UNP O00487
c	408	GLN	-	expression tag	UNP O00487
c	409	GLY	-	expression tag	UNP O00487
c	410	GLY	-	expression tag	UNP O00487
c	411	GLN	-	expression tag	UNP O00487
c	412	GLY	-	expression tag	UNP O00487
c	413	LEU	-	expression tag	UNP O00487
c	414	ILE	-	expression tag	UNP O00487
c	415	LYS	-	expression tag	UNP O00487
c	416	ILE	-	expression tag	UNP O00487
c	417	GLY	-	expression tag	UNP O00487
c	418	VAL	-	expression tag	UNP O00487
c	419	HIS	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	420	HIS	-	expression tag	UNP O00487
c	421	HIS	-	expression tag	UNP O00487
c	422	HIS	-	expression tag	UNP O00487
c	423	HIS	-	expression tag	UNP O00487
c	424	HIS	-	expression tag	UNP O00487

- Molecule 24 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Z	282	2251	1440	387	419	5	0	0

- Molecule 25 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	V	439	3525	2239	623	650	13	0	0


- Molecule 26 is a protein called 26S proteasome complex subunit SEM1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
26	e	41	349	212	55	82	0	0

- Molecule 27 is a protein called 26S proteasome non-ATPase regulatory subunit 1.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	U	811	6331	4020	1076	1191	44	0	0

- Molecule 28 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
28	A	1	Total	C	N	O	P	0
			27	10	5	10	2	
28	F	1	Total	C	N	O	P	0
			27	10	5	10	2	
28	B	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 29 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
29	C	1	Total	C	N	O	P	0
			31	10	5	13	3	
29	D	1	Total	C	N	O	P	0
			31	10	5	13	3	
29	E	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 30 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
30	C	1	Total	Mg	0
			1	1	


- Molecule 31 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
31	c	1	Total	Zn	0
			1	1	


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 26S proteasome regulatory subunit 7




- Molecule 2: 26S protease regulatory subunit 8







• Molecule 3: Proteasome subunit alpha type-6




• Molecule 4: Proteasome subunit alpha type-2




• Molecule 5: Proteasome subunit alpha type-4





• Molecule 11: 26S proteasome non-ATPase regulatory subunit 11









• Molecule 12: 26S proteasome non-ATPase regulatory subunit 6






• Molecule 13: 26S proteasome non-ATPase regulatory subunit 13








• Molecule 16: Thioredoxin-like protein 1




• Molecule 17: substrate peptide




• Molecule 18: 26S proteasome regulatory subunit 6B






• Molecule 19: 26S protease regulatory subunit 10B




• Molecule 20: 26S proteasome regulatory subunit 6A




- Molecule 21: 26S proteasome regulatory subunit 4

Chain B:




- Molecule 22: Proteasome subunit alpha type-5


Chain K:




- Molecule 23: 26S proteasome non-ATPase regulatory subunit 14

Chain c:







• Molecule 26: 26S proteasome complex subunit SEM1



• Molecule 27: 26S proteasome non-ATPase regulatory subunit 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	10722	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.468	Depositor
Minimum map value	-0.275	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.13	Depositor
Map size (Å)	356.32, 356.32, 356.32	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.048, 1.048, 1.048	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, ZN, MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/2851	1.10	14/3849 (0.4%)
2	C	0.62	0/2922	1.09	15/3932 (0.4%)
3	G	0.63	0/1844	0.99	5/2503 (0.2%)
4	H	0.66	0/1751	1.03	6/2379 (0.3%)
5	I	0.66	0/1925	1.00	5/2606 (0.2%)
6	J	0.65	0/1728	1.05	8/2358 (0.3%)
7	L	0.67	0/1872	1.10	13/2533 (0.5%)
8	M	0.69	0/1874	1.08	6/2530 (0.2%)
9	O	0.70	0/359	1.11	3/483 (0.6%)
10	W	0.64	0/3618	1.06	18/4868 (0.4%)
11	X	0.62	0/3038	1.02	13/4095 (0.3%)
12	Y	0.68	0/3185	1.08	20/4290 (0.5%)
13	a	0.65	0/3053	1.10	13/4133 (0.3%)
14	b	0.59	0/1456	1.10	8/1969 (0.4%)
15	d	0.69	0/2234	0.98	6/3018 (0.2%)
16	u	0.67	0/1403	1.01	2/1892 (0.1%)
18	D	0.66	1/2958 (0.0%)	1.14	23/3993 (0.6%)
19	E	0.61	0/2976	0.99	6/4004 (0.1%)
20	F	0.61	0/2914	1.04	13/3925 (0.3%)
21	B	0.61	0/2576	1.07	16/3474 (0.5%)
22	K	0.61	0/1755	1.02	6/2375 (0.3%)
23	c	0.59	0/2185	1.03	8/2951 (0.3%)
24	Z	0.60	0/2293	0.99	2/3108 (0.1%)
25	V	0.68	0/3591	1.14	17/4849 (0.4%)
26	e	0.65	0/357	1.04	0/483
27	U	0.63	0/6443	1.05	21/8718 (0.2%)
All	All	0.64	1/63161 (0.0%)	1.06	267/85318 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
2	C	0	7
3	G	0	2
5	I	0	1
6	J	0	3
10	W	0	3
11	X	0	1
12	Y	0	2
13	a	0	3
15	d	0	2
16	u	0	1
18	D	0	6
20	F	0	2
21	B	0	1
22	K	0	1
23	c	0	1
24	Z	0	1
25	V	0	3
26	e	0	1
27	U	0	2
All	All	0	47

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	D	145	PRO	C-O	-5.14	1.12	1.23

The worst 5 of 267 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	220	VAL	CA-CB-CG1	14.84	133.16	110.90
18	D	274	ARG	NE-CZ-NH2	12.85	126.73	120.30
19	E	115	VAL	CA-CB-CG1	12.56	129.74	110.90
18	D	323	ARG	NE-CZ-NH2	11.57	126.09	120.30
27	U	616	ARG	NE-CZ-NH2	11.33	125.97	120.30

There are no chirality outliers.

5 of 47 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	111	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	255	ARG	Sidechain
1	A	351	ARG	Sidechain
1	A	400	ARG	Sidechain
2	C	23	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2804	0	2856	156	0
2	C	2884	0	2998	120	0
3	G	1811	0	1783	1	0
4	H	1715	0	1631	15	0
5	I	1895	0	1833	3	0
6	J	1704	0	1517	3	0
7	L	1838	0	1813	3	0
8	M	1839	0	1790	3	0
9	O	355	0	365	0	0
10	W	3570	0	3685	2	0
11	X	2994	0	3097	6	0
12	Y	3127	0	3133	6	0
13	a	2995	0	3012	0	0
14	b	1437	0	1477	0	0
15	d	2188	0	2216	0	0
16	u	1376	0	1324	0	0
17	v	40	0	11	0	0
18	D	2912	0	2953	167	0
19	E	2932	0	3012	274	0
20	F	2877	0	2978	86	0
21	B	2544	0	2597	12	0
22	K	1729	0	1680	1	0
23	c	2145	0	2150	0	0
24	Z	2251	0	2285	9	0
25	V	3525	0	3579	1	0
26	e	349	0	271	0	0
27	U	6331	0	6354	15	0
28	A	27	0	12	10	0
28	B	27	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	F	27	0	12	12	0
29	C	31	0	12	9	0
29	D	31	0	12	13	0
29	E	31	0	12	12	0
30	C	1	0	0	0	0
31	c	1	0	0	0	0
All	All	62343	0	62472	839	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 839 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:284:GLU:HB3	2:C:287:LYS:CE	1.61	1.28
2:C:284:GLU:CG	2:C:287:LYS:HD3	1.72	1.20
2:C:284:GLU:CB	2:C:287:LYS:HE2	1.77	1.14
1:A:216:GLY:HA3	1:A:343:PHE:HB2	1.30	1.11
2:C:284:GLU:HG3	2:C:287:LYS:CD	1.82	1.08

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/433 (82%)	282 (79%)	55 (15%)	20 (6%)	1	18
2	C	360/406 (89%)	294 (82%)	44 (12%)	22 (6%)	1	16
3	G	236/246 (96%)	211 (89%)	23 (10%)	2 (1%)	16	53
4	H	228/234 (97%)	216 (95%)	12 (5%)	0	100	100
5	I	246/261 (94%)	222 (90%)	24 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	J	237/248 (96%)	211 (89%)	22 (9%)	4 (2%)	7	37
7	L	234/263 (89%)	210 (90%)	20 (8%)	4 (2%)	7	37
8	M	236/255 (92%)	209 (89%)	24 (10%)	3 (1%)	10	43
9	O	42/277 (15%)	39 (93%)	3 (7%)	0	100	100
10	W	436/456 (96%)	410 (94%)	23 (5%)	3 (1%)	19	56
11	X	376/422 (89%)	349 (93%)	20 (5%)	7 (2%)	6	35
12	Y	378/389 (97%)	362 (96%)	15 (4%)	1 (0%)	37	71
13	a	371/376 (99%)	322 (87%)	40 (11%)	9 (2%)	5	31
14	b	185/377 (49%)	164 (89%)	19 (10%)	2 (1%)	12	46
15	d	267/350 (76%)	249 (93%)	16 (6%)	2 (1%)	19	56
16	u	170/289 (59%)	153 (90%)	13 (8%)	4 (2%)	5	31
18	D	362/418 (87%)	298 (82%)	47 (13%)	17 (5%)	2	20
19	E	364/389 (94%)	291 (80%)	47 (13%)	26 (7%)	1	13
20	F	361/439 (82%)	301 (83%)	46 (13%)	14 (4%)	2	22
21	B	318/440 (72%)	265 (83%)	43 (14%)	10 (3%)	3	26
22	K	224/241 (93%)	200 (89%)	20 (9%)	4 (2%)	7	36
23	c	265/424 (62%)	231 (87%)	29 (11%)	5 (2%)	6	35
24	Z	278/324 (86%)	252 (91%)	23 (8%)	3 (1%)	12	46
25	V	435/534 (82%)	378 (87%)	43 (10%)	14 (3%)	3	26
26	e	37/70 (53%)	32 (86%)	5 (14%)	0	100	100
27	U	803/953 (84%)	717 (89%)	64 (8%)	22 (3%)	4	29
All	All	7806/9514 (82%)	6868 (88%)	740 (10%)	198 (2%)	7	30

5 of 198 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	138	MET
1	A	180	CYS
1	A	218	PRO
1	A	222	LYS
1	A	224	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	305/372 (82%)	275 (90%)	30 (10%)	6 23
2	C	320/352 (91%)	286 (89%)	34 (11%)	5 22
3	G	191/210 (91%)	182 (95%)	9 (5%)	22 46
4	H	168/191 (88%)	159 (95%)	9 (5%)	18 42
5	I	191/221 (86%)	182 (95%)	9 (5%)	22 46
6	J	152/211 (72%)	144 (95%)	8 (5%)	19 43
7	L	197/224 (88%)	189 (96%)	8 (4%)	26 49
8	M	190/212 (90%)	185 (97%)	5 (3%)	41 62
9	O	41/228 (18%)	41 (100%)	0	100 100
10	W	403/416 (97%)	388 (96%)	15 (4%)	29 52
11	X	325/362 (90%)	308 (95%)	17 (5%)	19 43
12	Y	335/344 (97%)	326 (97%)	9 (3%)	40 61
13	a	333/336 (99%)	313 (94%)	20 (6%)	16 39
14	b	165/312 (53%)	155 (94%)	10 (6%)	15 39
15	d	237/294 (81%)	231 (98%)	6 (2%)	42 63
16	u	156/253 (62%)	148 (95%)	8 (5%)	20 44
18	D	318/366 (87%)	283 (89%)	35 (11%)	5 21
19	E	324/341 (95%)	297 (92%)	27 (8%)	9 31
20	F	315/379 (83%)	297 (94%)	18 (6%)	17 41
21	B	284/385 (74%)	266 (94%)	18 (6%)	15 38
22	K	187/203 (92%)	179 (96%)	8 (4%)	25 48
23	c	240/359 (67%)	221 (92%)	19 (8%)	10 32
24	Z	254/295 (86%)	240 (94%)	14 (6%)	18 42
25	V	379/460 (82%)	361 (95%)	18 (5%)	22 46
26	e	37/63 (59%)	33 (89%)	4 (11%)	5 21
27	U	691/816 (85%)	653 (94%)	38 (6%)	18 42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	6738/8205 (82%)	6342 (94%)	396 (6%)	19 40

5 of 396 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
18	D	404	LYS
21	B	258	LYS
19	E	114	GLU
20	F	88	TYR
22	K	228	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
13	a	69	HIS
18	D	312	ASN
25	V	329	HIS
18	D	353	ASN
2	C	296	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
29	ATP	C	501	30	28,33,33	0.74	1 (3%)	34,52,52	0.91	2 (5%)
29	ATP	E	501	-	28,33,33	0.77	1 (3%)	34,52,52	0.88	1 (2%)
29	ATP	D	501	-	28,33,33	0.78	1 (3%)	34,52,52	0.82	1 (2%)
28	ADP	A	501	-	24,29,29	0.72	0	29,45,45	0.78	1 (3%)
28	ADP	F	501	-	24,29,29	0.74	0	29,45,45	0.73	0
28	ADP	B	501	-	24,29,29	1.30	2 (8%)	29,45,45	1.45	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	ATP	C	501	30	-	3/18/38/38	0/3/3/3
29	ATP	E	501	-	-	3/18/38/38	0/3/3/3
29	ATP	D	501	-	-	4/18/38/38	0/3/3/3
28	ADP	A	501	-	-	5/12/32/32	0/3/3/3
28	ADP	F	501	-	-	4/12/32/32	0/3/3/3
28	ADP	B	501	-	-	1/12/32/32	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	B	501	ADP	PA-O3A	-3.11	1.56	1.59
28	B	501	ADP	O4'-C1'	2.50	1.44	1.40
29	E	501	ATP	C1'-N9	-2.25	1.44	1.49
29	D	501	ATP	C1'-N9	-2.04	1.44	1.49
29	C	501	ATP	C1'-N9	-2.00	1.45	1.49

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	B	501	ADP	C4-C5-N7	4.73	114.34	109.34
28	B	501	ADP	O2A-PA-O3A	3.56	116.89	107.27
29	C	501	ATP	C4'-O4'-C1'	-2.63	107.52	109.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	B	501	ADP	O3B-PB-O3A	2.42	112.75	104.64
29	E	501	ATP	C5-C6-N6	2.32	123.84	120.31

There are no chirality outliers.

5 of 20 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
28	A	501	ADP	C5'-O5'-PA-O1A
28	A	501	ADP	C5'-O5'-PA-O3A
28	A	501	ADP	C4'-C5'-O5'-PA
28	A	501	ADP	O4'-C4'-C5'-O5'
28	A	501	ADP	C3'-C4'-C5'-O5'


There are no ring outliers.


6 monomers are involved in 57 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
29	C	501	ATP	9	0
29	E	501	ATP	12	0
29	D	501	ATP	13	0
28	A	501	ADP	10	0
28	F	501	ADP	12	0
28	B	501	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47723. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170



Y Index: 170




Z Index: 170


6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 185




Y Index: 152




Z Index: 180


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.13. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 239 nm³; this corresponds to an approximate mass of 216 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.245 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.245\AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.08	-	-
Author-provided FSC curve	4.08	7.13	4.14
Unmasked-calculated*	8.54	17.06	8.80

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.54 differs from the reported value 4.08 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-47723 and PDB model 9E8K. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.13 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.13).

























































9.4 Atom inclusion [i](#)



At the recommended contour level, 52% of all backbone atoms, 34% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.13) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.3430	 0.2620
A	 0.3920	 0.2420
B	 0.3960	 0.2580
C	 0.5950	 0.3160
D	 0.6160	 0.3330
E	 0.6270	 0.3390
F	 0.5870	 0.3050
G	 0.2660	 0.2590
H	 0.2790	 0.2690
I	 0.1800	 0.2330
J	 0.1860	 0.2640
K	 0.2000	 0.2440
L	 0.1710	 0.2110
M	 0.1690	 0.2180
O	 0.1280	 0.2720
U	 0.3590	 0.2640
V	 0.2100	 0.2310
W	 0.1910	 0.2220
X	 0.3270	 0.2560
Y	 0.3890	 0.2430
Z	 0.4890	 0.2900
a	 0.2340	 0.2330
b	 0.1990	 0.2370
c	 0.6030	 0.3140
d	 0.0720	 0.2180
e	 0.1740	 0.2760
u	 0.0080	 0.2300
v	 0.7500	 0.4260

