Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2024 – 09:50 AM EDT

PDB ID	:	2EC8
Title	:	Crystal structure of the exctracellular domain of the receptor tyrosine kinase, Kit
Authors	:	Yuzawa, S.; Opatowsky, Y.; Zhang, Z.; Mandiyan, V.; Lax, I.; Schlessinger, J.
Deposited on	:	2007-02-11
Resolution	:	3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	524	% 46% 35% 7% 11%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3568 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mast/stem cell growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	464	3498	2225	578	680	15	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	520	HIS	-	expression tag	UNP P10721
A	521	HIS	-	expression tag	UNP P10721
A	522	HIS	-	expression tag	UNP P10721
A	523	HIS	-	expression tag	UNP P10721
A	524	HIS	-	expression tag	UNP P10721

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Mast/stem cell growth factor receptor

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α, β, γ	162.25Å 162.25Å 67.59Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.07 – 3.00 27.04 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (27.07-3.00) 99.3 (27.04-3.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	5.25 (at 3.00Å)	Xtriage
Refinement program	CNS 1.1, REFMAC 5.3.0037	Depositor
R, R_{free}	0.254 , 0.295 0.273 , 0.276	Depositor DCC
R_{free} test set	666 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å^2)	66.5	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.31 , 44.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.016 for h,-h-k,-l	Xtriage
F_o,F_c correlation	0.89	EDS
Total number of atoms	3568	wwPDB-VP
Average B, all atoms (Å^2)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.74	2/3578 (0.1%)	0.86	6/4886 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	464	SER	C-O	9.30	1.41	1.23
1	A	466	GLY	N-CA	6.65	1.56	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	423	ASN	N-CA-C	-6.78	92.69	111.00
1	A	357	ASP	N-CA-C	5.34	125.42	111.00
1	A	305	LEU	CA-CB-CG	5.33	127.57	115.30
1	A	66	TRP	N-CA-C	-5.16	97.07	111.00
1	A	248	ARG	N-CA-C	-5.12	97.17	111.00
1	A	483	PHE	N-CA-C	5.05	124.62	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	250	ASN	Peptide
1	A	460	GLN	Peptide
1	A	69	GLU	Peptide
1	A	70	ILE	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3498	0	3206	193	0
2	A	70	0	65	8	0
All	All	3568	0	3271	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:THR:HG23	1:A:189:ASP:HB2	1.30	1.08
1:A:342:LYS:H	1:A:342:LYS:HD2	0.95	1.08
1:A:342:LYS:H	1:A:342:LYS:CD	1.74	1.00
1:A:254:LYS:O	1:A:254:LYS:HG3	1.65	0.96
1:A:342:LYS:HD2	1:A:342:LYS:N	1.81	0.95
1:A:330:ASN:ND2	1:A:381:ARG:H	1.64	0.95
1:A:138:LEU:HD11	1:A:166:PRO:HB3	1.49	0.93
1:A:70:ILE:HG13	1:A:71:LEU:H	1.35	0.91
1:A:252:GLN:HG3	1:A:253:THR:HG23	1.54	0.90
1:A:330:ASN:HD21	1:A:381:ARG:H	1.20	0.90
1:A:214:VAL:HG13	1:A:301:VAL:HG23	1.55	0.89
1:A:264:HIS:HB2	1:A:268:ASN:HD22	1.40	0.87
1:A:137:PRO:HG3	1:A:168:ALA:O	1.76	0.86
1:A:50:VAL:HG23	1:A:112:ARG:O	1.76	0.85
1:A:148:LEU:HG	1:A:170:ILE:HG21	1.58	0.83
1:A:145:ASN:O	1:A:188:VAL:HA	1.79	0.83
1:A:88:GLU:O	1:A:111:VAL:HG11	1.79	0.82
1:A:336:GLU:HG2	1:A:374:VAL:HB	1.63	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:ASN:HD22	1:A:380:THR:HA	1.45	0.80
1:A:92:THR:OG1	1:A:111:VAL:HG12	1.86	0.76
1:A:70:ILE:HG13	1:A:71:LEU:N	2.01	0.75
1:A:400:ASN:C	1:A:400:ASN:HD22	1.92	0.73
1:A:330:ASN:ND2	1:A:380:THR:HA	2.04	0.73
1:A:129:ASP:HB2	2:A:700:NAG:H82	1.71	0.72
1:A:122:ARG:HA	1:A:200:PHE:CE2	2.24	0.72
1:A:315:ILE:HG22	1:A:316:PHE:N	2.05	0.72
1:A:214:VAL:HG23	1:A:235:ILE:HG12	1.72	0.72
1:A:160:LEU:HD11	1:A:172:ILE:HG23	1.73	0.70
1:A:415:ILE:HG23	1:A:415:ILE:O	1.90	0.70
1:A:98:THR:HG23	1:A:104:SER:HB3	1.73	0.70
1:A:291:TYR:CE2	2:A:750:NAG:H82	2.27	0.70
1:A:506:PHE:CD2	1:A:506:PHE:C	2.67	0.69
1:A:71:LEU:HD22	1:A:135:ARG:HG2	1.74	0.68
1:A:252:GLN:HG3	1:A:253:THR:N	2.10	0.67
1:A:214:VAL:HG13	1:A:301:VAL:CG2	2.25	0.67
1:A:433:PHE:HA	1:A:434:PRO:C	2.16	0.66
1:A:180:HIS:CD2	1:A:181:ARG:HG3	2.31	0.66
1:A:144:THR:HG23	1:A:189:ASP:CB	2.18	0.66
1:A:170:ILE:HD13	1:A:186:CYS:SG	2.36	0.65
1:A:235:ILE:HD12	1:A:244:SER:CB	2.27	0.65
1:A:322:THR:HG23	1:A:408:TYR:HE2	1.60	0.65
1:A:201:ILE:H	1:A:201:ILE:HD13	1.62	0.64
1:A:235:ILE:HD12	1:A:244:SER:HB2	1.80	0.64
1:A:355:PHE:HD1	1:A:357:ASP:OD1	1.81	0.63
1:A:253:THR:CB	1:A:255:LEU:H	2.12	0.63
1:A:144:THR:CG2	1:A:189:ASP:HB2	2.20	0.62
1:A:111:VAL:O	1:A:111:VAL:HG13	2.00	0.61
1:A:35:SER:OG	1:A:36:PRO:HD2	2.00	0.61
1:A:138:LEU:CD1	1:A:166:PRO:HB3	2.25	0.60
1:A:383:LYS:O	1:A:385:THR:N	2.34	0.60
1:A:97:CYS:O	1:A:104:SER:HB2	2.03	0.59
1:A:170:ILE:HD12	1:A:170:ILE:N	2.17	0.59
1:A:170:ILE:CD1	1:A:186:CYS:SG	2.92	0.58
1:A:463:ASN:CB	1:A:473:VAL:HG23	2.33	0.58
1:A:264:HIS:HE2	1:A:270:GLU:HG2	1.68	0.58
1:A:71:LEU:CD2	1:A:135:ARG:HG2	2.34	0.58
1:A:379:LEU:HD21	1:A:390:TYR:CE2	2.39	0.58
1:A:214:VAL:CG1	1:A:301:VAL:HG23	2.33	0.57
1:A:287:VAL:HG13	1:A:304:THR:HG22	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:VAL:HG23	1:A:335:VAL:O	2.03	0.57
1:A:121:ASP:HB3	1:A:135:ARG:NH2	2.20	0.57
1:A:85:GLU:CB	1:A:86:LYS:HE3	2.34	0.57
1:A:338:GLU:HG2	1:A:371:ILE:HD12	1.87	0.57
1:A:252:GLN:CG	1:A:253:THR:HG23	2.30	0.57
1:A:47:ILE:N	1:A:47:ILE:HD12	2.19	0.57
1:A:138:LEU:HD11	1:A:166:PRO:CB	2.31	0.56
1:A:315:ILE:HG22	1:A:316:PHE:H	1.70	0.56
1:A:110:PHE:CD2	1:A:141:PRO:HG3	2.41	0.56
1:A:201:ILE:HD13	1:A:201:ILE:N	2.21	0.56
1:A:338:GLU:HG3	1:A:371:ILE:HG23	1.87	0.55
1:A:329:GLU:CG	1:A:330:ASN:H	2.17	0.55
1:A:151:CYS:HB2	1:A:183:CYS:O	2.06	0.55
1:A:330:ASN:ND2	1:A:381:ARG:N	2.45	0.55
1:A:419:ASP:HB2	1:A:427:GLN:HB3	1.89	0.55
1:A:119:LEU:O	1:A:137:PRO:HD2	2.06	0.55
1:A:125:TYR:CD1	1:A:203:LYS:HB2	2.42	0.55
1:A:228:GLU:OE1	1:A:278:SER:HA	2.07	0.55
1:A:291:TYR:HE2	2:A:750:NAG:H82	1.71	0.54
1:A:325:VAL:HG11	1:A:382:LEU:HD21	1.90	0.54
1:A:367:ASN:ND2	2:A:850:NAG:O6	2.41	0.54
1:A:99:ASN:HD21	1:A:103:LEU:HB2	1.72	0.54
1:A:237:ASP:OD2	1:A:238:VAL:N	2.33	0.54
1:A:346:GLN:HB3	1:A:394:VAL:HG23	1.90	0.54
1:A:158:LYS:C	1:A:160:LEU:H	2.12	0.53
1:A:47:ILE:HD12	1:A:47:ILE:H	1.73	0.53
1:A:315:ILE:CG2	1:A:316:PHE:N	2.72	0.53
1:A:136:CYS:SG	1:A:170:ILE:HD13	2.49	0.53
1:A:208:PHE:HD2	1:A:295:THR:HG23	1.74	0.52
1:A:431:ALA:HB2	1:A:473:VAL:HG12	1.92	0.52
1:A:169:GLY:C	1:A:170:ILE:HD12	2.30	0.52
1:A:235:ILE:CD1	1:A:244:SER:HB2	2.39	0.52
1:A:133:LEU:HB2	1:A:171:MET:SD	2.50	0.52
1:A:130:ASN:OD1	2:A:700:NAG:N2	2.43	0.52
1:A:164:PRO:HB3	1:A:170:ILE:HG13	1.92	0.52
1:A:85:GLU:HB2	1:A:86:LYS:HE3	1.92	0.51
1:A:383:LYS:C	1:A:385:THR:H	2.14	0.51
1:A:184:LEU:N	1:A:184:LEU:CD2	2.74	0.51
1:A:110:PHE:CE2	1:A:141:PRO:HG3	2.47	0.50
1:A:202:LEU:HD23	1:A:203:LYS:H	1.76	0.50
1:A:336:GLU:O	1:A:337:TYR:HB3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252:GLN:HG3	1:A:253:THR:H	1.76	0.49
1:A:338:GLU:CG	1:A:371:ILE:HD12	2.41	0.49
1:A:146:TYR:O	1:A:164:PRO:HG3	2.12	0.49
1:A:238:VAL:HA	1:A:267:PHE:O	2.12	0.49
1:A:422:VAL:HG12	1:A:422:VAL:O	2.11	0.49
1:A:312:PHE:CE1	1:A:340:PHE:HB3	2.48	0.49
1:A:317:PRO:HA	1:A:335:VAL:HG12	1.94	0.49
1:A:146:TYR:HE1	1:A:165:ASP:C	2.16	0.49
1:A:184:LEU:N	1:A:184:LEU:HD23	2.29	0.48
1:A:422:VAL:HG13	1:A:424:GLY:N	2.28	0.48
1:A:202:LEU:HD23	1:A:203:LYS:N	2.28	0.48
1:A:143:VAL:HG13	1:A:189:ASP:O	2.13	0.47
1:A:400:ASN:C	1:A:400:ASN:ND2	2.64	0.47
1:A:253:THR:O	1:A:254:LYS:HB3	2.14	0.47
1:A:339:ALA:N	1:A:371:ILE:HD13	2.28	0.47
1:A:467:PRO:HA	1:A:468:PRO:C	2.34	0.47
1:A:264:HIS:NE2	1:A:270:GLU:HG2	2.29	0.47
1:A:408:TYR:CD1	1:A:470:GLY:HA2	2.49	0.47
1:A:235:ILE:HD12	1:A:244:SER:HB3	1.94	0.47
1:A:235:ILE:O	1:A:270:GLU:HA	2.14	0.47
1:A:322:THR:CG2	1:A:408:TYR:HE2	2.27	0.47
1:A:422:VAL:HG13	1:A:424:GLY:H	1.80	0.47
1:A:330:ASN:HD21	1:A:381:ARG:N	2.02	0.47
1:A:182:LEU:HD12	1:A:183:CYS:H	1.79	0.47
1:A:291:TYR:CE2	2:A:750:NAG:C8	2.98	0.47
1:A:311:GLY:HA3	1:A:398:ASP:HB2	1.97	0.47
1:A:151:CYS:HB2	1:A:183:CYS:C	2.36	0.46
1:A:199:LYS:HB2	1:A:199:LYS:HE3	1.75	0.46
1:A:160:LEU:HD11	1:A:172:ILE:CG2	2.41	0.46
1:A:254:LYS:O	1:A:254:LYS:CG	2.51	0.46
1:A:369:SER:OG	2:A:850:NAG:H62	2.15	0.46
1:A:229:PHE:HB3	1:A:277:ILE:HB	1.96	0.46
1:A:383:LYS:C	1:A:385:THR:N	2.68	0.46
1:A:89:ALA:HA	1:A:111:VAL:HG13	1.98	0.45
1:A:232:THR:HG23	1:A:274:THR:HG22	1.98	0.45
1:A:315:ILE:CG2	1:A:316:PHE:H	2.29	0.45
1:A:212:PRO:HG3	1:A:294:ASN:ND2	2.31	0.45
1:A:348:TRP:CE2	1:A:377:LEU:HB2	2.51	0.45
1:A:202:LEU:CD2	1:A:203:LYS:N	2.79	0.45
1:A:235:ILE:HD13	1:A:292:ALA:HB2	1.99	0.45
1:A:275:LEU:HD13	1:A:276:THR:N	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:TRP:CD1	1:A:82:TRP:C	2.90	0.45
1:A:330:ASN:ND2	1:A:380:THR:CA	2.78	0.45
1:A:128:GLU:HA	1:A:175:VAL:HG13	1.99	0.44
1:A:399:VAL:HG12	1:A:400:ASN:N	2.32	0.44
1:A:433:PHE:HA	1:A:434:PRO:O	2.16	0.44
1:A:441:TYR:HE2	1:A:492:LYS:HE2	1.82	0.44
1:A:254:LYS:O	1:A:255:LEU:C	2.56	0.44
1:A:63:PHE:CE1	1:A:97:CYS:SG	3.10	0.44
1:A:433:PHE:CG	1:A:434:PRO:HA	2.53	0.44
1:A:340:PHE:CD1	1:A:341:PRO:HA	2.53	0.44
1:A:264:HIS:HB2	1:A:268:ASN:ND2	2.20	0.44
1:A:122:ARG:HA	1:A:200:PHE:HE2	1.79	0.44
1:A:287:VAL:CG1	1:A:302:THR:OG1	2.65	0.44
1:A:506:PHE:O	1:A:506:PHE:HD2	2.00	0.44
1:A:148:LEU:HD12	1:A:162:PHE:HB3	2.00	0.43
1:A:425:MET:SD	1:A:479:ASP:HA	2.58	0.43
1:A:233:CYS:HB2	1:A:246:TRP:CZ2	2.54	0.43
1:A:422:VAL:C	1:A:424:GLY:H	2.15	0.43
1:A:329:GLU:HG2	1:A:330:ASN:H	1.83	0.43
1:A:264:HIS:HE2	1:A:270:GLU:CG	2.32	0.43
1:A:130:ASN:O	1:A:175:VAL:HG12	2.19	0.43
1:A:326:ASN:O	1:A:327:ASP:C	2.57	0.43
1:A:254:LYS:HE3	1:A:254:LYS:HB2	1.64	0.42
1:A:291:TYR:HE2	2:A:750:NAG:C8	2.31	0.42
1:A:308:VAL:HG12	1:A:310:LYS:H	1.84	0.42
1:A:334:ILE:O	1:A:335:VAL:HG13	2.20	0.42
1:A:377:LEU:HD22	1:A:379:LEU:HD13	2.01	0.42
1:A:49:ARG:O	1:A:52:ASP:HB2	2.19	0.42
1:A:56:LEU:HB2	1:A:82:TRP:HB3	2.02	0.42
1:A:253:THR:HB	1:A:255:LEU:H	1.83	0.42
1:A:371:ILE:HD13	1:A:371:ILE:O	2.19	0.42
1:A:50:VAL:HG21	1:A:113:ASP:HA	2.01	0.42
1:A:75:ASN:HD22	1:A:75:ASN:HA	1.72	0.42
1:A:148:LEU:HD12	1:A:162:PHE:CB	2.49	0.42
1:A:63:PHE:HE1	1:A:97:CYS:SG	2.42	0.42
1:A:70:ILE:CG1	1:A:71:LEU:N	2.72	0.42
1:A:13:VAL:O	1:A:15:LEU:HD12	2.20	0.41
1:A:349:ILE:HG22	1:A:354:THR:HB	2.01	0.41
1:A:415:ILE:O	1:A:415:ILE:CG2	2.62	0.41
1:A:50:VAL:CG2	1:A:112:ARG:O	2.58	0.41
1:A:334:ILE:O	1:A:335:VAL:CG1	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ARG:HB2	1:A:52:ASP:OD1	2.21	0.41
1:A:92:THR:HA	1:A:109:VAL:O	2.21	0.41
1:A:434:PRO:HD2	1:A:497:VAL:HG23	2.02	0.41
1:A:316:PHE:HA	1:A:317:PRO:HD2	1.93	0.41
1:A:493:ALA:HB3	1:A:500:THR:HG22	2.02	0.40
1:A:290:CYS:O	1:A:300:ASN:HA	2.21	0.40
1:A:110:PHE:CG	1:A:141:PRO:HD3	2.57	0.40
1:A:158:LYS:O	1:A:160:LEU:N	2.53	0.40
1:A:422:VAL:CA	1:A:424:GLY:H	2.34	0.40
1:A:211:VAL:HG21	1:A:298:SER:O	2.21	0.40
1:A:329:GLU:O	1:A:382:LEU:HD23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	452/524 (86%)	374 (83%)	63 (14%)	15 (3%)	4 21

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	285	SER
1	A	71	LEU
1	A	384	GLY
1	A	484	LYS
1	A	150	GLY
1	A	159	ASP
1	A	256	GLN
1	A	386	GLU
1	A	461	THR
1	A	155	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	327	ASP
1	A	482	ALA
1	A	70	ILE
1	A	457	VAL
1	A	459	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	365/468 (78%)	309 (85%)	56 (15%)	2 13

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	VAL
1	A	15	LEU
1	A	49	ARG
1	A	75	ASN
1	A	79	GLN
1	A	86	LYS
1	A	101	HIS
1	A	119	LEU
1	A	124	LEU
1	A	135	ARG
1	A	138	LEU
1	A	144	THR
1	A	145	ASN
1	A	146	TYR
1	A	151	CYS
1	A	176	LYS
1	A	183	CYS
1	A	184	LEU
1	A	196	LEU
1	A	198	GLU
1	A	201	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	202	LEU
1	A	205	ARG
1	A	223	LEU
1	A	228	GLU
1	A	242	VAL
1	A	254	LYS
1	A	257	GLU
1	A	258	LYS
1	A	259	TYR
1	A	263	HIS
1	A	274	THR
1	A	276	THR
1	A	295	THR
1	A	310	LYS
1	A	314	ASN
1	A	318	MET
1	A	329	GLU
1	A	331	VAL
1	A	332	ASP
1	A	342	LYS
1	A	347	GLN
1	A	356	THR
1	A	361	ASP
1	A	369	SER
1	A	371	ILE
1	A	374	VAL
1	A	377	LEU
1	A	379	LEU
1	A	386	GLU
1	A	393	LEU
1	A	397	SER
1	A	400	ASN
1	A	425	MET
1	A	428	CYS
1	A	506	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	145	ASN
1	A	263	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	268	ASN
1	A	330	ASN
1	A	346	GLN
1	A	352	ASN
1	A	400	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAG	A	800	1	14,14,15	0.70	0	17,19,21	0.96	1 (5%)
2	NAG	A	700	1	14,14,15	0.87	1 (7%)	17,19,21	1.34	3 (17%)
2	NAG	A	750	1	14,14,15	0.60	0	17,19,21	1.07	2 (11%)
2	NAG	A	900	1	14,14,15	0.61	0	17,19,21	0.94	1 (5%)
2	NAG	A	850	1	14,14,15	0.64	0	17,19,21	0.76	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	800	1	-	0/6/23/26	0/1/1/1
2	NAG	A	700	1	-	2/6/23/26	0/1/1/1
2	NAG	A	750	1	-	0/6/23/26	0/1/1/1
2	NAG	A	900	1	-	4/6/23/26	0/1/1/1
2	NAG	A	850	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	700	NAG	C1-C2	2.63	1.55	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	800	NAG	O5-C1-C2	-2.68	107.14	111.29
2	A	750	NAG	O5-C1-C2	-2.36	107.63	111.29
2	A	700	NAG	C4-C3-C2	-2.34	107.59	111.02
2	A	700	NAG	C1-O5-C5	2.32	115.30	112.19
2	A	700	NAG	C3-C4-C5	-2.19	106.27	110.23
2	A	900	NAG	C4-C3-C2	2.17	114.19	111.02
2	A	750	NAG	C2-N2-C7	-2.11	120.07	122.90
2	A	850	NAG	C1-O5-C5	2.05	114.94	112.19

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	850	NAG	C8-C7-N2-C2
2	A	850	NAG	O7-C7-N2-C2
2	A	700	NAG	C8-C7-N2-C2
2	A	700	NAG	O7-C7-N2-C2
2	A	900	NAG	C8-C7-N2-C2
2	A	900	NAG	O7-C7-N2-C2
2	A	900	NAG	C3-C2-N2-C7
2	A	900	NAG	C1-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	700	NAG	2	0
2	A	750	NAG	4	0
2	A	850	NAG	2	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	464/524 (88%)	-0.23	4 (0%) 84 63	2, 31, 71, 83	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	501	SER	3.0
1	A	506	PHE	2.6
1	A	159	ASP	2.3
1	A	35	SER	2.2

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no monosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	NAG	A	900	14/15	0.79	0.22	80,89,92,92	0
2	NAG	A	850	14/15	0.81	0.48	98,109,111,111	0
2	NAG	A	800	14/15	0.83	0.27	37,44,47,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	NAG	A	700	14/15	0.84	0.29	53,58,64,64	0
2	NAG	A	750	14/15	0.96	0.16	21,24,29,35	0

6.5 Other polymers (i)

There are no such residues in this entry.