

Full wwPDB X-ray Structure Validation Report (i)

Nov 21, 2023 – 01:39 AM JST

PDB ID	:	7EDD
Title	:	Crystal structure of a serine protease from Streptococcus pyogenes
Authors	:	Jobichen, C.; Sivaraman, J.
Deposited on	:	2021-03-15
Resolution	:	2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1		1510	.%		
	A	1519	67%	24%	• 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CA	А	1704	-	-	-	Х
3	CA	А	1705	-	-	-	Х



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CA	А	1708	-	-	-	Х
3	CA	А	1711	-	-	-	Х
4	GOL	А	1714	-	Х	-	Х
7	CL	А	1720	-	-	Х	-
7	CL	А	1721	-	-	Х	-

Continued from previous page...



7EDD

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 10868 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called C5a peptidase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	1394	Total 10731	C 6749	N 1835	0 2121	Se 26	0	0	0

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	10	Total Ca 10 10	0	0

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0

• Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Mg 1 1	0	0

• Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	А	1	Total 7	$\begin{array}{c} \mathrm{C} \\ 4 \end{array}$	O 3	0	0

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	2	Total Cl 2 2	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	72	$\begin{array}{ccc} \text{Total} & \text{O} \\ 72 & 72 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: C5a peptidase



SI545 R1379 M1257 L15.61 S1384 M1265 L15.63 S1384 M1265 L15.63 T1387 Y1265 E15.63 T1387 Y1265 L15.68 K1366 U1305 W15.65 L1406 H1271 V15.65 L1406 H1271 U15.68 U1400 H1271 V15.65 L1406 H1271 U15.68 V1410 H1271 U15.68 U1414 H1271 U15.69 U1414 H1271 U1414 H1411 H1271 U1414 H1411 H1281 U1421 L1445 L1287 U1421 L1441 T1297 U1425 U1441 H1281 UNA U1444 L1281 UNA U1455 L1332 UNA U1445 L1332 UNA U1445 L1332 UNA U1445 L1332 <



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants	191.97Å 191.97Å 252.79Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Bosolution(A)	48.37 - 2.90	Depositor
Resolution (A)	48.37 - 2.90	EDS
% Data completeness	99.0 (48.37-2.90)	Depositor
(in resolution range)	$99.0 \ (48.37 - 2.90)$	EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.71 (at 2.91 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.14_3260: ???)	Depositor
P. P.	0.195 , 0.255	Depositor
n, n_{free}	0.199 , 0.256	DCC
R_{free} test set	3004 reflections $(4.93%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	55.8	Xtriage
Anisotropy	0.144	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 42.8	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10868	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, PEG, GOL, MG, SO4, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.73	0/10917	0.84	0/14747

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	10731	0	10467	269	0
2	А	15	0	0	1	0
3	А	10	0	0	0	0
4	А	30	0	39	4	0
5	А	1	0	0	1	0
6	А	7	0	10	0	0
7	А	2	0	0	6	0
8	А	72	0	0	5	0
All	All	10868	0	10516	275	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (275) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
7:A:1720:CL:CL	8:A:1869:HOH:O	2.04	1.12
7:A:1720:CL:CL	8:A:1867:HOH:O	2.15	0.99
1:A:378:ALA:HB1	1:A:616:THR:HG23	1.40	0.98
1:A:1363:LYS:HG3	1:A:1364:ARG:H	1.28	0.98
1:A:349:THR:HB	1:A:404:SER:HB2	1.48	0.96
1:A:407:THR:HG22	1:A:585:THR:HG22	1.48	0.96
1:A:1268:ARG:HH11	1:A:1268:ARG:HG3	1.31	0.94
7:A:1721:CL:CL	8:A:1871:HOH:O	2.23	0.92
5:A:1718:MG:MG	7:A:1720:CL:CL	1.48	0.92
1:A:1223:HIS:ND1	1:A:1224:GLN:OE1	2.07	0.88
1:A:318:ASN:H	1:A:321:MSE:HE3	1.39	0.87
1:A:380:GLY:H	1:A:616:THR:HG21	1.38	0.87
1:A:869:ASN:HD22	1:A:874:THR:HG22	1.40	0.86
1:A:479:ALA:HB2	1:A:507:HIS:CD2	2.12	0.84
1:A:428:THR:HG22	1:A:442:LYS:HG2	1.59	0.84
1:A:1241:ILE:O	1:A:1244:THR:HG22	1.78	0.83
1:A:479:ALA:HB2	1:A:507:HIS:HD2	1.44	0.83
1:A:1131:THR:OG1	1:A:1132:PRO:HD2	1.80	0.82
1:A:653:LEU:HD23	1:A:691:TYR:HB3	1.64	0.80
1:A:501:ILE:HG12	1:A:540:ILE:HG21	1.65	0.78
1:A:1101:LEU:HD23	1:A:1124:LEU:HD11	1.65	0.77
1:A:1143:GLN:HG3	4:A:1714:GOL:H11	1.67	0.77
1:A:1268:ARG:HG3	1:A:1268:ARG:NH1	2.00	0.77
1:A:394:ALA:HA	1:A:744:PHE:CE2	2.21	0.76
1:A:318:ASN:N	1:A:321:MSE:HE3	2.02	0.75
1:A:720:SER:HB2	1:A:722:LYS:HD3	1.68	0.74
1:A:311:MSE:HE3	1:A:340:ALA:HB2	1.69	0.74
1:A:406:SER:O	1:A:413:SER:HB2	1.87	0.73
1:A:693:THR:HG23	1:A:697:ASN:HA	1.70	0.72
1:A:721:ASN:OD1	1:A:764:ASN:ND2	2.22	0.71
1:A:349:THR:HB	1:A:404:SER:CB	2.21	0.71
1:A:959:ASN:HD21	1:A:970:THR:HG23	1.55	0.71
7:A:1720:CL:CL	8:A:1872:HOH:O	2.45	0.70
1:A:1186:ASP:OD1	1:A:1379:ARG:NH1	2.25	0.70
1:A:473:THR:O	1:A:503:LEU:HD21	1.92	0.69
1:A:617:SER:OG	2:A:1701:SO4:O1	2.10	0.68
1:A:383:ARG:HD2	1:A:578:HIS:O	1.94	0.68
1:A:633:TYR:O	1:A:637:THR:HG22	1.93	0.68
1:A:496:THR:HG23	1:A:499:GLU:H	1.59	0.68
1:A:526:MSE:HE3	1:A:540:ILE:HD13	1.75	0.68
1:A:482:VAL:CB	1:A:507:HIS:O	2.42	0.67



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:643:LYS:O	1:A:646:ILE:HG22	1.96	0.66
7:A:1720:CL:CL	7:A:1721:CL:CL	2.87	0.66
1:A:400:GLY:CA	1:A:583:GLY:HA3	2.25	0.66
1:A:1377:GLU:HG3	1:A:1383:VAL:HG22	1.78	0.65
1:A:407:THR:HG22	1:A:585:THR:CG2	2.26	0.65
1:A:400:GLY:HA3	1:A:583:GLY:HA3	1.78	0.65
1:A:1166:ALA:HB2	1:A:1178:SER:HB2	1.79	0.64
1:A:1065:THR:HG23	1:A:1080:ASN:OD1	1.98	0.64
1:A:380:GLY:N	1:A:616:THR:HG21	2.11	0.63
1:A:435:ARG:HG3	1:A:437:ASP:OD1	1.99	0.63
1:A:723:ASP:OD1	1:A:724:LYS:N	2.30	0.63
1:A:1502:LEU:HD23	1:A:1529:LYS:HG2	1.80	0.63
1:A:342:VAL:HG12	1:A:374:SER:HB2	1.81	0.63
1:A:1161:LEU:HD13	1:A:1183:MSE:HE2	1.81	0.63
1:A:1213:LEU:HD12	1:A:1267:TYR:HB3	1.81	0.62
1:A:1405:LEU:HD22	1:A:1487:MSE:HE3	1.81	0.62
1:A:162:ARG:H	1:A:195:LYS:HD3	1.65	0.61
1:A:1430:ILE:HD12	1:A:1445:LEU:HD21	1.83	0.61
1:A:504:ALA:C	1:A:509:ALA:HB2	2.22	0.60
1:A:443:ALA:HB2	1:A:548:MSE:SE	2.52	0.60
1:A:458:LEU:HD23	1:A:464:HIS:CD2	2.36	0.60
1:A:869:ASN:ND2	1:A:874:THR:HG22	2.14	0.59
1:A:422:VAL:CG2	1:A:570:SER:HB2	2.33	0.59
1:A:869:ASN:HB2	1:A:874:THR:HG22	1.84	0.59
1:A:1031:GLU:OE2	1:A:1031:GLU:HA	2.02	0.58
1:A:177:MSE:O	1:A:180:ARG:N	2.36	0.58
1:A:1415:ILE:HG22	1:A:1417:ASN:H	1.67	0.58
1:A:156:PRO:HB3	1:A:196:VAL:HG21	1.86	0.58
1:A:311:MSE:CE	1:A:340:ALA:HB2	2.33	0.58
1:A:435:ARG:CG	1:A:435:ARG:HH11	2.17	0.57
1:A:1102:GLY:H	1:A:1120:LEU:HD11	1.69	0.57
1:A:1131:THR:OG1	1:A:1132:PRO:CD	2.51	0.57
1:A:797:ARG:HD3	1:A:797:ARG:N	2.19	0.57
1:A:1297:THR:O	1:A:1298:ILE:HD13	2.05	0.57
1:A:408:GLY:O	1:A:411:PRO:HD2	2.05	0.57
1:A:1314:SER:H	1:A:1379:ARG:HD2	1.70	0.56
1:A:385:TYR:HD2	1:A:958:LYS:HD3	1.69	0.56
1:A:438:LEU:HB3	1:A:548:MSE:HE2	1.88	0.55
1:A:1161:LEU:HD13	1:A:1183:MSE:CE	2.36	0.55
1:A:920:PHE:CD1	1:A:996:VAL:HG21	2.42	0.54
1:A:1551:ARG:NH1	1:A:1553:GLU:OE2	2.32	0.54



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:426:LEU:HD21	1:A:568:ALA:HB2	1.88	0.54
1:A:964:ILE:H	1:A:964:ILE:HD12	1.72	0.54
1:A:1152:LEU:HD12	1:A:1180:LEU:HD23	1.89	0.54
1:A:1295:PHE:O	1:A:1396:LYS:HE3	2.07	0.54
1:A:484:GLY:HA2	1:A:510:LEU:CD1	2.37	0.54
1:A:550:GLN:O	1:A:551:LEU:HD22	2.07	0.54
1:A:1023:LEU:HD13	1:A:1118:ALA:HB2	1.90	0.54
1:A:1363:LYS:CG	1:A:1364:ARG:H	2.05	0.54
1:A:275:LYS:C	1:A:277:GLU:H	2.10	0.53
1:A:1077:VAL:HG11	1:A:1342:ILE:HD12	1.90	0.53
1:A:426:LEU:HD23	1:A:442:LYS:HB3	1.89	0.53
1:A:516:ASN:HB3	1:A:545:GLY:HA2	1.91	0.53
1:A:290:ASN:ND2	1:A:306:PRO:O	2.42	0.53
1:A:547:ALA:O	1:A:548:MSE:HB2	2.09	0.53
1:A:1152:LEU:HD22	1:A:1182:LYS:HG3	1.91	0.53
1:A:435:ARG:CG	1:A:435:ARG:NH1	2.72	0.52
1:A:162:ARG:N	1:A:195:LYS:HD3	2.24	0.52
1:A:1152:LEU:CD1	1:A:1180:LEU:HD23	2.39	0.52
1:A:1168:LEU:HD22	1:A:1383:VAL:HB	1.90	0.52
1:A:754:TYR:CE2	1:A:773:MSE:HB3	2.44	0.52
1:A:821:GLU:HG2	1:A:822:ASN:N	2.25	0.52
1:A:435:ARG:NH1	1:A:435:ARG:HG2	2.23	0.52
1:A:533:MSE:O	1:A:536:PRO:HD3	2.10	0.52
1:A:1564:GLU:HG3	1:A:1565:VAL:N	2.24	0.52
1:A:576:MSE:HE2	1:A:675:GLN:HA	1.92	0.52
1:A:589:TYR:HD2	4:A:1716:GOL:H2	1.73	0.52
1:A:1028:PHE:CE2	1:A:1101:LEU:HD13	2.45	0.52
1:A:1202:PHE:H	1:A:1244:THR:HG23	1.75	0.52
1:A:552:ASN:C	1:A:554:ASN:H	2.14	0.51
1:A:523:ASN:OD1	1:A:544:PHE:HA	2.10	0.51
1:A:165:ASP:O	1:A:168:THR:HG22	2.11	0.51
1:A:1079:ASP:HB2	1:A:1081:LYS:HG3	1.92	0.51
1:A:1449:LYS:HE2	1:A:1471:SER:HB2	1.91	0.51
1:A:1096:LEU:HD21	1:A:1101:LEU:HB2	1.93	0.51
1:A:1309:THR:HA	4:A:1717:GOL:H11	1.93	0.51
1:A:1123:HIS:CD2	1:A:1136:LYS:HD3	2.46	0.50
1:A:201:ASN:HA	1:A:314:ARG:HB3	1.94	0.50
1:A:1089:ASP:OD1	1:A:1091:SER:OG	2.23	0.50
1:A:428:THR:HG23	1:A:562:ASP:OD1	2.11	0.50
1:A:313:MSE:HG2	1:A:331:ALA:HB1	1.94	0.50
1:A:1335:VAL:HG13	1:A:1342:ILE:HG23	1.94	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:429:VAL:HG13	1:A:558:SER:O	2.11	0.50
1:A:383:ARG:HG2	1:A:384:VAL:HG22	1.94	0.50
1:A:192:ILE:HD12	1:A:192:ILE:N	2.27	0.50
1:A:422:VAL:HG21	1:A:570:SER:HB2	1.94	0.50
1:A:896:GLU:OE1	1:A:1049:ARG:NH1	2.42	0.49
1:A:177:MSE:HG2	1:A:191:TRP:HB2	1.93	0.49
1:A:407:THR:HA	1:A:591:LYS:HD2	1.94	0.49
1:A:147:VAL:HB	1:A:628:LEU:HD11	1.95	0.49
1:A:1036:LYS:HB2	1:A:1091:SER:HB3	1.94	0.49
1:A:1363:LYS:HG3	1:A:1364:ARG:N	2.11	0.49
1:A:759:VAL:HG11	1:A:769:VAL:CG1	2.43	0.49
1:A:377:VAL:HB	1:A:406:SER:HB3	1.95	0.49
1:A:1288:PRO:HG2	1:A:1384:SER:HB2	1.95	0.49
1:A:1507:SER:HB3	1:A:1546:LEU:HD12	1.93	0.49
1:A:670:THR:HB	1:A:675:GLN:NE2	2.28	0.49
1:A:1246:TRP:CZ2	1:A:1248:GLY:HA2	2.47	0.49
1:A:489:ILE:O	1:A:514:ILE:HA	2.13	0.48
1:A:720:SER:HB2	1:A:722:LYS:NZ	2.27	0.48
1:A:203:VAL:HG21	1:A:316:PHE:CD1	2.48	0.48
1:A:1188:PHE:O	1:A:1197:LYS:HE2	2.13	0.48
1:A:637:THR:O	1:A:638:GLN:HG2	2.12	0.48
1:A:1102:GLY:HA2	1:A:1121:GLY:N	2.28	0.48
1:A:1150:ASP:O	1:A:1151:ASN:HB2	2.12	0.48
1:A:199:ALA:HA	1:A:312:PHE:O	2.14	0.48
1:A:738:ASP:OD2	1:A:741:LYS:HB2	2.13	0.48
1:A:633:TYR:CE1	1:A:637:THR:HG21	2.49	0.48
1:A:721:ASN:HA	1:A:763:ALA:HB1	1.95	0.48
1:A:202:TYR:HB2	1:A:315:VAL:HG22	1.96	0.47
1:A:725:THR:HG23	1:A:760:THR:OG1	2.15	0.47
1:A:316:PHE:O	1:A:321:MSE:HE1	2.15	0.47
1:A:204:GLU:CB	1:A:206:SER:HB2	2.45	0.47
1:A:426:LEU:HD22	1:A:566:SER:HB2	1.97	0.47
1:A:718:ASN:HB2	1:A:761:VAL:HG12	1.95	0.47
1:A:380:GLY:HA3	1:A:581:ASN:ND2	2.30	0.47
1:A:1327:LYS:HA	1:A:1331:ARG:O	2.15	0.47
1:A:1421:LEU:HB2	1:A:1455:LEU:HD11	1.97	0.47
1:A:313:MSE:HE2	1:A:335:ALA:HB2	1.97	0.47
1:A:1377:GLU:HG3	1:A:1383:VAL:CG2	2.45	0.47
1:A:1291:THR:HG22	1:A:1480:PHE:CD2	2.50	0.46
1:A:715:THR:HG22	1:A:717:HIS:NE2	2.30	0.46
1:A:400:GLY:HA2	1:A:583:GLY:HA3	1.97	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:836:GLN:HG3	1:A:838:LYS:HD2	1.98	0.46
1:A:196:VAL:HA	1:A:310:VAL:O	2.15	0.46
1:A:1555:ASN:O	1:A:1568:LEU:HD23	2.15	0.46
1:A:401:LEU:HD11	1:A:960:PHE:HB2	1.98	0.46
1:A:126:ILE:HG23	1:A:597:PRO:HG2	1.98	0.46
1:A:201:ASN:HB3	1:A:206:SER:HB3	1.98	0.46
1:A:1313:GLY:C	1:A:1315:SER:H	2.18	0.46
1:A:552:ASN:C	1:A:554:ASN:N	2.68	0.46
1:A:132:THR:HG21	1:A:136:TRP:CE2	2.51	0.45
1:A:204:GLU:HB2	1:A:206:SER:HB2	1.99	0.45
1:A:535:ILE:O	1:A:535:ILE:HG13	2.16	0.45
1:A:782:LEU:HD23	1:A:785:GLN:HE21	1.82	0.45
1:A:1024:SER:HB2	1:A:1038:GLU:HG3	1.98	0.45
1:A:341:ASP:OD1	1:A:631:LYS:NZ	2.36	0.45
1:A:451:PHE:CZ	1:A:537:SER:HA	2.51	0.45
1:A:497:TYR:HA	1:A:500:MSE:HE3	1.97	0.45
1:A:643:LYS:HB2	1:A:643:LYS:HE2	1.79	0.45
1:A:720:SER:HB2	1:A:722:LYS:CD	2.43	0.45
1:A:1052:SER:HB2	1:A:1107:MSE:HB3	1.97	0.45
1:A:1435:TYR:CD1	1:A:1440:GLY:HA2	2.51	0.45
1:A:177:MSE:HE3	1:A:197:VAL:O	2.16	0.45
1:A:275:LYS:HB2	1:A:277:GLU:HG3	1.98	0.45
1:A:799:ARG:HD2	1:A:804:ASP:HB2	1.98	0.45
1:A:1409:VAL:HG23	1:A:1414:GLN:HG2	1.98	0.45
1:A:283:VAL:HG13	1:A:621:PRO:HG3	1.98	0.45
1:A:479:ALA:CB	1:A:507:HIS:HB3	2.46	0.45
1:A:487:ALA:O	1:A:512:VAL:HG23	2.15	0.45
1:A:654:LEU:HD23	1:A:654:LEU:HA	1.84	0.45
1:A:1202:PHE:H	1:A:1244:THR:CG2	2.29	0.45
1:A:1249:ILE:HA	1:A:1254:SER:O	2.17	0.45
1:A:1340:ASP:OD1	1:A:1340:ASP:N	2.47	0.45
1:A:501:ILE:CD1	1:A:540:ILE:HG12	2.47	0.45
1:A:606:ASN:O	1:A:609:HIS:HB2	2.17	0.45
1:A:544:PHE:CB	1:A:571:GLN:HE22	2.31	0.44
1:A:1400:VAL:O	1:A:1480:PHE:HA	2.18	0.44
1:A:469:VAL:O	1:A:489:ILE:HD13	2.17	0.44
1:A:1107:MSE:HE3	1:A:1109:GLU:OE2	2.17	0.44
1:A:725:THR:OG1	1:A:760:THR:HG23	2.17	0.44
1:A:959:ASN:HD21	1:A:970:THR:CG2	2.28	0.44
1:A:1023:LEU:HD23	1:A:1023:LEU:HA	1.76	0.44
1:A:1544:VAL:HG12	1:A:1546:LEU:HD13	2.00	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:451:PHE:CE2	1:A:537:SER:HA	2.53	0.44
1:A:931:LEU:C	1:A:931:LEU:HD23	2.38	0.44
1:A:1373:TYR:CE2	1:A:1387:THR:HG22	2.52	0.44
1:A:484:GLY:HA2	1:A:510:LEU:HD11	1.98	0.44
1:A:1268:ARG:NH1	1:A:1268:ARG:CG	2.73	0.43
1:A:1362:SER:OG	1:A:1363:LYS:HG2	2.18	0.43
1:A:468:TYR:CD2	1:A:551:LEU:HD11	2.54	0.43
1:A:384:VAL:O	1:A:387:SER:HB3	2.18	0.43
1:A:395:THR:HG22	1:A:787:PRO:HG2	2.00	0.43
1:A:407:THR:CG2	1:A:585:THR:HG22	2.35	0.43
1:A:1500:ASP:HB3	1:A:1501:HIS:ND1	2.34	0.43
1:A:511:GLY:HA2	1:A:538:ALA:O	2.18	0.43
1:A:1405:LEU:HD22	1:A:1487:MSE:CE	2.47	0.43
1:A:377:VAL:HB	1:A:406:SER:CB	2.48	0.43
1:A:422:VAL:HG23	1:A:570:SER:HB2	2.00	0.43
1:A:588:GLY:O	1:A:1526:TYR:OH	2.34	0.43
1:A:675:GLN:OE1	1:A:678:GLY:HA2	2.19	0.43
1:A:677:ALA:HA	1:A:812:PRO:HG3	2.01	0.43
1:A:1211:ASN:HB2	1:A:1268:ARG:O	2.19	0.43
1:A:1455:LEU:HA	1:A:1455:LEU:HD23	1.71	0.43
1:A:782:LEU:HD23	1:A:782:LEU:HA	1.82	0.43
1:A:287:VAL:HG23	1:A:625:GLY:N	2.34	0.43
1:A:1124:LEU:HD23	1:A:1124:LEU:HA	1.81	0.43
1:A:590:LEU:O	1:A:591:LYS:HG2	2.19	0.42
1:A:1163:THR:OG1	1:A:1164:ASN:N	2.51	0.42
1:A:591:LYS:HA	1:A:592:PRO:O	2.18	0.42
1:A:728:TYR:HA	1:A:797:ARG:O	2.19	0.42
1:A:1098:LYS:HD3	1:A:1098:LYS:HA	1.86	0.42
1:A:526:MSE:H	1:A:526:MSE:HG2	1.72	0.42
1:A:352:GLY:HA3	1:A:404:SER:HA	2.00	0.42
1:A:693:THR:CG2	1:A:697:ASN:HA	2.43	0.42
1:A:559:LEU:HD12	1:A:560:GLU:N	2.35	0.42
1:A:1257:MSE:SE	1:A:1409:VAL:HA	2.70	0.42
1:A:501:ILE:HD13	1:A:540:ILE:HG12	2.02	0.42
1:A:657:ASN:O	1:A:681:ASN:HB3	2.20	0.42
1:A:722:LYS:O	1:A:763:ALA:HB2	2.20	0.42
1:A:1025:GLN:HB2	1:A:1135:LEU:O	2.19	0.42
1:A:200:HIS:HB3	1:A:202:TYR:CE1	2.55	0.42
1:A:297:THR:HG21	1:A:423:ILE:HD13	2.02	0.41
1:A:1286:LYS:HD3	1:A:1411:GLU:HG2	2.01	0.41
1:A:897:LYS:HD3	1:A:901:GLY:O	2.21	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:203:VAL:HG21	1:A:316:PHE:CE1	2.55	0.41
1:A:345:LEU:HD23	1:A:345:LEU:HA	1.87	0.41
1:A:867:GLU:O	4:A:1714:GOL:H2	2.20	0.41
1:A:1102:GLY:HA2	1:A:1121:GLY:CA	2.51	0.41
1:A:378:ALA:HB2	1:A:617:SER:HA	2.03	0.41
1:A:1215:VAL:HG22	1:A:1265:VAL:HG22	2.03	0.41
1:A:1266:THR:HG22	1:A:1276:GLN:HB2	2.02	0.41
1:A:281:MSE:HG3	1:A:604:THR:O	2.21	0.41
1:A:418:ASN:ND2	1:A:572:LYS:HD2	2.36	0.41
1:A:551:LEU:HD13	1:A:551:LEU:HA	1.74	0.41
1:A:707:THR:O	1:A:709:THR:N	2.54	0.41
1:A:1362:SER:HB3	1:A:1364:ARG:NH2	2.36	0.41
1:A:1452:VAL:HG11	1:A:1483:VAL:HG11	2.02	0.41
1:A:182:LYS:N	8:A:1802:HOH:O	2.54	0.41
1:A:351:ASN:ND2	1:A:958:LYS:HE3	2.35	0.41
1:A:1323:PHE:CD2	1:A:1348:LYS:HG2	2.56	0.41
1:A:854:VAL:HB	1:A:881:HIS:HA	2.03	0.41
1:A:1436:TYR:HB3	1:A:1442:SER:HB3	2.03	0.41
1:A:1564:GLU:HG3	1:A:1565:VAL:H	1.84	0.41
1:A:863:THR:OG1	1:A:915:GLN:HA	2.21	0.41
1:A:304:ILE:N	1:A:304:ILE:HD12	2.36	0.40
1:A:132:THR:CG2	1:A:136:TRP:CE2	3.04	0.40
1:A:634:LEU:HD11	1:A:649:ILE:HG22	2.03	0.40
1:A:1317:ILE:HD12	1:A:1376:VAL:HB	2.04	0.40
1:A:152:THR:O	1:A:314:ARG:HG3	2.21	0.40
1:A:368:ALA:HB1	1:A:373:VAL:HB	2.04	0.40
1:A:377:VAL:CG1	1:A:406:SER:HB3	2.51	0.40
1:A:728:TYR:HB3	1:A:798:PHE:CD1	2.57	0.40
1:A:484:GLY:HA2	1:A:510:LEU:HD13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	1390/1519~(92%)	1261 (91%)	118 (8%)	11 (1%)	19 51

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	476	GLY
1	А	536	PRO
1	А	1128	LEU
1	А	1271	HIS
1	А	405	PRO
1	А	537	SER
1	А	1130	LYS
1	А	544	PHE
1	А	1363	LYS
1	А	1546	LEU
1	А	1364	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	1158/1257~(92%)	1118 (96%)	40 (4%)	36 70

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	151	ASP
1	А	159	GLN
1	А	172	LYS
1	А	190	SER
1	А	195	LYS
1	А	209	ILE
1	А	213	GLN
1	А	275	LYS
1	А	313	MSE
1	А	404	SER



Mol	Chain	Res	Type
1	А	407	THR
1	А	435	ARG
1	А	451	PHE
1	А	464	HIS
1	А	474	ASP
1	А	480	GLN
1	А	518	LYS
1	А	524	ARG
1	А	570	SER
1	А	572	LYS
1	А	618	MSE
1	А	722	LYS
1	А	749	ARG
1	А	766	LYS
1	А	797	ARG
1	А	866	SER
1	А	929	GLN
1	А	1031	GLU
1	А	1086	ARG
1	А	1220	LYS
1	А	1221	ASP
1	А	1224	GLN
1	А	1249	ILE
1	А	1270	GLU
1	А	1282	SER
1	A	1286	LYS
1	A	1308	LYS
1	А	1310	LYS
1	A	1315	SER
1	А	1365	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	318	ASN
1	А	480	GLN
1	А	494	ASN
1	А	507	HIS



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 22 ligands modelled in this entry, 13 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	B	ond leng	gths	E	Bond ang	gles
	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	1702	-	4,4,4	0.15	0	6,6,6	0.13	0
4	GOL	А	1714	-	$5,\!5,\!5$	2.80	3 (60%)	5,5,5	0.92	0
2	SO4	А	1701	-	4,4,4	0.54	0	6,6,6	0.75	0
4	GOL	А	1717	-	$5,\!5,\!5$	2.38	2 (40%)	$5,\!5,\!5$	1.31	0
2	SO4	А	1703	-	4,4,4	0.46	0	6,6,6	0.65	0
4	GOL	А	1716	-	$5,\!5,\!5$	1.25	1 (20%)	$5,\!5,\!5$	1.21	0
4	GOL	А	1715	-	$5,\!5,\!5$	1.96	3 (60%)	5,5,5	0.65	0
4	GOL	А	1713	-	$5,\!5,\!5$	1.35	1 (20%)	5,5,5	1.06	0
6	PEG	А	1719	-	6,6,6	0.74	0	$5,\!5,\!5$	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	А	1714	-	-	4/4/4/4	-
4	GOL	А	1717	-	-	2/4/4/4	-
4	GOL	А	1716	-	-	2/4/4/4	-
4	GOL	А	1715	-	-	0/4/4/4	-
4	GOL	А	1713	-	-	0/4/4/4	-
6	PEG	А	1719	-	-	3/4/4/4	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	1717	GOL	C1-C2	4.37	1.69	1.51
4	А	1714	GOL	C3-C2	4.24	1.69	1.51
4	А	1714	GOL	C1-C2	3.71	1.67	1.51
4	А	1716	GOL	O2-C2	-2.63	1.35	1.43
4	А	1715	GOL	C1-C2	2.35	1.61	1.51
4	А	1714	GOL	O1-C1	2.30	1.52	1.42
4	А	1713	GOL	C1-C2	2.28	1.61	1.51
4	А	1717	GOL	C3-C2	2.14	1.60	1.51
4	А	1715	GOL	01-C1	2.04	1.51	1.42
4	А	1715	GOL	C3-C2	2.01	1.60	1.51

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	1714	GOL	O1-C1-C2-O2
4	А	1714	GOL	O1-C1-C2-C3
4	А	1714	GOL	C1-C2-C3-O3
4	А	1714	GOL	O2-C2-C3-O3
6	А	1719	PEG	C4-C3-O2-C2
4	А	1716	GOL	C1-C2-C3-O3
4	А	1717	GOL	C1-C2-C3-O3
4	А	1716	GOL	O2-C2-C3-O3
4	А	1717	GOL	O2-C2-C3-O3
6	A	1719	PEG	O1-C1-C2-O2
6	А	1719	PEG	C1-C2-O2-C3

There are no ring outliers.

4 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	А	1714	GOL	2	0
2	А	1701	SO4	1	0
4	А	1717	GOL	1	0
4	А	1716	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	1367/1519~(89%)	-0.27	14 (1%) 82 82	25, 50, 87, 120	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	487	ALA	3.3
1	А	404	SER	3.3
1	А	276	TYR	3.2
1	А	1414	GLN	2.8
1	А	1129	GLY	2.7
1	А	509	ALA	2.5
1	А	1128	LEU	2.5
1	А	117	ALA	2.5
1	А	478	ASN	2.4
1	А	275	LYS	2.4
1	А	485	LYS	2.3
1	А	476	GLY	2.3
1	А	458	LEU	2.2
1	A	483	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
3	CA	А	1710	1/1	0.41	0.25	98,98,98,98	0
3	CA	А	1711	1/1	0.42	0.88	94,94,94,94	0
3	CA	А	1704	1/1	0.65	0.43	114,114,114,114	0
3	CA	А	1705	1/1	0.75	0.55	111,111,111,111	0
4	GOL	А	1714	6/6	0.77	0.69	56,61,62,65	0
3	CA	А	1708	1/1	0.79	0.41	99,99,99,99	0
6	PEG	А	1719	7/7	0.81	0.37	41,46,61,61	0
3	CA	А	1709	1/1	0.83	0.38	89,89,89,89	0
3	CA	А	1722	1/1	0.84	0.30	91,91,91,91	0
2	SO4	А	1703	5/5	0.88	0.27	60,69,103,114	0
2	SO4	А	1701	5/5	0.89	0.24	51,56,99,101	0
4	GOL	А	1717	6/6	0.91	0.25	38,51,53,58	0
4	GOL	А	1713	6/6	0.91	0.21	59,67,72,72	0
2	SO4	А	1702	5/5	0.94	0.16	93,94,99,111	0
3	CA	А	1707	1/1	0.95	0.15	41,41,41,41	0
4	GOL	А	1715	6/6	0.96	0.25	38,40,43,45	0
4	GOL	А	1716	6/6	0.96	0.16	$39,\!44,\!45,\!48$	0
3	CA	А	1712	1/1	0.98	0.12	$45,\!45,\!45,\!45$	0
3	CA	A	1706	1/1	0.99	0.09	$39, 39, 39, 39, 3\overline{9}$	0
7	CL	A	1721	1/1	0.99	0.26	60,60,60,60	0
7	CL	Α	1720	1/1	1.00	0.21	10,10,10,10	0
5	MG	A	1718	1/1	1.00	0.22	11,11,11,11	0

6.5 Other polymers (i)

There are no such residues in this entry.

