



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 14, 2023 – 04:32 PM EDT

PDB ID : 8EGX  
Title : Complex of Fat4(EC1-4) bound to Dchs1(EC1-4)  
Authors : Medina, E.; Luca, V.C.  
Deposited on : 2022-09-13  
Resolution : 3.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1013 (3.84-3.52)
Clashscore	141614	1070 (3.84-3.52)
Ramachandran outliers	138981	1036 (3.84-3.52)
Sidechain outliers	138945	1033 (3.84-3.52)
RSRZ outliers	127900	1471 (3.86-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	467	
2	A	421	
3	C	2	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6485 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protocadherin Fat 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	425	3244	2017	568	657	2	0	0	0

- Molecule 2 is a protein called Protocadherin-16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	421	3139	1936	563	636	4	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	42	PRO	-	expression tag	UNP Q96JQ0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	2	28	16	2	10	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	9	Total	Ca	0	0
			9	9		
5	A	9	Total	Ca	0	0
			9	9		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protocadherin Fat 4



- Molecule 2: Protocadherin-16



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.22Å 82.10Å 224.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.35 – 3.69 49.35 – 3.69	Depositor EDS
% Data completeness (in resolution range)	95.9 (49.35-3.69) 95.9 (49.35-3.69)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.83 (at 3.67Å)	Xtrriage
Refinement program	PHENIX 1.16_3549	Depositor
R, $R_{free}$	0.271 , 0.298 0.271 , 0.298	Depositor DCC
$R_{free}$ test set	620 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	73.7	Xtrriage
Anisotropy	0.371	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 43.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.83	EDS
Total number of atoms	6485	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	B	0.26	0/3302	0.46	0/4508
2	A	0.28	0/3202	0.50	0/4371
All	All	0.27	0/6504	0.48	0/8879

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3244	0	3175	64	0
2	A	3139	0	2975	80	1
3	C	28	0	25	0	0
4	A	28	0	26	0	0
4	B	28	0	26	0	0
5	A	9	0	0	0	0
5	B	9	0	0	0	0
All	All	6485	0	6227	138	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:367:LEU:CD2	2:A:384:LEU:HD13	1.31	1.54
1:B:398:ILE:O	1:B:399:LEU:HD12	1.27	1.34
1:B:402:ASN:HD22	1:B:406:HIS:CB	1.55	1.20
2:A:367:LEU:CD2	2:A:384:LEU:CD1	2.21	1.16
1:B:398:ILE:C	1:B:399:LEU:HD12	1.66	1.16
2:A:88:VAL:HG23	2:A:92:LEU:HB2	1.27	1.12
2:A:367:LEU:HD21	2:A:384:LEU:HD13	1.19	1.09
2:A:367:LEU:HD22	2:A:384:LEU:CD1	1.84	1.04
2:A:367:LEU:HD21	2:A:384:LEU:CD1	1.84	1.01
2:A:367:LEU:HD22	2:A:384:LEU:HD13	0.99	0.99
1:B:402:ASN:HD22	1:B:406:HIS:CG	1.80	0.98
1:B:402:ASN:ND2	1:B:406:HIS:CG	2.33	0.94
1:B:402:ASN:ND2	1:B:406:HIS:ND1	2.16	0.94
1:B:402:ASN:ND2	1:B:406:HIS:CB	2.31	0.94
2:A:367:LEU:HD11	2:A:384:LEU:O	1.68	0.94
2:A:177:THR:HG23	2:A:203:PRO:HD3	1.52	0.91
1:B:398:ILE:C	1:B:399:LEU:CD1	2.39	0.90
1:B:170:ASP:HB2	1:B:225:LYS:HB2	1.55	0.86
2:A:384:LEU:O	2:A:384:LEU:HD12	1.77	0.84
1:B:120:GLU:OE2	2:A:387:ARG:NE	2.12	0.81
1:B:403:GLU:OE1	1:B:403:GLU:N	2.14	0.79
1:B:398:ILE:O	1:B:399:LEU:CD1	2.23	0.77
1:B:402:ASN:HD22	1:B:406:HIS:HB3	1.45	0.75
1:B:402:ASN:ND2	1:B:406:HIS:HB2	2.01	0.75
1:B:114:ALA:HB3	1:B:115:PRO:HD3	1.72	0.72
2:A:367:LEU:C	2:A:367:LEU:HD12	2.09	0.72
2:A:390:VAL:HG11	2:A:401:VAL:HB	1.73	0.71
2:A:381:PRO:HD3	2:A:429:ARG:HH11	1.56	0.69
1:B:357:TYR:HD1	1:B:359:PRO:HD2	1.59	0.66
2:A:169:ASP:HB3	2:A:177:THR:H	1.62	0.65
1:B:403:GLU:O	1:B:403:GLU:HG2	1.96	0.65
1:B:227:GLU:HB2	1:B:228:PRO:HD3	1.80	0.64
2:A:109:ARG:HA	2:A:112:ARG:O	1.97	0.63
2:A:88:VAL:CG2	2:A:92:LEU:HB2	2.17	0.62
2:A:408:GLY:HA2	2:A:440:LEU:HD21	1.81	0.62
2:A:156:THR:HG23	2:A:209:VAL:HG11	1.82	0.62
1:B:380:LEU:HB3	1:B:418:SER:HB2	1.81	0.62
2:A:384:LEU:HA	2:A:424:VAL:O	2.00	0.62
2:A:91:ASP:OD1	2:A:105:ARG:NE	2.28	0.61
2:A:158:PHE:HE2	2:A:210:THR:HG23	1.66	0.60

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:366:PHE:HZ	2:A:458:PHE:CE1	2.19	0.60
2:A:53:GLU:HB2	2:A:136:ILE:HG22	1.83	0.60
1:B:51:VAL:HB	1:B:61:VAL:HG13	1.84	0.60
1:B:105:VAL:HG12	1:B:124:LEU:HG	1.84	0.60
2:A:191:PHE:HB3	2:A:207:LEU:HD11	1.82	0.59
1:B:141:VAL:HG22	1:B:237:ASN:HB2	1.85	0.59
2:A:356:ASN:ND2	2:A:448:GLY:HA3	2.18	0.59
1:B:67:ARG:HG3	1:B:68:PRO:HD2	1.84	0.58
2:A:330:LEU:HB2	2:A:348:VAL:HB	1.84	0.58
2:A:402:ASN:OD1	2:A:445:THR:OG1	2.18	0.58
1:B:157:ASP:OD2	2:A:297:ARG:NH1	2.37	0.58
2:A:444:ALA:HB3	2:A:454:ALA:HB3	1.86	0.57
2:A:108:ASP:HB3	2:A:111:GLN:OE1	2.04	0.56
1:B:157:ASP:OD1	2:A:298:GLN:NE2	2.39	0.56
2:A:153:PRO:HA	2:A:246:LEU:HB2	1.89	0.55
2:A:385:VAL:HG12	2:A:385:VAL:O	2.06	0.55
1:B:219:LEU:HD11	1:B:233:TYR:HB3	1.88	0.55
1:B:133:PRO:HD3	1:B:224:ASP:HB2	1.88	0.54
2:A:367:LEU:C	2:A:367:LEU:CD1	2.76	0.54
1:B:44:GLU:N	1:B:45:PRO:HD3	2.23	0.53
1:B:398:ILE:HG23	1:B:436:LEU:HD11	1.91	0.53
1:B:227:GLU:H	1:B:227:GLU:CD	2.11	0.53
1:B:406:HIS:HE1	1:B:431:ILE:HD12	1.74	0.52
2:A:137:ASN:ND2	2:A:229:ASP:OD2	2.40	0.52
2:A:431:ASP:HB3	2:A:433:GLU:HG3	1.90	0.52
1:B:401:GLY:HA3	1:B:436:LEU:HD13	1.91	0.52
1:B:49:PHE:HB3	1:B:61:VAL:HG12	1.91	0.52
2:A:216:GLU:HG2	2:A:251:HIS:HE1	1.74	0.52
2:A:327:VAL:HG23	2:A:351:HIS:HA	1.91	0.52
2:A:109:ARG:HB3	2:A:133:VAL:HB	1.92	0.51
1:B:110:VAL:HG22	1:B:111:LEU:H	1.74	0.51
2:A:175:LEU:O	2:A:229:ASP:HB2	2.11	0.51
2:A:366:PHE:HZ	2:A:458:PHE:CD1	2.28	0.50
2:A:383:GLN:O	2:A:425:CYS:HA	2.12	0.50
2:A:169:ASP:HB2	2:A:176:GLY:HA3	1.92	0.50
2:A:256:ASN:HB2	2:A:278:PHE:HB2	1.93	0.50
2:A:323:GLU:HG2	2:A:393:PRO:HB3	1.93	0.50
2:A:177:THR:CG2	2:A:203:PRO:HD3	2.36	0.50
1:B:70:PHE:CD2	1:B:113:SER:HB3	2.47	0.49
1:B:227:GLU:OE1	1:B:227:GLU:N	2.41	0.49
1:B:330:VAL:HB	1:B:331:PRO:HD3	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:399:LEU:CD1	1:B:399:LEU:N	2.72	0.49
2:A:305:PHE:HD2	2:A:330:LEU:HD11	1.78	0.49
2:A:367:LEU:HD21	2:A:384:LEU:HB2	1.95	0.48
1:B:81:PHE:HB3	1:B:90:LEU:HD11	1.96	0.48
2:A:138:ASP:OD1	2:A:139:HIS:N	2.47	0.48
1:B:107:ASN:HD21	1:B:122:ARG:HH21	1.61	0.48
2:A:56:PRO:O	2:A:59:THR:OG1	2.26	0.48
2:A:316:LEU:HD23	2:A:316:LEU:H	1.79	0.47
1:B:194:SER:HB3	2:A:327:VAL:HG11	1.96	0.47
1:B:155:ILE:HG22	2:A:298:GLN:HG2	1.96	0.47
1:B:357:TYR:OH	1:B:362:SER:O	2.32	0.46
1:B:67:ARG:HG2	1:B:70:PHE:CE1	2.50	0.46
2:A:161:ARG:HG2	2:A:208:VAL:HG12	1.97	0.46
2:A:167:ALA:N	2:A:180:TYR:OH	2.36	0.46
2:A:440:LEU:HD23	2:A:440:LEU:HA	1.73	0.46
1:B:112:SER:HB3	1:B:116:THR:HA	1.98	0.45
2:A:322:PHE:CE1	2:A:326:ARG:HG3	2.51	0.45
2:A:368:SER:O	2:A:368:SER:OG	2.22	0.45
1:B:78:HIS:CD2	1:B:80:LEU:HB2	2.51	0.45
1:B:129:ASN:HD22	1:B:228:PRO:HG2	1.82	0.45
1:B:351:PRO:HD3	1:B:442:ASP:OD2	2.17	0.45
1:B:357:TYR:CD1	1:B:359:PRO:HD2	2.45	0.45
2:A:109:ARG:NH2	2:A:135:ASP:OD2	2.48	0.45
2:A:336:ASP:HB3	2:A:342:GLU:H	1.82	0.45
1:B:176:ILE:HD11	1:B:218:LEU:HD22	1.99	0.45
1:B:48:VAL:HG12	1:B:122:ARG:HB3	1.98	0.45
1:B:177:ILE:HD13	1:B:221:GLU:HB2	2.00	0.44
2:A:305:PHE:CD2	2:A:330:LEU:HD11	2.52	0.44
2:A:366:PHE:HA	2:A:386:ALA:HA	1.99	0.44
2:A:304:PRO:HG3	2:A:318:ARG:CZ	2.48	0.44
2:A:441:ARG:HA	2:A:457:ALA:HA	1.99	0.44
1:B:289:LEU:HD21	1:B:321:LEU:HD13	2.00	0.44
2:A:367:LEU:HD11	2:A:384:LEU:HD12	2.00	0.44
2:A:177:THR:HG22	2:A:178:GLN:H	1.82	0.43
2:A:323:GLU:HG2	2:A:393:PRO:CB	2.48	0.43
1:B:178:ARG:HG2	1:B:219:LEU:HB3	2.00	0.43
1:B:135:PHE:CD2	1:B:234:LEU:HB2	2.53	0.43
1:B:268:SER:HB2	1:B:304:LEU:HD11	2.01	0.43
2:A:367:LEU:CD1	2:A:384:LEU:HD12	2.49	0.43
1:B:129:ASN:HB2	1:B:167:ASN:OD1	2.18	0.43
1:B:110:VAL:HG12	1:B:119:THR:H	1.84	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:383:THR:HG23	2:A:83:GLN:HG3	2.01	0.42
2:A:189:GLU:HG3	2:A:190:THR:HG23	2.00	0.42
1:B:223:GLU:HG2	1:B:231:ARG:HG2	2.00	0.42
2:A:213:LEU:HD23	2:A:213:LEU:HA	1.89	0.42
2:A:367:LEU:HG	2:A:385:VAL:C	2.40	0.42
1:B:398:ILE:HD11	1:B:409:VAL:HG21	2.01	0.42
1:B:67:ARG:HG2	1:B:70:PHE:CD1	2.55	0.41
2:A:216:GLU:HG2	2:A:251:HIS:CE1	2.53	0.41
2:A:322:PHE:HE1	2:A:326:ARG:HG3	1.85	0.41
2:A:321:ASP:HB2	2:A:324:GLN:HB3	2.01	0.41
2:A:270:PRO:HA	2:A:316:LEU:HG	2.03	0.41
2:A:367:LEU:CD1	2:A:367:LEU:O	2.68	0.41
2:A:158:PHE:CE2	2:A:210:THR:HG23	2.52	0.41
1:B:398:ILE:CG2	1:B:403:GLU:HB3	2.51	0.41
2:A:356:ASN:HD22	2:A:448:GLY:HA3	1.85	0.41
1:B:126:ARG:HA	1:B:126:ARG:HD3	1.83	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:74:ALA:O	2:A:228:TYR:OH[3_555]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	423/467 (91%)	388 (92%)	31 (7%)	4 (1%)	17	54
2	A	419/421 (100%)	387 (92%)	29 (7%)	3 (1%)	22	59
All	All	842/888 (95%)	775 (92%)	60 (7%)	7 (1%)	19	56

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	178	GLN
1	B	331	PRO
2	A	200	ASP
2	A	249	ASN
1	B	118	PRO
1	B	114	ALA
1	B	228	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	362/398 (91%)	362 (100%)	0	100	100
2	A	325/332 (98%)	323 (99%)	2 (1%)	86	93
All	All	687/730 (94%)	685 (100%)	2 (0%)	92	96

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	366	PHE
2	A	370	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	192	ASN
1	B	402	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	C	1	3,1	14,14,15	0.36	0	17,19,21	0.42	0
3	NAG	C	2	3	14,14,15	0.43	0	17,19,21	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	C	2	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	2	NAG	O5-C5-C6-O6
3	C	1	NAG	C1-C2-N2-C7
3	C	2	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 18 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	A	501	2	14,14,15	0.27	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	A	502	2	14,14,15	0.14	0	17,19,21	0.59	1 (5%)
4	NAG	B	502	1	14,14,15	0.26	0	17,19,21	0.46	0
4	NAG	B	501	1	14,14,15	0.27	0	17,19,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	501	2	-	0/6/23/26	0/1/1/1
4	NAG	A	502	2	-	2/6/23/26	0/1/1/1
4	NAG	B	502	1	-	1/6/23/26	0/1/1/1
4	NAG	B	501	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	502	NAG	C1-O5-C5	2.05	114.97	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	502	NAG	C4-C5-C6-O6
4	A	502	NAG	O5-C5-C6-O6
4	B	501	NAG	O5-C5-C6-O6
4	B	502	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	B	425/467 (91%)	0.33	25 (5%) <span style="border: 1px solid red; padding: 2px;">22</span> <span style="border: 1px solid red; padding: 2px;">15</span>	31, 66, 118, 153	0
2	A	421/421 (100%)	0.14	5 (1%) <span style="border: 1px solid blue; padding: 2px;">79</span> <span style="border: 1px solid blue; padding: 2px;">68</span>	27, 65, 128, 165	0
All	All	846/888 (95%)	0.24	30 (3%) <span style="border: 1px solid red; padding: 2px;">44</span> <span style="border: 1px solid red; padding: 2px;">31</span>	27, 65, 123, 165	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	358	PHE	3.7
1	B	454	ALA	3.5
1	B	378	ALA	3.4
1	B	82	ALA	3.1
1	B	446	ALA	2.8
1	B	394	ILE	2.8
2	A	413	ALA	2.8
2	A	431	ASP	2.7
1	B	434	TYR	2.7
2	A	460	LEU	2.5
1	B	77	SER	2.5
1	B	91	TYR	2.4
1	B	366	SER	2.4
1	B	463	ILE	2.4
1	B	431	ILE	2.3
1	B	89	ALA	2.3
2	A	458	PHE	2.3
1	B	462	VAL	2.2
1	B	419	LEU	2.2
1	B	433	SER	2.2
1	B	377	VAL	2.2
1	B	464	PHE	2.2
1	B	408	GLU	2.2
1	B	128	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	426	LEU	2.1
2	A	428	ARG	2.1
1	B	451	ALA	2.1
1	B	448	PRO	2.1
1	B	450	ALA	2.1
1	B	460	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NAG	C	2	14/15	0.80	0.23	68,90,99,103	0
3	NAG	C	1	14/15	0.88	0.18	77,87,98,102	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q < 0.9
4	NAG	A	502	14/15	0.73	0.32	61,91,108,115	0
4	NAG	B	502	14/15	0.74	0.24	91,100,112,113	0
4	NAG	B	501	14/15	0.74	0.31	58,70,83,85	0
5	CA	B	503	1/1	0.74	0.12	67,67,67,67	0
4	NAG	A	501	14/15	0.83	0.22	88,101,107,107	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CA	B	506	1/1	0.86	0.12	73,73,73,73	0
5	CA	A	511	1/1	0.86	0.12	62,62,62,62	0
5	CA	A	508	1/1	0.88	0.20	43,43,43,43	0
5	CA	B	505	1/1	0.89	0.17	67,67,67,67	0
5	CA	A	505	1/1	0.90	0.14	49,49,49,49	0
5	CA	B	507	1/1	0.90	0.08	65,65,65,65	0
5	CA	B	508	1/1	0.90	0.25	41,41,41,41	0
5	CA	A	510	1/1	0.91	0.09	100,100,100,100	0
5	CA	A	507	1/1	0.92	0.14	89,89,89,89	0
5	CA	B	509	1/1	0.93	0.20	50,50,50,50	0
5	CA	B	504	1/1	0.93	0.09	45,45,45,45	0
5	CA	A	503	1/1	0.94	0.19	48,48,48,48	0
5	CA	A	509	1/1	0.94	0.25	47,47,47,47	0
5	CA	B	511	1/1	0.95	0.09	67,67,67,67	0
5	CA	B	510	1/1	0.95	0.11	47,47,47,47	0
5	CA	A	506	1/1	0.96	0.12	57,57,57,57	0
5	CA	A	504	1/1	0.96	0.18	41,41,41,41	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.