

#### Feb 14, 2023 – 10:29 AM EST

PDB ID	:	8EOE
EMDB ID	:	EMD-28373
Title	:	Mycobacterium tuberculosis transcription elongation complex with Bacillus subtilis NusG (EC_LG) $$
Authors	:	Vishwakarm, R.K.; Murakami, K.S.
Deposited on	:	2022-10-03
Resolution	:	3.20 Å(reported)
This is	a l	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1. dev 43
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.1

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	${f EM\ structures}\ (\#{ m Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		
RNA backbone	4643	859		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq=3, 2, 1$  and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq=5\%$  The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	(	Quality of a	chain	
1	А	347	40%	21%	•	35%
1	В	347	46%	20	% •	32%
2	С	1178	76	5%		16% • 6%
3	D	1316	· 75	%		18% • •
4	Е	110	65%		10%	• 25%
5	G	177	36%	18%	9%	38%
6	Т	40	48%		45%	• 5%



Mol	Chain	Length	Quality of chain						
7	Ν	40	10%	2%	35%	12%			
8	R	30	27%	23%	50%				



## 2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 25301 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues		Ate	AltConf	Trace			
1	Δ	226	Total	С	Ν	Ο	S	0	0
1	1 11	220	1724	1085	297	339	3	0	0
1	В	027	Total	С	Ν	0	$\mathbf{S}$	0	0
1	D	231	1765	1115	301	346	3	0	0

• Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues		Α	AltConf	Trace			
2	С	1105	Total 8549	C 5351	N 1502	O 1657	S 39	0	0

• Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues		A	AltConf	Trace			
3	D	1269	Total 9919	C 6209	N 1804	O 1865	S 41	0	0

• Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues		Ato	$\mathbf{ms}$	AltConf	Trace	
4	Е	83	Total 649	C 414	N 108	O 127	0	0

• Molecule 5 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues		At	oms	AltConf	Trace		
5	G	110	Total 878	$\begin{array}{c} \mathrm{C} \\ 563 \end{array}$	N 147	0 165	${ m S} { m 3}$	1	0

• Molecule 6 is a DNA chain called DNA (38-MER).



Mol	Chain	Residues		$\mathbf{A}$	AltConf	Trace			
6	Т	38	Total 772	C 365	N 142	O 227	Р 38	0	0

• Molecule 7 is a DNA chain called DNA (35-MER).

Mol	Chain	Residues		A	AltConf	Trace			
7	N	35	Total 713	C 337	N 131	O 210	Р 35	0	0

• Molecule 8 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms			AltConf	Trace		
8	R	15	Total 329	C 146	N 65	O 103	Р 15	0	0

• Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
9	D	1	Total Mg 1 1	0

• Molecule 10 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
10	D	2	Total Zn 2 2	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.





#### 

• Molecule 1: DNA-directed RNA polymerase subunit alpha



• Molecule 2: DNA-directed RNA polymerase subunit beta

Chain C:



16%

6%













# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	139205	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	45	Depositor
Minimum defocus (nm)	750	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV $(4k \times 4k)$	Depositor
Maximum map value	1.225	Depositor
Minimum map value	-0.318	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.039	Depositor
Recommended contour level	0.164	Depositor
Map size (Å)	348.0, 348.0, 348.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.87, 0.87, 0.87	Depositor



## 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
1VIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.25	0/1750	0.55	1/2380~(0.0%)
1	В	0.25	0/1792	0.52	0/2442
2	С	0.26	0/8705	0.51	0/11802
3	D	0.26	0/10085	0.53	0/13633
4	Ε	0.26	0/662	0.48	0/901
5	G	0.26	0/896	0.50	0/1209
6	Т	0.58	0/864	1.00	1/1329~(0.1%)
7	N	0.55	0/796	0.98	0/1220
8	R	0.27	0/369	0.80	0/575
All	All	0.29	0/25919	0.57	2/35491~(0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	Т	32	DC	C4'-C3'-C2'	5.22	107.80	103.10
1	А	57	ASP	CB-CG-OD1	5.11	122.90	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1724	0	1768	21	0
1	В	1765	0	1794	16	0
2	С	8549	0	8475	79	0
3	D	9919	0	9985	110	0
4	Е	649	0	645	4	0
5	G	878	0	896	20	0
6	Т	772	0	425	13	0
7	Ν	713	0	394	11	0
8	R	329	0	163	2	0
9	D	1	0	0	0	0
10	D	2	0	0	0	0
All	All	25301	0	24545	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (258) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:D:917:GLU:HA	3:D:921:TYR:HD2	1.51	0.76
5:G:41:PRO:HB2	5:G:60:VAL:HG23	1.72	0.72
3:D:1251:ASN:HD22	3:D:1259:PRO:HD3	1.59	0.68
3:D:275:GLU:OE2	3:D:278:ARG:NH2	2.27	0.67
2:C:298:ASN:HA	2:C:302:LYS:HG2	1.77	0.67
2:C:658:ILE:HD11	2:C:688:PRO:HB3	1.75	0.67
3:D:1274:PRO:HG3	4:E:79:VAL:HG21	1.76	0.66
3:D:1110:GLN:NE2	3:D:1114:GLY:O	2.28	0.66
3:D:1194:VAL:HA	3:D:1198:GLY:HA2	1.78	0.66
1:A:153:ARG:HG3	2:C:795:GLU:HB3	1.79	0.65
3:D:641:ARG:HA	3:D:657:GLN:HG3	1.79	0.65
3:D:877:LEU:HD22	3:D:1157:ILE:HD13	1.77	0.65
3:D:171:GLU:OE2	3:D:175:GLN:NE2	2.30	0.64
3:D:64:LYS:HB2	3:D:77:ARG:HH21	1.62	0.64
1:B:86:SER:HB3	1:B:119:HIS:HE1	1.63	0.64
3:D:159:ARG:NH2	3:D:216:LEU:O	2.31	0.63
5:G:35:ILE:HA	5:G:69:ILE:HG13	1.80	0.63
5:G:7:VAL:HG13	5:G:66:LEU:HD23	1.80	0.63
2:C:774:PRO:HG2	2:C:832:VAL:HG21	1.79	0.63
3:D:1088:VAL:HB	3:D:1096:GLU:HB3	1.80	0.62
2:C:256:GLU:OE1	2:C:259:ARG:NH2	2.31	0.62
3:D:62:CYS:HB3	3:D:78:CYS:SG	2.39	0.61
3:D:751:GLU:O	3:D:755:LYS:HG2	2.01	0.61



	juo pugo	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:C:757:ILE:HD12	2:C:837:LEU:HB2	1.81	0.61
3:D:159:ARG:HE	3:D:216:LEU:HD23	1.65	0.61
3:D:1210:ILE:O	3:D:1214:SER:OG	2.16	0.61
1:B:167:ILE:HG23	3:D:620:MET:HE1	1.83	0.61
6:T:34:DT:H4'	6:T:35:DG:OP1	2.00	0.60
2:C:90:LEU:HD12	2:C:110:PRO:HG3	1.82	0.59
3:D:1030:ARG:HA	3:D:1033:GLU:HG2	1.83	0.59
2:C:465:ARG:NH2	8:R:27:G:OP2	2.35	0.59
3:D:1167:ILE:HD11	3:D:1181:ILE:HD11	1.83	0.59
2:C:1058:GLY:O	2:C:1062:GLN:NE2	2.36	0.58
2:C:803:VAL:HG22	2:C:837:LEU:HB3	1.85	0.58
5:G:82:THR:HB	5:G:85:VAL:HG13	1.85	0.58
2:C:551:ASP:OD1	2:C:551:ASP:N	2.30	0.58
3:D:58:TRP:CD1	3:D:68:VAL:HG22	2.39	0.57
3:D:1122:LEU:HG	3:D:1130:VAL:HG21	1.85	0.57
3:D:154:GLU:O	3:D:158:GLU:HG3	2.04	0.57
3:D:143:MET:O	3:D:147:GLU:HB2	2.05	0.57
1:A:69:VAL:HG12	1:A:71:GLU:H	1.69	0.56
7:N:5:DG:H4'	7:N:6:DC:OP1	2.05	0.56
6:T:15:DT:H2'	6:T:16:DA:C8	2.40	0.56
3:D:430:ILE:HG21	3:D:541:MET:HG3	1.86	0.56
1:B:55:ARG:HH11	1:B:159:ILE:HD11	1.70	0.56
2:C:178:GLN:NE2	2:C:458:LEU:O	2.39	0.56
2:C:727:GLU:H	3:D:725:THR:HG21	1.72	0.55
2:C:275:LEU:O	2:C:279:ARG:HG2	2.06	0.55
5:G:25:ARG:O	5:G:29:MET:HB2	2.07	0.55
6:T:4:DC:H2"	6:T:5:DA:C8	2.41	0.55
3:D:751:GLU:HA	3:D:754:ASP:OD2	2.07	0.55
5:G:104:GLY:O	5:G:108:THR:HG23	2.06	0.55
1:B:3:ILE:HG13	1:B:234:ILE:HA	1.87	0.55
3:D:150:THR:O	3:D:154:GLU:HG2	2.06	0.54
3:D:357:LEU:HD11	5:G:62:PRO:HD2	1.89	0.54
2:C:433:THR:O	2:C:433:THR:OG1	2.24	0.54
3:D:979:TYR:HD2	3:D:989:VAL:HG21	1.72	0.54
2:C:433:THR:HG22	6:T:22:DC:H4'	1.89	0.54
5:G:80:ARG:HD3	5:G:87:GLY:HA2	1.90	0.54
3:D:166:ARG:HG3	3:D:212:ALA:HB2	1.90	0.53
2:C:86:LEU:HD21	2:C:389:ILE:HD13	1.90	0.53
2:C:400:VAL:HG23	2:C:417:LEU:HB3	1.91	0.53
2:C:807:THR:HG23	2:C:833:ARG:HB3	1.90	0.53
5:G:48:ILE:HG23	5:G:51:GLY:H	1.73	0.53



	Jub puge	Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
2:C:486:ILE:HD11	3:D:849:TYR:HE2	1.74	0.53
2:C:654:SER:OG	2:C:655:ALA:N	2.42	0.53
3:D:1055:LEU:HD13	3:D:1099:LEU:HB3	1.90	0.52
3:D:638:THR:HG22	3:D:639:GLN:HG2	1.91	0.52
3:D:946:ASP:OD1	3:D:947:PRO:HD3	2.09	0.52
5:G:64:TYR:HD1	5:G:89:VAL:HG11	1.74	0.52
2:C:1147:LEU:HD12	3:D:2:LEU:HD13	1.92	0.52
1:A:40:ARG:NH1	2:C:903:ASP:OD1	2.41	0.52
2:C:751:HIS:HD2	2:C:877:ARG:HG3	1.75	0.52
3:D:1045:PRO:HD2	3:D:1112:MET:HG2	1.91	0.52
3:D:186:ALA:H	3:D:194:ARG:HD2	1.75	0.52
1:B:86:SER:HB3	1:B:119:HIS:CE1	2.44	0.51
1:B:56:ILE:HG23	1:B:59:VAL:HG21	1.93	0.51
3:D:1036:GLU:HG2	3:D:1210:ILE:HG12	1.92	0.51
6:T:4:DC:H2"	6:T:5:DA:N7	2.25	0.51
5:G:76:TRP:O	5:G:80:ARG:HB2	2.11	0.51
6:T:26:DG:H2"	6:T:27:DA:C8	2.46	0.51
1:A:172:LEU:HG	1:A:199:LYS:HG2	1.94	0.50
3:D:236:VAL:HG22	3:D:237:ASP:H	1.75	0.50
2:C:278:TYR:OH	2:C:285:GLU:OE1	2.22	0.50
3:D:57:ASP:HB3	3:D:58:TRP:CD1	2.47	0.50
5:G:64:TYR:CD1	5:G:89:VAL:HG11	2.47	0.49
6:T:2:DG:H4'	6:T:3:DG:OP1	2.12	0.49
2:C:45:ARG:NH2	2:C:526:ASP:OD2	2.46	0.49
2:C:650:ILE:HD13	2:C:660:VAL:HG22	1.92	0.49
3:D:525:HIS:HD2	3:D:527:LEU:HB2	1.77	0.49
3:D:134:TYR:OH	3:D:238:GLU:OE2	2.26	0.49
1:B:107:ALA:HB2	1:B:123:MET:HG2	1.95	0.49
2:C:202:VAL:HG12	2:C:203:LYS:H	1.77	0.49
2:C:653:VAL:HG22	2:C:658:ILE:HG12	1.95	0.49
2:C:1119:GLU:OE2	3:D:89:ARG:NH2	2.40	0.48
5:G:71:MET:HA	5:G:75:SER:OG	2.13	0.48
7:N:9:DG:H2"	7:N:10:DC:H5	1.77	0.48
3:D:1053:VAL:HG22	3:D:1103:ASP:H	1.78	0.48
2:C:42:ALA:HB2	2:C:975:PRO:HG2	1.95	0.48
3:D:657:GLN:N	3:D:658:PRO:HD2	2.28	0.48
3:D:1063:LYS:HB3	3:D:1078:ASP:HB3	1.96	0.48
3:D:295:ARG:O	3:D:299:VAL:HG23	2.14	0.48
3:D:1166:THR:HG22	3:D:1180:LEU:HD23	1.95	0.48
2:C:335:GLU:O	2:C:339:VAL:HG23	2.13	0.48
3:D:1074:GLU:H	3:D:1074:GLU:HG2	1.38	0.48



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
5:G:7:VAL:HB	5:G:89:VAL:HG13	1.96	0.48
6:T:8:DC:H2"	6:T:9:DG:C8	2.48	0.48
2:C:1084:THR:OG1	3:D:554:GLU:OE1	2.31	0.48
4:E:67:TYR:HD1	4:E:76:LEU:HD11	1.78	0.48
2:C:302:LYS:HA	2:C:302:LYS:HD3	1.57	0.48
2:C:342:ILE:O	2:C:346:VAL:HG13	2.14	0.48
3:D:343:LEU:O	3:D:347:VAL:HG23	2.14	0.48
2:C:758:ASP:O	2:C:805:LYS:NZ	2.38	0.47
3:D:151:LEU:HD22	3:D:248:TYR:HE1	1.78	0.47
3:D:645:GLU:HG2	3:D:646:ILE:N	2.29	0.47
1:A:184:GLU:CD	1:A:185:GLN:H	2.17	0.47
3:D:278:ARG:HA	3:D:281:ILE:HG22	1.96	0.47
3:D:668:LEU:O	3:D:672:MET:HG3	2.13	0.47
3:D:1003:ILE:HD12	3:D:1157:ILE:HD12	1.95	0.47
2:C:1101:LYS:HB2	2:C:1101:LYS:HE2	1.75	0.47
3:D:41:PRO:HB3	3:D:47:PHE:O	2.15	0.47
3:D:123:LYS:NZ	7:N:36:DT:OP2	2.48	0.47
3:D:554:GLU:HG3	4:E:54:VAL:HG11	1.96	0.47
3:D:752:ARG:HE	3:D:752:ARG:HB3	1.59	0.47
3:D:845:THR:HG22	3:D:846:VAL:H	1.79	0.47
1:A:102:PRO:HG3	1:A:130:ASP:HB3	1.97	0.47
1:B:213:LYS:HB3	1:B:213:LYS:HE3	1.41	0.47
3:D:762:ARG:HE	3:D:762:ARG:HB2	1.56	0.47
2:C:760:ARG:HA	2:C:865:VAL:HA	1.97	0.47
6:T:7:DT:H2"	6:T:8:DC:C6	2.50	0.47
5:G:74:ASP:O	5:G:78:VAL:HG12	2.15	0.46
2:C:854:SER:O	2:C:859:ASP:HB2	2.16	0.46
3:D:739:PRO:HG3	3:D:789:LEU:HD13	1.98	0.46
3:D:159:ARG:HH22	3:D:220:GLU:HB2	1.79	0.46
2:C:203:LYS:HG3	2:C:213:GLU:HG3	1.97	0.46
2:C:218:LYS:HB3	2:C:218:LYS:HE3	1.84	0.46
2:C:547:PRO:HB2	2:C:555:VAL:HB	1.97	0.46
3:D:113:ARG:HE	3:D:113:ARG:HB3	1.62	0.46
2:C:216:VAL:HG12	2:C:217:ASP:H	1.80	0.46
3:D:1224:ALA:HA	3:D:1232:VAL:HG21	1.97	0.46
7:N:18:DC:H2"	7:N:19:DA:C4	2.51	0.46
1:A:70:LYS:O	1:A:70:LYS:HG2	2.15	0.46
3:D:1170:SER:O	3:D:1173:THR:OG1	2.29	0.46
3:D:688:MET:HB3	3:D:693:GLN:HE21	1.81	0.45
2:C:277:ILE:H	2:C:277:ILE:HG12	1.56	0.45
2:C:1007:LYS:HB3	2:C:1022:PRO:HB2	1.99	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:112:PRO:HA	1:B:113:PRO:HD3	1.78	0.45
3:D:590:THR:O	3:D:630:ARG:HB3	2.17	0.45
3:D:611:VAL:HG12	3:D:634:LYS:HB2	1.98	0.45
3:D:743:LYS:HB3	3:D:743:LYS:HE3	1.49	0.45
7:N:19:DA:H1'	7:N:20:DA:C4	2.52	0.45
1:A:64:THR:HG23	1:A:65:THR:N	2.32	0.45
5:G:97:LYS:HA	5:G:97:LYS:HD3	1.37	0.45
1:B:22:VAL:HG22	1:B:193:ILE:HG23	1.99	0.45
2:C:193:LYS:H	2:C:193:LYS:HG3	1.54	0.45
2:C:633:ARG:NH2	2:C:637:ASP:OD2	2.40	0.45
2:C:238:LEU:HA	2:C:238:LEU:HD23	1.84	0.45
2:C:604:ARG:HD2	2:C:604:ARG:HA	1.68	0.44
3:D:1052:ARG:HB3	3:D:1067:VAL:HB	1.99	0.44
6:T:15:DT:H2'	6:T:16:DA:H8	1.80	0.44
7:N:18:DC:H6	7:N:18:DC:H2'	1.68	0.44
7:N:35:DC:H2"	7:N:36:DT:H72	1.98	0.44
2:C:1122:LYS:NZ	2:C:1149:GLU:OE2	2.49	0.44
3:D:211:ARG:HE	3:D:211:ARG:HB3	1.52	0.44
3:D:239:ASN:O	3:D:243:GLU:HG3	2.18	0.44
5:G:59:LYS:H	5:G:59:LYS:HG2	1.61	0.44
2:C:502:VAL:HG23	2:C:503:TYR:CD2	2.53	0.44
2:C:751:HIS:CD2	2:C:877:ARG:HG3	2.53	0.44
3:D:153:ALA:O	3:D:157:VAL:HG23	2.18	0.44
7:N:32:DC:H2"	7:N:33:DG:C8	2.53	0.44
2:C:397:GLU:HA	2:C:400:VAL:HG12	2.00	0.43
3:D:758:LYS:O	3:D:762:ARG:HG3	2.18	0.43
1:A:54:ILE:HG22	1:A:138:LEU:HD23	1.99	0.43
2:C:1124:LEU:HD22	3:D:417:LEU:HD11	2.00	0.43
3:D:1062:TYR:O	3:D:1063:LYS:HG3	2.17	0.43
3:D:1173:THR:HG22	3:D:1193:VAL:HG21	2.00	0.43
1:A:24:GLU:HG2	1:A:191:LYS:HD2	2.00	0.43
1:B:179:ASP:HB3	1:B:180:ALA:H	1.70	0.43
1:A:131:LYS:HB3	1:A:131:LYS:HE3	1.59	0.43
2:C:833:ARG:HG2	2:C:834:ASP:H	1.83	0.43
3:D:1051:GLY:HA2	3:D:1069:ASP:HB2	2.00	0.43
6:T:29:DC:H2"	6:T:30:DA:C8	2.53	0.43
1:A:11:GLU:HG2	1:A:12:ASP:N	2.34	0.43
1:A:24:GLU:H	1:A:24:GLU:HG3	1.61	0.43
1:B:63:PHE:HB3	1:B:73:VAL:HG21	2.01	0.43
2:C:318:LYS:HE3	2:C:318:LYS:HB3	1.84	0.43
2:C:861:LEU:HD22	2:C:862:PRO:HD2	2.00	0.43



	jus page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:61:HIS:HB2	1:B:62:GLU:H	1.60	0.43
2:C:789:ILE:HD12	2:C:869:VAL:HG21	1.99	0.43
3:D:469:ILE:HD13	3:D:469:ILE:HA	1.86	0.43
4:E:40:ILE:HG12	4:E:44:LEU:HD13	2.00	0.43
1:A:11:GLU:HG3	1:A:21:PHE:CE2	2.53	0.43
3:D:438:LEU:O	3:D:561:SER:OG	2.32	0.43
7:N:9:DG:H2"	7:N:10:DC:C5	2.54	0.43
2:C:192:ASP:HB2	2:C:199:LEU:HD11	2.01	0.43
2:C:193:LYS:HB2	2:C:193:LYS:HE2	1.42	0.43
2:C:369:ASP:O	2:C:375:ASN:ND2	2.42	0.43
3:D:1053:VAL:HA	3:D:1066:ILE:HA	2.01	0.43
1:A:55:ARG:HH22	1:A:158:GLU:CD	2.23	0.42
1:A:223:ARG:HH12	1:B:213:LYS:HG3	1.84	0.42
8:R:16:U:H2'	8:R:17:C:C6	2.53	0.42
2:C:226:ILE:HG22	2:C:281:LEU:HD21	2.00	0.42
2:C:537:ASP:OD1	2:C:537:ASP:N	2.50	0.42
3:D:245:VAL:HG23	3:D:252:PHE:CE2	2.54	0.42
3:D:1091:HIS:HB3	3:D:1093:ASP:OD1	2.19	0.42
2:C:664:ASN:OD1	2:C:665:GLY:N	2.53	0.42
3:D:1221:LEU:HB2	3:D:1243:ASP:OD2	2.19	0.42
1:A:177:LYS:HE2	1:A:177:LYS:HB3	1.60	0.42
3:D:58:TRP:CE3	3:D:68:VAL:HG13	2.55	0.42
3:D:739:PRO:HA	3:D:740:PRO:HD3	1.91	0.42
1:A:113:PRO:HD2	1:A:116:VAL:HB	2.00	0.42
3:D:160:LYS:HD2	3:D:160:LYS:HA	1.34	0.42
7:N:20:DA:H1'	7:N:21:DA:C8	2.54	0.42
3:D:1061:PHE:HD1	3:D:1081:SER:HA	1.84	0.42
3:D:58:TRP:CD2	3:D:68:VAL:HG13	2.55	0.42
6:T:5:DA:H2"	6:T:6:DG:C8	2.53	0.42
2:C:348:LEU:HD21	2:C:367:THR:HG22	2.02	0.42
2:C:273:ALA:O	2:C:277:ILE:HG12	2.20	0.42
2:C:361:VAL:HB	2:C:362:GLU:H	1.64	0.42
3:D:193:ALA:O	3:D:197:VAL:HG23	2.20	0.42
2:C:763:LYS:HG3	2:C:764:LEU:HD12	2.02	0.41
3:D:600:GLN:HE21	3:D:600:GLN:HB3	1.55	0.41
6:T:32:DC:H2"	6:T:33:DA:O5'	2.20	0.41
1:A:6:ARG:HE	1:A:6:ARG:HB2	1.62	0.41
3:D:770:ARG:HE	3:D:770:ARG:HB3	1.49	0.41
3:D:296:LEU:HD12	3:D:296:LEU:HA	1.93	0.41
3:D:354:LEU:HD13	3:D:370:GLU:HB3	2.02	0.41
3:D:904:ARG:HG3	3:D:910:LEU:HD23	2.02	0.41



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:C:470:LEU:HD11	3:D:865:LEU:HD13	2.01	0.41
2:C:930:GLN:O	2:C:934:THR:HG23	2.21	0.41
7:N:11:DT:H2"	7:N:12:DG:N7	2.35	0.41
1:A:158:GLU:CD	1:A:160:GLY:H	2.24	0.41
2:C:212:LEU:HD23	2:C:212:LEU:HA	1.88	0.41
2:C:656:ASP:OD1	2:C:656:ASP:N	2.53	0.41
3:D:1080:ILE:H	3:D:1080:ILE:HG12	1.37	0.41
3:D:1083:ARG:H	3:D:1083:ARG:HG2	1.43	0.41
5:G:101:LEU:HD23	5:G:101:LEU:HA	1.83	0.41
1:A:213:LYS:HE2	1:A:213:LYS:HB3	1.47	0.41
3:D:953:LEU:HD23	3:D:953:LEU:HA	1.83	0.41
2:C:286:PRO:HA	2:C:287:PRO:HD3	1.82	0.41
2:C:861:LEU:HD13	2:C:865:VAL:HG23	2.03	0.41
2:C:1127:GLU:OE2	3:D:405:LEU:HD12	2.20	0.41
3:D:229:LEU:HD12	3:D:229:LEU:HA	1.81	0.41
5:G:54:LYS:HE3	5:G:54:LYS:HB2	1.92	0.41
1:B:113:PRO:HD2	1:B:116:VAL:HG22	2.03	0.41
3:D:143:MET:HA	3:D:146:ASN:OD1	2.21	0.41
3:D:5:ASN:HD22	3:D:5:ASN:HA	1.67	0.40
2:C:239:LYS:HE2	2:C:239:LYS:HB2	1.89	0.40
3:D:180:ASP:HA	3:D:183:GLU:OE1	2.21	0.40
2:C:685:ASN:HD22	2:C:686:GLN:N	2.19	0.40
3:D:33:THR:O	3:D:47:PHE:HB2	2.21	0.40
5:G:105:GLU:O	5:G:109:ILE:HG12	2.21	0.40
3:D:291:ARG:HA	3:D:291:ARG:HD2	1.83	0.40
1:B:159:ILE:H	1:B:159:ILE:HG13	1.45	0.40
2:C:65:ILE:HD11	2:C:159:MET:SD	2.62	0.40
2:C:116:LYS:HZ3	2:C:116:LYS:HG3	1.80	0.40
3:D:263:LYS:HE3	3:D:263:LYS:HB2	1.89	0.40
3:D:539:ASP:OD1	3:D:539:ASP:N	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	224/347~(65%)	187~(84%)	35~(16%)	2(1%)	17 56
1	В	235/347~(68%)	188 (80%)	43 (18%)	4(2%)	9 42
2	С	1101/1178~(94%)	1021 (93%)	77 (7%)	3~(0%)	41 74
3	D	1265/1316~(96%)	1164 (92%)	96 (8%)	5~(0%)	34 69
4	Е	81/110 (74%)	81 (100%)	0	0	100 100
5	G	109/177~(62%)	86~(79%)	21 (19%)	2(2%)	8 41
All	All	3015/3475~(87%)	2727 (90%)	272 (9%)	16 (0%)	32 67

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	D	1066	ILE
1	В	4	SER
3	D	1006	PRO
1	В	62	GLU
3	D	1037	ALA
1	А	113	PRO
2	С	219	ARG
3	D	607	PRO
3	D	1099	LEU
1	А	199	LYS
1	В	114	ALA
1	В	184	GLU
2	С	361	VAL
5	G	83	PRO
5	G	55	VAL
2	С	268	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	195/297~(66%)	126~(65%)	69~(35%)	0
1	В	195/297~(66%)	132~(68%)	63~(32%)	0
2	С	930/998~(93%)	823 (88%)	107 (12%)	5 24
3	D	1050/1095~(96%)	901 (86%)	149 (14%)	3 15
4	Ε	69/90~(77%)	62~(90%)	7~(10%)	7 29
5	G	98/159~(62%)	67~(68%)	31 (32%)	0
All	All	2537/2936~(86%)	2111 (83%)	426 (17%)	5 10

All (426) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	2	LEU
1	А	3	ILE
1	А	6	ARG
1	А	8	THR
1	А	9	LEU
1	А	10	SER
1	А	12	ASP
1	А	13	VAL
1	А	15	THR
1	А	18	ARG
1	А	19	SER
1	А	23	ILE
1	А	24	GLU
1	А	30	PHE
1	А	33	THR
1	А	34	LEU
1	А	39	ARG
1	А	45	SER
1	А	62	GLU
1	А	64	THR
1	А	66	VAL
1	A	70	LYS
1	А	72	ASP
1	A	74	THR
1	A	78	LEU
1	А	81	LYS
1	A	82	SER
1	А	85	VAL
1	А	86	SER
1	А	88	GLU



Mol	Chain	Res	Type
1	А	89	GLU
1	А	90	ASP
1	А	93	VAL
1	А	99	LYS
1	А	100	GLN
1	А	105	VAL
1	А	111	VAL
1	А	117	THR
1	А	120	ASN
1	А	123	MET
1	А	127	THR
1	А	130	ASP
1	А	131	LYS
1	А	133	LYS
1	А	138	LEU
1	А	147	VAL
1	А	150	VAL
1	А	153	ARG
1	А	158	GLU
1	А	161	ARG
1	А	166	SER
1	А	167	ILE
1	А	173	LYS
1	А	177	LYS
1	А	183	VAL
1	А	187	THR
1	А	194	LEU
1	А	195	ASP
1	А	200	ASN
1	А	201	SER
1	А	202	ILE
1	А	203	SER
1	А	205	ARG
1	А	208	LEU
1	А	213	LYS
1	А	216	VAL
1	А	221	LEU
1	А	223	ARG
1	А	226	ASN
1	В	1	MET
1	В	3	ILE
1	В	4	SER



Mol	Chain	Res	Type
1	В	5	GLN
1	В	6	ARG
1	В	8	THR
1	В	9	LEU
1	В	10	SER
1	В	13	VAL
1	В	15	THR
1	В	16	ASP
1	В	19	SER
1	В	24	GLU
1	В	37	SER
1	В	38	LEU
1	В	45	SER
1	В	59	VAL
1	В	60	LEU
1	В	61	HIS
1	В	62	GLU
1	В	66	VAL
1	В	70	LYS
1	В	71	GLU
1	В	72	ASP
1	В	74	THR
1	В	76	ILE
1	В	82	SER
1	В	86	SER
1	В	89	GLU
1	В	93	VAL
1	В	94	THR
1	В	97	LEU
1	В	99	LYS
1	В	110	ILE
1	В	111	VAL
1	В	117	THR
1	В	123	MET
1	В	124	HIS
1	B	127	THR
1	В	128	LEU
1	B	131	LYS
1	В	133	LYS
1	B	136	VAL
1	В	137	GLU
1	В	138	LEU



Mol	Chain	Res	Type
1	В	140	VAL
1	В	142	ARG
1	В	151	GLN
1	В	152	ASN
1	В	159	ILE
1	В	166	SER
1	В	175	THR
1	В	181	THR
1	В	183	VAL
1	В	185	GLN
1	В	187	THR
1	В	193	ILE
1	В	196	VAL
1	В	203	SER
1	В	210	SER
1	В	213	LYS
1	В	218	LEU
1	В	223	ARG
2	С	48	LEU
2	С	65	ILE
2	С	77	ARG
2	С	92	GLU
2	С	99	PHE
2	С	100	SER
2	С	106	SER
2	С	109	ASP
2	С	113	ASP
2	С	116	LYS
2	С	152	VAL
2	С	162	GLU
2	С	177	SER
2	С	180	VAL
2	С	181	ARG
2	С	189	GLU
2	С	193	LYS
2	С	196	ASP
2	С	197	LYS
2	С	199	LEU
2	С	201	SER
2	С	203	LYS
2	С	207	SER
2	С	208	ARG



Mol	Chain	Res	Type
2	С	217	ASP
2	С	218	LYS
2	С	219	ARG
2	С	227	ASP
2	С	228	ARG
2	С	229	LYS
2	С	230	ARG
2	С	232	GLN
2	С	235	THR
2	С	245	SER
2	С	246	GLU
2	С	249	VAL
2	С	255	SER
2	С	256	GLU
2	С	262	LEU
2	С	263	GLU
2	С	270	THR
2	С	274	LEU
2	С	277	ILE
2	С	280	LYS
2	С	282	ARG
2	С	285	GLU
2	С	288	THR
2	С	289	LYS
2	С	290	GLU
2	С	294	THR
2	С	295	LEU
2	С	296	LEU
2	С	302	LYS
2	С	303	GLU
2	C	304	LYS
2	C	305	ARG
2	C	318	LYS
2	C	323	HIS
2	С	324	VAL
2	C	328	ILE
2	C	336	GLU
2	С	353	THR
2	C	$35\overline{4}$	THR
2	С	355	MET
2	C	356	THR
2	С	361	VAL



Mol	Chain	Res	Type
2	С	363	VAL
2	С	366	GLU
2	С	370	ILE
2	С	373	PHE
2	С	377	ARG
2	С	433	THR
2	С	454	ARG
2	С	474	ASP
2	С	494	ILE
2	С	499	SER
2	С	551	ASP
2	С	570	TYR
2	C	575	GLU
2	С	625	LEU
2	С	646	GLU
2	С	666	THR
2	С	668	ARG
2	С	685	ASN
2	С	690	VAL
2	С	713	MET
2	С	753	GLU
2	С	758	ASP
2	С	762	THR
2	С	771	ARG
2	С	776	ILE
2	С	779	GLU
2	С	790	VAL
2	С	807	THR
2	С	843	GLU
2	С	881	ASP
2	С	891	ASN
2	С	901	VAL
2	С	903	ASP
2	С	904	MET
2	С	919	THR
2	С	947	ASP
2	С	974	THR
2	С	1067	ARG
2	С	1093	SER
2	С	1127	GLU
2	С	1148	ARG
3	D	10	LEU



Mol	Chain	Res	Type
3	D	24	SER
3	D	43	LYS
3	D	60	CYS
3	D	62	CYS
3	D	71	LYS
3	D	86	LYS
3	D	107	PHE
3	D	113	ARG
3	D	126	GLU
3	D	143	MET
3	D	145	HIS
3	D	148	LEU
3	D	150	THR
3	D	158	GLU
3	D	159	ARG
3	D	160	LYS
3	D	166	ARG
3	D	170	LEU
3	D	173	ARG
3	D	177	LEU
3	D	183	GLU
3	D	185	GLU
3	D	190	LYS
3	D	192	ASP
3	D	194	ARG
3	D	196	LYS
3	D	204	GLU
3	D	205	MET
3	D	207	GLN
3	D	208	ILE
3	D	211	ARG
3	D	214	ARG
3	D	218	ARG
3	D	224	SER
3	D	228	LYS
3	D	229	LEU
3	D	234	LEU
3	D	235	ILE
3	D	240	LEU
3	D	245	VAL
3	D	247	ARG
3	D	252	PHE



Mol	Chain	Res	Type
3	D	260	SER
3	D	276	SER
3	D	281	ILE
3	D	305	SER
3	D	310	MET
3	D	339	ASP
3	D	353	ARG
3	D	356	ARG
3	D	360	LEU
3	D	401	SER
3	D	404	ASP
3	D	415	GLN
3	D	431	VAL
3	D	438	LEU
3	D	462	ASP
3	D	468	ASN
3	D	478	ARG
3	D	480	ARG
3	D	505	HIS
3	D	539	ASP
3	D	578	ARG
3	D	580	ASP
3	D	596	THR
3	D	600	GLN
3	D	606	HIS
3	D	698	ASN
3	D	725	THR
3	D	738	VAL
3	D	743	LYS
3	D	746	LEU
3	D	747	ASP
3	D	755	LYS
3	D	762	ARG
3	D	765	LEU
3	D	766	ASN
3	D	770	ARG
3	D	772	GLU
3	D	782	THR
3	D	787	GLN
3	D	790	ARG
3	D	791	GLU
3	D	795	ASP



Mol	Chain	Res	Type
3	D	796	ASP
3	D	834	ARG
3	D	838	SER
3	D	846	VAL
3	D	847	LEU
3	D	862	ASP
3	D	865	LEU
3	D	887	ARG
3	D	912	ARG
3	D	919	SER
3	D	923	ARG
3	D	946	ASP
3	D	960	VAL
3	D	964	SER
3	D	971	SER
3	D	972	THR
3	D	987	LYS
3	D	993	GLU
3	D	997	ILE
3	D	1008	THR
3	D	1011	THR
3	D	1012	MET
3	D	1025	THR
3	D	1029	PRO
3	D	1036	GLU
3	D	1048	ASP
3	D	1049	VAL
3	D	1050	THR
3	D	1054	ARG
3	D	1055	LEU
3	D	1059	GLU
3	D	1063	LYS
3	D	1064	ILE
3	D	1066	ILE
3	D	1074	GLU
3	D	1076	VAL
3	D	1077	TYR
3	D	1078	ASP
3	D	1080	ILE
3	D	1081	SER
3	D	1082	LYS
3	D	1083	ARG



Mol	Chain	Res	Type
3	D	1084	GLN
3	D	1089	PHE
3	D	1091	HIS
3	D	1092	GLU
3	D	1093	ASP
3	D	1095	SER
3	D	1098	VAL
3	D	1099	LEU
3	D	1107	VAL
3	D	1115	SER
3	D	1122	LEU
3	D	1123	ARG
3	D	1125	GLN
3	D	1148	SER
3	D	1165	VAL
3	D	1172	SER
3	D	1176	LEU
3	D	1191	ARG
3	D	1214	SER
3	D	1266	ARG
3	D	1268	ARG
3	D	1272	VAL
4	Ε	33	LEU
4	Е	41	ASP
4	Ε	56	TYR
4	Е	71	LEU
4	Ε	76	LEU
4	Ε	83	VAL
4	Е	87	LEU
5	G	3	LYS
5	G	4	ASN
5	G	7	VAL
5	G	8	VAL
5	G	14	TYR
5	G	27	GLU
5	G	29	MET
5	G	35	ILE
5	G	37	ARG
5	G	45	GLU
5	G	47	ASP
5	G	48	ILE
5	G	49	LYS



Mol	Chain	Res	Type
5	G	52	LYS
5	G	54	LYS
5	G	59	LYS
5	G	60	VAL
5	G	66	LEU
5	G	71	MET
5	G	72	THR
5	G	73	ASP
5	G	74	ASP
5	G	80	ARG
5	G	85	VAL
5	G	86	THR
5	G	88	PHE
5	G	89	VAL
5	G	97	LYS
5	G	102	LEU
5	G	105	GLU
5	G	108	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	17	ASN
1	А	79	ASN
1	А	120	ASN
1	А	152	ASN
1	В	119	HIS
2	С	232	GLN
2	С	247	GLN
2	С	323	HIS
2	С	435	GLN
2	С	585	GLN
2	С	610	ASN
2	С	685	ASN
2	С	751	HIS
2	С	1062	GLN
2	С	1066	GLN
2	С	1077	GLN
2	С	1111	ASN
2	С	1129	GLN
3	D	5	ASN
3	D	175	GLN



Mol	Chain	Res	Type
3	D	262	GLN
3	D	352	ASN
3	D	368	ASN
3	D	410	GLN
3	D	525	HIS
3	D	533	ASN
3	D	564	ASN
3	D	600	GLN
3	D	606	HIS
3	D	693	GLN
3	D	759	GLN
3	D	787	GLN
3	D	852	ASN
3	D	882	GLN
3	D	1110	GLN
3	D	1125	GLN
3	D	1131	GLN
3	D	1227	GLN
3	D	1251	ASN
3	D	1273	GLN
4	Е	63	GLN
5	G	9	HIS

### 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
8	R	14/30~(46%)	4 (28%)	0

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	R	20	С
8	R	21	А
8	R	23	G
8	R	28	G

There are no RNA pucker outliers to report.



## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
7	Ν	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	N	17:DT	O3'	18:DC	Р	4.13



## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-28373. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

## 6.1 Orthogonal projections (i)

### 6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



## 6.2 Central slices (i)

### 6.2.1 Primary map



X Index: 200



Y Index: 200



Z Index: 200

#### 6.2.2 Raw map



X Index: 200

Y Index: 200

Z Index: 200  $\,$ 

The images above show central slices of the map in three orthogonal directions.



## 6.3 Largest variance slices (i)

### 6.3.1 Primary map



X Index: 199



Y Index: 214



Z Index: 195

#### 6.3.2 Raw map



X Index: 199



Z Index: 195

The images above show the largest variance slices of the map in three orthogonal directions.



## 6.4 Orthogonal surface views (i)

#### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.164. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

#### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

### 6.5 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

## 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate (i)



The volume at the recommended contour level is 420  $\rm nm^3;$  this corresponds to an approximate mass of 379 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



## 7.3 Rotationally averaged power spectrum (i)



\*Reported resolution corresponds to spatial frequency of 0.312  ${\rm \AA^{-1}}$ 



## 8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC (i)



\*Reported resolution corresponds to spatial frequency of 0.312  ${\rm \AA^{-1}}$ 



## 8.2 Resolution estimates (i)

$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.68	6.49	3.71

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.68 differs from the reported value 3.2 by more than 10 %



## 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-28373 and PDB model 8EOE. Per-residue inclusion information can be found in section 3 on page 6.

## 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.164 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



### 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

#### 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.164).



## 9.4 Atom inclusion (i)



At the recommended contour level, 99% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.



#### Map-model fit summary (i) 9.5

The table lists the average atom inclusion at the recommended contour level (0.164) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score	1.0
All	0.9669	0.4750	
А	0.9846	0.5120	
В	0.9654	0.4870	
C	0.9803	0.5050	
D	0.9711	0.4770	
E	0.9669	0.5090	
G	0.8735	0.3250	
N	0.8766	0.2700	
R	0.9909	0.4220	0.0 <b>0</b> .0
Т	0.9093	0.3610	

