



wwPDB EM Validation Summary Report ⓘ

Mar 27, 2023 – 01:43 PM EDT

PDB ID : 8ESW
EMDB ID : EMD-28581
Title : Structure of mitochondrial complex I from *Drosophila melanogaster*, Flexible-class 1
Authors : Padavannil, A.; Letts, J.A.
Deposited on : 2022-10-15
Resolution : 3.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev50
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AN	142	
2	S6	126	
3	S1	731	
4	S3	265	
5	V2	242	
6	S7	221	
7	S8	217	
8	3	117	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	1	315	 80% 20%
10	4	446	 81% 18%
11	5	577	 7% 86% 14%
12	A8	175	 9% 87% 12%
13	A1	123	 5% 48% 9% 43%
14	AO	154	 87% 6% 6%
15	S5	101	 79% 18%
16	AM	170	 20% 83% 12%
17	BL	159	 79% 15% 6%
18	B6	167	 12% 87% 10%
19	B4	113	 10% 94%
20	B7	117	 29% 82% 13% 5%
21	B5	186	 70% 6% 23%
22	B9	144	 13% 83% 10% 8%
23	BM	150	 7% 60% 11% 29%
24	B8	175	 8% 72% 9% 18%
25	B3	110	 25% 62% 12% 26%
26	AB	152	 36% 49% 47%
26	AC	152	 13% 50% 5% 45%
27	C2	116	 90% 6%
28	B1	56	 29% 89% 9%
29	S4	183	 5% 62% 7% 31%
30	A9	416	 82% 7% 11%
31	B2	94	 19% 57% 37%
32	S2	468	 75% 14% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	V3	27	<p>96% 100%</p>
34	V1	474	<p>11% 80% 12% 7%</p>
35	2	341	<p>84% 16%</p>
36	4L	96	<p>6% 92% 7%</p>
37	6	174	<p>81% 13% 5%</p>
38	A7	103	<p>12% 78% 10% 13%</p>
39	A5	124	<p>5% 88% 6% 6%</p>
40	A3	77	<p>10% 74% 13% 13%</p>
41	A6	124	<p>5% 81% 9% 8%</p>
42	AL	407	<p>80% 11% 10%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
45	SF4	S7	301	-	-	X	-

2 Entry composition [i](#)

There are 52 unique types of molecules in this entry. The entry contains 66555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	AN	137	1150	750	192	203	5	0	0

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	S6	90	722	456	131	130	5	0	0

- Molecule 3 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	S1	680	5168	3239	915	985	29	0	0

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	S3	208	1719	1098	302	314	5	0	0

- Molecule 5 is a protein called NADH dehydrogenase (Ubiquinone) 24 kDa subunit, isoform A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	V2	214	1680	1062	285	321	12	0	0

- Molecule 6 is a protein called LD31474p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	S7	182	1435	920	251	250	14	0	0

- Molecule 7 is a protein called NADH dehydrogenase (ubiquinone) 23 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	S8	186	1485	935	251	287	12	0	0

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	3	105	855	593	119	137	6	0	0

- Molecule 9 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	1	315	2571	1764	367	418	22	0	0

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	4	446	3604	2448	533	581	42	0	0

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	5	577	4605	3092	680	773	60	0	0

- Molecule 12 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	A8	174	1384	867	240	267	10	0	0

- Molecule 13 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	A1	70	581	375	97	103	6	0	0

- Molecule 14 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AO	144	1188	777	201	208	2	0	0

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	S5	100	828	523	145	149	11	0	0

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	AM	164	1251	813	207	225	6	0	0

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	BL	150	1252	786	231	225	10	0	0

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	B6	161	1302	829	242	226	5	0	0

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	B4	110	907	578	166	162	1	0	0

- Molecule 20 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	B7	111	925	589	159	167	10	0	0

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	B5	143	1221	787	209	222	3	0	0

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	B9	133	1143	729	216	195	3	0	0

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	BM	106	871	560	140	170	1	0	0

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	B8	144	1201	783	191	223	4	0	0

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	B3	81	646	421	113	111	1	0	0

- Molecule 26 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	AC	84	Total	C	N	O	S	0	0
			677	437	102	136	2		
26	AB	81	Total	C	N	O	S	0	0
			652	421	99	130	2		

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	C2	115	Total	C	N	O	S	0	0
			904	588	159	156	1		

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	B1	55	Total	C	N	O	S	0	0
			430	278	76	74	2		

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	S4	126	Total	C	N	O	S	0	0
			1023	640	192	187	4		

- Molecule 30 is a protein called NADH dehydrogenase (Ubiquinone) 39 kDa subunit, isoform A.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	A9	370	Total	C	N	O	S	0	0
			2972	1895	539	528	10		

- Molecule 31 is a protein called GEO11417p1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	B2	59	Total	C	N	O	S	0	0
			485	317	85	82	1		

- Molecule 32 is a protein called Complex I-49kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	S2	419	Total	C	N	O	S	0	0
			3349	2149	563	614	23		

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
33	V3	27	136	81	27	28	0	0

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	V1	439	3368	2126	600	616	26	0	0

- Molecule 35 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	2	341	2797	1893	411	459	34	0	0

- Molecule 36 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	4L	95	785	535	112	126	12	0	0

- Molecule 37 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	6	165	1331	902	189	225	15	0	0

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	A7	90	725	457	136	131	1	0	0

- Molecule 39 is a protein called NADH dehydrogenase (Ubiquinone) 13 kDa B subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	A5	117	914	584	161	165	4	0	0

- Molecule 40 is a protein called RH45008p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	A3	67	528	331	96	100	1	0	0


- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	A6	114	968	620	172	170	6	0	0

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	AL	368	3008	1927	504	561	16	0	0

- Molecule 43 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
43	AN	1	67	48	17	2	0
43	S7	1	71	52	17	2	0
43	5	1	68	49	17	2	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
43	5	1	Total 75	C 56	O 17	P 2	0
43	B6	1	Total 53	C 34	O 17	P 2	0
43	B5	1	Total 74	C 55	O 17	P 2	0
43	A9	1	Total 54	C 35	O 17	P 2	0
43	A9	1	Total 47	C 28	O 17	P 2	0

- Molecule 44 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
44	S6	1	Total 1	Zn 1	0

- Molecule 45 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			AltConf
45	S1	1	Total 8	Fe 4	S 4	0
45	S1	1	Total 8	Fe 4	S 4	0
45	S7	1	Total 8	Fe 4	S 4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
45	S8	1	8	4	4	0
45	S8	1	8	4	4	0
45	V1	1	8	4	4	0

- Molecule 46 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
46	S1	1	4	2	2	0
46	V2	1	4	2	2	0

- Molecule 47 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: C₄₄H₈₈NO₈P).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
47	S7	1	Total 36	C 26	N 1	O 8	P 1	0
47	S7	1	Total 46	C 36	N 1	O 8	P 1	0
47	1	1	Total 54	C 44	N 1	O 8	P 1	0
47	4	1	Total 39	C 29	N 1	O 8	P 1	0
47	4	1	Total 44	C 34	N 1	O 8	P 1	0
47	AM	1	Total 37	C 27	N 1	O 8	P 1	0
47	AM	1	Total 33	C 23	N 1	O 8	P 1	0
47	B6	1	Total 37	C 27	N 1	O 8	P 1	0
47	B4	1	Total 34	C 24	N 1	O 8	P 1	0
47	C2	1	Total 39	C 29	N 1	O 8	P 1	0
47	2	1	Total 44	C 34	N 1	O 8	P 1	0
47	2	1	Total 45	C 35	N 1	O 8	P 1	0
47	6	1	Total 36	C 26	N 1	O 8	P 1	0
47	6	1	Total 29	C 19	N 1	O 8	P 1	0

- Molecule 48 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
48	4	1	Total 35	25	1	8	1	0
48	4	1	Total 39	29	1	8	1	0
48	5	1	Total 32	22	1	8	1	0
48	5	1	Total 33	23	1	8	1	0
48	5	1	Total 51	41	1	8	1	0
48	5	1	Total 36	26	1	8	1	0
48	5	1	Total 45	35	1	8	1	0
48	5	1	Total 51	41	1	8	1	0
48	AM	1	Total 39	29	1	8	1	0
48	AM	1	Total 36	26	1	8	1	0
48	AM	1	Total 32	22	1	8	1	0
48	B6	1	Total 44	34	1	8	1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
48	2	1	39	29	1	8	1	0

- Molecule 49 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (three-letter code: ZMP) (formula: C₂₅H₄₉N₂O₈PS).



Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
49	B9	1	34	23	2	7	1	1	0
49	AB	1	34	23	2	7	1	1	0


- Molecule 50 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12




- Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




- Molecule 3: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial







• Molecule 4: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial



• Molecule 5: NADH dehydrogenase (Ubiquinone) 24 kDa subunit, isoform A




• Molecule 6: LD31474p



• Molecule 7: NADH dehydrogenase (ubiquinone) 23 kDa subunit

Chain S8:  67% 19% 14%





- Molecule 8: NADH-ubiquinone oxidoreductase chain 3

Chain 3:  68% 21% 10%





- Molecule 9: NADH-ubiquinone oxidoreductase chain 1

Chain 1:  80% 20%





- Molecule 10: NADH-ubiquinone oxidoreductase chain 4

Chain 4:  81% 18%





- Molecule 11: NADH-ubiquinone oxidoreductase chain 5


Chain 5:  7% 86% 14%



• Molecule 12: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8





• Molecule 13: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1




• Molecule 14: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13




• Molecule 15: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5





• Molecule 16: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11








- Molecule 17: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10





- Molecule 18: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4




- Molecule 20: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7




- Molecule 21: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial




• Molecule 22: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




• Molecule 23: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial




• Molecule 24: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




• Molecule 25: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3








• Molecule 26: Acyl carrier protein, mitochondrial





• Molecule 26: Acyl carrier protein, mitochondrial




• Molecule 27: NADH dehydrogenase [ubiquinone] 1 subunit C2




• Molecule 28: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1





• Molecule 29: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial









- Molecule 34: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial




- Molecule 35: NADH-ubiquinone oxidoreductase chain 2




- Molecule 36: NADH-ubiquinone oxidoreductase chain 4L




- Molecule 37: NADH-ubiquinone oxidoreductase chain 6




- Molecule 38: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7




- Molecule 39: NADH dehydrogenase (Ubiquinone) 13 kDa B subunit




- Molecule 40: RH45008p



- Molecule 41: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6



- Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	293389	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	6.017	Depositor
Minimum map value	-2.064	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.094	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	450.56, 450.56, 450.56	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.88, 0.88, 0.88	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PC1, FMN, CDL, 3PE, NDP, DGT, ZMP, ZN, SF4, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AN	0.31	0/1190	0.58	0/1612
2	S6	0.29	0/739	0.55	0/995
3	S1	0.29	0/5251	0.57	0/7117
4	S3	0.28	0/1766	0.56	0/2400
5	V2	0.29	0/1719	0.58	0/2328
6	S7	0.34	0/1473	0.66	2/1997 (0.1%)
7	S8	0.33	0/1518	0.60	0/2050
8	3	0.32	0/875	0.61	0/1187
9	1	0.33	0/2651	0.60	0/3593
10	4	0.32	0/3708	0.61	1/5024 (0.0%)
11	5	0.33	0/4725	0.65	0/6396
12	A8	0.29	0/1417	0.53	0/1911
13	A1	0.29	0/594	0.60	0/801
14	AO	0.30	0/1224	0.56	0/1659
15	S5	0.35	0/846	0.61	0/1128
16	AM	0.31	0/1287	0.53	0/1749
17	BL	0.30	0/1285	0.57	0/1734
18	B6	0.27	0/1338	0.57	0/1808
19	B4	0.28	0/928	0.52	0/1241
20	B7	0.30	0/948	0.56	0/1275
21	B5	0.28	0/1255	0.53	0/1694
22	B9	0.27	0/1176	0.57	0/1586
23	BM	0.27	0/896	0.52	0/1222
24	B8	0.29	0/1250	0.57	0/1701
25	B3	0.28	0/665	0.56	0/903
26	AB	0.30	0/662	0.64	0/894
26	AC	0.26	0/688	0.54	0/928
27	C2	0.36	0/932	0.65	1/1266 (0.1%)
28	B1	0.27	0/441	0.56	0/590
29	S4	0.27	0/1051	0.57	0/1424
30	A9	0.30	0/3045	0.60	0/4118
31	B2	0.30	0/508	0.55	0/698

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	S2	0.32	0/3432	0.60	0/4650
34	V1	0.32	0/3446	0.61	0/4654
35	2	0.32	0/2876	0.58	0/3890
36	4L	0.30	0/806	0.53	0/1085
37	6	0.30	0/1356	0.57	0/1836
38	A7	0.27	0/741	0.60	0/1006
39	A5	0.27	0/933	0.56	0/1265
40	A3	0.25	0/537	0.55	0/725
41	A6	0.29	0/988	0.54	0/1329
42	AL	0.28	0/3083	0.56	0/4168
All	All	0.30	0/66249	0.59	4/89637 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
27	C2	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
6	S7	192	PRO	N-CA-C	-7.61	92.32	112.10
6	S7	189	PRO	N-CA-C	5.92	127.50	112.10
10	4	212	PRO	N-CA-CB	5.83	110.29	103.30
27	C2	111	SER	N-CA-C	5.49	125.82	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
27	C2	116	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AN	1150	0	1107	18	0
2	S6	722	0	705	5	0
3	S1	5168	0	5214	65	0
4	S3	1719	0	1666	27	0
5	V2	1680	0	1657	20	0
6	S7	1435	0	1448	35	0
7	S8	1485	0	1422	34	0
8	3	855	0	927	21	0
9	1	2571	0	2628	54	0
10	4	3604	0	3734	63	0
11	5	4605	0	4742	59	0
12	A8	1384	0	1324	17	0
13	A1	581	0	582	8	0
14	AO	1188	0	1196	9	0
15	S5	828	0	805	13	0
16	AM	1251	0	1230	17	0
17	BL	1252	0	1195	24	0
18	B6	1302	0	1295	11	0
19	B4	907	0	896	8	0
20	B7	925	0	906	10	0
21	B5	1221	0	1188	12	0
22	B9	1143	0	1111	10	0
23	BM	871	0	822	12	0
24	B8	1201	0	1107	18	0
25	B3	646	0	641	9	0
26	AB	652	0	655	4	0
26	AC	677	0	681	6	0
27	C2	904	0	892	10	0
28	B1	430	0	436	4	0
29	S4	1023	0	994	9	0
30	A9	2972	0	2983	18	0
31	B2	485	0	450	5	0
32	S2	3349	0	3314	44	0
33	V3	136	0	30	0	0
34	V1	3368	0	3345	42	0
35	2	2797	0	2879	39	0
36	4L	785	0	809	8	0
37	6	1331	0	1439	19	0
38	A7	725	0	721	11	0
39	A5	914	0	944	8	0
40	A3	528	0	521	9	0
41	A6	968	0	991	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	AL	3008	0	2945	28	0
43	5	143	0	177	1	0
43	A9	101	0	90	2	0
43	AN	67	0	78	3	0
43	B5	74	0	95	4	0
43	B6	53	0	50	1	0
43	S7	71	0	86	2	0
44	S6	1	0	0	0	0
45	S1	16	0	0	0	0
45	S7	8	0	0	5	0
45	S8	16	0	0	1	0
45	V1	8	0	0	1	0
46	S1	4	0	0	0	0
46	V2	4	0	0	0	0
47	1	54	0	88	1	0
47	2	89	0	132	3	0
47	4	83	0	114	7	0
47	6	65	0	78	2	0
47	AM	70	0	88	3	0
47	B4	34	0	42	1	0
47	B6	37	0	48	1	0
47	C2	39	0	52	2	0
47	S7	82	0	115	3	0
48	2	39	0	52	3	0
48	4	74	0	96	4	0
48	5	248	0	358	8	0
48	AM	107	0	136	4	0
48	B6	44	0	65	2	0
49	AB	34	0	40	0	0
49	B9	34	0	40	2	0
50	A9	48	0	26	0	0
51	V1	31	0	19	0	0
52	AL	31	0	12	3	0
All	All	66555	0	66754	690	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 690 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
34:V1:397:CYS:SG	34:V1:400:CYS:HB3	1.99	1.02
34:V1:413:ARG:NH2	34:V1:423:GLU:OE2	1.93	1.00
10:4:197:MET:HB2	10:4:200:VAL:HG22	1.50	0.91
22:B9:15:VAL:HG11	49:B9:201:ZMP:H19B	1.51	0.90
34:V1:419:ALA:HB1	34:V1:423:GLU:OE1	1.73	0.87

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AN	135/142 (95%)	134 (99%)	1 (1%)	0	100	100
2	S6	88/126 (70%)	87 (99%)	1 (1%)	0	100	100
3	S1	676/731 (92%)	653 (97%)	23 (3%)	0	100	100
4	S3	206/265 (78%)	202 (98%)	4 (2%)	0	100	100
5	V2	212/242 (88%)	206 (97%)	6 (3%)	0	100	100
6	S7	180/221 (81%)	173 (96%)	6 (3%)	1 (1%)	25	57
7	S8	184/217 (85%)	178 (97%)	6 (3%)	0	100	100
8	3	101/117 (86%)	101 (100%)	0	0	100	100
9	1	313/315 (99%)	300 (96%)	13 (4%)	0	100	100
10	4	444/446 (100%)	430 (97%)	13 (3%)	1 (0%)	47	77
11	5	575/577 (100%)	547 (95%)	28 (5%)	0	100	100
12	A8	172/175 (98%)	167 (97%)	5 (3%)	0	100	100
13	A1	68/123 (55%)	66 (97%)	2 (3%)	0	100	100
14	AO	142/154 (92%)	141 (99%)	1 (1%)	0	100	100
15	S5	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
16	AM	162/170 (95%)	159 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	BL	148/159 (93%)	144 (97%)	4 (3%)	0	100	100
18	B6	159/167 (95%)	154 (97%)	5 (3%)	0	100	100
19	B4	108/113 (96%)	106 (98%)	2 (2%)	0	100	100
20	B7	109/117 (93%)	108 (99%)	1 (1%)	0	100	100
21	B5	141/186 (76%)	139 (99%)	2 (1%)	0	100	100
22	B9	131/144 (91%)	130 (99%)	1 (1%)	0	100	100
23	BM	104/150 (69%)	102 (98%)	2 (2%)	0	100	100
24	B8	142/175 (81%)	134 (94%)	8 (6%)	0	100	100
25	B3	79/110 (72%)	75 (95%)	4 (5%)	0	100	100
26	AB	79/152 (52%)	78 (99%)	1 (1%)	0	100	100
26	AC	82/152 (54%)	81 (99%)	1 (1%)	0	100	100
27	C2	113/116 (97%)	111 (98%)	2 (2%)	0	100	100
28	B1	53/56 (95%)	50 (94%)	3 (6%)	0	100	100
29	S4	124/183 (68%)	120 (97%)	4 (3%)	0	100	100
30	A9	366/416 (88%)	352 (96%)	14 (4%)	0	100	100
31	B2	57/94 (61%)	57 (100%)	0	0	100	100
32	S2	415/468 (89%)	404 (97%)	11 (3%)	0	100	100
34	V1	437/474 (92%)	417 (95%)	19 (4%)	1 (0%)	47	77
35	2	339/341 (99%)	330 (97%)	9 (3%)	0	100	100
36	4L	93/96 (97%)	93 (100%)	0	0	100	100
37	6	163/174 (94%)	157 (96%)	6 (4%)	0	100	100
38	A7	86/103 (84%)	85 (99%)	1 (1%)	0	100	100
39	A5	115/124 (93%)	111 (96%)	4 (4%)	0	100	100
40	A3	65/77 (84%)	65 (100%)	0	0	100	100
41	A6	112/124 (90%)	108 (96%)	4 (4%)	0	100	100
42	AL	366/407 (90%)	353 (96%)	13 (4%)	0	100	100
All	All	7942/9000 (88%)	7702 (97%)	237 (3%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	4	202	LEU
6	S7	192	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	V1	424	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AN	118/122 (97%)	117 (99%)	1 (1%)	81	89
2	S6	78/111 (70%)	77 (99%)	1 (1%)	69	82
3	S1	549/582 (94%)	545 (99%)	4 (1%)	84	90
4	S3	186/225 (83%)	186 (100%)	0	100	100
5	V2	185/205 (90%)	184 (100%)	1 (0%)	88	93
6	S7	152/184 (83%)	150 (99%)	2 (1%)	69	82
7	S8	159/182 (87%)	159 (100%)	0	100	100
8	3	98/110 (89%)	97 (99%)	1 (1%)	76	86
9	1	282/282 (100%)	280 (99%)	2 (1%)	84	90
10	4	402/404 (100%)	400 (100%)	2 (0%)	88	93
11	5	518/518 (100%)	516 (100%)	2 (0%)	91	95
12	A8	150/151 (99%)	150 (100%)	0	100	100
13	A1	63/115 (55%)	63 (100%)	0	100	100
14	AO	126/134 (94%)	126 (100%)	0	100	100
15	S5	88/89 (99%)	81 (92%)	7 (8%)	12	37
16	AM	125/131 (95%)	123 (98%)	2 (2%)	62	79
17	BL	133/141 (94%)	133 (100%)	0	100	100
18	B6	133/136 (98%)	132 (99%)	1 (1%)	81	89
19	B4	91/94 (97%)	91 (100%)	0	100	100
20	B7	100/104 (96%)	99 (99%)	1 (1%)	76	86
21	B5	129/162 (80%)	127 (98%)	2 (2%)	62	79
22	B9	116/126 (92%)	115 (99%)	1 (1%)	78	87
23	BM	95/131 (72%)	94 (99%)	1 (1%)	73	85

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	B8	121/145 (83%)	118 (98%)	3 (2%)	47	72
25	B3	66/84 (79%)	66 (100%)	0	100	100
26	AB	75/136 (55%)	73 (97%)	2 (3%)	44	71
26	AC	78/136 (57%)	78 (100%)	0	100	100
27	C2	92/94 (98%)	87 (95%)	5 (5%)	22	53
28	B1	42/43 (98%)	42 (100%)	0	100	100
29	S4	110/154 (71%)	110 (100%)	0	100	100
30	A9	313/346 (90%)	312 (100%)	1 (0%)	92	96
31	B2	50/80 (62%)	49 (98%)	1 (2%)	55	76
32	S2	358/398 (90%)	358 (100%)	0	100	100
34	V1	351/381 (92%)	350 (100%)	1 (0%)	92	96
35	2	317/317 (100%)	316 (100%)	1 (0%)	92	96
36	4L	90/91 (99%)	90 (100%)	0	100	100
37	6	159/167 (95%)	157 (99%)	2 (1%)	69	82
38	A7	77/86 (90%)	77 (100%)	0	100	100
39	A5	96/102 (94%)	96 (100%)	0	100	100
40	A3	53/59 (90%)	53 (100%)	0	100	100
41	A6	107/114 (94%)	104 (97%)	3 (3%)	43	70
42	AL	324/356 (91%)	323 (100%)	1 (0%)	92	96
All	All	6955/7728 (90%)	6904 (99%)	51 (1%)	84	90

5 of 51 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
21	B5	46	MET
27	C2	104	THR
26	AB	81	LEU
22	B9	50	ASN
24	B8	61	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	S1	134	HIS
35	2	181	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 49 ligands modelled in this entry, 1 is monoatomic - leaving 48 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
48	3PE	AM	204	-	31,31,50	0.37	0	34,36,55	0.31	0
45	SF4	V1	502	34	0,12,12	-	-	-		
45	SF4	S1	802	3	0,12,12	-	-	-		
43	CDL	A9	502	-	53,53,99	0.40	0	59,65,111	0.36	0
48	3PE	AM	203	-	35,35,50	0.36	0	38,40,55	0.32	0
47	PC1	AM	202	-	36,36,53	0.34	0	42,44,61	0.32	0
48	3PE	5	606	-	44,44,50	0.33	0	47,49,55	0.42	0
43	CDL	S7	302	-	70,70,99	0.35	0	76,82,111	0.28	0
48	3PE	AM	201	-	38,38,50	0.35	0	41,43,55	0.28	0
49	ZMP	AB	201	-	27,33,36	0.82	2 (7%)	32,40,45	3.15	8 (25%)
45	SF4	S8	301	7	0,12,12	-	-	-		
48	3PE	2	401	-	38,38,50	0.37	0	41,43,55	0.61	1 (2%)
47	PC1	2	403	-	44,44,53	0.34	0	50,52,61	0.31	0
47	PC1	4	501	-	38,38,53	0.34	0	44,46,61	0.34	0
47	PC1	4	502	-	43,43,53	0.33	0	49,51,61	0.30	0
52	DGT	AL	501	-	26,33,33	0.98	2 (7%)	32,52,52	0.82	1 (3%)
43	CDL	AN	201	-	66,66,99	0.35	0	72,78,111	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
47	PC1	6	202	-	28,28,53	0.41	0	34,36,61	0.39	0
48	3PE	4	504	-	38,38,50	0.36	0	41,43,55	0.63	1 (2%)
46	FES	S1	803	3	0,4,4	-	-	-	-	-
48	3PE	5	601	-	31,31,50	0.37	0	34,36,55	0.33	0
49	ZMP	B9	201	-	27,33,36	0.20	0	32,40,45	0.34	0
43	CDL	B6	203	-	52,52,99	0.41	0	58,64,111	0.55	1 (1%)
47	PC1	2	402	-	43,43,53	0.31	0	49,51,61	0.31	0
48	3PE	5	607	-	50,50,50	0.30	0	53,55,55	0.29	0
47	PC1	S7	303	-	35,35,53	0.35	0	41,43,61	0.41	0
43	CDL	B5	201	-	73,73,99	0.34	0	79,85,111	0.31	0
47	PC1	C2	201	-	38,38,53	0.34	0	44,46,61	0.33	0
47	PC1	1	401	-	53,53,53	0.32	0	59,61,61	0.53	1 (1%)
51	FMN	V1	501	-	33,33,33	0.25	0	48,50,50	0.41	0
46	FES	V2	301	5	0,4,4	-	-	-	-	-
43	CDL	A9	503	-	46,46,99	0.44	0	52,58,111	0.57	1 (1%)
47	PC1	B4	201	-	33,33,53	0.36	0	39,41,61	0.34	0
48	3PE	5	602	-	32,32,50	0.37	0	35,37,55	0.35	0
47	PC1	B6	201	-	36,36,53	0.36	0	42,44,61	0.61	1 (2%)
48	3PE	4	503	-	34,34,50	0.36	0	37,39,55	0.36	0
48	3PE	5	605	-	35,35,50	0.38	0	38,40,55	0.63	1 (2%)
43	CDL	5	604	-	67,67,99	0.35	0	73,79,111	0.31	0
48	3PE	5	603	-	50,50,50	0.30	0	53,55,55	0.28	0
47	PC1	AM	205	-	32,32,53	0.37	0	38,40,61	0.35	0
45	SF4	S8	302	7	0,12,12	-	-	-	-	-
47	PC1	S7	304	-	45,45,53	0.33	0	51,53,61	0.30	0
50	NDP	A9	501	-	45,52,52	0.53	0	53,80,80	0.55	1 (1%)
43	CDL	5	608	-	74,74,99	0.34	0	80,86,111	0.30	0
45	SF4	S1	801	3	0,12,12	-	-	-	-	-
45	SF4	S7	301	6	0,12,12	-	-	-	-	-
47	PC1	6	201	-	35,35,53	0.34	0	41,43,61	0.33	0
48	3PE	B6	202	-	43,43,50	0.35	0	46,48,55	0.72	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	3PE	AM	204	-	-	5/35/35/54	-
45	SF4	V1	502	34	-	-	0/6/5/5
45	SF4	S1	802	3	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	CDL	A9	502	-	-	16/64/64/110	-
48	3PE	AM	203	-	-	13/39/39/54	-
47	PC1	AM	202	-	-	6/40/40/57	-
48	3PE	5	606	-	-	15/48/48/54	-
43	CDL	S7	302	-	-	13/81/81/110	-
48	3PE	AM	201	-	-	9/42/42/54	-
49	ZMP	AB	201	-	-	20/38/40/43	-
45	SF4	S8	301	7	-	-	0/6/5/5
48	3PE	2	401	-	-	10/42/42/54	-
47	PC1	2	403	-	-	12/48/48/57	-
47	PC1	4	501	-	-	6/42/42/57	-
47	PC1	4	502	-	-	9/47/47/57	-
52	DGT	AL	501	-	-	4/18/34/34	0/3/3/3
43	CDL	AN	201	-	-	14/77/77/110	-
47	PC1	6	202	-	-	9/32/32/57	-
48	3PE	4	504	-	-	7/42/42/54	-
46	FES	S1	803	3	-	-	0/1/1/1
48	3PE	5	601	-	-	6/35/35/54	-
49	ZMP	B9	201	-	-	25/38/40/43	-
43	CDL	B6	203	-	-	18/63/63/110	-
47	PC1	2	402	-	-	8/47/47/57	-
48	3PE	5	607	-	-	12/54/54/54	-
47	PC1	S7	303	-	-	8/39/39/57	-
43	CDL	B5	201	-	-	18/84/84/110	-
47	PC1	C2	201	-	-	11/42/42/57	-
47	PC1	1	401	-	-	17/57/57/57	-
51	FMN	V1	501	-	-	8/18/18/18	0/3/3/3
43	CDL	A9	503	-	-	18/57/57/110	-
46	FES	V2	301	5	-	-	0/1/1/1
47	PC1	B4	201	-	-	11/37/37/57	-
48	3PE	5	602	-	-	6/36/36/54	-
47	PC1	B6	201	-	-	11/40/40/57	-
48	3PE	4	503	-	-	8/38/38/54	-
48	3PE	5	605	-	-	3/39/39/54	-
43	CDL	5	604	-	-	14/78/78/110	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	3PE	5	603	-	-	11/54/54/54	-
47	PC1	AM	205	-	-	11/36/36/57	-
47	PC1	S7	304	-	-	10/49/49/57	-
50	NDP	A9	501	-	-	6/30/77/77	0/5/5/5
45	SF4	S8	302	7	-	-	0/6/5/5
43	CDL	5	608	-	-	11/85/85/110	-
45	SF4	S1	801	3	-	-	0/6/5/5
45	SF4	S7	301	6	-	-	0/6/5/5
47	PC1	6	201	-	-	11/39/39/57	-
48	3PE	B6	202	-	-	12/47/47/54	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
52	AL	501	DGT	C5-C6	-2.68	1.42	1.47
49	AB	201	ZMP	C9-C10	2.31	1.53	1.50
49	AB	201	ZMP	O4-C17	2.15	1.46	1.42
52	AL	501	DGT	C8-N7	-2.12	1.31	1.35

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	AB	201	ZMP	C19-C18-C17	-7.89	95.14	108.82
49	AB	201	ZMP	C19-C18-C21	7.78	120.91	108.23
49	AB	201	ZMP	C20-C18-C21	7.77	120.90	108.23
49	AB	201	ZMP	C20-C18-C17	-7.40	95.98	108.82
49	AB	201	ZMP	C20-C18-C19	4.41	118.16	109.17

There are no chirality outliers.

5 of 442 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
43	AN	201	CDL	CA2-OA2-PA1-OA3
43	AN	201	CDL	CA2-OA2-PA1-OA4
43	AN	201	CDL	CA2-OA2-PA1-OA5
43	AN	201	CDL	CB3-OB5-PB2-OB2
43	S7	302	CDL	CB2-OB2-PB2-OB4


There are no ring outliers.


37 monomers are involved in 61 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
48	AM	204	3PE	2	0
45	V1	502	SF4	1	0
43	A9	502	CDL	1	0
48	AM	203	3PE	1	0
43	S7	302	CDL	2	0
48	AM	201	3PE	1	0
45	S8	301	SF4	1	0
48	2	401	3PE	3	0
47	2	403	PC1	2	0
47	4	501	PC1	3	0
47	4	502	PC1	4	0
52	AL	501	DGT	3	0
43	AN	201	CDL	3	0
47	6	202	PC1	1	0
48	4	504	3PE	2	0
48	5	601	3PE	2	0
49	B9	201	ZMP	2	0
43	B6	203	CDL	1	0
47	2	402	PC1	1	0
48	5	607	3PE	1	0
47	S7	303	PC1	1	0
43	B5	201	CDL	4	0
47	C2	201	PC1	2	0
47	1	401	PC1	1	0
43	A9	503	CDL	1	0
47	B4	201	PC1	1	0
48	5	602	3PE	2	0
47	B6	201	PC1	1	0
48	4	503	3PE	2	0
48	5	605	3PE	1	0
43	5	604	CDL	1	0
48	5	603	3PE	2	0
47	AM	205	PC1	3	0
47	S7	304	PC1	2	0
45	S7	301	SF4	5	0
47	6	201	PC1	1	0
48	B6	202	3PE	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be




highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28581. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 254




Y Index: 251




Z Index: 320


6.3.2 Raw map



X Index: 255



Y Index: 251




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 293 nm³; this corresponds to an approximate mass of 265 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.39	3.65	3.42
Unmasked-calculated*	4.01	7.34	4.07

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.01 differs from the reported value 3.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-28581 and PDB model 8ESW. Per-residue inclusion information can be found in section [3](#) on page [19](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



















The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6850	 0.5040
1	 0.7340	 0.5070
2	 0.7330	 0.5160
3	 0.7000	 0.4960
4	 0.7420	 0.5190
4L	 0.7080	 0.5130
5	 0.6510	 0.4910
6	 0.7120	 0.5080
A1	 0.6860	 0.4920
A3	 0.6610	 0.5080
A5	 0.6960	 0.5100
A6	 0.7050	 0.5120
A7	 0.6720	 0.5060
A8	 0.6840	 0.5100
A9	 0.7290	 0.5210
AB	 0.3290	 0.3620
AC	 0.5520	 0.4780
AL	 0.7180	 0.5200
AM	 0.5900	 0.4920
AN	 0.6380	 0.5060
AO	 0.7290	 0.5150
B1	 0.5940	 0.4890
B2	 0.5180	 0.4460
B3	 0.5110	 0.4670
B4	 0.6600	 0.4990
B5	 0.7120	 0.5190
B6	 0.6140	 0.4920
B7	 0.5370	 0.4510
B8	 0.6670	 0.5000
B9	 0.6420	 0.4990
BL	 0.7300	 0.5030
BM	 0.6820	 0.5080
C2	 0.7130	 0.5170
S1	 0.6920	 0.5050
S2	 0.7450	 0.5180



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
S3	 0.7600	 0.5360
S4	 0.7060	 0.5140
S5	 0.7290	 0.5160
S6	 0.7080	 0.5360
S7	 0.7110	 0.5080
S8	 0.7560	 0.5240
V1	 0.6560	 0.4890
V2	 0.6140	 0.4810
V3	 0.1470	 0.4370