

Full wwPDB X-ray Structure Validation Report (i)

Oct 9, 2023 – 03:32 PM EDT

PDB ID	:	5EUY
Title	:	Thermostable aldehyde dehydrogenase from Pyrobaculum sp.1860 complexed
		with NADP+
Authors	:	Petrova, T.; Bezsudnova, E.Y.; Boyko, K.M.; Nikolaeva, A.Y.; Rakitina, T.V.;
		Popov, V.O.
Deposited on	:	2015-11-19
Resolution	:	2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	2684 (2.08-2.04)		
Clashscore	141614	2801 (2.08-2.04)		
Ramachandran outliers	138981	2768 (2.08-2.04)		
Sidechain outliers	138945	2768 (2.08-2.04)		
RSRZ outliers	127900	2646 (2.08-2.04)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	491	^{2%} 91%	8%	•
1	В	491	% 92%	7%	•
1	С	491	3% 90%	9%	•
1	D	491	% 90%	9%	·



α \cdot 1	C		
Continued	from	previous	page
contentaca	J. 0.110	proceed ac	pagem

Mol	Chain	Length	Quality of chain	
1	Е	491	3% 92%	8%
1	F	491	87%	11% •
1	G	491	% 90%	8% •
1	Н	491	% 91%	8% •



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 33662 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace		
1	Δ	485	Total	С	Ν	0	\mathbf{S}	0	0	1		
	A	400	3789	2416	661	699	13	0	0	1		
1	В	488	Total	С	Ν	0	S	0	7	1		
1	D	400	3812	2429	663	708	12	0	1	1		
1	С	485	Total	С	Ν	0	S	0	10	1		
		400	3811	2425	664	709	13	0	10	1		
1	Л	483	Total	С	Ν	0	S	0	7	Ο		
	D	400	3769	2401	656	700	12	0	'	U		
1	F	400	Total	С	Ν	0	S	0	8	0		
	Ľ	490	3821	2433	667	708	13	0	0	0	8	0
1	Б	485	Total	С	Ν	0	S	0	6	0		
	Г	400	3793	2419	660	701	13	0	0	0		
1	C	489	Total	С	Ν	0	S	0	10	0		
	G	402	3775	2407	654	702	12	0	10	0		
1	Ц	485	Total	С	Ν	0	S	0	6	1		
	п	400	3784	2410	660	701	13	0	0			

• Molecule 1 is a protein called Aldehyde dehydrogenase.

• Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).





Mol	Chain	Residues		Atoms					AltConf	
0	Δ	1	Total	С	Ν	0	Р	0	1	
	A	L	51	20	5	22	4	0	L	
0	Р	1	Total	С	Ν	0	Р	0	1	
	D	L	51	20	5	22	4	0	L	
0	C	1	Total	С	Ν	0	Р	0	1	
	U	L	51	20	5	22	4	0	L	
0	л	1	Total	С	Ν	Ο	Р	0	1	
	D	L	51	20	5	22	4	0	T	
0	F	1	Total	С	Ν	Ο	Р	0	1	
	Ľ	L	51	20	5	22	4	0	L	
0	Б	1	Total	С	Ν	Ο	Р	0	1	
	Г	L	51	20	5	22	4	0		
0	С	1	Total	С	Ν	Ο	Р	0	1	
Z G			51	20	5	22	4	0	1	
0	ц	1	Total	С	Ν	Ο	Р	0	1	
	п		51	20	5	22	4	0		

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	403	Total O 403 403	0	0
3	В	395	Total O 395 395	0	0
3	С	323	Total O 323 323	0	0
3	D	372	Total O 372 372	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	Ε	342	Total O 342 342	0	0
3	F	329	Total O 329 329	0	0
3	G	382	Total O 382 382	0	0
3	Н	354	Total O 354 354	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Aldehyde dehydrogenase



• Molecule 1: Aldehyde dehydrogenase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	184.77Å 208.05Å 165.40Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	59.06 - 2.06	Depositor
Resolution (A)	59.06 - 2.06	EDS
% Data completeness	99.3 (59.06-2.06)	Depositor
(in resolution range)	99.4(59.06-2.06)	EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.01 (at 2.07 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
B B.	0.196 , 0.233	Depositor
II, II free	0.198 , 0.233	DCC
R_{free} test set	2000 reflections $(0.52%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	35.3	Xtriage
Anisotropy	0.025	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 47.8	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	33662	wwPDB-VP
Average B, all atoms $(Å^2)$	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 45.30 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3478e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
MOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.41	0/3896	0.52	0/5280	
1	В	0.41	0/3913	0.53	0/5305	
1	С	0.39	0/3918	0.51	0/5313	
1	D	0.42	0/3873	0.53	0/5253	
1	Е	0.39	0/3922	0.52	0/5317	
1	F	0.40	0/3894	0.53	0/5278	
1	G	0.41	0/3888	0.52	1/5274~(0.0%)	
1	Н	0.40	0/3885	0.51	0/5266	
All	All	0.40	0/31189	0.52	1/42286~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	G	292	ARG	NE-CZ-NH2	-5.21	117.69	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3789	0	3785	28	0
1	В	3812	0	3798	20	0



5EUY

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	3811	0	3789	26	0
1	D	3769	0	3743	29	0
1	Е	3821	0	3806	29	0
1	F	3793	0	3796	34	0
1	G	3775	0	3755	30	0
1	Н	3784	0	3771	27	0
2	А	51	0	12	4	0
2	В	51	0	12	1	0
2	С	51	0	12	3	0
2	D	51	0	12	2	0
2	Е	51	0	12	5	0
2	F	51	0	12	4	0
2	G	51	0	12	5	0
2	Н	51	0	11	3	0
3	А	403	0	0	1	0
3	В	395	0	0	0	1
3	С	323	0	0	2	0
3	D	372	0	0	2	1
3	Е	342	0	0	2	0
3	F	329	0	0	1	0
3	G	382	0	0	0	0
3	Н	354	0	0	2	0
All	All	33662	0	30338	214	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:ARG:HE	2:A:500[B]:NAP:H2D	1.48	0.78
1:H:297:LYS:HE2	1:H:394:GLU:HG2	1.65	0.76
1:F:315:ARG:NH2	1:F:322:ASP:OD2	2.21	0.74
1:F:28:LYS:HE2	1:F:95:GLU:HG3	1.69	0.72
1:F:233:SER:HA	1:F:254:LEU:HG	1.75	0.69
1:F:154:TRP:HE1	2:F:500[B]:NAP:H4D	1.56	0.68
1:E:221:HIS:HE1	1:E:223:ARG:HG3	1.59	0.66
1:B:297:LYS:HD3	1:B:394:GLU:HG2	1.78	0.66
1:C:154:TRP:HE1	2:C:500[B]:NAP:H4D	1.60	0.65
1:H:255[B]:GLY:HA2	1:H:287[B]:CYS:HB3	1.77	0.64
1:B:315:ARG:NH2	1:B:322:ASP:OD1	2.24	0.63



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:H:154:TRP:HE1	2:H:500[B]:NAP:H4D	1.63	0.63
1:A:316:ILE:HD12	1:A:365:GLU:HG2	1.80	0.62
1:A:178:LYS:NZ	1:A:179:PRO:O	2.32	0.61
1:A:154:TRP:HE1	2:A:500[B]:NAP:H4D	1.65	0.61
1:A:487:PRO:HD2	1:A:490:LEU:HD12	1.81	0.61
1:E:28:LYS:HE2	1:E:95:GLU:HG3	1.83	0.61
1:A:28[B]:LYS:HE2	1:A:95:GLU:HG3	1.83	0.60
1:D:69[A]:ARG:NH2	3:D:601:HOH:O	2.30	0.59
1:B:258:ASP:OD2	1:B:411:SER:HB3	2.03	0.58
1:H:315:ARG:NH2	1:H:322:ASP:OD2	2.25	0.58
1:B:221:HIS:HE1	1:B:223:ARG:HG3	1.69	0.58
1:F:154:TRP:NE1	2:F:500[B]:NAP:H4D	2.19	0.57
1:C:313:MET:HE1	1:D:490:LEU:HD13	1.87	0.57
1:G:318:ASP:HB3	1:G:321:LYS:HG3	1.86	0.57
1:A:490:LEU:HD13	1:B:273:ARG:NH1	2.20	0.57
1:B:28:LYS:HE2	1:B:95:GLU:HG3	1.87	0.57
1:E:315:ARG:NH2	1:E:322:ASP:OD2	2.34	0.57
1:G:315:ARG:NH2	1:G:322:ASP:OD2	2.36	0.57
1:C:255[B]:GLY:HA2	1:C:287[B]:CYS:HB3	1.85	0.57
1:F:334:ARG:HH11	2:F:500[B]:NAP:H2D	1.68	0.57
1:E:154:TRP:HE1	2:E:500[B]:NAP:H4D	1.70	0.56
1:G:221:HIS:HE1	1:G:223:ARG:HG3	1.70	0.56
1:H:221:HIS:HE1	1:H:223:ARG:HG3	1.69	0.56
1:G:292:ARG:NH2	1:G:402:VAL:O	2.38	0.56
1:E:223:ARG:HD3	3:E:841:HOH:O	2.04	0.56
1:G:130:GLN:O	1:H:446:HIS:HE1	1.90	0.55
1:D:305:GLU:OE1	1:D:306:ARG:NH1	2.40	0.55
1:G:27:VAL:HG11	1:G:36:LYS:HG3	1.87	0.55
1:E:154:TRP:NE1	2:E:500[B]:NAP:H4D	2.22	0.55
1:G:28:LYS:HE2	1:G:95:GLU:HG3	1.89	0.55
1:C:91:ILE:HA	1:C:94:VAL:HG12	1.90	0.54
1:H:154:TRP:NE1	2:H:500[B]:NAP:H4D	2.22	0.54
1:E:305:GLU:OE2	1:E:306:ARG:NH1	2.40	0.54
1:G:384:PHE:CE1	2:G:500[A]:NAP:H2D	2.42	0.54
1:C:490:LEU:HD11	1:D:310:TYR:CE1	2.43	0.54
1:G:68:ILE:HG23	1:G:69:ARG:HH11	1.73	0.54
1:G:243:ALA:HB1	1:G:248:LYS:HG3	1.89	0.54
1:A:154:TRP:NE1	2:A:500[B]:NAP:H4D	2.23	0.53
1:C:154:TRP:NE1	2:C:500[B]:NAP:H4D	2.23	0.53
1:G:318:ASP:OD1	1:G:320:ARG:HD3	2.08	0.53
1:A:262:ILE:HG12	1:A:415:LEU:HD12	1.91	0.53



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:E:178:LYS:NZ	1:E:179:PRO:O	2.41	0.53	
1:E:221:HIS:CE1	1:E:223:ARG:HG3	2.40	0.53	
1:C:65:ILE:HD12	1:C:69[B]:ARG:HB3	1.90	0.53	
1:D:31:PRO:HB3	1:D:331:ILE:O	2.09	0.53	
1:E:255[A]:GLY:HA2	2:E:500[A]:NAP:O2D	2.09	0.53	
1:C:89:MET:HE3	1:C:103:VAL:HG23	1.91	0.52	
1:B:262:ILE:HG12	1:B:415:LEU:HD12	1.90	0.52	
1:D:224:VAL:O	1:D:248:LYS:HE3	2.09	0.52	
1:E:258:ASP:OD2	1:E:411:SER:HB3	2.09	0.52	
1:E:91:ILE:O	1:E:95:GLU:HB3	2.10	0.52	
1:F:65:ILE:HD12	1:F:69:ARG:HB3	1.92	0.52	
1:G:490:LEU:HD13	1:H:273:ARG:NH1	2.24	0.52	
1:F:243:ALA:HB1	1:F:248:LYS:HG3	1.92	0.52	
1:E:472:ASP:OD2	1:F:464:TRP:NE1	2.39	0.51	
1:F:122:ARG:NH2	1:H:446:HIS:CD2	2.78	0.51	
1:G:312:LYS:HG3	1:G:355:ILE:HD11	1.93	0.51	
1:H:49:ARG:NH2	3:H:601:HOH:O	2.29	0.51	
1:D:258:ASP:OD2	1:D:411:SER:HB3	2.11	0.51	
1:G:154:TRP:HE1	2:G:500[B]:NAP:H4D	1.75	0.51	
1:A:273:ARG:NH1	1:B:490:LEU:HD13	2.25	0.51	
1:H:76:LYS:NZ	3:H:604:HOH:O	2.45	0.50	
1:D:168:THR:HG22	1:D:173:ASN:HB2	1.92	0.50	
1:D:209:GLY:HA3	1:D:214:VAL:HG21	1.94	0.50	
1:A:321:LYS:HG2	1:A:322:ASP:OD2	2.12	0.50	
1:F:316:ILE:HD12	1:F:365:GLU:HG2	1.94	0.50	
1:E:255[B]:GLY:HA2	1:E:287[B]:CYS:HB3	1.94	0.50	
1:A:334:ARG:HH21	2:A:500[B]:NAP:C1D	2.25	0.49	
1:D:221:HIS:HE1	1:D:223:ARG:HG3	1.77	0.48	
1:H:221:HIS:CE1	1:H:223:ARG:HG3	2.48	0.48	
1:G:255[A]:GLY:HA2	2:G:500[A]:NAP:O2D	2.12	0.48	
1:C:55:ALA:HA	1:C:202:GLY:O	2.13	0.48	
1:D:263:LEU:HD12	1:D:416:THR:HB	1.95	0.48	
1:C:314:LEU:HD13	1:C:327:LEU:HD11	1.96	0.48	
1:D:315:ARG:NH2	1:D:322:ASP:OD2	2.36	0.48	
1:A:310:TYR:CE1	1:B:490:LEU:HD11	2.48	0.48	
1:C:243:ALA:HB1	1:C:248:LYS:HG3	1.96	0.48	
1:C:297:LYS:HD3	1:C:394:GLU:HG2	1.95	0.47	
1:F:184:PRO:HB2	1:F:208:ILE:HD13	1.95	0.47	
1:E:384:PHE:CE1	2:E:500[A]:NAP:H2D	2.50	0.47	
1:H:318:ASP:HB3	1:H:321:LYS:HG3	1.96	0.47	
1:B:255[B]:GLY:HA2	1:B:287[B]:CYS:HB3	1.97	0.47	



A 4 1	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:287[A]:CYS:SG	3:D:788:HOH:O	2.60	0.47
1:A:231:GLY:O	1:A:254[A]:LEU:HA	2.15	0.47
1:C:221:HIS:HE1	1:C:223:ARG:HG3	1.78	0.47
1:D:28:LYS:HE2	1:D:95:GLU:HG3	1.96	0.47
1:A:306:ARG:HA	1:A:306:ARG:HD3	1.70	0.47
1:H:258:ASP:OD2	1:H:411:SER:HB3	2.15	0.47
1:C:318:ASP:HB3	1:C:321:LYS:HG3	1.97	0.47
1:D:110:THR:HA	1:D:113:LEU:HD12	1.96	0.47
1:D:370:VAL:HG12	1:D:390:ILE:HB	1.96	0.47
1:E:269:ASP:OD1	1:E:310:TYR:OH	2.28	0.47
1:E:334:ARG:HD2	2:E:500[B]:NAP:H2D	1.96	0.47
1:H:55:ALA:HA	1:H:202:GLY:O	2.15	0.47
1:E:42:ARG:NH1	1:E:42:ARG:HG2	2.30	0.46
1:F:224:VAL:O	1:F:248:LYS:HE3	2.15	0.46
1:D:306:ARG:HA	1:D:306:ARG:HD3	1.60	0.46
1:A:91:ILE:O	1:A:95:GLU:HB3	2.16	0.46
1:H:324:LYS:HE3	1:H:324:LYS:HB3	1.71	0.46
1:F:318:ASP:O	1:F:321:LYS:HG3	2.15	0.46
1:F:254:LEU:HD22	1:F:456:GLY:HA2	1.97	0.46
1:C:278:ALA:HA	1:C:441:PHE:CE2	2.50	0.46
1:D:384:PHE:CE1	2:D:500[A]:NAP:H2D	2.51	0.46
1:F:269:ASP:HA	1:F:306:ARG:HG2	1.98	0.46
1:C:481:THR:HB	1:D:270:TYR:CE1	2.51	0.46
1:E:243:ALA:HB1	1:E:248:LYS:HG3	1.98	0.45
1:G:221:HIS:CE1	1:G:223:ARG:HG3	2.49	0.45
1:H:76:LYS:HE3	1:H:197:ALA:HA	1.98	0.45
1:G:154:TRP:NE1	2:G:500[B]:NAP:H4D	2.32	0.45
1:G:305:GLU:OE1	1:G:306:ARG:NH1	2.50	0.45
1:D:333:GLU:HG2	1:D:334:ARG:N	2.31	0.45
1:E:45:ARG:NH1	3:E:610:HOH:O	2.50	0.45
1:F:89:MET:HG3	1:F:107:VAL:HG21	1.98	0.45
1:G:331:ILE:HG22	1:G:335:GLN:HG3	1.99	0.45
1:F:424[B]:ARG:HD2	3:F:761:HOH:O	2.16	0.45
1:B:306:ARG:HA	1:B:306:ARG:HD3	1.63	0.44
1:F:423:PHE:HZ	1:G:423:PHE:HZ	1.65	0.44
1:G:231:GLY:O	1:G:254[A]:LEU:HA	2.17	0.44
1:A:55:ALA:HA	1:A:202:GLY:O	2.18	0.44
1:B:65:ILE:HD12	1:B:69[B]:ARG:HB3	2.00	0.44
1:E:168:THR:HG22	1:E:173:ASN:HB2	2.00	0.44
1:G:20:PRO:HD3	1:G:41:PRO:HB3	1.99	0.44
1:F:302:LYS:HE2	1:F:302:LYS:HB3	1.75	0.44



A + a 1	At arra 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:E:42:ARG:HG2	1:E:42:ARG:HH11	1.82	0.44
1:B:168:THR:HG22	1:B:173:ASN:HB2	2.00	0.44
1:F:258:ASP:OD2	1:F:411:SER:HB3	2.17	0.44
1:H:93:THR:HG23	1:H:319:PRO:HB2	1.99	0.44
1:C:40:VAL:HG11	1:C:184:PRO:HG2	1.98	0.44
1:D:255[B]:GLY:HA2	1:D:287[B]:CYS:HB3	2.00	0.44
1:H:115:GLN:O	1:H:119:GLU:HG3	2.17	0.44
1:C:352:ARG:HB3	1:C:370:VAL:HG23	2.00	0.43
1:F:337:ALA:O	1:F:341:GLU:HG3	2.18	0.43
1:F:76:LYS:HD2	1:F:197:ALA:O	2.18	0.43
1:E:13:ILE:HG23	1:E:51:ALA:HA	1.99	0.43
1:G:255[B]:GLY:HA2	1:G:287[B]:CYS:HB3	2.00	0.43
1:G:321:LYS:HE3	1:G:321:LYS:HB3	1.78	0.43
1:D:153:PRO:HG3	1:D:230:THR:HG22	2.00	0.43
1:F:221:HIS:HE1	1:F:223:ARG:HG3	1.83	0.43
1:C:384:PHE:CE1	2:C:500[A]:NAP:H2D	2.54	0.43
1:A:475:VAL:HA	1:B:434:PHE:O	2.19	0.43
1:F:255:GLY:HA2	2:F:500[A]:NAP:O2D	2.19	0.43
1:E:143:ARG:HE	1:E:143:ARG:HB3	1.59	0.42
1:F:356:GLY:HA3	1:F:366:PRO:O	2.20	0.42
1:H:20:PRO:HD3	1:H:41:PRO:HB3	2.00	0.42
1:H:224:VAL:O	1:H:248:LYS:HE3	2.19	0.42
1:A:258:ASP:OD2	1:A:411:SER:HB3	2.19	0.42
1:H:13:ILE:HG21	1:H:50:GLU:HG2	2.02	0.42
1:D:157:PRO:HG3	1:D:183:THR:HG21	2.01	0.42
1:E:366:PRO:HA	1:E:386:PRO:O	2.20	0.42
1:A:28[A]:LYS:HE2	1:A:181:SER:O	2.20	0.42
1:E:420:ASN:O	1:E:424:ARG:HB2	2.19	0.42
1:B:257:SER:OG	1:B:292:ARG:HD2	2.19	0.42
1:C:91:ILE:HG13	1:C:189:LEU:HD11	2.01	0.42
1:D:91:ILE:O	1:D:95:GLU:HB3	2.19	0.42
1:H:231:GLY:O	1:H:254[A]:LEU:HA	2.20	0.42
1:H:28:LYS:HE2	1:H:95:GLU:HG3	2.01	0.42
1:F:153:PRO:HD3	1:F:230:THR:HB	2.01	0.42
1:C:69[B]:ARG:HA	1:C:69[B]:ARG:HD3	1.80	0.42
1:C:134:GLU:HG3	3:C:745:HOH:O	2.19	0.42
1:D:89:MET:HE3	1:D:103:VAL:HG23	2.02	0.42
1:F:31:PRO:HD2	1:F:94:VAL:O	2.20	0.42
1:D:52:ILE:HD11	1:D:218:ILE:HA	2.02	0.41
1:H:91:ILE:O	1:H:95:GLU:HB3	2.20	0.41
1:A:28[A]:LYS:HE3	3:A:796:HOH:O	2.19	0.41



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:366:PRO:HA	1:B:386:PRO:HB2	2.02	0.41	
1:C:258:ASP:OD2	1:C:411:SER:HB3	2.21	0.41	
1:F:55:ALA:HA	1:F:202:GLY:O	2.20	0.41	
1:F:210:PRO:HG2	1:F:213:VAL:HB	2.01	0.41	
1:C:365[B]:GLU:HG2	3:C:667:HOH:O	2.19	0.41	
1:D:153:PRO:HD3	1:D:230:THR:HB	2.03	0.41	
1:G:178:LYS:NZ	1:G:179:PRO:O	2.33	0.41	
1:A:76:LYS:HA	1:A:76:LYS:HD2	1.72	0.41	
1:A:153:PRO:HG3	1:A:230:THR:HG22	2.02	0.41	
1:B:10:ALA:HB1	1:B:18:LYS:O	2.20	0.41	
1:A:366:PRO:HA	1:A:386:PRO:O	2.20	0.41	
1:G:217:GLU:O	1:G:221:HIS:HB2	2.20	0.41	
1:G:91:ILE:O	1:G:95:GLU:HB3	2.21	0.41	
1:G:360:TRP:HZ3	1:G:365[B]:GLU:HG3	1.85	0.41	
1:A:243:ALA:HB1	1:A:248:LYS:HG3	2.03	0.41	
1:B:192:GLN:O	1:B:196:LYS:HG3	2.21	0.41	
1:F:91:ILE:O	1:F:95:GLU:HB3	2.21	0.41	
1:A:262:ILE:HD13	1:A:303:PHE:CE1	2.55	0.41	
1:C:81:PHE:HB2	1:C:193:MET:SD	2.61	0.41	
1:D:490:LEU:HD12	1:D:490:LEU:HA	1.88	0.41	
1:F:46:GLU:OE1	1:F:49:ARG:NH1	2.53	0.41	
1:G:485:PRO:HB2	1:H:101:ARG:HG2	2.02	0.41	
1:D:315:ARG:HH22	1:D:322:ASP:CG	2.22	0.40	
1:F:393:VAL:HB	1:F:398[A]:GLN:HB3	2.03	0.40	
1:H:370:VAL:HG12	1:H:390:ILE:HB	2.04	0.40	
1:C:18:LYS:NZ	1:C:50:GLU:OE2	2.35	0.40	
1:B:410:LEU:HD12	1:B:410:LEU:HA	1.90	0.40	
1:E:339:MET:SD	1:E:385:GLY:HA3	2.61	0.40	
1:F:448:PRO:HB3	1:F:464:TRP:CG	2.57	0.40	
1:G:315:ARG:HH22	1:G:322:ASP:CG	2.22	0.40	
1:E:55:ALA:HA	1:E:202:GLY:O	2.22	0.40	
1:A:69[B]:ARG:NH1	1:A:72:GLU:HB2	2.37	0.40	
1:A:231:GLY:O	1:A:254[B]:LEU:HA	2.22	0.40	
1:B:292:ARG:NH2	1:B:402:VAL:O	2.54	0.40	
1:E:178:LYS:HE2	1:E:209:GLY:O	2.21	0.40	

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1 Atom-2		Interatomic distance (Å)	Clash overlap (Å)	
3:B:962:HOH:O	3:D:907:HOH:O[4_456]	2.14	0.06	



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	491/491~(100%)	476 (97%)	15 (3%)	0	100	100
1	В	493/491~(100%)	479~(97%)	14 (3%)	0	100	100
1	С	493/491~(100%)	480 (97%)	12 (2%)	1 (0%)	47	39
1	D	488/491~(99%)	479~(98%)	9(2%)	0	100	100
1	Ε	494/491~(101%)	481 (97%)	13 (3%)	0	100	100
1	F	489/491~(100%)	472 (96%)	17 (4%)	0	100	100
1	G	490/491~(100%)	475 (97%)	15 (3%)	0	100	100
1	Н	489/491~(100%)	471 (96%)	18 (4%)	0	100	100
All	All	3927/3928~(100%)	3813 (97%)	113 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	С	153	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	401/408~(98%)	400 (100%)	1 (0%)	93 94
1	В	404/408~(99%)	402 (100%)	2(0%)	88 89
1	С	404/408~(99%)	401 (99%)	3 (1%)	84 84
1	D	398/408~(98%)	396 (100%)	2(0%)	88 89



Mol	Chain	Analysed	Rotameric Outliers Percer		ntiles	
1	Ε	405/408~(99%)	405 (100%)	0	100	100
1	F	402/408~(98%)	399~(99%)	3~(1%)	84	84
1	G	400/408~(98%)	400 (100%)	0	100	100
1	Н	401/408 (98%)	399 (100%)	2~(0%)	88	89
All	All	3215/3264~(98%)	3202 (100%)	13~(0%)	91	91

Continued from previous page...

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	441	PHE
1	В	320	ARG
1	В	446	HIS
1	С	36	LYS
1	С	42	ARG
1	С	490	LEU
1	D	95	GLU
1	D	360	TRP
1	F	171	VAL
1	F	254	LEU
1	F	370	VAL
1	Н	95	GLU
1	H	360	TRP

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
1	F	335	GLN
1	Н	446	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Tink	B	Bond lengths		Bond angles		
WIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	NAP	В	500[A]	-	$36,\!42,\!52$	1.92	9 (25%)	43,65,80	1.40	5 (11%)
2	NAP	С	500[B]	-	$36,\!42,\!52$	1.89	10 (27%)	43,65,80	1.60	4 (9%)
2	NAP	G	500[A]	-	36,42,52	1.98	10 (27%)	43,65,80	1.57	10 (23%)
2	NAP	Е	500[B]	-	36,42,52	1.89	11 (30%)	43,65,80	1.67	6 (13%)
2	NAP	F	500[A]	-	36,42,52	1.92	9 (25%)	43,65,80	1.48	5 (11%)
2	NAP	G	500[B]	-	36,42,52	1.95	11 (30%)	43,65,80	1.55	6 (13%)
2	NAP	А	500[A]	-	36,42,52	2.03	8 (22%)	43,65,80	1.64	6 (13%)
2	NAP	D	500[A]	-	36,42,52	1.92	11 (30%)	43,65,80	1.48	7 (16%)
2	NAP	Н	500[B]	-	36,42,52	1.91	11 (30%)	43,65,80	1.55	5 (11%)
2	NAP	С	500[A]	-	36,42,52	1.95	8 (22%)	43,65,80	1.49	4 (9%)
2	NAP	В	500[B]	-	36,42,52	1.93	10 (27%)	43,65,80	1.48	5 (11%)
2	NAP	D	500[B]	-	36,42,52	1.90	11 (30%)	43,65,80	1.45	5 (11%)
2	NAP	Е	500[A]	-	36,42,52	1.92	10 (27%)	43,65,80	1.62	4 (9%)
2	NAP	F	500[B]	-	36,42,52	1.98	11 (30%)	43,65,80	1.55	5 (11%)
2	NAP	А	500[B]	-	36,42,52	1.91	9 (25%)	43,65,80	1.57	5 (11%)
2	NAP	Н	500[A]	-	$36,\!42,\!52$	2.00	9 (25%)	43,65,80	1.75	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	В	500[A]	-	-	5/23/56/67	0/4/4/5
2	NAP	С	500[B]	-	-	3/23/56/67	0/4/4/5
2	NAP	G	500[A]	-	-	5/23/56/67	0/4/4/5
2	NAP	Е	500[B]	-	-	2/23/56/67	0/4/4/5
2	NAP	F	500[A]	-	-	4/23/56/67	0/4/4/5
2	NAP	G	500[B]	-	-	5/23/56/67	0/4/4/5
2	NAP	А	500[A]	-	-	4/23/56/67	0/4/4/5
2	NAP	D	500[A]	-	-	6/23/56/67	0/4/4/5
2	NAP	Н	500[B]	-	-	4/23/56/67	0/4/4/5
2	NAP	С	500[A]	-	-	2/23/56/67	0/4/4/5
2	NAP	В	500[B]	-	-	4/23/56/67	0/4/4/5
2	NAP	D	500[B]	-	-	7/23/56/67	0/4/4/5
2	NAP	Е	500[A]	-	-	2/23/56/67	0/4/4/5
2	NAP	F	500[B]	-	-	4/23/56/67	0/4/4/5
2	NAP	А	500[B]	-	-	4/23/56/67	0/4/4/5
2	NAP	Н	500[A]	-	-	3/23/56/67	0/4/4/5

All (158) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	500[A]	NAP	C2D-C3D	-5.39	1.45	1.53
2	Н	500[A]	NAP	C2D-C3D	-5.36	1.45	1.53
2	F	500[A]	NAP	C3B-C2B	-5.35	1.41	1.52
2	F	500[B]	NAP	C3B-C2B	-5.35	1.41	1.52
2	В	500[A]	NAP	C3B-C2B	-5.21	1.41	1.52
2	В	500[B]	NAP	C3B-C2B	-5.21	1.41	1.52
2	С	500[A]	NAP	C3B-C2B	-5.16	1.41	1.52
2	С	500[B]	NAP	C3B-C2B	-5.16	1.41	1.52
2	А	500[A]	NAP	C3B-C2B	-5.13	1.41	1.52
2	А	500[B]	NAP	C3B-C2B	-5.13	1.41	1.52
2	Е	500[A]	NAP	C3B-C2B	-5.12	1.41	1.52
2	Е	500[B]	NAP	C3B-C2B	-5.12	1.41	1.52
2	G	500[A]	NAP	C3B-C2B	-5.10	1.41	1.52
2	G	500[B]	NAP	C3B-C2B	-5.10	1.41	1.52
2	G	500[A]	NAP	C2D-C3D	-4.96	1.45	1.53
2	D	500[A]	NAP	C3B-C2B	-4.75	1.42	1.52
2	D	500[B]	NAP	C3B-C2B	-4.75	1.42	1.52
2	Н	500[A]	NAP	C3B-C2B	-4.71	1.42	1.52
2	Н	500[B]	NAP	C3B-C2B	-4.71	1.42	1.52
2	F	500[B]	NAP	C2D-C3D	-4.65	1.46	1.53



Continued from previous page									
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)		
2	D	500[A]	NAP	C2D-C3D	-4.58	1.46	1.53		
2	С	500[A]	NAP	C2D-C3D	-4.54	1.46	1.53		
2	D	500[B]	NAP	C2D-C3D	-4.51	1.46	1.53		
2	В	500[A]	NAP	C2D-C3D	-4.47	1.46	1.53		
2	Е	500[A]	NAP	C2D-C3D	-4.45	1.46	1.53		
2	В	500[B]	NAP	C2D-C3D	-4.44	1.46	1.53		
2	G	500[B]	NAP	C2D-C3D	-4.38	1.46	1.53		
2	D	500[A]	NAP	C6A-N6A	4.38	1.50	1.34		
2	D	500[B]	NAP	C6A-N6A	4.38	1.50	1.34		
2	F	500[A]	NAP	C6A-N6A	4.30	1.49	1.34		
2	F	500[B]	NAP	C6A-N6A	4.30	1.49	1.34		
2	F	500[A]	NAP	C2D-C3D	-4.28	1.46	1.53		
2	G	500[A]	NAP	C6A-N6A	4.27	1.49	1.34		
2	G	500[B]	NAP	C6A-N6A	4.27	1.49	1.34		
2	Н	500[A]	NAP	C6A-N6A	4.26	1.49	1.34		
2	Н	500[B]	NAP	C6A-N6A	4.26	1.49	1.34		
2	С	500[A]	NAP	C6A-N6A	4.26	1.49	1.34		
2	С	500[B]	NAP	C6A-N6A	4.26	1.49	1.34		
2	Н	500[B]	NAP	C2D-C3D	-4.23	1.46	1.53		
2	А	500[A]	NAP	C6A-N6A	4.16	1.49	1.34		
2	А	500[B]	NAP	C6A-N6A	4.16	1.49	1.34		
2	А	500[B]	NAP	C2D-C3D	-4.06	1.47	1.53		
2	Е	500[A]	NAP	C6A-N6A	4.04	1.48	1.34		
2	Е	500[B]	NAP	C6A-N6A	4.04	1.48	1.34		
2	Е	500[B]	NAP	C2D-C3D	-3.95	1.47	1.53		
2	С	500[B]	NAP	C2D-C3D	-3.94	1.47	1.53		
2	B	500[A]	NAP	C6A-N6A	3.90	1.48	1.34		
2	В	500[B]	NAP	C6A-N6A	3.90	1.48	1.34		
2	G	500[A]	NAP	O3D-C3D	-3.77	1.34	1.43		
2	Н	500[A]	NAP	O3D-C3D	-3.75	1.34	1.43		
2	F	500[A]	NAP	O3D-C3D	-3.67	1.34	1.43		
2	С	500[A]	NAP	O3D-C3D	-3.64	1.34	1.43		
2	D	500[A]	NAP	O3D-C3D	-3.59	1.34	1.43		
2	A	500[A]	NAP	O3D-C3D	-3.58	1.34	1.43		
2	F	500[B]	NAP	O3D-C3D	-3.48	1.34	1.43		
2	H	500[B]	NAP	O3D-C3D	-3.45	1.34	1.43		
2	B	500[A]	NAP	O3D-C3D	-3.45	1.34	1.43		
2	D	500[B]	NAP	O3D-C3D	-3.43	1.34	1.43		
2	B	500[B]	NAP	O3D-C3D	-3.41	1.34	1.43		
2	Ē	500[A]	NAP	O3D-C3D	-3.41	1.34	1.43		
2	E	500[B]	NAP	O3D-C3D	-3.35	1.35	1.43		
2	C	500[B]	NAP	O3D-C3D	-3.29	1.35	1.43		

 $\overline{}$ 1 0



Continued from previous page							
Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
2	А	500[B]	NAP	O3D-C3D	-3.28	1.35	1.43
2	G	500[B]	NAP	O3D-C3D	-3.23	1.35	1.43
2	Н	500[A]	NAP	O2D-C2D	-3.08	1.36	1.43
2	С	500[B]	NAP	C5D-C4D	-3.07	1.42	1.51
2	G	500[B]	NAP	C5D-C4D	-3.03	1.42	1.51
2	F	500[B]	NAP	C5D-C4D	-3.01	1.42	1.51
2	В	500[B]	NAP	C5D-C4D	-2.94	1.42	1.51
2	А	500[B]	NAP	C5D-C4D	-2.94	1.42	1.51
2	Е	500[B]	NAP	C5D-C4D	-2.92	1.42	1.51
2	Н	500[B]	NAP	C5D-C4D	-2.89	1.42	1.51
2	С	500[A]	NAP	O2D-C2D	-2.88	1.37	1.43
2	D	500[B]	NAP	C5D-C4D	-2.82	1.42	1.51
2	А	500[A]	NAP	C3D-C4D	-2.81	1.45	1.53
2	Е	500[A]	NAP	O2D-C2D	-2.79	1.37	1.43
2	G	500[B]	NAP	C3D-C4D	-2.78	1.45	1.53
2	А	500[A]	NAP	C5D-C4D	-2.78	1.42	1.51
2	В	500[B]	NAP	C3D-C4D	-2.75	1.46	1.53
2	D	500[A]	NAP	O2D-C2D	-2.75	1.37	1.43
2	Н	500[B]	NAP	C3D-C4D	-2.74	1.46	1.53
2	С	500[B]	NAP	C3D-C4D	-2.72	1.46	1.53
2	Н	500[A]	NAP	C3D-C4D	-2.69	1.46	1.53
2	А	500[A]	NAP	O2D-C2D	-2.68	1.37	1.43
2	F	500[B]	NAP	C3D-C4D	-2.67	1.46	1.53
2	В	500[B]	NAP	O2D-C2D	-2.67	1.37	1.43
2	G	500[B]	NAP	O2D-C2D	-2.65	1.37	1.43
2	G	500[A]	NAP	O2D-C2D	-2.64	1.37	1.43
2	Е	500[B]	NAP	C3D-C4D	-2.64	1.46	1.53
2	В	500[A]	NAP	O2D-C2D	-2.64	1.37	1.43
2	F	500[B]	NAP	O2D-C2D	-2.60	1.37	1.43
2	А	500[B]	NAP	C3D-C4D	-2.56	1.46	1.53
2	D	500[B]	NAP	C3D-C4D	-2.55	1.46	1.53
2	Е	500[B]	NAP	O2D-C2D	-2.55	1.38	1.43
2	Н	500[B]	NAP	O2D-C2D	-2.54	1.38	1.43
2	Е	500[A]	NAP	C5D-C4D	-2.53	1.43	1.51
2	G	500[A]	NAP	O4B-C4B	-2.47	1.39	1.45
2	G	500[B]	NAP	O4B-C4B	-2.47	1.39	1.45
2	Н	500[A]	NAP	C5D-C4D	-2.47	1.43	1.51
2	С	500[A]	NAP	C5D-C4D	-2.45	1.44	1.51
2	G	500[A]	NAP	C5D-C4D	-2.44	1.44	1.51
2	F	500[A]	NAP	O2D-C2D	-2.43	1.38	1.43
2	А	500[B]	NAP	O2D-C2D	-2.38	1.38	1.43
2	В	500[A]	NAP	C5D-C4D	-2.37	1.44	1.51

..... α ntia Jf



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Н	500[A]	NAP	P2B-O2X	-2.35	1.45	1.54
2	Н	500[B]	NAP	P2B-O2X	-2.35	1.45	1.54
2	А	500[A]	NAP	O4B-C4B	-2.35	1.39	1.45
2	А	500[B]	NAP	O4B-C4B	-2.35	1.39	1.45
2	С	500[B]	NAP	O2D-C2D	-2.33	1.38	1.43
2	D	500[A]	NAP	C5D-C4D	-2.33	1.44	1.51
2	В	500[A]	NAP	O4B-C4B	-2.30	1.39	1.45
2	В	500[B]	NAP	O4B-C4B	-2.30	1.39	1.45
2	Н	500[A]	NAP	O4B-C4B	-2.29	1.39	1.45
2	Н	500[B]	NAP	O4B-C4B	-2.29	1.39	1.45
2	D	500[A]	NAP	O4B-C4B	-2.27	1.39	1.45
2	D	500[B]	NAP	O4B-C4B	-2.27	1.39	1.45
2	F	500[A]	NAP	C5D-C4D	-2.25	1.44	1.51
2	Е	500[A]	NAP	C3D-C4D	-2.23	1.47	1.53
2	С	500[A]	NAP	C3D-C4D	-2.21	1.47	1.53
2	D	500[B]	NAP	O2D-C2D	-2.17	1.38	1.43
2	G	500[B]	NAP	O4D-C1D	-2.16	1.39	1.43
2	В	500[A]	NAP	C3D-C4D	-2.15	1.47	1.53
2	D	500[B]	NAP	O5D-C5D	-2.15	1.36	1.44
2	F	500[A]	NAP	O4B-C4B	-2.14	1.40	1.45
2	F	500[B]	NAP	O4B-C4B	-2.14	1.40	1.45
2	С	500[A]	NAP	O4B-C4B	-2.14	1.40	1.45
2	С	500[B]	NAP	O4B-C4B	-2.14	1.40	1.45
2	G	500[A]	NAP	C1D-C2D	-2.13	1.48	1.51
2	D	500[A]	NAP	C3D-C4D	-2.11	1.47	1.53
2	G	500[A]	NAP	C3D-C4D	-2.11	1.47	1.53
2	В	500[A]	NAP	P2B-O2X	-2.11	1.46	1.54
2	В	500[B]	NAP	P2B-O2X	-2.11	1.46	1.54
2	D	500[A]	NAP	P2B-O2X	-2.10	1.46	1.54
2	D	500[B]	NAP	P2B-O2X	-2.10	1.46	1.54
2	D	500[A]	NAP	C1D-C2D	-2.08	1.48	1.51
2	Н	500[B]	NAP	O4D-C1D	-2.07	1.39	1.43
2	F	500[A]	NAP	C3D-C4D	-2.06	1.47	1.53
2	С	500[B]	NAP	O5D-C5D	-2.06	1.36	1.44
2	F	500[B]	NAP	O5D-C5D	-2.05	1.36	1.44
2	G	500[A]	NAP	P2B-O2X	-2.04	1.47	1.54
2	G	500[B]	NAP	P2B-O2X	-2.04	1.47	1.54
2	D	500[A]	NAP	O4D-C1D	-2.04	1.39	1.43
2	Е	500[A]	NAP	O4B-C4B	-2.04	1.40	1.45
2	Е	500[B]	NAP	O4B-C4B	-2.04	1.40	1.45
2	F	500[B]	NAP	O4D-C1D	-2.04	1.39	1.43
2	С	500[B]	NAP	O4D-C1D	-2.04	1.39	1.43

Continued from previous page...



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	500[B]	NAP	O4D-C1D	-2.03	1.39	1.43
2	Н	500[B]	NAP	O5D-C5D	-2.03	1.36	1.44
2	А	500[B]	NAP	O5D-C5D	-2.03	1.37	1.44
2	G	500[B]	NAP	O5D-C5D	-2.03	1.37	1.44
2	Е	500[B]	NAP	O4D-C1D	-2.02	1.39	1.43
2	В	500[B]	NAP	O5D-C5D	-2.01	1.37	1.44
2	Е	500[A]	NAP	C3B-C4B	-2.01	1.47	1.53
2	Е	500[B]	NAP	C3B-C4B	-2.01	1.47	1.53
2	F	500[A]	NAP	P2B-O2X	-2.01	1.47	1.54
2	F	500[B]	NAP	P2B-O2X	-2.01	1.47	1.54
2	Е	500[A]	NAP	P2B-O2X	-2.01	1.47	1.54
2	Е	500[B]	NAP	P2B-O2X	-2.01	1.47	1.54

Continued from previous page...

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Е	500[A]	NAP	C1B-N9A-C4A	-6.75	114.78	126.64
2	Е	500[B]	NAP	C1B-N9A-C4A	-6.75	114.78	126.64
2	Н	500[A]	NAP	C1B-N9A-C4A	-5.83	116.39	126.64
2	Н	500[B]	NAP	C1B-N9A-C4A	-5.83	116.39	126.64
2	А	500[A]	NAP	C1B-N9A-C4A	-5.79	116.47	126.64
2	А	500[B]	NAP	C1B-N9A-C4A	-5.79	116.47	126.64
2	С	500[A]	NAP	C1B-N9A-C4A	-5.68	116.66	126.64
2	С	500[B]	NAP	C1B-N9A-C4A	-5.68	116.66	126.64
2	D	500[A]	NAP	C1B-N9A-C4A	-5.54	116.91	126.64
2	D	500[B]	NAP	C1B-N9A-C4A	-5.54	116.91	126.64
2	F	500[A]	NAP	C1B-N9A-C4A	-5.53	116.92	126.64
2	F	500[B]	NAP	C1B-N9A-C4A	-5.53	116.92	126.64
2	G	500[A]	NAP	C1B-N9A-C4A	-5.34	117.25	126.64
2	G	500[B]	NAP	C1B-N9A-C4A	-5.34	117.25	126.64
2	В	500[A]	NAP	C1B-N9A-C4A	-5.13	117.63	126.64
2	В	500[B]	NAP	C1B-N9A-C4A	-5.13	117.63	126.64
2	С	500[B]	NAP	C1D-O4D-C4D	-5.09	96.28	108.16
2	Н	500[A]	NAP	O2D-C2D-C3D	-4.58	102.60	111.27
2	Е	500[A]	NAP	N3A-C2A-N1A	-4.50	121.64	128.68
2	Е	500[B]	NAP	N3A-C2A-N1A	-4.50	121.64	128.68
2	А	500[A]	NAP	O2D-C2D-C3D	-4.23	103.25	111.27
2	Н	500[B]	NAP	C1D-O4D-C4D	-4.13	98.51	108.16
2	А	500[A]	NAP	N3A-C2A-N1A	-4.12	122.25	128.68
2	A	500[B]	NAP	N3A-C2A-N1A	-4.12	122.25	128.68
2	G	500[B]	NAP	C1D-O4D-C4D	-4.06	98.70	108.16
2	В	500[A]	NAP	N3A-C2A-N1A	-4.04	122.36	128.68



Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	В	500[B]	NAP	N3A-C2A-N1A	-4.04	122.36	128.68
2	F	500[B]	NAP	C1D-O4D-C4D	-4.02	98.78	108.16
2	Н	500[A]	NAP	N3A-C2A-N1A	-3.99	122.44	128.68
2	Н	500[B]	NAP	N3A-C2A-N1A	-3.99	122.44	128.68
2	С	500[A]	NAP	N3A-C2A-N1A	-3.71	122.89	128.68
2	С	500[B]	NAP	N3A-C2A-N1A	-3.71	122.89	128.68
2	Е	500[B]	NAP	C1D-O4D-C4D	-3.68	99.57	108.16
2	F	500[A]	NAP	N3A-C2A-N1A	-3.61	123.03	128.68
2	F	500[B]	NAP	N3A-C2A-N1A	-3.61	123.03	128.68
2	Н	500[A]	NAP	O5D-C5D-C4D	3.61	121.42	108.99
2	D	500[A]	NAP	N3A-C2A-N1A	-3.53	123.17	128.68
2	D	500[B]	NAP	N3A-C2A-N1A	-3.53	123.17	128.68
2	А	500[B]	NAP	PN-O3-PA	-3.51	120.78	132.83
2	G	500[A]	NAP	N3A-C2A-N1A	-3.49	123.22	128.68
2	G	500[B]	NAP	N3A-C2A-N1A	-3.49	123.22	128.68
2	G	500[A]	NAP	O3D-C3D-C2D	-3.47	103.67	112.04
2	А	500[B]	NAP	C1D-O4D-C4D	-3.39	100.25	108.16
2	Е	500[A]	NAP	C1D-C2D-C3D	3.34	106.72	101.63
2	D	500[B]	NAP	PN-O3-PA	-3.07	122.28	132.83
2	D	500[A]	NAP	O5D-C5D-C4D	3.05	119.47	108.99
2	А	500[A]	NAP	O5D-C5D-C4D	3.03	119.41	108.99
2	С	500[A]	NAP	O5D-C5D-C4D	2.99	119.27	108.99
2	F	500[A]	NAP	C1D-C2D-C3D	2.98	106.17	101.63
2	В	500[B]	NAP	PN-O3-PA	-2.98	122.62	132.83
2	G	500[A]	NAP	O5D-C5D-C4D	2.97	119.23	108.99
2	Н	500[A]	NAP	C1D-C2D-C3D	2.94	106.11	101.63
2	В	500[A]	NAP	O5D-C5D-C4D	2.92	119.06	108.99
2	F	500[A]	NAP	O5D-C5D-C4D	2.90	118.96	108.99
2	F	500[B]	NAP	PN-O3-PA	-2.89	122.89	132.83
2	С	500[A]	NAP	C1D-C2D-C3D	2.88	106.02	101.63
2	В	500[B]	NAP	C1D-C2D-C3D	2.81	105.91	101.63
2	G	500[B]	NAP	PN-O3-PA	-2.77	123.30	132.83
2	D	500[B]	NAP	C1D-C2D-C3D	2.77	105.85	101.63
2	D	500[A]	NAP	O3D-C3D-C2D	-2.77	105.36	112.04
2	Н	500[B]	NAP	PN-O3-PA	-2.76	123.37	132.83
2	G	500[A]	NAP	C1D-C2D-C3D	2.73	105.78	101.63
2	Н	500[A]	NAP	O4D-C4D-C3D	-2.70	102.31	104.70
2	E	500[B]	NAP	PN-O3-PA	-2.68	123.63	132.83
2	F	500[B]	NAP	C1D-C2D-C3D	2.64	105.65	101.63
2	A	500[A]	NAP	C1D-C2D-C3D	2.62	105.62	101.63
2	С	500[B]	NAP	PN-O3-PA	-2.51	124.21	132.83
2	В	500[A]	NAP	C1D-C2D-C3D	2.44	105.34	101.63



)	$Ideal(^{o})$	

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Н	500[B]	NAP	C1D-C2D-C3D	2.43	105.34	101.63
2	В	500[B]	NAP	C1D-O4D-C4D	-2.43	102.49	108.16
2	Е	500[A]	NAP	O5D-C5D-C4D	2.42	117.31	108.99
2	D	500[B]	NAP	C1D-O4D-C4D	-2.33	102.72	108.16
2	G	500[A]	NAP	O4D-C1D-C2D	-2.32	101.50	105.99
2	D	500[A]	NAP	PN-O3-PA	-2.29	124.96	132.83
2	Н	500[A]	NAP	PN-O3-PA	-2.26	125.07	132.83
2	Е	500[B]	NAP	O5D-C5D-C4D	2.25	116.74	108.99
2	А	500[B]	NAP	C1D-C2D-C3D	2.20	104.97	101.63
2	Н	500[A]	NAP	O3D-C3D-C2D	-2.17	106.81	112.04
2	G	500[A]	NAP	O2D-C2D-C3D	-2.15	107.20	111.27
2	G	500[A]	NAP	O4B-C1B-C2B	-2.13	102.89	106.59
2	G	500[B]	NAP	O4B-C1B-C2B	-2.13	102.89	106.59
2	G	500[A]	NAP	C4A-C5A-N7A	-2.11	107.19	109.40
2	G	500[B]	NAP	C4A-C5A-N7A	-2.11	107.19	109.40
2	D	500[A]	NAP	C1D-C2D-C3D	2.09	104.81	101.63
2	В	500[A]	NAP	O3D-C3D-C2D	-2.07	107.05	112.04
2	Е	500[B]	NAP	C1D-C2D-C3D	2.06	104.77	101.63
2	G	500[A]	NAP	PN-O3-PA	-2.02	125.88	132.83
2	А	500[A]	NAP	C5D-C4D-C3D	-2.02	107.61	115.18
2	D	500[A]	NAP	O4D-C1D-C2D	-2.02	102.08	105.99
2	F	500[A]	NAP	O3D-C3D-C2D	-2.00	107.22	112.04

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	500[A]	NAP	PN-O3-PA-O5B
2	А	500[A]	NAP	C2B-O2B-P2B-O2X
2	А	500[B]	NAP	C2B-O2B-P2B-O2X
2	В	500[A]	NAP	PN-O3-PA-O5B
2	В	500[A]	NAP	C2B-O2B-P2B-O2X
2	В	500[B]	NAP	C2B-O2B-P2B-O2X
2	В	500[B]	NAP	O4D-C4D-C5D-O5D
2	С	500[A]	NAP	PN-O3-PA-O5B
2	D	500[A]	NAP	PN-O3-PA-O5B
2	D	500[A]	NAP	C2B-O2B-P2B-O2X
2	D	500[B]	NAP	PN-O3-PA-O5B
2	D	500[B]	NAP	C2B-O2B-P2B-O2X
2	D	500[B]	NAP	C5D-O5D-PN-O1N
2	F	500[B]	NAP	PN-O3-PA-O5B
2	Н	500[A]	NAP	PN-O3-PA-O5B



Mol	Chain	Res	Type	Atoms
2	С	500[B]	NAP	O4D-C4D-C5D-O5D
2	С	500[B]	NAP	C3D-C4D-C5D-O5D
2	D	500[B]	NAP	O4D-C4D-C5D-O5D
2	D	500[B]	NAP	C3D-C4D-C5D-O5D
2	F	500[B]	NAP	O4D-C4D-C5D-O5D
2	F	500[B]	NAP	C3D-C4D-C5D-O5D
2	G	500[B]	NAP	O4D-C4D-C5D-O5D
2	Н	500[B]	NAP	O4D-C4D-C5D-O5D
2	Н	500[B]	NAP	C3D-C4D-C5D-O5D
2	В	500[B]	NAP	C3D-C4D-C5D-O5D
2	G	500[B]	NAP	C3D-C4D-C5D-O5D
2	А	500[B]	NAP	O4D-C4D-C5D-O5D
2	А	500[B]	NAP	C3D-C4D-C5D-O5D
2	В	500[A]	NAP	C3D-C4D-C5D-O5D
2	Н	500[A]	NAP	C3D-C4D-C5D-O5D
2	С	500[A]	NAP	C4D-C5D-O5D-PN
2	D	500[A]	NAP	C4D-C5D-O5D-PN
2	Н	500[A]	NAP	C4D-C5D-O5D-PN
2	В	500[B]	NAP	PN-O3-PA-O5B
2	С	500[B]	NAP	PN-O3-PA-O5B
2	F	500[A]	NAP	PN-O3-PA-O5B
2	G	500[A]	NAP	PN-O3-PA-O5B
2	Н	500[B]	NAP	PN-O3-PA-O5B
2	А	500[A]	NAP	C4D-C5D-O5D-PN
2	D	500[B]	NAP	C5D-O5D-PN-O3
2	Е	500[B]	NAP	O4D-C4D-C5D-O5D
2	G	500[A]	NAP	C4D-C5D-O5D-PN
2	В	500[A]	NAP	O4D-C4D-C5D-O5D
2	В	500[A]	NAP	C4D-C5D-O5D-PN
2	Ε	500[A]	NAP	C4D-C5D-O5D-PN
2	D	500[A]	NAP	C3D-C4D-C5D-O5D
2	G	500[A]	NAP	C3D-C4D-C5D-O5D
2	G	500[B]	NAP	C4D-C5D-O5D-PN
2	Е	500[B]	NAP	C3D-C4D-C5D-O5D
2	A	500[A]	NAP	C2B-O2B-P2B-O3X
2	A	500[B]	NAP	C2B-O2B-P2B-O3X
2	D	500[A]	NAP	C2B-O2B-P2B-O3X
2	D	500[B]	NAP	C2B-O2B-P2B-O3X
2	F	500[A]	NAP	C2B-O2B-P2B-O2X
2	F	500[B]	NAP	C2B-O2B-P2B-O2X
2	G	500[A]	NAP	C2B-O2B-P2B-O2X
2	G	500[B]	NAP	C2B-O2B-P2B-O2X

Continued from previous page...



	~		1 5	•
Mol	Chain	Res	Type	Atoms
2	F	500[A]	NAP	C4D-C5D-O5D-PN
2	D	500[A]	NAP	O4D-C4D-C5D-O5D
2	Ε	500[A]	NAP	C3D-C4D-C5D-O5D
2	G	500[A]	NAP	C5B-O5B-PA-O1A
2	G	500[B]	NAP	С5В-О5В-РА-О1А
2	Н	500[B]	NAP	C5D-O5D-PN-O1N
2	F	500[A]	NAP	C3D-C4D-C5D-O5D

There are no ring outliers.

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	500[B]	NAP	2	0
2	G	500[A]	NAP	2	0
2	Е	500[B]	NAP	3	0
2	F	500[A]	NAP	1	0
2	G	500[B]	NAP	3	0
2	D	500[A]	NAP	1	0
2	Н	500[B]	NAP	3	0
2	С	500[A]	NAP	1	0
2	В	500[B]	NAP	1	0
2	D	500[B]	NAP	1	0
2	Е	500[A]	NAP	2	0
2	F	500[B]	NAP	3	0
2	А	500[B]	NAP	4	0

13 monomers are involved in 27 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	А	485/491~(98%)	-0.05	9 (1%) 66	68	24, 33, 49, 63	0
1	В	488/491~(99%)	-0.11	7 (1%) 75	76	23, 33, 48, 77	0
1	С	485/491~(98%)	0.09	14 (2%) 51	54	22, 37, 55, 75	0
1	D	483/491~(98%)	-0.07	3 (0%) 89	90	24, 34, 48, 63	0
1	Ε	490/491~(99%)	0.06	16 (3%) 46	49	24, 36, 54, 75	2~(0%)
1	F	485/491~(98%)	-0.02	9 (1%) 66	68	24, 36, 54, 76	0
1	G	482/491~(98%)	-0.03	5 (1%) 82	83	23, 34, 53, 68	0
1	Н	485/491~(98%)	-0.09	6 (1%) 79	80	23, 35, 50, 64	0
All	All	3883/3928~(98%)	-0.03	69 (1%) 68	70	22, 35, 52, 77	2(0%)

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Ε	25	PHE	5.3
1	С	25	PHE	5.1
1	Е	5	ASN	4.9
1	В	5	ASN	4.8
1	Е	4	LEU	4.6
1	А	25	PHE	4.6
1	F	25	PHE	4.6
1	Е	6	ILE	4.5
1	G	25	PHE	4.4
1	D	490	LEU	4.2
1	С	7	MET	4.2
1	F	490	LEU	4.1
1	В	6	ILE	4.1
1	В	7	MET	4.0
1	С	490	LEU	4.0
1	F	7	MET	3.7



Mol	Chain	Res	Type	RSRZ
1	Н	25	PHE	3.7
1	В	4	LEU	3.7
1	С	22	THR	3.6
1	Н	489	ALA	3.5
1	С	27	VAL	3.5
1	F	491	LYS	3.4
1	В	25	PHE	3.4
1	F	21	SER	3.3
1	D	25	PHE	3.3
1	Н	490	LEU	3.2
1	Е	7	MET	3.1
1	А	24	ALA	3.0
1	F	22	THR	2.9
1	А	22	THR	2.9
1	D	22	THR	2.8
1	Е	2[A]	ILE	2.6
1	А	42	ARG	2.6
1	С	24	ALA	2.6
1	А	9	VAL	2.6
1	G	34	GLY	2.5
1	С	42	ARG	2.5
1	G	24	ALA	2.5
1	Е	32	VAL	2.4
1	Е	3[A]	ASP	2.4
1	С	37	ILE	2.4
1	Е	42	ARG	2.3
1	С	86	GLU	2.3
1	Е	22	THR	2.3
1	G	42	ARG	2.3
1	С	39	GLU	2.2
1	С	8	LYS	2.2
1	Е	287[A]	CYS	2.2
1	В	140	VAL	2.2
1	F	37	ILE	2.2
1	А	128	VAL	2.2
1	Н	140	VAL	2.2
1	Е	490	LEU	2.2
1	С	9	VAL	2.2
1	G	489	ALA	2.2
1	Е	21	SER	2.2
1	А	7	MET	2.1
1	Е	24	ALA	2.1



Mol	Chain	Chain Res Type		RSRZ
1	С	36	LYS	2.1
1	А	37	ILE	2.1
1	F	23	GLY	2.1
1	A 21 SER		2.1	
1	Е	23	GLY	2.1
1	Н	126	GLY	2.1
1	Н	128	VAL	2.0
1	Е	128	VAL	2.0
1	С	21	SER	2.0
1	В	490	LEU	2.0
1	F	287[A]	CYS	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	NAP	С	500[A]	39/48	0.94	0.14	32,37,44,45	12
2	NAP	С	500[B]	39/48	0.94	0.14	32,38,44,45	12
2	NAP	F	500[A]	39/48	0.94	0.13	30,37,41,42	12
2	NAP	F	500[B]	39/48	0.94	0.13	33,38,42,43	12
2	NAP	G	500[A]	39/48	0.94	0.14	29,35,41,45	12
2	NAP	G	500[B]	39/48	0.94	0.14	29,36,42,45	12
2	NAP	D	500[A]	39/48	0.95	0.14	30,35,41,45	12
2	NAP	D	500[B]	39/48	0.95	0.14	30,36,41,45	12
2	NAP	Е	500[A]	39/48	0.95	0.14	27,37,43,47	12
2	NAP	E	500[B]	39/48	0.95	0.14	27,38,44,47	12
2	NAP	В	500[A]	39/48	0.95	0.14	27,32,37,47	12
2	NAP	В	500[B]	39/48	0.95	0.14	27,33,42,47	12



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\operatorname{\AA}^2)$	Q<0.9
2	NAP	А	500[A]	39/48	0.95	0.13	$28,\!32,\!38,\!40$	12
2	NAP	А	500[B]	39/48	0.95	0.13	28,33,38,39	12
2	NAP	Н	500[A]	39/48	0.96	0.14	$27,\!33,\!38,\!44$	12
2	NAP	Н	500[B]	39/48	0.96	0.14	27,33,44,44	12

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



































6.5 Other polymers (i)

There are no such residues in this entry.

