



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2021 – 08:05 AM EDT

PDB ID : 1EWF
Title : THE 1.7 ANGSTROM CRYSTAL STRUCTURE OF BPI
Authors : Kleiger, G.; Beamer, L.J.; Grothe, R.; Mallick, P.; Eisenberg, D.
Deposited on : 2000-04-25
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4147 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BACTERICIDAL/PERMEABILITY-INCREASING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	456	3663	2356	614	675	18	0	18	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	185	GLU	LYS	SEE REMARK 999	UNP P17213
A	351	ALA	SER	engineered mutation	UNP P17213

- Molecule 2 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: C₄₄H₈₈NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	54	44	1	8	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			43	39	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	387	Total	O	0	0
			387	387		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BACTERICIDAL/PERMEABILITY-INCREASING PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	184.32Å 31.23Å 80.66Å 90.00° 103.20° 90.00°	Depositor
Resolution (Å)	50.00 – 1.70 30.35 – 1.70	Depositor EDS
% Data completeness (in resolution range)	94.2 (50.00-1.70) 94.2 (30.35-1.70)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.30 (at 1.70Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.198 , 0.250 0.194 , 0.245	Depositor DCC
R_{free} test set	4755 reflections (10.07%)	wwPDB-VP
Wilson B-factor (Å ²)	22.3	Xtrriage
Anisotropy	0.356	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 57.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4147	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PC1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.75	0/3751	0.90	7/5094 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	49	GLY	N-CA-C	11.19	141.07	113.10
1	A	45	HIS	N-CA-C	-10.15	83.59	111.00
1	A	48	LYS	N-CA-C	7.82	132.10	111.00
1	A	44	LYS	N-CA-C	6.90	129.64	111.00
1	A	47	GLY	N-CA-C	6.83	130.18	113.10
1	A	42	LYS	N-CA-C	-5.55	96.01	111.00
1	A	81	SER	N-CA-C	5.46	125.75	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	189	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3663	0	3662	141	0
2	A	97	0	161	18	0
3	A	387	0	0	36	0
All	All	4147	0	3823	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:VAL:HG21	2:A:578:PC1:H2D1	1.22	1.19
1:A:43:ILE:HG12	3:A:959:HOH:O	1.45	1.15
1:A:372:SER:O	1:A:373[A]:ASN:ND2	1.84	1.10
1:A:43:ILE:O	1:A:43:ILE:HD13	1.72	0.88
1:A:370:ALA:HB2	3:A:867:HOH:O	1.74	0.86
1:A:420:LYS:HG2	2:A:578:PC1:O31	1.76	0.85
1:A:328:VAL:HG22	1:A:333:LEU:CD2	2.06	0.84
1:A:371:GLU:O	1:A:374[B]:ARG:HG2	1.77	0.84
1:A:366:MET:HG2	2:A:578:PC1:H3I1	1.60	0.83
1:A:180:ASN:HB2	3:A:781:HOH:O	1.77	0.83
1:A:49:GLY:HA3	1:A:94:GLN:O	1.80	0.82
1:A:328:VAL:HG22	1:A:333:LEU:HD22	1.60	0.81
1:A:250:HIS:HB3	3:A:840:HOH:O	1.81	0.81
1:A:326[B]:LEU:HG	1:A:335:PHE:HD1	1.47	0.80
1:A:299:GLY:HA2	3:A:930:HOH:O	1.82	0.79
1:A:7:VAL:HG22	1:A:256:LEU:CD2	2.14	0.78
1:A:318:VAL:HG13	1:A:339:VAL:HG21	1.66	0.76
1:A:371:GLU:O	1:A:374[A]:ARG:HG2	1.84	0.76
1:A:46:LEU:HB3	3:A:931:HOH:O	1.85	0.75
1:A:380:LYS:N	1:A:380:LYS:HE2	2.02	0.75
1:A:374[A]:ARG:NH2	3:A:734:HOH:O	2.23	0.70
1:A:109:GLU:HG3	3:A:986:HOH:O	1.93	0.69
1:A:278:MET:HE3	3:A:863:HOH:O	1.92	0.68
1:A:367:GLU:HG3	1:A:380:LYS:NZ	2.10	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:VAL:HG22	1:A:256:LEU:HD21	1.77	0.66
1:A:433:VAL:HG13	1:A:453[B]:VAL:HG23	1.78	0.66
1:A:252:ARG:HH21	1:A:437[B]:ASN:HD21	1.41	0.66
1:A:325[A]:HIS:ND1	3:A:906:HOH:O	2.28	0.66
1:A:318:VAL:CG1	1:A:339:VAL:HG21	2.26	0.65
1:A:328:VAL:HG13	1:A:333:LEU:HD23	1.78	0.65
1:A:48:LYS:NZ	3:A:931:HOH:O	2.30	0.65
1:A:440:LEU:HD11	1:A:447:LEU:HG	1.79	0.64
1:A:7:VAL:HG22	1:A:256:LEU:HD22	1.80	0.63
1:A:143[A]:HIS:CD2	3:A:986:HOH:O	2.52	0.63
1:A:373[B]:ASN:HD21	1:A:434:GLN:HA	1.64	0.63
1:A:256:LEU:HD12	1:A:258:LEU:HD21	1.80	0.62
1:A:438:VAL:HG22	3:A:753:HOH:O	1.99	0.62
1:A:428:PRO:HD2	2:A:577:PC1:H3H2	1.80	0.62
1:A:417:VAL:HG21	2:A:578:PC1:C2D	2.15	0.62
1:A:303:PRO:O	3:A:870:HOH:O	2.15	0.62
1:A:222:VAL:HG21	2:A:577:PC1:H2I2	1.82	0.61
1:A:425[B]:PHE:CD1	1:A:425[B]:PHE:N	2.68	0.61
1:A:256:LEU:HD12	1:A:258:LEU:CD2	2.31	0.61
1:A:43:ILE:HG21	1:A:157:LEU:HD21	1.83	0.60
1:A:368:VAL:CG1	1:A:375:LEU:HD11	2.32	0.60
1:A:270:TYR:CD1	2:A:578:PC1:H32	2.37	0.59
1:A:380:LYS:N	1:A:380:LYS:CE	2.65	0.59
1:A:440:LEU:HB2	1:A:449:PHE:CE1	2.38	0.59
1:A:18:SER:HB2	1:A:68:ILE:HG12	1.84	0.59
1:A:50:HIS:HD2	3:A:815:HOH:O	1.85	0.59
1:A:434:GLN:HE21	1:A:456:LYS:HE3	1.65	0.59
1:A:424:GLY:C	1:A:425[B]:PHE:CD1	2.76	0.59
1:A:380:LYS:HE2	1:A:380:LYS:H	1.68	0.58
1:A:43:ILE:HD11	3:A:865:HOH:O	2.03	0.58
1:A:326[B]:LEU:CG	1:A:335:PHE:HD1	2.15	0.58
1:A:41:PHE:HB2	1:A:43:ILE:CG2	2.34	0.57
1:A:302:LEU:O	3:A:930:HOH:O	2.17	0.57
1:A:43:ILE:HD13	1:A:43:ILE:C	2.25	0.57
1:A:252:ARG:HH21	1:A:437[B]:ASN:ND2	2.02	0.57
1:A:197:THR:HG21	1:A:207:TYR:HD2	1.71	0.56
1:A:291:PHE:HB3	1:A:404:ILE:HD12	1.88	0.56
1:A:372:SER:O	1:A:373[A]:ASN:CG	2.44	0.55
2:A:577:PC1:H153	3:A:968:HOH:O	2.07	0.55
1:A:143[A]:HIS:HD2	3:A:986:HOH:O	1.87	0.55
1:A:369:SER:OG	1:A:370:ALA:N	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:SER:HA	3:A:764:HOH:O	2.07	0.54
1:A:333:LEU:HD11	1:A:447:LEU:HD22	1.89	0.54
1:A:370:ALA:CB	3:A:867:HOH:O	2.45	0.54
1:A:20:GLN:NE2	3:A:830:HOH:O	2.41	0.53
1:A:256:LEU:HG	2:A:577:PC1:H3I2	1.90	0.53
1:A:187:GLN:HB3	1:A:188:PRO:HD3	1.91	0.53
1:A:45:HIS:O	1:A:46:LEU:HB2	2.09	0.52
1:A:370:ALA:CA	3:A:867:HOH:O	2.57	0.52
1:A:246:PHE:HB2	1:A:247:PRO:HD2	1.93	0.51
1:A:254:VAL:HG11	2:A:577:PC1:H3C2	1.91	0.51
1:A:425[B]:PHE:CZ	2:A:578:PC1:H3D1	2.44	0.51
1:A:366:MET:HG2	2:A:578:PC1:C3I	2.35	0.51
1:A:326[B]:LEU:HG	1:A:335:PHE:CD1	2.37	0.51
1:A:44:LYS:CA	1:A:46:LEU:H	2.23	0.51
1:A:46:LEU:HD13	3:A:932:HOH:O	2.11	0.51
1:A:68:ILE:HD13	1:A:78:PHE:HA	1.93	0.50
1:A:433:VAL:HG13	1:A:453[B]:VAL:CG2	2.41	0.50
1:A:420:LYS:HE3	3:A:685:HOH:O	2.10	0.50
1:A:41:PHE:O	1:A:48:LYS:O	2.30	0.49
1:A:106:LEU:HD21	1:A:142:VAL:HG13	1.92	0.49
1:A:150:LYS:NZ	3:A:920:HOH:O	2.35	0.49
1:A:307:LYS:HG2	3:A:870:HOH:O	2.13	0.49
1:A:370:ALA:HB1	3:A:779:HOH:O	2.12	0.49
1:A:416:ARG:NH2	1:A:419:GLU:OE2	2.41	0.49
1:A:329:GLN:HG3	3:A:899:HOH:O	2.12	0.48
1:A:41:PHE:HB2	1:A:43:ILE:HG23	1.95	0.48
1:A:333:LEU:HD21	1:A:447:LEU:HD13	1.94	0.48
1:A:318:VAL:HG13	1:A:339:VAL:CG2	2.40	0.48
1:A:436:TYR:CE1	1:A:454[B]:VAL:HG23	2.48	0.48
1:A:390:HIS:HD2	3:A:686:HOH:O	1.96	0.47
1:A:304:GLU:HA	1:A:307:LYS:HG3	1.96	0.46
1:A:41:PHE:HD1	1:A:43:ILE:H	1.62	0.46
1:A:57[A]:ASP:OD2	1:A:59:ARG:NH1	2.48	0.46
1:A:40:SER:OG	3:A:956:HOH:O	2.21	0.46
1:A:380:LYS:HE3	1:A:380:LYS:HB2	1.52	0.46
1:A:326[B]:LEU:HD23	1:A:334:THR:O	2.16	0.46
2:A:577:PC1:H153	2:A:577:PC1:O13	2.17	0.45
1:A:190:PHE:CZ	2:A:577:PC1:H2E2	2.52	0.45
1:A:256:LEU:CD2	2:A:577:PC1:H3I2	2.46	0.45
1:A:138:HIS:HD2	3:A:895:HOH:O	2.00	0.45
1:A:290:LYS:H	1:A:290:LYS:HG2	1.45	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:PHE:HA	1:A:301:PHE:CE1	2.51	0.45
1:A:48:LYS:HB2	1:A:49:GLY:H	1.46	0.45
1:A:425[A]:PHE:CD2	2:A:578:PC1:H3E2	2.52	0.45
1:A:255:TYR:HB3	1:A:448:LEU:HD11	1.98	0.44
1:A:43:ILE:O	1:A:43:ILE:CD1	2.56	0.44
1:A:180:ASN:CB	3:A:781:HOH:O	2.51	0.44
1:A:319:SER:O	1:A:339:VAL:HG23	2.17	0.44
1:A:175:CYS:O	1:A:179[B]:THR:HG23	2.17	0.44
1:A:425[A]:PHE:HA	1:A:426:PRO:HD3	1.89	0.44
1:A:335:PHE:CD2	1:A:337:PRO:HD3	2.53	0.44
1:A:326[A]:LEU:HD21	1:A:333:LEU:HD22	2.00	0.43
1:A:368:VAL:HG12	1:A:375:LEU:HD11	1.99	0.43
1:A:48:LYS:HZ3	1:A:96:ARG:HB2	1.84	0.43
1:A:441:GLN:HG3	1:A:448:LEU:HB3	2.00	0.43
1:A:228:PHE:CE2	1:A:425[B]:PHE:HD2	2.36	0.43
1:A:372:SER:O	1:A:373[B]:ASN:HB2	2.19	0.43
1:A:453[B]:VAL:HG11	2:A:577:PC1:H371	2.01	0.43
1:A:455:TYR:C	1:A:456:LYS:HG3	2.39	0.43
1:A:307:LYS:HG2	1:A:307:LYS:H	1.40	0.42
1:A:263:PHE:HD1	2:A:578:PC1:H3C1	1.84	0.42
1:A:1:VAL:C	1:A:2:ASN:HD22	2.22	0.42
1:A:333:LEU:HD11	1:A:447:LEU:CD2	2.49	0.42
1:A:43:ILE:CD1	3:A:865:HOH:O	2.66	0.42
1:A:380:LYS:HG3	3:A:942:HOH:O	2.20	0.42
1:A:106:LEU:HD22	1:A:108:ILE:HG13	2.02	0.41
1:A:68:ILE:HD13	1:A:68:ILE:HA	1.91	0.41
1:A:179[A]:THR:HG22	3:A:690:HOH:O	2.21	0.41
1:A:367:GLU:HG3	1:A:380:LYS:HZ1	1.85	0.41
1:A:425[B]:PHE:N	1:A:425[B]:PHE:HD1	2.16	0.41
1:A:291:PHE:HA	1:A:297:PHE:CE2	2.56	0.41
1:A:228:PHE:CE2	1:A:425[B]:PHE:CD2	3.09	0.41
1:A:166:LEU:C	1:A:166:LEU:HD23	2.41	0.40
1:A:184:SER:OG	1:A:185:GLU:HG3	2.21	0.40
1:A:284:MET:O	1:A:286:PRO:HD3	2.21	0.40
1:A:379:LEU:C	1:A:380:LYS:HD3	2.41	0.40
1:A:365:SER:OG	1:A:380:LYS:HE3	2.20	0.40
1:A:287:LYS:HE2	1:A:287:LYS:HB2	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	472/456 (104%)	452 (96%)	12 (2%)	8 (2%)	9 1

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	ILE
1	A	44	LYS
1	A	45	HIS
1	A	46	LEU
1	A	47	GLY
1	A	48	LYS
1	A	49	GLY
1	A	303	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	410/404 (102%)	387 (94%)	23 (6%)	21 7

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26[A]	GLN
1	A	26[B]	GLN
1	A	43	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	46	LEU
1	A	48	LYS
1	A	61	PHE
1	A	150	LYS
1	A	186	LEU
1	A	197	THR
1	A	250	HIS
1	A	251	ASP
1	A	256	LEU
1	A	277	LYS
1	A	290	LYS
1	A	307	LYS
1	A	371	GLU
1	A	373[A]	ASN
1	A	373[B]	ASN
1	A	379	LEU
1	A	380	LYS
1	A	427	LEU
1	A	432	ARG
1	A	447	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	103	ASN
1	A	250	HIS
1	A	390	HIS
1	A	434	GLN
1	A	444	GLN
1	A	445	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PC1	A	577	-	53,53,53	1.32	2 (3%)	59,61,61	1.15	6 (10%)
2	PC1	A	578	-	42,42,53	1.43	3 (7%)	44,44,61	0.84	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PC1	A	577	-	-	30/57/57/57	-
2	PC1	A	578	-	-	25/43/43/57	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	577	PC1	O21-C21	5.97	1.51	1.34
2	A	578	PC1	O31-C31	5.78	1.50	1.33
2	A	577	PC1	O31-C31	5.58	1.49	1.33
2	A	578	PC1	O21-C21	5.40	1.49	1.34
2	A	578	PC1	C3-C2	2.40	1.56	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	577	PC1	O21-C21-C22	4.53	121.27	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	577	PC1	C2-O21-C21	3.15	125.55	117.79
2	A	577	PC1	O21-C2-C3	2.96	119.10	108.40
2	A	578	PC1	C2-O21-C21	-2.59	114.55	117.88
2	A	577	PC1	P-O13-C11	-2.55	109.04	121.59
2	A	577	PC1	O31-C31-C32	2.31	119.16	111.91
2	A	577	PC1	O31-C3-C2	-2.16	102.14	108.43
2	A	578	PC1	O31-C3-C2	2.10	114.43	108.38

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	577	PC1	O13-C11-C12-N
2	A	577	PC1	O22-C21-O21-C2
2	A	577	PC1	C22-C21-O21-C2
2	A	577	PC1	O32-C31-O31-C3
2	A	577	PC1	C32-C31-O31-C3
2	A	578	PC1	C1-C2-C3-O31
2	A	578	PC1	O21-C2-C3-O31
2	A	578	PC1	C22-C21-O21-C2
2	A	578	PC1	O22-C21-O21-C2
2	A	578	PC1	C32-C31-O31-C3
2	A	578	PC1	O32-C31-O31-C3
2	A	577	PC1	C21-C22-C23-C24
2	A	577	PC1	C37-C38-C39-C3A
2	A	578	PC1	C21-C22-C23-C24
2	A	577	PC1	C35-C36-C37-C38
2	A	578	PC1	C28-C29-C2A-C2B
2	A	578	PC1	C2C-C2D-C2E-C2F
2	A	577	PC1	C3B-C3C-C3D-C3E
2	A	577	PC1	C39-C3A-C3B-C3C
2	A	578	PC1	C24-C25-C26-C27
2	A	577	PC1	C34-C35-C36-C37
2	A	578	PC1	C33-C34-C35-C36
2	A	577	PC1	C22-C23-C24-C25
2	A	578	PC1	C34-C35-C36-C37
2	A	578	PC1	C2A-C2B-C2C-C2D
2	A	578	PC1	C3A-C3B-C3C-C3D
2	A	577	PC1	C36-C37-C38-C39
2	A	578	PC1	C23-C24-C25-C26
2	A	577	PC1	C2A-C2B-C2C-C2D
2	A	578	PC1	C37-C38-C39-C3A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	578	PC1	C3D-C3E-C3F-C3G
2	A	577	PC1	C3C-C3D-C3E-C3F
2	A	578	PC1	C3C-C3D-C3E-C3F
2	A	577	PC1	C28-C29-C2A-C2B
2	A	578	PC1	C25-C26-C27-C28
2	A	578	PC1	C3F-C3G-C3H-C3I
2	A	578	PC1	C2F-C2G-C2H-C2I
2	A	577	PC1	C38-C39-C3A-C3B
2	A	577	PC1	O11-C1-C2-C3
2	A	578	PC1	C38-C39-C3A-C3B
2	A	577	PC1	C3F-C3G-C3H-C3I
2	A	577	PC1	C3A-C3B-C3C-C3D
2	A	577	PC1	C11-O13-P-O11
2	A	577	PC1	C29-C2A-C2B-C2C
2	A	577	PC1	C2E-C2F-C2G-C2H
2	A	577	PC1	C1-O11-P-O13
2	A	577	PC1	C32-C33-C34-C35
2	A	577	PC1	O21-C2-C3-O31
2	A	578	PC1	C3B-C3C-C3D-C3E
2	A	577	PC1	C27-C28-C29-C2A
2	A	577	PC1	C11-O13-P-O12
2	A	577	PC1	C25-C26-C27-C28
2	A	577	PC1	C3-C2-O21-C21
2	A	578	PC1	O21-C21-C22-C23
2	A	578	PC1	O22-C21-C22-C23


There are no ring outliers.

2 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	577	PC1	9	0
2	A	578	PC1	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	456/456 (100%)	-0.02	11 (2%) 59 63	15, 26, 43, 66	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	43	ILE	9.4
1	A	46	LEU	8.3
1	A	47	GLY	6.4
1	A	303	PRO	4.5
1	A	45	HIS	4.2
1	A	233	HIS	3.7
1	A	48	LYS	3.4
1	A	234	HIS	2.9
1	A	247	PRO	2.3
1	A	248	ALA	2.1
1	A	307	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PC1	A	577	54/54	0.68	0.25	45,50,62,64	0
2	PC1	A	578	43/54	0.72	0.23	42,52,61,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.