



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 11:55 am BST

PDB ID : 1EWZ
Title : CRYSTAL STRUCTURE OF THE OXA-10 BETA-LACTAMASE FROM PSEUDOMONAS AERUGINOSA
Authors : Golemi, D.; Maveyraud, L.; Vakulenko, S.; Tranier, S.; Ishiwata, A.; Kotra, L.P.; Samama, J.P.; Mobashery, S.
Deposited on : 2000-04-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	246	
1	B	246	
1	C	246	
1	D	246	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8030 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA LACTAMASE OXA-10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	243	Total 1905	C 1221	N 321	O 357	S 6	0	0	0
1	B	243	Total 1906	C 1218	N 319	O 363	S 6	0	0	0
1	C	243	Total 1883	C 1206	N 313	O 358	S 6	0	0	0
1	D	242	Total 1875	C 1202	N 310	O 357	S 6	0	0	0

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	97	Total 97	O 97	0	0
2	B	135	Total 135	O 135	0	0
2	C	116	Total 116	O 116	0	0
2	D	113	Total 113	O 113	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: BETA LACTAMASE OXA-10

Chain A: 




- Molecule 1: BETA LACTAMASE OXA-10

Chain B: 




- Molecule 1: BETA LACTAMASE OXA-10

Chain C: 



- Molecule 1: BETA LACTAMASE OXA-10

Chain D: 





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.42Å 82.39Å 101.49Å 90.00° 95.40° 90.00°	Depositor
Resolution (Å)	31.22 – 2.40 31.22 – 2.41	Depositor EDS
% Data completeness (in resolution range)	98.3 (31.22-2.40) 97.5 (31.22-2.41)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.23 (at 2.42Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.187 , 0.254 0.235 , 0.279	Depositor DCC
R_{free} test set	2101 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	1.6	Xtrriage
Anisotropy	1.744	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	8030	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/1946	1.08	7/2634 (0.3%)
1	B	0.45	0/1947	1.11	4/2637 (0.2%)
1	C	0.47	0/1924	1.23	13/2611 (0.5%)
1	D	0.48	0/1914	1.27	14/2594 (0.5%)
All	All	0.46	0/7731	1.17	38/10476 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	250	ARG	NE-CZ-NH1	12.69	126.64	120.30
1	C	125	ARG	NE-CZ-NH2	-12.09	114.26	120.30
1	C	250	ARG	NE-CZ-NH1	10.32	125.46	120.30
1	A	109	ARG	NE-CZ-NH1	9.81	125.21	120.30
1	B	160	ARG	NE-CZ-NH2	9.31	124.96	120.30
1	B	125	ARG	NE-CZ-NH2	-9.19	115.70	120.30
1	D	141	TYR	CB-CG-CD2	-9.05	115.57	121.00
1	D	221	TRP	CA-CB-CG	8.70	130.23	113.70
1	C	250	ARG	NE-CZ-NH2	-8.67	115.96	120.30
1	A	125	ARG	NE-CZ-NH2	-8.40	116.10	120.30
1	D	160	ARG	NE-CZ-NH1	-7.82	116.39	120.30
1	C	55	ASP	CB-CG-OD2	7.54	125.08	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	125	ARG	NE-CZ-NH1	7.53	124.06	120.30
1	B	234	PHE	CB-CG-CD1	-7.41	115.61	120.80
1	C	160	ARG	NE-CZ-NH1	-6.96	116.82	120.30
1	D	160	ARG	CD-NE-CZ	6.79	133.10	123.60
1	D	141	TYR	CB-CG-CD1	6.61	124.97	121.00
1	D	195	GLU	CA-CB-CG	6.60	127.92	113.40
1	A	62	GLU	OE1-CD-OE2	6.45	131.03	123.30
1	D	109	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	A	109	ARG	NE-CZ-NH2	-6.35	117.13	120.30
1	D	32	PHE	CB-CG-CD1	-6.29	116.40	120.80
1	D	250	ARG	NE-CZ-NH2	-6.18	117.21	120.30
1	C	242	ASP	CB-CG-OD2	6.12	123.81	118.30
1	D	160	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	D	250	ARG	CD-NE-CZ	5.92	131.88	123.60
1	D	125	ARG	NE-CZ-NH2	-5.83	117.38	120.30
1	B	160	ARG	NE-CZ-NH1	-5.69	117.45	120.30
1	C	221	TRP	CB-CA-C	-5.57	99.27	110.40
1	A	97	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	C	70	LYS	CB-CG-CD	5.55	126.03	111.60
1	C	51	CYS	CA-CB-SG	5.39	123.70	114.00
1	C	104	ARG	CD-NE-CZ	5.36	131.11	123.60
1	A	200	TYR	CA-CB-CG	5.18	123.25	113.40
1	C	105	ASP	CB-CG-OD2	5.15	122.94	118.30
1	C	62	GLU	OE1-CD-OE2	-5.11	117.17	123.30
1	D	131	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	A	58	ARG	NE-CZ-NH1	-5.07	117.77	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	263	ILE	Peptide
1	B	263	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1905	0	1888	46	0
1	B	1906	0	1869	52	0
1	C	1883	0	1831	44	0
1	D	1875	0	1825	41	0
2	A	97	0	0	1	0
2	B	135	0	0	1	0
2	C	116	0	0	2	0
2	D	113	0	0	4	0
All	All	8030	0	7413	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:ASN:HD21	1:B:54:ASN:HD22	1.07	1.01
1:B:85:ASN:HD22	1:B:87:HIS:H	1.07	0.98
1:B:85:ASN:ND2	1:B:87:HIS:H	1.64	0.96
1:B:29:ASN:ND2	1:B:54:ASN:HD22	1.67	0.93
1:D:147:SER:HB2	1:D:158:GLN:HG3	1.61	0.82
1:A:253:ILE:HB	1:A:254:PRO:HD3	1.62	0.79
1:A:35:GLU:HB2	1:A:37:VAL:HG23	1.67	0.76
1:B:197:ALA:O	1:D:109:ARG:NH2	2.21	0.72
1:B:85:ASN:HD22	1:B:87:HIS:N	1.86	0.69
1:B:85:ASN:ND2	1:B:87:HIS:N	2.40	0.68
1:B:228:LYS:NZ	1:B:264:ILE:HG22	2.12	0.63
1:C:44:CYS:SG	1:C:167:VAL:HG11	2.39	0.62
1:A:75:ILE:HG13	1:A:188:VAL:HG21	1.82	0.62
1:C:29:ASN:ND2	1:C:54:ASN:HD22	1.97	0.62
1:A:44:CYS:SG	1:A:167:VAL:HG11	2.41	0.61
1:B:122:GLN:NE2	1:B:125:ARG:HH11	1.98	0.61
1:D:69:PHE:HA	1:D:72:PRO:HG2	1.82	0.61
1:A:142:GLY:H	1:A:165:ASN:HD21	1.48	0.61
1:D:71:ILE:HB	1:D:72:PRO:CD	2.32	0.60
1:A:247:LEU:HD22	1:A:250:ARG:HD3	1.83	0.59
1:B:29:ASN:HD21	1:B:54:ASN:ND2	1.90	0.59
1:A:143:ASN:HD21	1:A:159:LEU:HA	1.66	0.59
1:D:44:CYS:SG	1:D:167:VAL:HG11	2.42	0.59
1:C:86:GLU:HB3	1:C:187:ILE:HG12	1.86	0.58
1:C:253:ILE:HB	1:C:254:PRO:HD3	1.85	0.58
1:A:145:ASN:HD22	1:A:147:SER:H	1.51	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:41:PHE:HD2	1:C:237:PHE:HB2	1.69	0.58
1:B:210:GLY:O	1:B:218:GLY:HA3	2.03	0.58
1:C:112:ILE:HG22	1:C:113:GLN:NE2	2.19	0.58
1:D:145:ASN:C	1:D:145:ASN:HD22	2.07	0.58
1:B:255:THR:O	1:B:259:GLU:HG3	2.05	0.57
1:B:129:GLU:HG3	1:B:146:ILE:HD11	1.86	0.57
1:D:142:GLY:HA2	1:D:165:ASN:ND2	2.20	0.56
1:A:200:TYR:CZ	1:A:264:ILE:HG12	2.40	0.56
1:D:122:GLN:OE1	1:D:125:ARG:NH1	2.39	0.56
1:B:145:ASN:ND2	1:B:147:SER:H	2.04	0.56
1:D:72:PRO:HG3	1:D:141:TYR:CE1	2.41	0.55
1:B:145:ASN:HD22	1:B:147:SER:H	1.53	0.55
1:A:142:GLY:H	1:A:165:ASN:ND2	2.04	0.55
1:B:220:ALA:O	1:B:238:ASN:HA	2.07	0.54
1:B:195:GLU:HB3	1:B:202:VAL:HB	1.89	0.54
1:A:253:ILE:CB	1:A:254:PRO:HD3	2.36	0.54
1:B:145:ASN:C	1:B:145:ASN:HD22	2.11	0.54
1:C:71:ILE:HB	1:C:72:PRO:CD	2.38	0.54
1:D:145:ASN:ND2	1:D:147:SER:H	2.05	0.54
1:B:203:HIS:O	1:B:224:GLY:HA3	2.08	0.54
1:B:123:ILE:O	1:B:127:VAL:HG23	2.07	0.54
1:D:70:LYS:HE3	1:D:120:PHE:CE1	2.43	0.54
1:A:145:ASN:ND2	1:A:147:SER:H	2.06	0.53
1:D:41:PHE:CE2	1:D:254:PRO:HB3	2.43	0.53
1:C:247:LEU:O	1:C:250:ARG:HD2	2.08	0.53
1:C:223:VAL:HG12	1:C:236:ALA:CB	2.39	0.53
1:B:72:PRO:HG3	1:B:141:TYR:CE1	2.44	0.53
1:C:93:ASP:OD2	1:C:95:LYS:N	2.42	0.52
1:A:247:LEU:HB3	1:A:248:PRO:HD3	1.91	0.52
1:C:37:VAL:HG21	1:C:239:MET:HE3	1.90	0.52
1:D:145:ASN:HD22	1:D:147:SER:H	1.55	0.52
1:D:247:LEU:HB3	1:D:248:PRO:HD3	1.92	0.52
1:C:113:GLN:HE21	1:C:113:GLN:N	2.08	0.52
1:A:186:LEU:HD21	1:C:86:GLU:OE2	2.10	0.51
1:B:228:LYS:HZ3	1:B:264:ILE:HG22	1.74	0.51
1:A:145:ASN:HD21	1:A:147:SER:HB3	1.74	0.51
1:A:186:LEU:HD23	1:A:189:LYS:HE3	1.93	0.51
1:B:122:GLN:HE21	1:B:125:ARG:HH11	1.58	0.51
1:A:203:HIS:HD2	2:A:312:HOH:O	1.94	0.51
1:D:203:HIS:HD2	2:D:278:HOH:O	1.93	0.51
1:B:41:PHE:CE2	1:B:235:PHE:HB2	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:LYS:HZ2	1:B:264:ILE:CG2	2.23	0.51
1:B:200:TYR:CZ	1:B:264:ILE:HG12	2.46	0.50
1:D:70:LYS:HE2	1:D:112:ILE:HA	1.92	0.50
1:A:72:PRO:O	1:A:76:ILE:HG13	2.11	0.50
1:C:62:GLU:HB3	1:C:160:ARG:HB3	1.92	0.50
1:A:145:ASN:HD22	1:A:145:ASN:C	2.15	0.50
1:B:71:ILE:HB	1:B:72:PRO:CD	2.41	0.50
1:C:142:GLY:HA2	2:C:268:HOH:O	2.11	0.50
1:A:197:ALA:HB1	1:A:198:PRO:CD	2.41	0.50
1:C:99:MET:HG3	1:C:102:TRP:CZ2	2.46	0.50
1:D:237:PHE:CE1	1:D:250:ARG:HA	2.47	0.50
1:D:40:VAL:HG21	1:D:59:ALA:CA	2.41	0.49
1:B:83:ILE:HD11	1:B:123:ILE:HD13	1.94	0.49
1:D:29:ASN:ND2	1:D:54:ASN:HD22	2.11	0.49
1:A:170:LEU:HD11	1:A:223:VAL:HB	1.94	0.49
1:A:198:PRO:HB3	1:C:113:GLN:HB3	1.93	0.49
1:D:178:LEU:H	1:D:185:GLN:HE22	1.61	0.49
1:D:142:GLY:H	1:D:165:ASN:HD21	1.61	0.49
1:B:231:GLU:HG3	1:B:232:VAL:N	2.28	0.49
1:C:92:TRP:NE1	1:C:95:LYS:N	2.61	0.49
1:C:247:LEU:HB3	1:C:248:PRO:HD3	1.95	0.48
1:D:40:VAL:HG21	1:D:59:ALA:HA	1.95	0.48
1:A:178:LEU:H	1:A:185:GLN:HE22	1.61	0.47
1:D:110:GLY:HA3	2:D:279:HOH:O	2.14	0.47
1:D:99:MET:HG3	1:D:102:TRP:CZ2	2.49	0.47
1:B:29:ASN:ND2	1:B:54:ASN:HB2	2.30	0.47
1:B:228:LYS:HZ2	1:B:264:ILE:HG22	1.80	0.47
1:C:92:TRP:HE1	1:C:95:LYS:CB	2.28	0.47
1:A:45:LYS:O	1:A:46:SER:HB2	2.14	0.47
1:C:203:HIS:HD2	2:C:279:HOH:O	1.96	0.47
1:B:244:GLU:O	1:B:247:LEU:HB2	2.15	0.46
1:C:223:VAL:HG12	1:C:236:ALA:HB1	1.97	0.46
1:B:92:TRP:CZ2	1:B:103:GLU:HB3	2.50	0.46
1:C:40:VAL:HB	1:C:58:ARG:HB3	1.97	0.46
1:D:247:LEU:N	1:D:248:PRO:HD2	2.30	0.46
1:A:67:SER:OG	1:A:115:SER:HB3	2.15	0.46
1:A:228:LYS:NZ	1:A:264:ILE:HG22	2.31	0.46
1:B:200:TYR:CE2	1:B:264:ILE:HG23	2.50	0.46
1:A:92:TRP:CZ2	1:A:103:GLU:HB3	2.50	0.46
1:B:253:ILE:HB	1:B:254:PRO:HD3	1.97	0.46
1:D:35:GLU:HB2	1:D:37:VAL:HG22	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:40:VAL:HG21	1:D:59:ALA:N	2.31	0.46
1:C:142:GLY:HA2	1:C:165:ASN:ND2	2.31	0.45
1:B:253:ILE:N	1:B:254:PRO:HD2	2.31	0.45
1:D:228:LYS:HD3	2:D:370:HOH:O	2.17	0.45
1:B:104:ARG:NH1	1:D:229:GLU:OE2	2.50	0.45
1:D:71:ILE:HB	1:D:72:PRO:HD2	1.99	0.45
1:A:86:GLU:OE2	1:C:176:ASN:ND2	2.44	0.45
1:C:37:VAL:HG11	1:C:239:MET:CE	2.47	0.45
1:B:44:CYS:SG	1:B:167:VAL:HG11	2.57	0.45
1:B:71:ILE:HB	1:B:72:PRO:HD3	1.99	0.45
1:C:45:LYS:O	1:C:46:SER:HB2	2.17	0.45
1:C:117:VAL:HB	1:C:118:PRO:HD3	1.97	0.44
1:C:231:GLU:HG3	1:C:232:VAL:N	2.32	0.44
1:A:138:LYS:HB3	1:A:179:SER:OG	2.17	0.44
1:A:110:GLY:O	1:A:114:VAL:HG22	2.18	0.44
1:A:39:GLY:O	1:A:58:ARG:HD3	2.18	0.44
1:A:71:ILE:HB	1:A:72:PRO:HD3	2.00	0.44
1:D:223:VAL:HG12	1:D:236:ALA:HA	1.99	0.44
1:A:210:GLY:O	1:A:218:GLY:HA3	2.17	0.44
1:B:204:SER:HA	1:B:223:VAL:O	2.18	0.44
1:C:71:ILE:HB	1:C:72:PRO:HD3	2.00	0.44
1:D:129:GLU:HG2	2:D:369:HOH:O	2.17	0.44
1:D:142:GLY:H	1:D:165:ASN:ND2	2.15	0.44
1:D:41:PHE:HD2	1:D:237:PHE:HB2	1.82	0.44
1:A:71:ILE:HB	1:A:72:PRO:CD	2.48	0.44
1:C:117:VAL:N	1:C:118:PRO:CD	2.81	0.44
1:C:253:ILE:HB	1:C:254:PRO:CD	2.48	0.44
1:D:79:GLU:OE2	1:D:184:ASN:ND2	2.38	0.44
1:A:62:GLU:HB3	1:A:160:ARG:HB3	1.99	0.43
1:B:170:LEU:HD13	1:B:224:GLY:HA2	1.99	0.43
1:C:161:ILE:HG12	1:C:162:SER:N	2.33	0.43
1:A:237:PHE:CD2	1:A:254:PRO:HG3	2.52	0.43
1:A:200:TYR:CE2	1:A:264:ILE:HG12	2.53	0.43
1:B:138:LYS:HD3	1:B:179:SER:HB2	1.99	0.43
1:C:178:LEU:H	1:C:185:GLN:HE22	1.66	0.43
1:B:253:ILE:HB	1:B:254:PRO:CD	2.48	0.43
1:B:203:HIS:NE2	2:B:381:HOH:O	2.37	0.43
1:A:120:PHE:HA	1:A:123:ILE:HD12	2.01	0.43
1:C:205:LYS:HA	1:C:205:LYS:HD2	1.81	0.43
1:D:247:LEU:HB3	1:D:248:PRO:CD	2.48	0.43
1:D:143:ASN:O	1:D:144:GLN:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:176:ASN:HA	1:D:185:GLN:NE2	2.34	0.43
1:C:142:GLY:O	1:C:144:GLN:HG3	2.19	0.42
1:B:85:ASN:C	1:B:85:ASN:ND2	2.73	0.42
1:A:118:PRO:HA	1:A:121:GLN:HE21	1.84	0.42
1:C:166:GLN:HG3	1:C:221:TRP:CZ3	2.54	0.42
1:B:142:GLY:H	1:B:165:ASN:ND2	2.18	0.42
1:B:129:GLU:HG3	1:B:146:ILE:CD1	2.49	0.42
1:B:142:GLY:H	1:B:165:ASN:HD21	1.67	0.42
1:A:263:ILE:O	1:A:264:ILE:C	2.57	0.42
1:B:175:LEU:HB3	1:B:177:LYS:HG3	2.00	0.42
1:D:117:VAL:HB	1:D:118:PRO:HD3	2.01	0.42
1:C:41:PHE:CE2	1:C:254:PRO:HB3	2.54	0.42
1:D:70:LYS:HG2	1:D:120:PHE:CE2	2.54	0.42
1:B:174:TYR:HD2	1:B:175:LEU:HD13	1.84	0.42
1:B:24:GLU:HB2	1:B:56:LEU:CD1	2.50	0.42
1:C:122:GLN:OE1	1:C:125:ARG:NH1	2.53	0.42
1:C:142:GLY:H	1:C:165:ASN:ND2	2.18	0.42
1:A:35:GLU:HB2	1:A:37:VAL:CG2	2.45	0.41
1:B:29:ASN:ND2	1:B:54:ASN:ND2	2.49	0.41
1:A:143:ASN:ND2	1:A:160:ARG:H	2.19	0.41
1:A:41:PHE:CE2	1:A:235:PHE:HB2	2.56	0.41
1:A:247:LEU:CB	1:A:248:PRO:HD3	2.50	0.40
1:A:25:ASN:HD22	1:A:25:ASN:C	2.24	0.40
1:C:178:LEU:HB2	1:C:185:GLN:NE2	2.36	0.40
1:C:247:LEU:N	1:C:248:PRO:CD	2.84	0.40
1:A:196:ALA:HA	1:A:201:LEU:HD12	2.03	0.40
1:C:70:LYS:HD2	1:C:120:PHE:CD1	2.56	0.40
1:D:43:LEU:HD21	1:D:263:ILE:HD11	2.03	0.40
1:C:125:ARG:NH2	1:C:151:ASP:OD2	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	241/246 (98%)	225 (93%)	16 (7%)	0	100	100
1	B	241/246 (98%)	230 (95%)	11 (5%)	0	100	100
1	C	241/246 (98%)	229 (95%)	10 (4%)	2 (1%)	19	29
1	D	238/246 (97%)	228 (96%)	9 (4%)	1 (0%)	34	48
All	All	961/984 (98%)	912 (95%)	46 (5%)	3 (0%)	41	55

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	93	ASP
1	C	96	PRO
1	C	97	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	204/210 (97%)	188 (92%)	16 (8%)	12	19
1	B	204/210 (97%)	195 (96%)	9 (4%)	28	45
1	C	199/210 (95%)	190 (96%)	9 (4%)	27	44
1	D	198/210 (94%)	185 (93%)	13 (7%)	16	26
All	All	805/840 (96%)	758 (94%)	47 (6%)	20	32

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	ILE
1	A	25	ASN
1	A	50	SER
1	A	73	ASN
1	A	115	SER
1	A	140	SER
1	A	143	ASN
1	A	145	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	147	SER
1	A	166	GLN
1	A	175	LEU
1	A	179	SER
1	A	226	VAL
1	A	245	SER
1	A	247	LEU
1	A	264	ILE
1	B	50	SER
1	B	60	SER
1	B	73	ASN
1	B	85	ASN
1	B	145	ASN
1	B	166	GLN
1	B	175	LEU
1	B	198	PRO
1	B	247	LEU
1	C	58	ARG
1	C	67	SER
1	C	73	ASN
1	C	113	GLN
1	C	145	ASN
1	C	166	GLN
1	C	179	SER
1	C	247	LEU
1	C	250	ARG
1	D	30	LYS
1	D	61	LYS
1	D	67	SER
1	D	73	ASN
1	D	113	GLN
1	D	145	ASN
1	D	156	GLU
1	D	158	GLN
1	D	166	GLN
1	D	175	LEU
1	D	194	THR
1	D	247	LEU
1	D	250	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	73	ASN
1	A	121	GLN
1	A	143	ASN
1	A	145	ASN
1	A	158	GLN
1	A	165	ASN
1	A	166	GLN
1	A	185	GLN
1	A	203	HIS
1	B	29	ASN
1	B	73	ASN
1	B	85	ASN
1	B	122	GLN
1	B	133	GLN
1	B	145	ASN
1	B	165	ASN
1	B	166	GLN
1	B	185	GLN
1	C	29	ASN
1	C	73	ASN
1	C	113	GLN
1	C	121	GLN
1	C	133	GLN
1	C	145	ASN
1	C	165	ASN
1	C	166	GLN
1	C	185	GLN
1	C	203	HIS
1	D	29	ASN
1	D	73	ASN
1	D	113	GLN
1	D	121	GLN
1	D	145	ASN
1	D	165	ASN
1	D	166	GLN
1	D	185	GLN
1	D	203	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.