



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 2, 2024 – 09:25 AM EST

PDB ID : 1EXZ
Title : STRUCTURE OF STEM CELL FACTOR
Authors : Zhang, Z.; Zhang, R.; Joachimiak, A.; Schlessinger, J.; Kong, X.
Deposited on : 2000-05-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	141	
1	B	141	
1	C	141	
1	D	141	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4236 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STEM CELL FACTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	133	1049	672	166	204	7	0	0	0
1	B	140	1072	682	175	208	7	0	0	0
1	C	131	998	638	157	197	6	0	0	0
1	D	124	971	622	153	191	5	0	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		

- Molecule 3 is SAMARIUM (III) ION (three-letter code: SM) (formula: Sm).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Sm	0	0
			2	2		
3	C	2	Total	Sm	0	0
			2	2		

- Molecule 4 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	D	1	8	4	1	3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	35	Total	O	0	0
			35	35		
5	B	32	Total	O	0	0
			32	32		
5	C	37	Total	O	0	0
			37	37		
5	D	28	Total	O	0	0
			28	28		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: STEM CELL FACTOR




- Molecule 1: STEM CELL FACTOR



- Molecule 1: STEM CELL FACTOR



- Molecule 1: STEM CELL FACTOR





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	36.15Å 87.53Å 79.43Å 90.00° 97.76° 90.00°	Depositor
Resolution (Å)	40.00 – 2.30 40.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	10.0 (40.00-2.30) 98.0 (40.00-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.91 (at 2.29Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.223 , 0.294 0.295 , 0.332	Depositor DCC
R_{free} test set	1067 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	35.0	Xtrriage
Anisotropy	0.123	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 63.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4236	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SM, TRS, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1067	0.58	0/1444
1	B	0.35	0/1090	0.58	0/1483
1	C	0.39	0/1016	0.62	0/1385
1	D	0.35	0/988	0.56	0/1342
All	All	0.37	0/4161	0.59	0/5654

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1049	0	1042	82	1
1	B	1072	0	1033	54	0
1	C	998	0	948	52	0
1	D	971	0	949	50	1
2	A	1	0	0	0	0
2	C	1	0	0	0	0
3	B	2	0	0	0	1
3	C	2	0	0	0	1
4	D	8	0	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	35	0	0	2	0
5	B	32	0	0	1	0
5	C	37	0	0	3	0
5	D	28	0	0	1	0
All	All	4236	0	3983	230	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:531:VAL:HG12	1:C:532:ALA:H	1.12	1.15
1:C:423:PRO:HG2	1:C:426:TYR:HB2	1.48	0.94
1:A:65:ASN:HD22	1:A:66:ILE:H	1.16	0.93
1:C:452:LEU:O	1:C:456:LEU:HD23	1.72	0.90
1:C:527:LYS:HG3	1:C:528:ASP:H	1.38	0.89
1:B:223:PRO:HG2	1:B:226:TYR:HB2	1.56	0.88
1:A:111:THR:HG23	1:A:114:GLU:H	1.40	0.85
1:B:206:ASN:O	1:B:207:ARG:HG2	1.77	0.85
1:C:529:PHE:HD1	1:C:530:VAL:H	1.23	0.83
1:C:438:VAL:HG23	1:C:439:LEU:HD12	1.59	0.83
1:C:531:VAL:HG12	1:C:532:ALA:N	1.93	0.81
1:C:504:SER:H	1:C:505:PRO:CD	1.95	0.79
1:D:638:VAL:HG23	1:D:639:LEU:HD12	1.63	0.78
1:B:204:CYS:O	1:B:208:VAL:HG21	1.85	0.75
1:C:531:VAL:CG1	1:C:532:ALA:H	1.94	0.75
1:A:13:LYS:HG3	1:A:14:ASP:H	1.53	0.74
1:A:31:LYS:HB3	1:A:105:PRO:HG2	1.71	0.73
1:A:23:PRO:HG2	1:A:26:TYR:HB2	1.70	0.72
1:A:65:ASN:O	1:A:66:ILE:HG23	1.89	0.72
1:C:532:ALA:HB1	1:C:535:THR:HB	1.69	0.72
1:C:504:SER:H	1:C:505:PRO:HD3	1.53	0.72
1:D:643:CYS:HB3	1:D:701:SER:CB	2.20	0.72
1:B:206:ASN:O	1:B:208:VAL:HG23	1.91	0.71
1:D:641:SER:HB2	1:D:645:ILE:HD11	1.72	0.70
1:D:633:VAL:HG13	1:D:634:PRO:HD2	1.74	0.70
1:B:233:VAL:HG23	1:B:248:MET:HE3	1.74	0.70
1:A:100:LYS:HA	5:A:915:HOH:O	1.92	0.69
1:B:313:GLU:OE2	1:B:314:GLU:HG3	1.93	0.69
1:B:233:VAL:HG23	1:B:248:MET:CE	2.24	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:248:MET:HE2	1:B:248:MET:HA	1.74	0.67
1:B:314:GLU:O	1:B:318:ILE:HD13	1.94	0.67
1:A:47:GLU:OE2	1:A:103:LYS:HG3	1.95	0.67
1:C:445:ILE:HD12	1:C:446:SER:N	2.09	0.67
1:D:729:PHE:CD2	1:D:730:VAL:HG23	2.29	0.66
1:D:613:LYS:HB2	1:D:613:LYS:NZ	2.11	0.66
1:A:95:SER:C	1:A:97:ASP:H	1.99	0.66
1:C:431:LYS:HB3	1:C:505:PRO:HG2	1.78	0.66
1:D:641:SER:HB2	1:D:645:ILE:CD1	2.26	0.65
1:A:96:LYS:HB3	1:A:133:SER:H	1.62	0.65
1:B:208:VAL:HG12	1:B:208:VAL:O	1.97	0.65
1:B:205:ARG:HA	1:B:208:VAL:HB	1.80	0.63
1:A:65:ASN:HD22	1:A:66:ILE:N	1.91	0.63
1:B:212:VAL:O	1:B:216:THR:HG23	1.98	0.63
1:D:649:VAL:HG12	1:D:687:VAL:HG22	1.80	0.62
1:A:65:ASN:ND2	1:A:66:ILE:H	1.91	0.62
1:C:445:ILE:HD12	1:C:446:SER:H	1.63	0.62
1:B:226:TYR:O	1:B:312:PRO:HD3	2.00	0.62
1:A:100:LYS:HE3	1:A:103:LYS:NZ	2.15	0.61
1:A:38:VAL:HG23	1:A:39:LEU:CD1	2.30	0.61
1:B:227:MET:HG3	1:B:309:LEU:HB3	1.82	0.61
1:B:283:VAL:HG21	1:B:319:PHE:HE1	1.65	0.61
1:A:99:LYS:O	1:A:99:LYS:HG3	1.99	0.61
1:C:426:TYR:O	1:C:512:PRO:HD3	1.99	0.61
1:D:645:ILE:HD11	1:D:725:ALA:HB1	1.82	0.60
1:D:679:LEU:O	1:D:682:ILE:HD13	2.01	0.60
1:D:631:LYS:HB3	1:D:705:PRO:HB2	1.82	0.60
1:D:682:ILE:HD13	1:D:683:VAL:N	2.16	0.60
1:A:78:LYS:NZ	1:A:82:ILE:HD11	2.17	0.59
1:B:279:LEU:O	1:B:283:VAL:HG23	2.02	0.59
1:A:12:VAL:HA	1:A:15:VAL:HB	1.85	0.59
1:D:633:VAL:HG11	1:D:644:TRP:HB3	1.84	0.59
1:C:449:VAL:HG12	1:C:487:VAL:HG22	1.84	0.59
1:A:12:VAL:HG12	1:A:16:THR:OG1	2.03	0.59
1:A:94:SER:HB2	1:A:99:LYS:HB3	1.84	0.58
1:C:504:SER:N	1:C:505:PRO:CD	2.66	0.58
1:B:209:THR:HG22	1:B:211:ASN:ND2	2.18	0.58
1:A:13:LYS:HG3	1:A:14:ASP:N	2.18	0.58
1:A:127:LYS:HG3	1:C:531:VAL:HA	1.86	0.58
1:C:440:PRO:HG2	1:C:443:CYS:SG	2.44	0.58
1:C:436:MET:CE	1:C:518:ILE:HG23	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:686:LEU:HD22	1:D:726:PHE:CD2	2.38	0.57
1:C:448:MET:HA	1:C:448:MET:CE	2.36	0.56
1:B:203:ILE:O	1:B:205:ARG:HG2	2.05	0.56
1:A:125:ALA:O	1:A:129:PHE:HB2	2.06	0.56
1:B:249:VAL:HG12	1:B:287:VAL:HG22	1.88	0.56
1:A:100:LYS:HE3	1:A:103:LYS:HZ1	1.70	0.56
1:D:683:VAL:O	1:D:687:VAL:HG23	2.06	0.56
1:D:698:LEU:HG	1:D:699:LYS:H	1.71	0.56
1:C:527:LYS:HG3	1:C:528:ASP:N	2.16	0.56
1:D:730:VAL:HG12	1:D:730:VAL:O	2.06	0.56
1:B:317:ARG:HB3	1:B:321:ARG:NH2	2.21	0.55
1:C:486:LEU:O	1:C:490:VAL:HG23	2.05	0.55
1:B:247:GLU:OE1	1:B:305:PRO:HD3	2.06	0.55
1:A:8:VAL:O	1:A:8:VAL:HG12	2.06	0.55
1:D:674:SER:O	1:D:678:LYS:HG2	2.07	0.55
1:A:100:LYS:O	1:A:101:SER:CB	2.54	0.55
1:D:678:LYS:O	1:D:682:ILE:HG23	2.07	0.55
1:A:12:VAL:HG12	1:A:16:THR:HG1	1.72	0.54
1:B:283:VAL:CG2	1:B:319:PHE:HE1	2.20	0.54
1:A:38:VAL:HG23	1:A:39:LEU:HD12	1.91	0.53
1:B:276:ILE:O	1:B:280:VAL:HG23	2.07	0.53
1:C:441:SER:O	1:C:445:ILE:HG13	2.08	0.53
1:D:609:THR:HG23	1:D:727:LYS:NZ	2.22	0.53
1:A:119:PHE:CE2	1:A:123:ILE:HD12	2.43	0.53
1:D:626:TYR:O	1:D:712:PRO:HD3	2.09	0.53
1:A:23:PRO:HG2	1:A:26:TYR:CB	2.39	0.53
1:A:59:LEU:CD1	1:A:76:ILE:HD13	2.39	0.53
1:A:94:SER:CB	1:A:99:LYS:HB3	2.39	0.53
1:C:500:LYS:C	1:C:502:PHE:H	2.11	0.53
1:D:609:THR:OG1	1:D:727:LYS:HE2	2.09	0.52
1:A:10:ASN:CB	1:A:82:ILE:HD13	2.40	0.52
1:A:47:GLU:CD	1:A:103:LYS:HA	2.30	0.52
1:C:483:VAL:O	1:C:487:VAL:HG23	2.10	0.52
1:A:40:PRO:HG2	1:A:43:CYS:SG	2.49	0.52
1:C:474:SER:O	1:C:478:LYS:HG2	2.10	0.51
1:A:122:SER:O	1:A:125:ALA:HB3	2.11	0.51
1:C:436:MET:HE2	1:C:518:ILE:HG23	1.92	0.51
1:D:726:PHE:C	1:D:728:ASP:H	2.15	0.50
1:B:339:VAL:HG12	1:B:340:VAL:N	2.27	0.50
1:A:47:GLU:OE2	1:A:103:LYS:HA	2.10	0.50
1:B:322:SER:O	1:B:325:ALA:HB3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:CYS:O	1:A:139:VAL:HB	2.11	0.50
1:B:205:ARG:HH21	1:B:327:LYS:HB2	1.77	0.50
1:A:81:ASN:ND2	5:A:947:HOH:O	2.44	0.50
1:D:719:PHE:O	1:D:723:ILE:HG12	2.12	0.49
1:A:83:VAL:O	1:A:87:VAL:HG23	2.13	0.49
1:A:4:CYS:O	1:A:5:ARG:C	2.50	0.49
1:A:108:ARG:HG3	1:A:110:PHE:CE1	2.48	0.49
1:C:433:VAL:HG23	1:C:448:MET:HE3	1.94	0.49
1:D:686:LEU:HB3	1:D:726:PHE:CE2	2.47	0.49
1:D:638:VAL:HG23	1:D:639:LEU:N	2.27	0.49
1:A:38:VAL:HG23	1:A:39:LEU:HD13	1.95	0.49
1:C:435:GLY:CA	1:C:439:LEU:HD13	2.43	0.49
1:D:698:LEU:HG	1:D:699:LYS:N	2.27	0.49
1:D:644:TRP:O	1:D:646:SER:N	2.45	0.48
1:A:66:ILE:O	1:A:68:GLU:N	2.47	0.48
1:B:240:PRO:HG2	1:B:243:CYS:SG	2.53	0.48
1:C:478:LYS:HE2	5:C:909:HOH:O	2.13	0.48
1:C:442:HIS:CD2	1:C:534:GLU:HA	2.49	0.47
1:A:95:SER:C	1:A:97:ASP:N	2.64	0.47
1:D:637:ASP:OD1	1:D:638:VAL:HG13	2.13	0.47
1:B:203:ILE:O	1:B:204:CYS:C	2.52	0.47
1:B:265:ASN:OD1	1:B:265:ASN:O	2.32	0.47
1:A:100:LYS:HG2	1:A:101:SER:H	1.80	0.47
1:B:268:GLU:HG3	1:C:517:ARG:CZ	2.44	0.47
1:B:260:LEU:HD12	1:B:260:LEU:HA	1.79	0.47
1:D:648:MET:HA	1:D:648:MET:CE	2.45	0.47
1:C:449:VAL:CG1	1:C:487:VAL:HG22	2.45	0.47
1:D:713:GLU:HB2	5:D:838:HOH:O	2.15	0.47
1:B:317:ARG:HB3	1:B:321:ARG:CZ	2.45	0.46
1:A:4:CYS:O	1:A:6:ASN:N	2.48	0.46
1:B:248:MET:HE2	1:B:248:MET:CA	2.45	0.46
1:C:414:ASP:HB3	1:C:475:ILE:HG23	1.97	0.46
1:A:100:LYS:O	1:A:101:SER:HB3	2.14	0.46
1:B:246:SER:O	1:B:250:VAL:HG23	2.15	0.46
1:C:448:MET:HA	1:C:448:MET:HE3	1.98	0.46
1:D:679:LEU:HA	1:D:682:ILE:HD12	1.96	0.46
1:A:36:MET:O	1:A:36:MET:HG2	2.15	0.46
1:A:45:ILE:HD11	1:A:126:PHE:CE1	2.51	0.45
1:D:638:VAL:HG23	1:D:639:LEU:CD1	2.40	0.45
1:A:11:ASN:C	1:A:13:LYS:H	2.19	0.45
1:A:111:THR:HG22	1:A:114:GLU:CG	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:436:MET:HE1	1:C:518:ILE:HG23	1.98	0.45
1:C:529:PHE:HD1	1:C:530:VAL:N	2.02	0.45
1:D:633:VAL:HG23	1:D:648:MET:HE3	1.98	0.45
1:A:97:ASP:O	1:A:99:LYS:N	2.47	0.45
1:A:111:THR:HG22	1:A:114:GLU:CD	2.36	0.45
1:B:211:ASN:ND2	5:B:939:HOH:O	2.49	0.45
1:B:218:LEU:HG	1:B:222:LEU:HD22	1.98	0.45
1:C:486:LEU:HD22	1:C:526:PHE:CZ	2.52	0.45
1:A:18:LEU:HD13	1:A:116:PHE:CZ	2.51	0.45
1:A:18:LEU:HD22	1:A:22:LEU:CD1	2.47	0.45
1:A:80:VAL:O	1:A:83:VAL:HG12	2.17	0.45
1:B:206:ASN:O	1:B:207:ARG:CG	2.59	0.44
1:B:287:VAL:HG12	1:B:287:VAL:O	2.17	0.44
1:A:127:LYS:NZ	1:C:531:VAL:HG13	2.32	0.44
1:D:693:ASN:C	1:D:695:SER:H	2.19	0.44
1:B:318:ILE:HD12	1:B:321:ARG:NH1	2.32	0.44
1:C:524:ASP:C	1:C:526:PHE:H	2.20	0.44
1:B:316:PHE:HA	1:B:319:PHE:HB3	2.00	0.44
1:D:679:LEU:O	1:D:683:VAL:HG12	2.17	0.44
1:A:119:PHE:CZ	1:A:123:ILE:HD12	2.53	0.44
1:C:532:ALA:HB1	1:C:535:THR:CB	2.44	0.44
1:D:636:MET:HA	1:D:644:TRP:CD1	2.52	0.44
1:A:45:ILE:HD11	1:A:126:PHE:CD1	2.53	0.43
1:B:209:THR:HG22	1:B:211:ASN:CG	2.39	0.43
1:B:283:VAL:CG2	1:B:319:PHE:CE1	3.01	0.43
1:A:84:ASP:O	1:A:87:VAL:HB	2.18	0.43
1:D:613:LYS:HB2	1:D:613:LYS:HZ3	1.81	0.43
1:B:319:PHE:CZ	1:B:323:ILE:HD11	2.53	0.43
1:A:26:TYR:O	1:A:112:PRO:HD3	2.18	0.43
1:A:65:ASN:C	1:A:66:ILE:HG12	2.38	0.43
1:B:204:CYS:O	1:B:204:CYS:SG	2.76	0.43
1:B:257:THR:O	1:B:260:LEU:HB2	2.19	0.43
1:A:101:SER:O	1:A:102:PHE:CB	2.66	0.43
1:A:111:THR:CG2	1:A:114:GLU:H	2.20	0.43
1:A:121:ARG:HG3	1:C:529:PHE:CD2	2.54	0.43
1:A:121:ARG:HG3	1:C:529:PHE:HD2	1.84	0.43
1:A:116:PHE:HA	1:A:119:PHE:HB3	2.01	0.43
1:C:516:PHE:HA	1:C:519:PHE:HB3	2.00	0.43
1:D:686:LEU:HD22	1:D:726:PHE:HD2	1.80	0.43
1:A:47:GLU:OE2	1:A:51:GLN:NE2	2.44	0.42
1:A:88:GLU:O	1:A:92:GLU:HG3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:LYS:HD2	1:C:531:VAL:HG13	2.01	0.42
1:B:304:SER:HA	1:B:305:PRO:HD3	1.91	0.42
1:D:660:LEU:HD13	1:D:676:ILE:HG22	2.01	0.42
1:A:95:SER:O	1:A:96:LYS:HB2	2.19	0.42
1:A:127:LYS:CE	1:C:531:VAL:HG13	2.50	0.42
1:B:209:THR:O	1:B:211:ASN:ND2	2.52	0.42
1:A:72:ASN:O	1:A:76:ILE:HG13	2.20	0.42
1:B:206:ASN:C	1:B:208:VAL:HG23	2.40	0.42
1:D:613:LYS:HB2	1:D:613:LYS:HZ2	1.84	0.42
1:A:130:VAL:HG23	1:A:131:VAL:N	2.35	0.42
1:B:298:LEU:O	1:B:300:LYS:N	2.49	0.42
1:D:638:VAL:HG23	1:D:639:LEU:H	1.84	0.42
1:A:102:PHE:O	1:A:103:LYS:HB3	2.19	0.42
1:D:639:LEU:HB3	1:D:640:PRO:HD2	2.01	0.42
1:A:62:LYS:O	1:B:224:LYS:HG3	2.20	0.42
1:C:468:GLU:HB3	5:C:925:HOH:O	2.20	0.42
1:A:78:LYS:HZ2	1:A:82:ILE:HD11	1.84	0.41
1:D:692:GLU:C	1:D:694:SER:H	2.23	0.41
1:C:436:MET:HE3	5:C:931:HOH:O	2.20	0.41
1:D:672:ASN:O	1:D:676:ILE:HG13	2.19	0.41
1:A:111:THR:HG22	1:A:114:GLU:HB2	2.02	0.41
1:A:126:PHE:O	1:A:127:LYS:C	2.59	0.41
1:D:685:ASP:O	1:D:688:GLU:HB3	2.21	0.41
1:A:13:LYS:HG3	1:A:14:ASP:OD1	2.20	0.41
1:B:329:PHE:C	1:B:329:PHE:CD2	2.94	0.41
1:C:486:LEU:HD22	1:C:526:PHE:CE2	2.55	0.41
1:B:285:ASP:O	1:B:288:GLU:HB2	2.21	0.41
1:D:611:ASN:HB3	1:D:614:ASP:HB2	2.03	0.41
1:A:111:THR:HG22	1:A:114:GLU:OE2	2.21	0.41
1:B:206:ASN:C	1:B:207:ARG:HG2	2.37	0.41
1:D:710:PHE:HB3	1:D:714:GLU:HG3	2.03	0.41
1:D:641:SER:HB2	1:D:645:ILE:HD12	2.03	0.40
1:A:130:VAL:HG23	1:A:131:VAL:HG13	2.03	0.40
1:C:528:ASP:HB3	1:C:529:PHE:CD1	2.56	0.40
1:D:640:PRO:C	1:D:642:HIS:H	2.23	0.40
1:C:527:LYS:HG3	1:C:528:ASP:OD1	2.21	0.40
1:B:223:PRO:C	1:B:225:ASP:H	2.24	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:713:GLU:OE1	3:B:803:SM:SM[2_645]	2.12	0.08
1:A:88:GLU:OE2	3:C:801:SM:SM[2_656]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	129/141 (92%)	103 (80%)	13 (10%)	13 (10%)	0	0
1	B	138/141 (98%)	113 (82%)	20 (14%)	5 (4%)	3	1
1	C	129/141 (92%)	105 (81%)	15 (12%)	9 (7%)	1	0
1	D	121/141 (86%)	98 (81%)	11 (9%)	12 (10%)	0	0
All	All	517/564 (92%)	419 (81%)	59 (11%)	39 (8%)	1	0

All (39) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	ARG
1	A	66	ILE
1	A	67	SER
1	A	132	ALA
1	B	291	LYS
1	B	298	LEU
1	C	492	GLU
1	C	495	SER
1	C	500	LYS
1	C	504	SER
1	C	530	VAL
1	C	531	VAL
1	D	634	PRO
1	D	701	SER
1	A	9	THR
1	A	95	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	101	SER
1	C	532	ALA
1	D	611	ASN
1	D	612	VAL
1	D	696	LYS
1	D	699	LYS
1	D	703	LYS
1	D	729	PHE
1	A	69	GLY
1	A	99	LYS
1	A	102	PHE
1	B	299	LYS
1	C	528	ASP
1	D	610	ASN
1	B	234	PRO
1	C	412	VAL
1	D	636	MET
1	D	644	TRP
1	A	98	LEU
1	B	302	PHE
1	D	705	PRO
1	A	8	VAL
1	A	104	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	125/135 (93%)	120 (96%)	5 (4%)	27	40
1	B	121/135 (90%)	112 (93%)	9 (7%)	11	15
1	C	112/135 (83%)	107 (96%)	5 (4%)	23	34
1	D	113/135 (84%)	108 (96%)	5 (4%)	24	35
All	All	471/540 (87%)	447 (95%)	24 (5%)	20	29

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	LEU
1	A	49	VAL
1	A	59	LEU
1	A	65	ASN
1	A	113	GLU
1	B	212	VAL
1	B	222	LEU
1	B	227	MET
1	B	234	PRO
1	B	239	LEU
1	B	245	ILE
1	B	260	LEU
1	B	270	LEU
1	B	329	PHE
1	C	417	LYS
1	C	448	MET
1	C	524	ASP
1	C	528	ASP
1	C	529	PHE
1	D	613	LYS
1	D	634	PRO
1	D	668	GLU
1	D	670	LEU
1	D	682	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN
1	A	81	ASN
1	A	120	ASN
1	B	211	ASN
1	B	242	HIS
1	C	442	HIS
1	C	472	ASN
1	C	520	ASN
1	D	642	HIS
1	D	720	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 6 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TRS	D	807	-	7,7,7	1.84	1 (14%)	9,9,9	1.49	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TRS	D	807	-	-	1/9/9/9	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	807	TRS	C2-C	-4.32	1.41	1.53

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	807	TRS	O2-C2-C	2.86	118.85	110.88

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	807	TRS	C3-C-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	731:VAL	C	732:ALA	N	8.59

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Warning: The R factor obtained from EDS is 0.3001, which does not match the depositor's R factor of 0.223. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	133/141 (94%)	1.62	46 (34%) 1 1	18, 41, 88, 109	0
1	B	140/141 (99%)	1.74	48 (34%) 1 1	21, 48, 100, 104	0
1	C	131/141 (92%)	1.62	43 (32%) 1 1	18, 37, 92, 119	0
1	D	124/141 (87%)	1.77	44 (35%) 1 1	19, 47, 105, 114	0
All	All	528/564 (93%)	1.69	181 (34%) 1 1	18, 45, 99, 119	0

All (181) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	412	VAL	7.0
1	C	501	SER	6.7
1	D	641	SER	6.3
1	A	10	ASN	6.1
1	A	89	CYS	5.8
1	B	301	SER	5.8
1	B	302	PHE	5.8
1	D	683	VAL	5.7
1	B	295	SER	5.5
1	C	502	PHE	5.4
1	D	732	ALA	5.3
1	C	410	ASN	5.3
1	A	8	VAL	5.3
1	D	612	VAL	5.2
1	C	529	PHE	5.1
1	D	640	PRO	4.9
1	B	331	VAL	4.9
1	C	525	ALA	4.9
1	D	731	VAL	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	7	ARG	4.6
1	A	97	ASP	4.5
1	C	536	SER	4.5
1	C	530	VAL	4.4
1	B	284	ASP	4.4
1	A	66	ILE	4.4
1	C	494	SER	4.3
1	A	67	SER	4.3
1	D	682	ILE	4.3
1	B	294	SER	4.3
1	A	131	VAL	4.3
1	A	69	GLY	4.2
1	B	332	ALA	4.2
1	D	642	HIS	4.2
1	B	330	VAL	4.1
1	B	305	PRO	4.1
1	D	635	GLY	4.1
1	A	70	LEU	4.0
1	D	654	ASP	4.0
1	D	705	PRO	4.0
1	A	101	SER	4.0
1	D	730	VAL	4.0
1	A	128	ASP	4.0
1	A	125	ALA	4.0
1	C	413	LYS	3.9
1	D	644	TRP	3.9
1	A	132	ALA	3.9
1	C	539	VAL	3.8
1	A	100	LYS	3.8
1	D	636	MET	3.8
1	D	729	PHE	3.8
1	C	409	THR	3.8
1	B	207	ARG	3.8
1	C	531	VAL	3.8
1	A	133	SER	3.8
1	D	645	ILE	3.7
1	C	495	SER	3.7
1	C	489	CYS	3.7
1	B	206	ASN	3.7
1	B	290	VAL	3.6
1	A	90	VAL	3.6
1	D	687	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	505	PRO	3.5
1	A	98	LEU	3.5
1	C	498	LEU	3.5
1	B	326	PHE	3.5
1	D	690	VAL	3.5
1	B	293	ASN	3.5
1	D	725	ALA	3.5
1	D	706	GLU	3.5
1	B	289	CYS	3.4
1	C	493	ASN	3.4
1	A	130	VAL	3.4
1	A	93	ASN	3.4
1	C	528	ASP	3.4
1	A	102	PHE	3.3
1	C	526	PHE	3.3
1	B	298	LEU	3.3
1	D	680	VAL	3.3
1	A	11	ASN	3.3
1	B	212	VAL	3.3
1	C	500	LYS	3.2
1	D	684	ASP	3.2
1	A	127	LYS	3.2
1	D	728	ASP	3.2
1	D	698	LEU	3.2
1	B	297	ASP	3.2
1	D	609	THR	3.2
1	B	225	ASP	3.1
1	C	414	ASP	3.1
1	C	532	ALA	3.1
1	C	441	SER	3.1
1	A	85	ASP	3.0
1	A	9	THR	3.0
1	D	704	SER	3.0
1	B	300	LYS	3.0
1	B	283	VAL	3.0
1	C	439	LEU	3.0
1	A	129	PHE	3.0
1	A	99	LYS	2.9
1	C	411	ASN	2.9
1	C	504	SER	2.9
1	C	497	ASP	2.9
1	B	323	ILE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	287	VAL	2.9
1	B	340	VAL	2.9
1	D	727	LYS	2.9
1	B	234	PRO	2.8
1	C	438	VAL	2.8
1	D	634	PRO	2.8
1	A	92	GLU	2.8
1	B	324	ASP	2.8
1	A	139	VAL	2.7
1	B	339	VAL	2.7
1	B	329	PHE	2.7
1	D	702	PHE	2.7
1	A	12	VAL	2.7
1	B	236	MET	2.7
1	B	328	ASP	2.7
1	B	249	VAL	2.7
1	C	491	LYS	2.7
1	A	4	CYS	2.7
1	C	492	GLU	2.7
1	A	137	ASP	2.7
1	A	126	PHE	2.7
1	D	697	ASP	2.6
1	D	703	LYS	2.6
1	D	689	CYS	2.6
1	B	321	ARG	2.6
1	A	88	GLU	2.6
1	B	335	THR	2.6
1	D	723	ILE	2.6
1	B	286	LEU	2.5
1	B	303	LYS	2.5
1	C	533	SER	2.5
1	B	304	SER	2.5
1	B	204	CYS	2.5
1	B	299	LYS	2.5
1	A	6	ASN	2.5
1	A	14	ASP	2.5
1	A	138	CYS	2.5
1	D	611	ASN	2.5
1	C	436	MET	2.4
1	B	325	ALA	2.4
1	A	94	SER	2.4
1	C	490	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	270	LEU	2.4
1	A	103	LYS	2.4
1	D	700	LYS	2.4
1	A	107	PRO	2.3
1	A	123	ILE	2.3
1	C	485	ASP	2.3
1	D	685	ASP	2.3
1	D	695	SER	2.3
1	D	724	ASP	2.3
1	D	632	TYR	2.3
1	B	313	GLU	2.3
1	C	503	LYS	2.2
1	D	699	LYS	2.2
1	B	261	ASP	2.2
1	C	537	ASP	2.2
1	C	534	GLU	2.2
1	D	639	LEU	2.2
1	D	643	CYS	2.2
1	C	442	HIS	2.2
1	A	124	ASP	2.2
1	B	203	ILE	2.2
1	B	215	VAL	2.2
1	B	250	VAL	2.2
1	A	121	ARG	2.1
1	A	105	PRO	2.1
1	D	696	LYS	2.1
1	A	47	GLU	2.1
1	B	235	GLY	2.1
1	C	527	LYS	2.1
1	C	461	ASP	2.1
1	C	466	ILE	2.1
1	B	265	ASN	2.1
1	C	524	ASP	2.0
1	D	694	SER	2.0
1	B	296	LYS	2.0
1	A	39	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	TRS	D	807	8/8	0.63	0.16	65,65,66,67	0
2	CA	A	806	1/1	0.77	0.24	29,29,29,29	0
3	SM	B	802	1/1	0.96	0.36	46,46,46,46	0
3	SM	C	804	1/1	0.98	0.37	29,29,29,29	0
2	CA	C	805	1/1	0.98	0.27	13,13,13,13	0
3	SM	B	803	1/1	0.99	0.37	31,31,31,31	0
3	SM	C	801	1/1	1.00	0.28	1,1,1,1	0

6.5 Other polymers [i](#)

There are no such residues in this entry.