



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 07:01 PM EDT

PDB ID : 1EYY  
Title : CRYSTAL STRUCTURE OF THE NADP+ DEPENDENT ALDEHYDE DEHYDROGENASE FROM VIBRIO HARVEYI.  
Authors : Ahvazi, B.; Coulombe, R.; Delarge, M.; Vedadi, M.; Zhang, L.; Meighen, E.; Vrielink, A.  
Deposited on : 2000-05-09  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	 2% 82% 16% ..
1	B	510	 % 82% 16% ..
1	C	510	 % 83% 15% ..
1	D	510	 2% 83% 15% ..

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 15644 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALDEHYDE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	504	Total	C	N	O	S	0	0	0
			3788	2386	664	726	12			
1	B	502	Total	C	N	O	S	0	0	0
			3773	2378	662	721	12			
1	C	502	Total	C	N	O	S	0	0	0
			3773	2378	662	721	12			
1	D	502	Total	C	N	O	S	0	0	0
			3773	2378	662	721	12			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	101	Total	O	0	0
			101	101		
3	B	96	Total	O	0	0
			96	96		
3	C	111	Total	O	0	0
			111	111		
3	D	105	Total	O	0	0
			105	105		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: ALDEHYDE DEHYDROGENASE



#### • Molecule 1: ALDEHYDE DEHYDROGENASE





#### • Molecule 1: ALDEHYDE DEHYDROGENASE





● Molecule 1: ALDEHYDE DEHYDROGENASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	79.55Å 131.36Å 92.80Å 90.00° 92.44° 90.00°	Depositor
Resolution (Å)	25.77 – 2.50 25.76 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.1 (25.77-2.50) 97.2 (25.76-2.50)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.73 (at 2.50Å)	Xtrriage
Refinement program	CNS 0.9	Depositor
R, $R_{free}$	0.206 , 0.239 0.200 , 0.231	Depositor DCC
$R_{free}$ test set	6394 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	14.3	Xtrriage
Anisotropy	0.386	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 25.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.188 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	15644	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	4/3872 (0.1%)	0.59	0/5283
1	B	0.44	5/3857 (0.1%)	0.59	0/5262
1	C	0.42	3/3857 (0.1%)	0.58	0/5262
1	D	0.42	2/3857 (0.1%)	0.58	0/5262
All	All	0.43	14/15443 (0.1%)	0.59	0/21069

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	448	MET	CG-SD	7.97	2.01	1.81
1	B	448	MET	CG-SD	7.21	1.99	1.81
1	A	281	MET	CG-SD	6.38	1.97	1.81
1	B	281	MET	CG-SD	6.34	1.97	1.81
1	A	394	MET	CG-SD	6.20	1.97	1.81
1	D	267	MET	CG-SD	5.83	1.96	1.81
1	A	400	MET	CG-SD	5.75	1.96	1.81
1	B	394	MET	CG-SD	5.41	1.95	1.81
1	C	267	MET	CG-SD	5.24	1.94	1.81
1	D	281	MET	CG-SD	5.13	1.94	1.81
1	B	267	MET	CG-SD	5.08	1.94	1.81
1	C	281	MET	CG-SD	5.06	1.94	1.81
1	C	394	MET	CG-SD	5.05	1.94	1.81
1	B	400	MET	CG-SD	5.04	1.94	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3788	0	3743	62	0
1	B	3773	0	3732	62	0
1	C	3773	0	3732	57	0
1	D	3773	0	3732	54	0
2	A	31	0	11	0	0
2	B	31	0	11	0	0
2	C	31	0	11	0	0
2	D	31	0	11	0	0
3	A	101	0	0	3	0
3	B	96	0	0	4	0
3	C	111	0	0	2	0
3	D	105	0	0	1	0
All	All	15644	0	14983	227	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:MET:CG	1:A:448:MET:SD	2.01	1.48
1:A:424:PRO:HG3	1:D:48:ARG:NH2	1.89	0.88
1:B:110:TYR:HD1	1:B:111:HIS:N	1.79	0.80
1:C:110:TYR:HD1	1:C:111:HIS:N	1.81	0.79
1:B:48:ARG:NH2	1:C:424:PRO:HG3	1.98	0.79
1:A:70:ASP:HB2	3:A:1317:HOH:O	1.83	0.78
1:A:110:TYR:HD1	1:A:111:HIS:N	1.82	0.78
1:D:110:TYR:HD1	1:D:111:HIS:N	1.81	0.78
1:C:119:ASN:ND2	1:C:122:ARG:HB3	2.09	0.67
1:D:119:ASN:ND2	1:D:122:ARG:HB3	2.09	0.67
1:A:119:ASN:ND2	1:A:122:ARG:HB3	2.11	0.65
1:D:72:ILE:HG21	1:D:91:ILE:HD11	1.78	0.65
1:A:72:ILE:HG21	1:A:91:ILE:HD11	1.77	0.65
1:B:251:TYR:HE1	1:B:459:HIS:CD2	2.16	0.64
1:D:251:TYR:HE1	1:D:459:HIS:CD2	2.16	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:ASN:ND2	1:B:122:ARG:HB3	2.12	0.64
1:B:72:ILE:HG21	1:B:91:ILE:HD11	1.79	0.63
1:B:110:TYR:CD1	1:B:111:HIS:N	2.66	0.63
1:A:424:PRO:HG3	1:D:48:ARG:HH21	1.62	0.62
1:C:251:TYR:HE1	1:C:459:HIS:CD2	2.16	0.62
1:A:251:TYR:HE1	1:A:459:HIS:CD2	2.16	0.62
1:D:110:TYR:CD1	1:D:111:HIS:N	2.67	0.61
1:B:182:GLN:HG3	3:B:1223:HOH:O	2.00	0.61
1:C:72:ILE:HG21	1:C:91:ILE:HD11	1.81	0.61
1:B:147:ASN:HA	1:B:323:LEU:HD11	1.82	0.61
1:C:175:THR:HG21	1:C:208:ASN:HA	1.84	0.59
1:D:175:THR:HG21	1:D:208:ASN:HA	1.84	0.59
1:A:175:THR:HG21	1:A:208:ASN:HA	1.85	0.59
1:D:391:VAL:HG11	1:D:418:GLN:HG2	1.85	0.59
1:B:391:VAL:HG11	1:B:418:GLN:HG2	1.85	0.58
1:C:21:PRO:O	1:C:22:LEU:HB2	2.03	0.58
1:B:175:THR:HG21	1:B:208:ASN:HA	1.86	0.57
1:B:48:ARG:HH21	1:C:424:PRO:HG3	1.67	0.57
1:C:110:TYR:CD1	1:C:111:HIS:N	2.68	0.57
1:D:334:GLN:HE21	1:D:378:ILE:HG23	1.68	0.57
1:B:115:LEU:N	1:B:115:LEU:HD23	2.19	0.57
1:C:391:VAL:HG11	1:C:418:GLN:HG2	1.85	0.56
1:D:47:ARG:HB2	3:D:1132:HOH:O	2.05	0.56
1:A:110:TYR:CD1	1:A:111:HIS:N	2.68	0.56
1:D:459:HIS:HD2	1:D:462:SER:HB3	1.71	0.56
1:A:21:PRO:O	1:A:22:LEU:HB2	2.06	0.56
1:C:115:LEU:N	1:C:115:LEU:HD23	2.21	0.56
1:D:21:PRO:O	1:D:22:LEU:HB2	2.06	0.55
1:A:115:LEU:HD23	1:A:115:LEU:N	2.22	0.55
1:B:21:PRO:O	1:B:22:LEU:HB2	2.06	0.55
1:A:391:VAL:HG11	1:A:418:GLN:HG2	1.87	0.55
1:D:115:LEU:N	1:D:115:LEU:HD23	2.21	0.55
1:A:110:TYR:CD1	1:A:110:TYR:C	2.79	0.54
1:B:110:TYR:CD1	1:B:110:TYR:C	2.79	0.54
1:A:334:GLN:HE21	1:A:378:ILE:HG23	1.72	0.54
1:D:231:VAL:HA	1:D:254:LEU:HB3	1.90	0.54
1:D:110:TYR:CD1	1:D:110:TYR:C	2.80	0.54
1:C:110:TYR:CD1	1:C:110:TYR:C	2.80	0.54
1:D:104:VAL:O	1:D:107:SER:HB3	2.07	0.54
1:B:334:GLN:HE21	1:B:378:ILE:HG23	1.72	0.53
1:C:162:ALA:HA	1:C:473:TRP:CD1	2.44	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:104:VAL:O	1:C:107:SER:HB3	2.08	0.53
1:B:104:VAL:O	1:B:107:SER:HB3	2.08	0.53
1:B:110:TYR:HE1	1:B:111:HIS:CE1	2.27	0.52
1:B:231:VAL:HA	1:B:254:LEU:HB3	1.91	0.52
1:A:104:VAL:O	1:A:107:SER:HB3	2.09	0.52
1:B:162:ALA:HA	1:B:473:TRP:CD1	2.45	0.52
1:A:162:ALA:HA	1:A:473:TRP:CD1	2.45	0.52
1:B:459:HIS:HD2	1:B:462:SER:HB3	1.75	0.52
1:D:110:TYR:HE1	1:D:111:HIS:CE1	2.28	0.51
1:C:251:TYR:CE1	1:C:459:HIS:CD2	2.98	0.51
1:B:314:ILE:HG13	1:B:360:LEU:HB2	1.93	0.51
1:A:110:TYR:HE1	1:A:111:HIS:CE1	2.29	0.51
1:A:251:TYR:CE1	1:A:459:HIS:CD2	2.98	0.51
1:B:242:HIS:HD2	1:C:238:PHE:HZ	1.59	0.51
1:C:110:TYR:HE1	1:C:111:HIS:CE1	2.29	0.51
1:B:423:ILE:O	1:B:427:GLU:HG3	2.11	0.51
1:C:231:VAL:HA	1:C:254:LEU:HB3	1.91	0.51
1:C:459:HIS:HD2	1:C:462:SER:HB3	1.75	0.51
1:B:101:PHE:O	1:B:105:VAL:HG23	2.10	0.50
1:D:314:ILE:HG13	1:D:360:LEU:HB2	1.93	0.50
1:C:334:GLN:HE21	1:C:378:ILE:HG23	1.75	0.50
1:A:421:GLN:O	1:A:425:ARG:NH1	2.44	0.50
1:D:162:ALA:HA	1:D:473:TRP:CD1	2.47	0.50
1:A:115:LEU:HB3	1:A:131:ARG:HG2	1.93	0.50
1:B:317:GLN:HA	3:B:1272:HOH:O	2.11	0.50
1:C:314:ILE:HG13	1:C:360:LEU:HB2	1.94	0.50
1:A:231:VAL:HA	1:A:254:LEU:HB3	1.92	0.50
1:D:122:ARG:HG2	1:D:126:PRO:HA	1.94	0.50
1:A:110:TYR:HE1	1:A:111:HIS:CD2	2.29	0.49
1:A:182:GLN:HG3	3:A:1269:HOH:O	2.12	0.49
1:C:423:ILE:O	1:C:427:GLU:HG3	2.11	0.49
1:D:101:PHE:O	1:D:105:VAL:HG23	2.11	0.49
1:B:251:TYR:CE1	1:B:459:HIS:CD2	2.98	0.49
1:D:341:ASP:OD2	1:D:371:HIS:NE2	2.46	0.49
1:D:251:TYR:CE1	1:D:459:HIS:CD2	2.98	0.49
1:D:423:ILE:O	1:D:427:GLU:HG3	2.12	0.49
1:B:110:TYR:HE1	1:B:111:HIS:CD2	2.30	0.49
1:D:363:THR:HG22	1:D:384:LEU:HD11	1.94	0.49
1:C:110:TYR:HE1	1:C:111:HIS:CD2	2.30	0.49
1:B:110:TYR:HE1	1:B:111:HIS:NE2	2.10	0.49
1:B:115:LEU:HB3	1:B:131:ARG:HG2	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:257:ILE:HA	3:C:1314:HOH:O	2.12	0.49
1:A:494:GLU:HG3	1:A:496:PRO:HD3	1.95	0.49
1:D:331:TYR:O	1:D:335:VAL:HG22	2.12	0.49
1:A:459:HIS:HD2	1:A:462:SER:HB3	1.76	0.49
1:C:115:LEU:HB3	1:C:131:ARG:HG2	1.94	0.49
1:D:110:TYR:HE1	1:D:111:HIS:CD2	2.31	0.49
1:D:459:HIS:CD2	1:D:462:SER:HB3	2.47	0.49
1:B:114:ILE:C	1:B:115:LEU:HD23	2.33	0.49
1:B:494:GLU:HG3	1:B:496:PRO:HD3	1.93	0.49
1:D:115:LEU:HB3	1:D:131:ARG:HG2	1.95	0.49
1:A:110:TYR:HE1	1:A:111:HIS:NE2	2.12	0.48
1:B:122:ARG:HG2	1:B:126:PRO:HA	1.95	0.48
1:C:110:TYR:HE1	1:C:111:HIS:NE2	2.11	0.48
1:A:257:ILE:CD1	1:A:375:GLU:HG3	2.43	0.48
1:D:114:ILE:C	1:D:115:LEU:HD23	2.34	0.48
1:C:227:PHE:O	1:C:252:GLY:HA2	2.13	0.48
1:B:145:ALA:HB2	1:B:228:THR:CG2	2.44	0.48
1:B:238:PHE:HZ	1:C:242:HIS:HD2	1.60	0.48
1:B:331:TYR:O	1:B:335:VAL:HG22	2.14	0.47
1:A:119:ASN:HB3	1:A:127:LYS:HB3	1.96	0.47
1:C:421:GLN:O	1:C:425:ARG:NH1	2.46	0.47
1:A:314:ILE:HG13	1:A:360:LEU:HB2	1.97	0.47
1:A:331:TYR:O	1:A:335:VAL:HG22	2.14	0.47
1:A:423:ILE:O	1:A:427:GLU:HG3	2.14	0.47
1:C:494:GLU:HG3	1:C:496:PRO:HD3	1.96	0.47
1:D:110:TYR:HE1	1:D:111:HIS:NE2	2.12	0.47
1:C:423:ILE:HB	1:C:424:PRO:HD3	1.97	0.47
1:D:494:GLU:HG3	1:D:496:PRO:HD3	1.95	0.47
1:B:257:ILE:HD12	1:B:294:VAL:HG11	1.95	0.47
1:B:363:THR:HG22	1:B:384:LEU:HD11	1.96	0.47
1:C:101:PHE:O	1:C:105:VAL:HG23	2.15	0.47
1:C:122:ARG:HG2	1:C:126:PRO:HA	1.95	0.47
1:C:119:ASN:HB3	1:C:127:LYS:HB3	1.97	0.47
1:C:239:ASN:O	1:C:243:GLU:HG3	2.15	0.47
1:D:227:PHE:O	1:D:252:GLY:HA2	2.14	0.47
1:A:145:ALA:HB2	1:A:228:THR:CG2	2.45	0.47
1:A:122:ARG:HG2	1:A:126:PRO:HA	1.95	0.47
1:B:227:PHE:O	1:B:252:GLY:HA2	2.15	0.47
1:C:344:ILE:HD11	1:C:361:PHE:HB3	1.96	0.47
1:A:227:PHE:O	1:A:252:GLY:HA2	2.14	0.46
1:B:147:ASN:HA	1:B:323:LEU:CD1	2.44	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:331:TYR:O	1:C:335:VAL:HG22	2.16	0.46
1:C:429:ILE:HD12	1:C:429:ILE:C	2.35	0.46
1:C:459:HIS:CD2	1:C:462:SER:HB3	2.50	0.46
1:D:423:ILE:HB	1:D:424:PRO:HD3	1.96	0.46
1:D:429:ILE:C	1:D:429:ILE:HD12	2.35	0.46
1:B:173:GLY:HA2	3:B:1255:HOH:O	2.16	0.46
1:B:423:ILE:HB	1:B:424:PRO:HD3	1.96	0.46
1:C:80:THR:O	1:C:81:ALA:HB3	2.15	0.46
1:D:51:ASN:ND2	1:D:110:TYR:OH	2.48	0.46
1:D:119:ASN:HB3	1:D:127:LYS:HB3	1.97	0.46
1:C:145:ALA:HB2	1:C:228:THR:CG2	2.45	0.46
1:C:114:ILE:C	1:C:115:LEU:HD23	2.36	0.45
1:A:114:ILE:C	1:A:115:LEU:HD23	2.36	0.45
1:B:429:ILE:C	1:B:429:ILE:HD12	2.36	0.45
1:C:363:THR:HG22	1:C:384:LEU:HD11	1.98	0.45
1:A:27:HIS:CD2	1:A:31:GLU:HG2	2.52	0.45
1:A:101:PHE:O	1:A:105:VAL:HG23	2.17	0.45
1:A:239:ASN:O	1:A:243:GLU:HG3	2.16	0.45
1:D:239:ASN:O	1:D:243:GLU:HG3	2.16	0.45
1:A:423:ILE:HB	1:A:424:PRO:HD3	1.99	0.45
1:A:80:THR:O	1:A:81:ALA:HB3	2.16	0.45
1:B:459:HIS:CD2	1:B:462:SER:HB3	2.51	0.45
1:D:145:ALA:HB2	1:D:228:THR:CG2	2.47	0.45
1:A:459:HIS:CD2	1:A:462:SER:HB3	2.52	0.45
1:B:146:SER:HB3	1:B:174:HIS:NE2	2.32	0.45
1:C:452:GLY:O	1:C:457:SER:HB3	2.16	0.45
1:D:80:THR:O	1:D:81:ALA:HB3	2.17	0.45
1:B:119:ASN:HB3	1:B:127:LYS:HB3	1.99	0.44
1:B:452:GLY:O	1:B:457:SER:HB3	2.17	0.44
1:A:429:ILE:HD12	1:A:429:ILE:C	2.37	0.44
1:D:452:GLY:O	1:D:457:SER:HB3	2.17	0.44
1:B:257:ILE:HD12	1:B:294:VAL:CG1	2.48	0.44
1:D:146:SER:HB3	1:D:174:HIS:NE2	2.33	0.44
1:C:382:GLN:C	1:C:382:GLN:CD	2.76	0.44
1:D:287:GLN:OE1	1:D:323:LEU:HG	2.19	0.43
1:A:363:THR:HG22	1:A:384:LEU:HD11	2.00	0.43
1:A:452:GLY:O	1:A:457:SER:HB3	2.17	0.43
1:B:145:ALA:HB2	1:B:228:THR:HG21	2.01	0.43
1:A:257:ILE:HD13	1:A:375:GLU:HG3	2.00	0.43
1:B:239:ASN:O	1:B:243:GLU:HG3	2.18	0.43
1:D:290:THR:OG1	1:D:440:THR:HA	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:ASN:ND2	1:A:110:TYR:OH	2.51	0.43
1:D:72:ILE:CG2	1:D:91:ILE:HD11	2.47	0.42
1:A:453:PRO:HD3	1:D:475:ARG:NH2	2.34	0.42
1:B:110:TYR:HD1	1:B:110:TYR:C	2.19	0.42
1:B:80:THR:O	1:B:81:ALA:HB3	2.19	0.42
1:C:331:TYR:CD1	1:C:380:GLY:HA3	2.54	0.42
1:D:314:ILE:O	1:D:349:SER:HB3	2.19	0.42
1:B:314:ILE:O	1:B:349:SER:HB3	2.19	0.42
1:A:413:GLU:OE1	1:A:413:GLU:N	2.43	0.42
1:B:290:THR:OG1	1:B:440:THR:HA	2.20	0.42
1:D:27:HIS:CD2	1:D:31:GLU:HG2	2.54	0.42
1:A:72:ILE:CG2	1:A:91:ILE:HD11	2.47	0.41
1:C:21:PRO:O	1:C:22:LEU:CB	2.67	0.41
1:D:110:TYR:HD2	1:D:470:ILE:HD11	1.84	0.41
1:B:110:TYR:HD2	1:B:470:ILE:HD11	1.84	0.41
1:C:51:ASN:ND2	1:C:110:TYR:OH	2.53	0.41
1:C:173:GLY:HA2	3:C:1387:HOH:O	2.20	0.41
1:A:110:TYR:HD2	1:A:470:ILE:HD11	1.85	0.41
1:B:331:TYR:CD1	1:B:380:GLY:HA3	2.55	0.41
1:C:145:ALA:HB2	1:C:228:THR:HG21	2.02	0.41
1:A:105:VAL:CG2	1:A:164:ALA:HB1	2.51	0.41
1:A:145:ALA:HB2	1:A:228:THR:HG21	2.02	0.41
1:B:411:ALA:HB1	1:B:415:ASP:HB2	2.02	0.41
1:C:112:GLN:O	1:C:114:ILE:HG13	2.20	0.41
1:A:448:MET:CG	1:A:448:MET:CE	2.95	0.41
1:A:450:HIS:HA	3:A:1234:HOH:O	2.20	0.41
1:B:27:HIS:CD2	1:B:31:GLU:HG2	2.55	0.41
1:D:110:TYR:HD1	1:D:110:TYR:C	2.20	0.41
1:D:312:SER:O	1:D:316:GLN:HG3	2.20	0.41
1:C:27:HIS:CD2	1:C:31:GLU:HG2	2.55	0.41
1:A:242:HIS:HD2	1:D:238:PHE:HZ	1.69	0.41
1:B:51:ASN:ND2	1:B:110:TYR:OH	2.53	0.41
1:B:72:ILE:CG2	1:B:91:ILE:HD11	2.49	0.41
1:B:134:GLN:HB3	1:B:474:LEU:HB3	2.03	0.41
1:C:134:GLN:HB3	1:C:474:LEU:HB3	2.02	0.41
1:C:290:THR:OG1	1:C:440:THR:HA	2.21	0.41
1:D:411:ALA:HB1	1:D:415:ASP:HB2	2.02	0.41
1:A:134:GLN:HB3	1:A:474:LEU:HB3	2.02	0.41
1:B:112:GLN:O	1:B:114:ILE:HG13	2.21	0.41
1:C:411:ALA:HB1	1:C:415:ASP:HB2	2.03	0.41
1:A:297:ALA:HA	1:A:394:MET:HE1	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:GLN:O	1:A:114:ILE:HG13	2.21	0.40
1:A:312:SER:O	1:A:316:GLN:HG3	2.20	0.40
1:A:411:ALA:HB1	1:A:415:ASP:HB2	2.03	0.40
1:C:110:TYR:HD2	1:C:470:ILE:HD11	1.86	0.40
1:B:211:ALA:HB2	3:B:1278:HOH:O	2.21	0.40
1:A:146:SER:HB3	1:A:174:HIS:NE2	2.35	0.40
1:C:105:VAL:CG2	1:C:164:ALA:HB1	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	502/510 (98%)	489 (97%)	12 (2%)	1 (0%)	47 68
1	B	500/510 (98%)	488 (98%)	11 (2%)	1 (0%)	47 68
1	C	500/510 (98%)	488 (98%)	11 (2%)	1 (0%)	47 68
1	D	500/510 (98%)	490 (98%)	9 (2%)	1 (0%)	47 68
All	All	2002/2040 (98%)	1955 (98%)	43 (2%)	4 (0%)	47 68

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	B	22	LEU
1	C	22	LEU
1	D	22	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/405 (98%)	393 (98%)	6 (2%)	65	85
1	B	397/405 (98%)	391 (98%)	6 (2%)	65	85
1	C	397/405 (98%)	390 (98%)	7 (2%)	59	81
1	D	397/405 (98%)	390 (98%)	7 (2%)	59	81
All	All	1590/1620 (98%)	1564 (98%)	26 (2%)	62	84

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	TYR
1	A	115	LEU
1	A	172	LYS
1	A	299	ASN
1	A	382	GLN
1	A	440	THR
1	B	110	TYR
1	B	115	LEU
1	B	172	LYS
1	B	289	CYS
1	B	299	ASN
1	B	440	THR
1	C	7	ASN
1	C	110	TYR
1	C	115	LEU
1	C	172	LYS
1	C	299	ASN
1	C	382	GLN
1	C	440	THR
1	D	110	TYR
1	D	115	LEU
1	D	172	LYS
1	D	289	CYS
1	D	299	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	D	382	GLN
1	D	440	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	112	GLN
1	A	119	ASN
1	A	134	GLN
1	A	209	GLN
1	A	242	HIS
1	A	299	ASN
1	A	311	GLN
1	A	334	GLN
1	A	367	ASN
1	A	382	GLN
1	A	459	HIS
1	A	471	HIS
1	B	51	ASN
1	B	112	GLN
1	B	134	GLN
1	B	209	GLN
1	B	299	ASN
1	B	311	GLN
1	B	334	GLN
1	B	367	ASN
1	B	459	HIS
1	B	471	HIS
1	C	7	ASN
1	C	51	ASN
1	C	112	GLN
1	C	119	ASN
1	C	134	GLN
1	C	209	GLN
1	C	299	ASN
1	C	311	GLN
1	C	334	GLN
1	C	367	ASN
1	C	382	GLN
1	C	459	HIS
1	C	471	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	7	ASN
1	D	51	ASN
1	D	112	GLN
1	D	134	GLN
1	D	209	GLN
1	D	299	ASN
1	D	311	GLN
1	D	334	GLN
1	D	367	ASN
1	D	382	GLN
1	D	459	HIS
1	D	471	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAP	A	650	-	28,33,52	2.45	8 (28%)	40,52,80	1.37	5 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAP	D	950	-	28,33,52	2.57	8 (28%)	40,52,80	1.37	5 (12%)
2	NAP	B	750	-	28,33,52	2.46	9 (32%)	40,52,80	1.37	5 (12%)
2	NAP	C	850	-	28,33,52	2.45	8 (28%)	40,52,80	1.37	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	650	-	-	6/17/37/67	0/3/3/5
2	NAP	D	950	-	-	5/17/37/67	0/3/3/5
2	NAP	B	750	-	-	6/17/37/67	0/3/3/5
2	NAP	C	850	-	-	6/17/37/67	0/3/3/5

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	950	NAP	PA-O3	-7.44	1.51	1.59
2	A	650	NAP	P2B-O2B	6.82	1.71	1.59
2	C	850	NAP	P2B-O2B	6.77	1.71	1.59
2	D	950	NAP	P2B-O2B	6.55	1.71	1.59
2	B	750	NAP	P2B-O2B	6.46	1.70	1.59
2	C	850	NAP	PA-O3	-6.10	1.52	1.59
2	B	750	NAP	PA-O3	-6.07	1.52	1.59
2	A	650	NAP	PA-O3	-5.99	1.53	1.59
2	B	750	NAP	PN-O1N	4.68	1.65	1.50
2	D	950	NAP	PN-O1N	4.67	1.65	1.50
2	A	650	NAP	PN-O1N	4.64	1.64	1.50
2	C	850	NAP	PN-O1N	4.59	1.64	1.50
2	B	750	NAP	C2A-N1A	3.60	1.40	1.33
2	D	950	NAP	C2A-N1A	3.30	1.39	1.33
2	C	850	NAP	C2A-N1A	3.25	1.39	1.33
2	A	650	NAP	C2A-N1A	3.16	1.39	1.33
2	D	950	NAP	P2B-O3X	-2.91	1.44	1.54
2	B	750	NAP	C1B-N9A	-2.87	1.42	1.49
2	C	850	NAP	C1B-N9A	-2.82	1.42	1.49
2	D	950	NAP	C1B-N9A	-2.68	1.43	1.49
2	A	650	NAP	C3B-C2B	2.67	1.58	1.53
2	A	650	NAP	C1B-N9A	-2.65	1.43	1.49
2	C	850	NAP	P2B-O3X	-2.64	1.45	1.54

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	650	NAP	P2B-O3X	-2.62	1.45	1.54
2	C	850	NAP	C3B-C2B	2.60	1.58	1.53
2	B	750	NAP	C3B-C2B	2.58	1.58	1.53
2	D	950	NAP	C3B-C2B	2.49	1.58	1.53
2	B	750	NAP	C5B-C4B	2.40	1.58	1.51
2	A	650	NAP	C5B-C4B	2.38	1.58	1.51
2	B	750	NAP	C4A-N3A	2.37	1.38	1.35
2	B	750	NAP	P2B-O3X	-2.36	1.46	1.54
2	D	950	NAP	C5B-C4B	2.28	1.58	1.51
2	C	850	NAP	C5B-C4B	2.11	1.57	1.51

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	950	NAP	O2B-P2B-O1X	-3.69	96.16	109.33
2	B	750	NAP	O2B-P2B-O1X	-3.69	96.18	109.33
2	C	850	NAP	O2B-P2B-O1X	-3.63	96.39	109.33
2	A	650	NAP	O2B-P2B-O1X	-3.62	96.45	109.33
2	D	950	NAP	C4A-C5A-N7A	2.58	112.06	109.34
2	C	850	NAP	C4A-C5A-N7A	2.49	111.97	109.34
2	B	750	NAP	O5D-PN-O3	2.48	112.95	104.64
2	C	850	NAP	O5D-PN-O3	2.47	112.92	104.64
2	A	650	NAP	C4A-C5A-N7A	2.46	111.94	109.34
2	A	650	NAP	O5D-PN-O3	2.37	112.58	104.64
2	B	750	NAP	C4A-C5A-N7A	2.36	111.83	109.34
2	D	950	NAP	O5D-PN-O3	2.35	112.50	104.64
2	A	650	NAP	N6A-C6A-N1A	2.19	123.02	118.33
2	A	650	NAP	P2B-O2B-C2B	-2.19	117.58	123.43
2	B	750	NAP	P2B-O2B-C2B	-2.16	117.66	123.43
2	C	850	NAP	P2B-O2B-C2B	-2.15	117.69	123.43
2	D	950	NAP	P2B-O2B-C2B	-2.12	117.77	123.43
2	D	950	NAP	N6A-C6A-N1A	2.10	122.83	118.33
2	C	850	NAP	N6A-C6A-N1A	2.10	122.81	118.33
2	B	750	NAP	N6A-C6A-N1A	2.05	122.72	118.33

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	650	NAP	PN-O3-PA-O5B
2	B	750	NAP	PN-O3-PA-O5B
2	C	850	NAP	PN-O3-PA-O5B

Continued on next page...


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	D	950	NAP	PN-O3-PA-O5B
2	A	650	NAP	C3B-C2B-O2B-P2B
2	B	750	NAP	C3B-C2B-O2B-P2B
2	C	850	NAP	C3B-C2B-O2B-P2B
2	D	950	NAP	C3B-C2B-O2B-P2B
2	A	650	NAP	C1B-C2B-O2B-P2B
2	B	750	NAP	C1B-C2B-O2B-P2B
2	C	850	NAP	C1B-C2B-O2B-P2B
2	D	950	NAP	C1B-C2B-O2B-P2B
2	A	650	NAP	C2B-O2B-P2B-O3X
2	B	750	NAP	C2B-O2B-P2B-O3X
2	C	850	NAP	C2B-O2B-P2B-O3X
2	D	950	NAP	C2B-O2B-P2B-O3X
2	A	650	NAP	C2B-O2B-P2B-O1X
2	B	750	NAP	C2B-O2B-P2B-O1X
2	C	850	NAP	C2B-O2B-P2B-O1X
2	A	650	NAP	C2B-O2B-P2B-O2X
2	B	750	NAP	C2B-O2B-P2B-O2X
2	C	850	NAP	C2B-O2B-P2B-O2X
2	D	950	NAP	C2B-O2B-P2B-O1X

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	504/510 (98%)	-0.14	9 (1%) 68 71	5, 12, 32, 66	0
1	B	502/510 (98%)	-0.20	7 (1%) 75 77	5, 12, 30, 66	0
1	C	502/510 (98%)	-0.18	4 (0%) 86 87	5, 12, 30, 66	0
1	D	502/510 (98%)	-0.16	8 (1%) 72 74	5, 12, 31, 66	0
All	All	2010/2040 (98%)	-0.17	28 (1%) 75 77	5, 12, 31, 66	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	125	LEU	4.2
1	C	494	GLU	4.1
1	A	507	ALA	3.9
1	D	342	ASP	3.9
1	C	342	ASP	3.6
1	B	507	ALA	3.2
1	A	342	ASP	3.2
1	B	123	ALA	3.1
1	D	123	ALA	2.9
1	A	123	ALA	2.7
1	D	125	LEU	2.7
1	A	121	THR	2.6
1	A	494	GLU	2.6
1	D	354	PRO	2.6
1	D	326	GLY	2.6
1	A	125	LEU	2.5
1	A	376	GLU	2.5
1	B	494	GLU	2.5
1	D	494	GLU	2.4
1	B	121	THR	2.3
1	D	7	ASN	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	194	GLN	2.3
1	B	22	LEU	2.2
1	C	121	THR	2.2
1	B	67	ALA	2.1
1	A	316	GLN	2.1
1	A	267	MET	2.0
1	D	325	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAP	B	750	31/48	0.85	0.29	5,7,16,17	31
2	NAP	D	950	31/48	0.88	0.34	5,5,13,14	31
2	NAP	A	650	31/48	0.90	0.25	5,6,11,14	31
2	NAP	C	850	31/48	0.93	0.28	5,5,11,13	31




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NAP B 750:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP D 950:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NAP A 650:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.