



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 12, 2024 – 01:19 pm BST

PDB ID : 9F2R
Title : Influenza A/H17N10 polymerase with bound promoter and 3' end of template in active site
Authors : Cusack, S.; Drncova, P.
Deposited on : 2024-04-23
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3187 (1.96-1.96)
Clashscore	180529	3412 (1.96-1.96)
Ramachandran outliers	177936	3390 (1.96-1.96)
Sidechain outliers	177891	3390 (1.96-1.96)
RSRZ outliers	164620	3186 (1.96-1.96)
RNA backbone	3690	1028 (2.36-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	738	
2	B	776	
3	C	809	
4	R	21	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	V	16	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a small red segment (6%), a large green segment (56%), a large yellow segment (38%), and a small orange segment (6%).</p>

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 19393 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polymerase acidic protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	708	5825	3696	985	1106	38	0	7	0

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	GLY	-	expression tag	UNP H6QM92
A	-12	SER	-	expression tag	UNP H6QM92
A	-11	HIS	-	expression tag	UNP H6QM92
A	-10	HIS	-	expression tag	UNP H6QM92
A	-9	HIS	-	expression tag	UNP H6QM92
A	-8	HIS	-	expression tag	UNP H6QM92
A	-7	HIS	-	expression tag	UNP H6QM92
A	-6	HIS	-	expression tag	UNP H6QM92
A	-5	HIS	-	expression tag	UNP H6QM92
A	-4	HIS	-	expression tag	UNP H6QM92
A	-3	GLY	-	expression tag	UNP H6QM92
A	-2	SER	-	expression tag	UNP H6QM92
A	-1	GLY	-	expression tag	UNP H6QM92
A	0	SER	-	expression tag	UNP H6QM92
A	714	GLY	-	expression tag	UNP H6QM92
A	715	SER	-	expression tag	UNP H6QM92
A	716	GLY	-	expression tag	UNP H6QM92
A	717	SER	-	expression tag	UNP H6QM92
A	718	GLY	-	expression tag	UNP H6QM92
A	719	GLU	-	expression tag	UNP H6QM92
A	720	ASN	-	expression tag	UNP H6QM92
A	721	LEU	-	expression tag	UNP H6QM92
A	722	TYR	-	expression tag	UNP H6QM92
A	723	PHE	-	expression tag	UNP H6QM92
A	724	GLN	-	expression tag	UNP H6QM92

- Molecule 2 is a protein called RNA-directed RNA polymerase catalytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	737	5979	3759	1059	1121	40	0	14	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-8	GLY	-	expression tag	UNP H6QM91
B	-7	SER	-	expression tag	UNP H6QM91
B	-6	GLY	-	expression tag	UNP H6QM91
B	-5	SER	-	expression tag	UNP H6QM91
B	-4	GLY	-	expression tag	UNP H6QM91
B	-3	SER	-	expression tag	UNP H6QM91
B	-2	GLY	-	expression tag	UNP H6QM91
B	-1	SER	-	expression tag	UNP H6QM91
B	0	GLY	-	expression tag	UNP H6QM91
B	757	GLY	-	expression tag	UNP H6QM91
B	758	SER	-	expression tag	UNP H6QM91
B	759	GLY	-	expression tag	UNP H6QM91
B	760	SER	-	expression tag	UNP H6QM91
B	761	GLY	-	expression tag	UNP H6QM91
B	762	GLU	-	expression tag	UNP H6QM91
B	763	ASN	-	expression tag	UNP H6QM91
B	764	LEU	-	expression tag	UNP H6QM91
B	765	TYR	-	expression tag	UNP H6QM91
B	766	PHE	-	expression tag	UNP H6QM91
B	767	GLN	-	expression tag	UNP H6QM91

- Molecule 3 is a protein called Polymerase basic protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	731	5813	3665	1032	1084	32	0	2	0

There are 49 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-8	GLY	-	expression tag	UNP H6QM90
C	-7	SER	-	expression tag	UNP H6QM90
C	-6	GLY	-	expression tag	UNP H6QM90
C	-5	SER	-	expression tag	UNP H6QM90
C	-4	GLY	-	expression tag	UNP H6QM90
C	-3	SER	-	expression tag	UNP H6QM90
C	-2	GLY	-	expression tag	UNP H6QM90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	SER	-	expression tag	UNP H6QM90
C	0	GLY	-	expression tag	UNP H6QM90
C	761	GLY	-	expression tag	UNP H6QM90
C	762	TRP	-	expression tag	UNP H6QM90
C	763	SER	-	expression tag	UNP H6QM90
C	764	HIS	-	expression tag	UNP H6QM90
C	765	PRO	-	expression tag	UNP H6QM90
C	766	GLN	-	expression tag	UNP H6QM90
C	767	PHE	-	expression tag	UNP H6QM90
C	768	GLU	-	expression tag	UNP H6QM90
C	769	LYS	-	expression tag	UNP H6QM90
C	770	GLY	-	expression tag	UNP H6QM90
C	771	GLY	-	expression tag	UNP H6QM90
C	772	GLY	-	expression tag	UNP H6QM90
C	773	SER	-	expression tag	UNP H6QM90
C	774	GLY	-	expression tag	UNP H6QM90
C	775	GLY	-	expression tag	UNP H6QM90
C	776	GLY	-	expression tag	UNP H6QM90
C	777	SER	-	expression tag	UNP H6QM90
C	778	GLY	-	expression tag	UNP H6QM90
C	779	GLY	-	expression tag	UNP H6QM90
C	780	SER	-	expression tag	UNP H6QM90
C	781	ALA	-	expression tag	UNP H6QM90
C	782	TRP	-	expression tag	UNP H6QM90
C	783	SER	-	expression tag	UNP H6QM90
C	784	HIS	-	expression tag	UNP H6QM90
C	785	PRO	-	expression tag	UNP H6QM90
C	786	GLN	-	expression tag	UNP H6QM90
C	787	PHE	-	expression tag	UNP H6QM90
C	788	GLU	-	expression tag	UNP H6QM90
C	789	LYS	-	expression tag	UNP H6QM90
C	790	GLY	-	expression tag	UNP H6QM90
C	791	ARG	-	expression tag	UNP H6QM90
C	792	SER	-	expression tag	UNP H6QM90
C	793	GLY	-	expression tag	UNP H6QM90
C	794	GLY	-	expression tag	UNP H6QM90
C	795	GLU	-	expression tag	UNP H6QM90
C	796	ASN	-	expression tag	UNP H6QM90
C	797	LEU	-	expression tag	UNP H6QM90
C	798	TYR	-	expression tag	UNP H6QM90
C	799	PHE	-	expression tag	UNP H6QM90
C	800	GLN	-	expression tag	UNP H6QM90


- Molecule 4 is a RNA chain called 3' end of the promoter vRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	R	15	289	129	43	103	14	0	0	0

- Molecule 5 is a RNA chain called 5' end of the promoter vRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
5	V	16	342	152	67	107	16	0	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
6	A	1	6	3	3	0	0
6	B	1	6	3	3	0	0
6	C	1	6	3	3	0	0

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
7	B	1	1	1	0	0

- Molecule 8 is 7N-METHYL-8-HYDROGUANOSINE-5'-TRIPHOSPHATE (three-letter code: MGT) (formula: $C_{11}H_{20}N_5O_{14}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
8	C	1	33	11	5	14	3	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	371	Total	O	0	0
			371	371		
9	B	409	Total	O	0	0
			409	409		
9	C	237	Total	O	0	0
			237	237		
9	R	22	Total	O	0	0
			22	22		
9	V	54	Total	O	0	0
			54	54		


3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polymerase acidic protein





- Molecule 2: RNA-directed RNA polymerase catalytic subunit







- Molecule 3: Polymerase basic protein 2



- Molecule 4: 3' end of the promoter vRNA



- Molecule 5: 5' end of the promoter vRNA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.08Å 119.27Å 251.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	125.80 – 1.96 125.78 – 1.96	Depositor EDS
% Data completeness (in resolution range)	69.1 (125.80-1.96) 69.0 (125.78-1.96)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.189 , 0.245 0.197 , 0.250	Depositor DCC
R_{free} test set	6694 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtrriage
Anisotropy	0.025	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 60.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	19393	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, MGT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.36	0/5947	0.74	1/8007 (0.0%)
2	B	0.36	0/6097	0.77	2/8236 (0.0%)
3	C	0.34	0/5911	0.71	2/7976 (0.0%)
4	R	0.51	0/319	1.20	2/494 (0.4%)
5	V	0.70	1/384 (0.3%)	1.26	4/596 (0.7%)
All	All	0.37	1/18658 (0.0%)	0.77	11/25309 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
3	C	0	1
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	V	1	A	OP3-P	-7.68	1.51	1.61

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	V	8	A	O5'-P-OP1	-9.06	97.54	105.70
2	B	52	ARG	NE-CZ-NH1	6.48	123.54	120.30
5	V	3	U	O5'-P-OP2	-5.72	100.55	105.70
4	R	15	U	O3'-P-O5'	-5.64	93.29	104.00
3	C	354	MET	CG-SD-CE	5.63	109.22	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	233	ARG	NE-CZ-NH2	-5.36	117.62	120.30
5	V	7	A	O4'-C1'-N9	5.35	112.48	108.20
4	R	7	U	OP2-P-O3'	5.07	116.36	105.20
1	A	577	ARG	NE-CZ-NH2	-5.07	117.77	120.30
5	V	10	A	OP1-P-O3'	5.04	116.29	105.20
3	C	272	VAL	N-CA-CB	-5.03	100.44	111.50

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	279	ARG	Sidechain
1	A	548	SER	Peptide
3	C	46	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5825	0	5718	46	0
2	B	5979	0	5952	65	0
3	C	5813	0	5924	70	0
4	R	289	0	150	7	0
5	V	342	0	170	0	0
6	A	6	0	8	0	0
6	B	6	0	8	0	0
6	C	6	0	8	0	0
7	B	1	0	0	0	0
8	C	33	0	16	0	0
9	A	371	0	0	5	0
9	B	409	0	0	7	0
9	C	237	0	0	5	0
9	R	22	0	0	0	0
9	V	54	0	0	0	0
All	All	19393	0	17954	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 5.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:609[B]:ASN:O	1:A:609[B]:ASN:OD1	1.84	0.94
1:A:506:LEU:HD11	1:A:513:VAL:HG22	1.52	0.91
2:B:568:LEU:O	2:B:573:THR:HG21	1.71	0.89
2:B:491[A]:GLU:OE2	9:B:901:HOH:O	1.95	0.84
3:C:196:CYS:SG	3:C:198:ILE:HG22	2.23	0.78
2:B:41[B]:ASP:OD2	2:B:45:ARG:NH1	2.21	0.73
1:A:354:ASN:OD1	1:A:476[A]:GLN:HG2	1.92	0.70
2:B:216:ASN:HB3	9:B:1192:HOH:O	1.91	0.69
2:B:434:ARG:HH21	2:B:434:ARG:HG2	1.56	0.68
2:B:260:ARG:NH1	2:B:264:GLU:OE2	2.28	0.66
1:A:296:ALA:O	1:A:297:HIS:O	2.13	0.66
3:C:296:GLU:OE2	9:C:1001:HOH:O	2.13	0.66
1:A:506:LEU:HD11	1:A:513:VAL:CG2	2.26	0.65
2:B:216:ASN:ND2	2:B:398:GLU:OE1	2.29	0.65
3:C:530:ASN:ND2	3:C:532[A]:ASN:HD21	1.96	0.64
2:B:340:ALA:HB3	2:B:341:PRO:HD3	1.80	0.63
1:A:177:VAL:O	1:A:181:GLU:HG2	1.99	0.62
2:B:313:GLN:HG3	2:B:407:MET:HG3	1.83	0.61
2:B:148:GLU:HG3	9:B:1124:HOH:O	2.02	0.60
1:A:445:VAL:HG23	1:A:632[A]:CYS:SG	2.41	0.59
3:C:530:ASN:ND2	3:C:532[A]:ASN:ND2	2.50	0.59
3:C:64:ARG:NH1	3:C:80:ASN:OD1	2.33	0.59
3:C:237:GLY:HA3	3:C:240:TRP:CE2	2.38	0.58
3:C:692:ARG:O	3:C:692:ARG:HG3	2.02	0.58
3:C:530:ASN:HD21	3:C:532[A]:ASN:HD21	1.52	0.57
2:B:633:HIS:HB3	2:B:667[A]:THR:HG21	1.88	0.56
2:B:244:PRO:HG3	2:B:411:MET:SD	2.45	0.56
3:C:697:LEU:HD11	3:C:735:MET:HB2	1.88	0.56
2:B:698:LYS:NZ	3:C:6:GLU:OE1	2.37	0.56
2:B:292:LYS:O	2:B:429:ARG:NH1	2.39	0.56
3:C:569:THR:O	3:C:573:ASN:ND2	2.38	0.56
2:B:326:THR:OG1	2:B:334:ARG:HD2	2.06	0.56
2:B:441:LEU:HD23	2:B:492:PHE:CZ	2.41	0.56
2:B:326:THR:O	2:B:334:ARG:HD3	2.05	0.56
1:A:293:LEU:O	1:A:294:ASN:C	2.45	0.55
3:C:422:ASN:HD22	3:C:428:LEU:HD21	1.71	0.54
3:C:394:ILE:HD13	3:C:480:LEU:CD1	2.38	0.54
3:C:391:LEU:O	3:C:395:LEU:HG	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:456:PRO:O	3:C:457:ILE:C	2.45	0.54
2:B:735:ILE:HG12	2:B:739:ASP:HB2	1.90	0.54
3:C:41:LYS:HE3	4:R:15:U:C5	2.43	0.54
1:A:486:ASP:OD2	1:A:490:GLN:HB2	2.08	0.54
2:B:307:THR:HB	2:B:478:SER:HB2	1.90	0.54
2:B:350:ARG:NH1	2:B:371:GLU:OE2	2.40	0.53
3:C:530:ASN:HD21	3:C:532[A]:ASN:ND2	2.06	0.53
3:C:352:LEU:HD13	3:C:420:PHE:CB	2.39	0.52
2:B:54[A]:ILE:HD11	9:B:1308:HOH:O	2.10	0.52
2:B:242:ALA:O	4:R:16:G:H1'	2.10	0.52
3:C:686:ILE:HA	3:C:696:ILE:O	2.10	0.52
1:A:90:ILE:HG12	2:B:724:ILE:HG12	1.91	0.52
2:B:434:ARG:HH21	2:B:434:ARG:CG	2.23	0.51
1:A:396[A]:ARG:NH1	1:A:533:GLU:OE1	2.44	0.51
1:A:262:PRO:HG2	1:A:713:MET:HE1	1.92	0.50
2:B:720:SER:O	2:B:724:ILE:HD13	2.10	0.50
1:A:535:TYR:CD2	1:A:561:ARG:HG3	2.46	0.50
3:C:414:VAL:HG21	3:C:434:LEU:CD2	2.40	0.50
1:A:365:LEU:HG	1:A:516:ILE:HD11	1.93	0.50
3:C:383:GLN:NE2	3:C:385:ILE:HD11	2.26	0.50
3:C:495:ARG:HH11	3:C:495:ARG:HG3	1.76	0.50
3:C:151:HIS:HA	3:C:210:GLU:O	2.11	0.50
3:C:45:LEU:C	3:C:45:LEU:HD23	2.32	0.49
3:C:205:TYR:O	3:C:209:ARG:HG2	2.12	0.49
1:A:98:THR:OG1	1:A:100:ASN:HB2	2.13	0.49
3:C:687:GLU:HB2	3:C:696:ILE:HB	1.94	0.49
1:A:158:ASP:O	1:A:159:ASP:C	2.50	0.49
2:B:313:GLN:HB3	9:B:1033:HOH:O	2.13	0.49
1:A:221:PRO:HB3	2:B:54[B]:ILE:HD11	1.93	0.49
2:B:628:ASN:O	3:C:62:ARG:NH1	2.38	0.49
2:B:309:TRP:CG	2:B:445:ASP:HB3	2.47	0.49
1:A:263:ARG:HG3	1:A:713:MET:HE2	1.94	0.49
1:A:475:TYR:HA	1:A:501:LYS:O	2.13	0.49
2:B:336[B]:LEU:C	2:B:336[B]:LEU:HD23	2.33	0.49
2:B:206:GLY:N	9:B:912:HOH:O	2.45	0.49
2:B:313:GLN:HG3	2:B:407:MET:CG	2.43	0.49
2:B:114:ILE:HD13	2:B:336[A]:LEU:HD23	1.94	0.49
4:R:10:G:N3	4:R:10:G:H2'	2.28	0.48
1:A:546:ARG:CB	1:A:551:THR:HG22	2.43	0.48
3:C:470:ASN:OD1	3:C:473:GLN:HB2	2.13	0.48
1:A:279:ARG:NH2	1:A:692:ASP:OD2	2.45	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:399:ILE:HD13	3:C:402:MET:CE	2.44	0.48
2:B:260:ARG:HA	2:B:414:MET:HG2	1.95	0.48
2:B:35:GLY:HA3	2:B:228:THR:HG22	1.96	0.48
2:B:396:MET:HA	2:B:400:THR:O	2.14	0.48
2:B:260:ARG:CA	2:B:414:MET:HG2	2.44	0.47
1:A:315:TRP:HA	9:A:1137:HOH:O	2.14	0.47
9:A:1141:HOH:O	2:B:711:MET:HG2	2.13	0.47
3:C:382:ILE:O	3:C:383:GLN:CB	2.63	0.47
3:C:454:ILE:O	3:C:472:THR:HB	2.15	0.47
3:C:385:ILE:CG2	3:C:481:SER:HB3	2.45	0.47
3:C:718:ARG:CZ	9:C:1009:HOH:O	2.61	0.47
2:B:571:ARG:NH1	3:C:52:ALA:O	2.47	0.47
1:A:711:LEU:HG	9:A:1145:HOH:O	2.14	0.46
3:C:257:GLN:NE2	3:C:261:ILE:HD11	2.30	0.46
3:C:7:LEU:O	3:C:11:VAL:HG23	2.15	0.46
3:C:375:LYS:HB2	3:C:382:ILE:HB	1.98	0.46
2:B:730:LEU:N	2:B:735:ILE:HG22	2.31	0.46
2:B:336[B]:LEU:HD23	2:B:336[B]:LEU:O	2.15	0.46
2:B:245:GLY:O	2:B:249:ARG:HG3	2.16	0.46
3:C:271:ILE:HG12	9:C:1217:HOH:O	2.16	0.46
4:R:7:U:H2'	4:R:8:C:C6	2.51	0.46
1:A:293:LEU:HD13	1:A:492:ARG:NH2	2.31	0.45
3:C:481:SER:OG	3:C:482:GLN:N	2.49	0.45
1:A:568:ILE:HG12	2:B:30:TYR:CE1	2.51	0.45
1:A:445:VAL:HG22	1:A:636:LEU:HD22	1.99	0.45
2:B:489:THR:HG22	2:B:498:ARG:HA	1.98	0.45
3:C:403:VAL:HG21	3:C:435:LEU:HA	1.99	0.45
3:C:352:LEU:HD13	3:C:420:PHE:HB2	1.98	0.45
3:C:70:LYS:HA	3:C:75:ASN:O	2.17	0.45
3:C:352:LEU:HD13	3:C:420:PHE:HB3	1.99	0.45
2:B:259:ALA:HB3	2:B:414:MET:HB3	1.99	0.45
1:A:51:PHE:HB3	1:A:63:LYS:O	2.17	0.44
3:C:397:LEU:O	3:C:401:LEU:HG	2.16	0.44
3:C:395:LEU:O	3:C:398:MET:HB3	2.18	0.44
2:B:227:MET:HG3	4:R:15:U:H5'	1.99	0.44
2:B:663:THR:HG21	3:C:99:TRP:CD1	2.53	0.44
3:C:383:GLN:HA	3:C:477:GLY:O	2.18	0.44
1:A:167:SER:HA	1:A:170:ARG:CZ	2.47	0.44
1:A:711:LEU:HD12	9:A:1221:HOH:O	2.17	0.44
3:C:595:PHE:CE2	3:C:599:LEU:HD11	2.52	0.44
3:C:432:TYR:CD1	3:C:432:TYR:C	2.91	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:396[A]:ARG:HH12	1:A:533:GLU:CD	2.22	0.43
2:B:730:LEU:HA	2:B:735:ILE:HG22	2.00	0.43
3:C:695:LEU:HD13	3:C:737:ARG:CG	2.48	0.43
1:A:90:ILE:HG23	2:B:724:ILE:HG12	2.01	0.43
3:C:478:VAL:HG21	9:C:1237:HOH:O	2.17	0.43
2:B:560[A]:ARG:HH21	3:C:51:MET:CB	2.32	0.43
1:A:604:GLU:HB2	1:A:605:PRO:HD3	2.01	0.43
2:B:633:HIS:CB	2:B:667[A]:THR:HG21	2.49	0.43
1:A:415:SER:O	1:A:447:GLN:HA	2.18	0.42
1:A:707:LYS:HA	1:A:707:LYS:HE2	2.01	0.42
1:A:124:ARG:HB3	1:A:192:ARG:HG3	2.01	0.42
3:C:257:GLN:NE2	3:C:261:ILE:CD1	2.82	0.42
1:A:391:GLU:HB3	1:A:392:PRO:HD2	2.01	0.42
3:C:713:LEU:HD21	3:C:724:VAL:HG22	2.02	0.42
1:A:53:PHE:CZ	1:A:66:ASP:HA	2.54	0.42
3:C:718:ARG:HB3	3:C:738:LYS:HA	2.02	0.42
1:A:582:GLN:HB2	2:B:509:LEU:HD11	2.02	0.42
1:A:87:ALA:O	1:A:91:VAL:HG23	2.20	0.42
2:B:162:ARG:HG3	2:B:165:ASP:OD2	2.19	0.42
3:C:58:SER:O	3:C:88:ARG:NH1	2.52	0.42
3:C:177:LEU:HD13	3:C:182:GLN:HB3	2.01	0.42
1:A:442:THR:HG22	9:A:924:HOH:O	2.20	0.42
2:B:394[A]:HIS:CE1	9:B:1155:HOH:O	2.71	0.42
1:A:614:TRP:CD1	2:B:8[A]:ILE:HD11	2.55	0.42
2:B:8[A]:ILE:HD12	2:B:8[A]:ILE:HA	1.89	0.42
3:C:383:GLN:HE21	3:C:385:ILE:HD11	1.84	0.42
2:B:256:GLU:OE1	2:B:414:MET:HB2	2.20	0.41
3:C:67:ILE:HB	3:C:68:PRO:HD2	2.02	0.41
3:C:464:MET:O	3:C:466:ASP:N	2.50	0.41
1:A:705:PHE:CZ	1:A:709:VAL:HG21	2.55	0.41
3:C:426:GLN:HG2	9:C:1197:HOH:O	2.20	0.41
3:C:724:VAL:O	3:C:731:THR:HA	2.21	0.41
4:R:15:U:O5'	4:R:15:U:H2'	2.19	0.41
2:B:38:TYR:O	2:B:41[A]:ASP:HB2	2.20	0.41
2:B:730:LEU:CA	2:B:735:ILE:HG22	2.50	0.41
1:A:267:GLU:CD	1:A:707:LYS:HD3	2.41	0.41
3:C:143:LYS:HE3	3:C:524:GLN:OE1	2.21	0.41
3:C:630:ARG:O	3:C:692:ARG:NH1	2.54	0.41
3:C:475:LEU:HB2	3:C:478:VAL:HB	2.03	0.41
1:A:438:ARG:HD3	2:B:546[B]:MET:HG3	2.03	0.41
2:B:434:ARG:CG	2:B:434:ARG:NH2	2.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:429:ASN:CG	3:C:432:TYR:HB3	2.41	0.41
3:C:624:HIS:O	3:C:625:PRO:C	2.58	0.41
2:B:35:GLY:CA	2:B:228:THR:HG22	2.51	0.41
3:C:162:VAL:O	3:C:166:VAL:HG23	2.21	0.41
3:C:742:SER:O	3:C:743:ILE:HD12	2.21	0.40
1:A:1:MET:HG2	1:A:187:LEU:HD22	2.03	0.40
3:C:713:LEU:O	3:C:714:ASP:C	2.59	0.40
1:A:423:LEU:HD11	2:B:545:GLN:HB3	2.03	0.40
2:B:183:THR:HG22	2:B:184:HIS:N	2.36	0.40
2:B:639:SER:HA	2:B:642:LEU:HD12	2.04	0.40
4:R:15:U:O5'	4:R:15:U:C2'	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	709/738 (96%)	663 (94%)	42 (6%)	4 (1%)	22 13
2	B	747/776 (96%)	724 (97%)	23 (3%)	0	100 100
3	C	725/809 (90%)	683 (94%)	32 (4%)	10 (1%)	9 3
All	All	2181/2323 (94%)	2070 (95%)	97 (4%)	14 (1%)	22 13

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	125	ARG
1	A	297	HIS
3	C	443	SER
3	C	457	ILE
1	A	159	ASP
3	C	383	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	714	ASP
3	C	413	ALA
3	C	476	MET
3	C	461	ALA
1	A	610	ARG
3	C	459	GLY
3	C	465	PRO
3	C	430	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	639/657 (97%)	618 (97%)	21 (3%)	33	23
2	B	657/676 (97%)	641 (98%)	16 (2%)	44	37
3	C	647/706 (92%)	631 (98%)	16 (2%)	42	34
All	All	1943/2039 (95%)	1890 (97%)	53 (3%)	40	31

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	24	TYR
1	A	71	MET
1	A	72	LEU
1	A	124	ARG
1	A	142	ASN
1	A	159	ASP
1	A	179	ARG
1	A	189	ASP
1	A	237	LYS
1	A	324	LYS
1	A	332	THR
1	A	380	LYS
1	A	487	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	513	VAL
1	A	542	ASP
1	A	553	MET
1	A	561	ARG
1	A	610	ARG
1	A	613[A]	ASP
1	A	613[B]	ASP
2	B	1	MET
2	B	19	SER
2	B	32	HIS
2	B	80	SER
2	B	118	ARG
2	B	122	LEU
2	B	162	ARG
2	B	163	LEU
2	B	185	PHE
2	B	207	LYS
2	B	227	MET
2	B	228	THR
2	B	409	MET
2	B	441	LEU
2	B	485	ASN
2	B	679	GLN
3	C	15	ARG
3	C	107	ASP
3	C	144	ARG
3	C	190	LYS
3	C	217	PHE
3	C	251	GLU
3	C	292	GLU
3	C	320	ASN
3	C	355	THR
3	C	396	ASN
3	C	432	TYR
3	C	454	ILE
3	C	455	ASP
3	C	491	ASN
3	C	514	SER
3	C	692	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	466	ASN
2	B	628	ASN
3	C	13	ASN
3	C	383	GLN
3	C	396	ASN
3	C	419	ASN
3	C	422	ASN
3	C	573	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
4	R	13/21 (61%)	2 (15%)	0
5	V	15/16 (93%)	2 (13%)	1 (6%)
All	All	28/37 (75%)	4 (14%)	1 (3%)

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	R	5	C
4	R	15	U
5	V	8	A
5	V	11	A

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
5	V	5	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	C	902	-	5,5,5	0.21	0	5,5,5	0.39	0
6	GOL	A	801	-	5,5,5	0.12	0	5,5,5	0.37	0
8	MGT	C	901	-	30,35,35	0.98	1 (3%)	42,56,56	0.82	0
6	GOL	B	801	-	5,5,5	0.14	0	5,5,5	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	902	-	-	4/4/4/4	-
6	GOL	A	801	-	-	1/4/4/4	-
8	MGT	C	901	-	-	5/22/50/50	0/3/3/3
6	GOL	B	801	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	901	MGT	C5-N7	4.50	1.40	1.35

There are no bond angle outliers.

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	902	GOL	O1-C1-C2-C3
6	C	902	GOL	C1-C2-C3-O3
8	C	901	MGT	PB-O3B-PG-O3G
8	C	901	MGT	C5'-O5'-PA-O3A
8	C	901	MGT	C5'-O5'-PA-O2A
6	C	902	GOL	O2-C2-C3-O3
6	C	902	GOL	O1-C1-C2-O2

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	C	901	MGT	PB-O3B-PG-O1G
6	A	801	GOL	O1-C1-C2-O2
8	C	901	MGT	C5'-O5'-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	708/738 (95%)	0.75	134 (18%) 4 4	13, 39, 117, 154	7 (0%)
2	B	737/776 (94%)	0.10	38 (5%) 34 40	11, 31, 68, 118	14 (1%)
3	C	731/809 (90%)	1.17	183 (25%) 2 2	13, 47, 113, 154	2 (0%)
4	R	15/21 (71%)	-0.01	1 (6%) 25 30	29, 49, 78, 97	0
5	V	16/16 (100%)	-0.56	1 (6%) 27 33	21, 26, 65, 94	0
All	All	2207/2360 (93%)	0.66	357 (16%) 5 6	11, 38, 109, 154	23 (1%)

All (357) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	420	PHE	7.5
3	C	480	LEU	6.7
3	C	457	ILE	6.6
3	C	349	LEU	6.4
3	C	446	LEU	6.2
3	C	352	LEU	6.1
3	C	463	ILE	5.9
3	C	628	LEU	5.9
3	C	460	ILE	5.8
3	C	347	GLY	5.7
3	C	421	VAL	5.5
3	C	325	PHE	5.3
1	A	293	LEU	5.3
3	C	478	VAL	5.3
3	C	348	ASN	5.3
3	C	432	TYR	5.2
1	A	72	LEU	5.2
1	A	315	TRP	5.1
3	C	449	TRP	5.0
1	A	187	LEU	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	411	LEU	5.0
3	C	399	ILE	5.0
3	C	434	LEU	4.9
3	C	404	PHE	4.9
1	A	24	TYR	4.8
3	C	454	ILE	4.8
3	C	414	VAL	4.8
1	A	549	ILE	4.8
3	C	469	ILE	4.7
3	C	431	MET	4.7
1	A	149	SER	4.7
3	C	428	LEU	4.7
3	C	384	ALA	4.6
3	C	459	GLY	4.6
1	A	150	PHE	4.6
3	C	722	ALA	4.6
3	C	374	LEU	4.6
1	A	144	TYR	4.5
3	C	177	LEU	4.4
3	C	484	GLY	4.4
3	C	465	PRO	4.4
2	B	735	ILE	4.4
3	C	356	ILE	4.4
3	C	413	ALA	4.4
3	C	403	VAL	4.4
3	C	456	PRO	4.3
3	C	461	ALA	4.3
3	C	354	MET	4.3
3	C	381	LEU	4.3
3	C	445	LEU	4.3
3	C	708	LEU	4.3
3	C	435	LEU	4.3
3	C	475	LEU	4.3
3	C	430	PRO	4.2
1	A	152	GLY	4.2
3	C	391	LEU	4.2
3	C	438	PHE	4.2
3	C	429	ASN	4.2
1	A	70	ALA	4.2
3	C	716	LEU	4.2
1	A	35	PHE	4.2
1	A	73	LYS	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	201	LEU	4.1
2	B	185	PHE	4.1
1	A	56	LEU	4.1
3	C	467	GLY	4.1
1	A	62	VAL	4.1
1	A	14	LEU	4.0
1	A	156	ALA	4.0
2	B	724	ILE	4.0
3	C	376	LYS	4.0
1	A	190	SER	4.0
3	C	357	PHE	4.0
3	C	410	MET	3.9
1	A	4	PHE	3.9
1	A	28	PRO	3.9
3	C	395	LEU	3.9
3	C	458	MET	3.9
1	A	148	PHE	3.9
3	C	326	GLY	3.9
1	A	441	PHE	3.9
3	C	345	LEU	3.9
3	C	725	LEU	3.9
3	C	333	VAL	3.8
3	C	377	GLY	3.8
1	A	60	THR	3.8
1	A	117	PHE	3.8
1	A	176	PHE	3.8
3	C	397	LEU	3.8
1	A	127	VAL	3.8
3	C	373	VAL	3.8
1	A	507	ARG	3.7
3	C	451	THR	3.7
3	C	344	VAL	3.7
3	C	360	TYR	3.7
3	C	401	LEU	3.7
1	A	13	ILE	3.7
1	A	54	ILE	3.7
3	C	675	PRO	3.7
3	C	713	LEU	3.7
1	A	162	ILE	3.7
1	A	714	GLY	3.6
3	C	450	GLY	3.6
1	A	178	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	20	THR	3.6
1	A	102	LYS	3.5
3	C	12	LYS	3.5
2	B	734	ARG	3.5
1	A	112	TYR	3.5
1	A	147	ILE	3.5
3	C	686	ILE	3.5
1	A	51	PHE	3.5
3	C	419	ASN	3.4
1	A	163	LEU	3.4
3	C	488	TYR	3.4
1	A	25	GLY	3.4
3	C	559	LEU	3.4
3	C	704	TYR	3.4
3	C	464	MET	3.3
2	B	183	THR	3.3
1	A	5	VAL	3.3
3	C	422	ASN	3.3
1	A	161	TYR	3.3
1	A	143	VAL	3.3
1	A	145	ILE	3.3
3	C	382	ILE	3.3
1	A	182	LEU	3.3
3	C	433	GLN	3.3
3	C	195	ASN	3.2
1	A	48	TYR	3.2
3	C	743	ILE	3.2
1	A	155	MET	3.2
3	C	476	MET	3.2
3	C	330	PHE	3.2
3	C	477	GLY	3.2
1	A	46	PHE	3.2
2	B	186	GLN	3.2
1	A	45	CYS	3.1
3	C	351	THR	3.1
1	A	22	LYS	3.1
1	A	151	ASP	3.1
3	C	466	ASP	3.1
1	A	191	PHE	3.1
1	A	157	THR	3.1
1	A	548	SER	3.1
1	A	61	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	545	ILE	3.1
1	A	295	PRO	3.1
3	C	479	ARG	3.1
3	C	707	VAL	3.1
1	A	71	MET	3.0
1	A	11	PRO	3.0
1	A	299	GLY	3.0
3	C	343	ALA	3.0
1	A	130	TYR	3.0
3	C	655	VAL	3.0
3	C	409	LYS	3.0
2	B	206	GLY	3.0
3	C	327	GLY	3.0
1	A	547	THR	3.0
3	C	468	THR	3.0
1	A	137	LYS	3.0
1	A	171	ILE	2.9
3	C	402	MET	2.9
1	A	105	PHE	2.9
3	C	406	GLN	2.9
3	C	721	LYS	2.9
1	A	131	TYR	2.9
1	A	132	TYR	2.9
3	C	324	SER	2.9
2	B	635	MET	2.9
3	C	700	ALA	2.9
3	C	385	ILE	2.9
1	A	63	LYS	2.9
3	C	394	ILE	2.8
1	A	175	LEU	2.8
3	C	490	PHE	2.8
3	C	398	MET	2.8
3	C	439	GLN	2.8
1	A	508	ASN	2.8
3	C	355	THR	2.8
3	C	474	THR	2.8
3	C	437	HIS	2.8
1	A	53	PHE	2.8
1	A	135	ALA	2.8
2	B	652	ALA	2.8
3	C	346	THR	2.8
3	C	447	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	358	GLU	2.8
2	B	645	VAL	2.8
3	C	375	LYS	2.8
3	C	710	ILE	2.8
1	A	121	GLY	2.8
3	C	734	VAL	2.7
3	C	342	LYS	2.7
1	A	76	PHE	2.7
3	C	328	TYR	2.7
3	C	363	PHE	2.7
3	C	724	VAL	2.7
1	A	37	ALA	2.7
3	C	440	LYS	2.7
3	C	198	ILE	2.7
2	B	730	LEU	2.7
3	C	193	LEU	2.7
3	C	350	GLN	2.7
3	C	565	MET	2.7
3	C	105	VAL	2.7
1	A	40	THR	2.7
3	C	353	THR	2.7
3	C	378	ALA	2.7
3	C	462	GLY	2.7
5	V	16	G	2.7
1	A	146	HIS	2.7
1	A	414	ASN	2.6
3	C	321	ASN	2.6
3	C	389	ARG	2.6
2	B	743	ILE	2.6
3	C	733	LEU	2.6
1	A	7	THR	2.6
3	C	379	GLN	2.6
1	A	12	MET	2.6
1	A	38	ILE	2.6
3	C	696	ILE	2.6
3	C	719	GLY	2.6
3	C	427	ARG	2.6
1	A	94	ILE	2.6
1	A	120	ILE	2.6
3	C	472	THR	2.6
3	C	731	THR	2.6
1	A	66	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	386	ILE	2.5
3	C	720	GLU	2.5
3	C	176	THR	2.5
1	A	134	LYS	2.5
2	B	740	PHE	2.5
3	C	396	ASN	2.5
1	A	39	SER	2.5
1	A	106	LEU	2.5
1	A	58	GLY	2.5
3	C	150	GLY	2.5
3	C	368	LYS	2.5
3	C	735	MET	2.5
3	C	736	LYS	2.5
1	A	177	VAL	2.5
1	A	18	GLU	2.5
1	A	6	ARG	2.5
1	A	52	HIS	2.5
1	A	79	ILE	2.5
1	A	301	GLY	2.5
3	C	423	ARG	2.5
3	C	495	ARG	2.5
3	C	109	VAL	2.5
3	C	380	ARG	2.4
3	C	415	ARG	2.4
1	A	188	TRP	2.4
1	A	138	LEU	2.4
2	B	568	LEU	2.4
2	B	753	LEU	2.4
1	A	294	ASN	2.4
3	C	629	GLY	2.4
3	C	334	LYS	2.4
3	C	703	LYS	2.4
2	B	184	HIS	2.4
2	B	688	ILE	2.4
2	B	207	LYS	2.4
2	B	646	MET	2.4
3	C	8	MET	2.4
1	A	297	HIS	2.4
1	A	122	VAL	2.4
1	A	445	VAL	2.4
1	A	418	ILE	2.3
1	A	21	MET	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	1	MET	2.3
1	A	17	ALA	2.3
1	A	183	ALA	2.3
2	B	633	HIS	2.3
1	A	486	ASP	2.3
2	B	309	TRP	2.3
2	B	285	VAL	2.3
1	A	184	THR	2.3
2	B	454[A]	HIS	2.3
1	A	158	ASP	2.3
3	C	685	SER	2.3
3	C	706	PRO	2.3
1	A	75	ARG	2.3
1	A	292	VAL	2.3
1	A	551	THR	2.3
3	C	323	PHE	2.3
3	C	400	THR	2.3
1	A	67	ASP	2.3
3	C	106	SER	2.3
3	C	337	SER	2.3
3	C	442	SER	2.3
2	B	0	GLY	2.3
3	C	717	GLY	2.3
3	C	175	ARG	2.3
1	A	33	ASN	2.3
2	B	567	ASN	2.3
2	B	582	GLU	2.3
1	A	118	ILE	2.2
2	B	755	ARG	2.2
1	A	3	ASN	2.2
3	C	251	GLU	2.2
1	A	114	THR	2.2
3	C	714	ASP	2.2
2	B	680	ARG	2.2
3	C	695	LEU	2.2
4	R	4	A	2.2
1	A	346	LYS	2.2
2	B	752	ALA	2.2
2	B	741	SER	2.2
1	A	9	PHE	2.2
3	C	335	GLY	2.2
3	C	138	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	388	TYR	2.2
2	B	750	ILE	2.2
2	B	228	THR	2.1
3	C	741	SER	2.1
1	A	19	LYS	2.1
1	A	44	VAL	2.1
1	A	546	ARG	2.1
2	B	360	LYS	2.1
3	C	383	GLN	2.1
2	B	731	GLU	2.1
3	C	740	ASP	2.1
1	A	317	TRP	2.1
1	A	78	ILE	2.1
1	A	552	ILE	2.1
3	C	674	SER	2.1
3	C	197	LYS	2.1
1	A	57	GLU	2.1
3	C	709	THR	2.1
1	A	16	ARG	2.1
1	A	32	GLY	2.1
2	B	733	GLY	2.1
3	C	250	ALA	2.0
3	C	370	ALA	2.0
3	C	424	ALA	2.0
3	C	183	LEU	2.0
1	A	180	GLN	2.0
1	A	42	MET	2.0
1	A	86	ILE	2.0
1	A	89	THR	2.0
3	C	640	ILE	2.0
3	C	339	ARG	2.0
1	A	505	HIS	2.0
2	B	208	LYS	2.0
1	A	36	ALA	2.0
2	B	644	VAL	2.0
3	C	172	VAL	2.0
3	C	392	GLU	2.0
2	B	720	SER	2.0
3	C	684	SER	2.0
3	C	702	SER	2.0
1	A	492	ARG	2.0
3	C	13	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	369	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	MGT	C	901	33/33	0.81	0.13	69,77,93,99	0
7	MG	B	802	1/1	0.84	0.11	50,50,50,50	0
6	GOL	C	902	6/6	0.84	0.15	43,51,52,54	0
6	GOL	A	801	6/6	0.92	0.10	28,35,37,42	0
6	GOL	B	801	6/6	0.95	0.10	38,46,48,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.