



Full wwPDB X-ray Structure Validation Report ⓘ

May 20, 2024 – 10:57 am BST

PDB ID : 9F40
Title : Crystal structure of the NTD domain from *S. cerevisia* Niemann-Pick type C protein NCR1 with ergosterol bound
Authors : Nel, L.; Olesen, E.; Frain, K.M.; Pedersen, B.P.
Deposited on : 2024-04-26
Resolution : 2.44 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	248	
1	B	248	
1	C	248	
1	D	248	
2	E	7	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	N	7	
3	F	4	
3	O	4	
4	G	6	
5	H	6	
5	K	6	
6	I	4	
6	J	4	
6	P	4	
7	L	5	
8	M	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	CCN	B	312	-	-	-	X
2	MAN	E	6	-	-	-	X
3	BMA	F	3	-	-	-	X
4	MAN	G	5	-	-	-	X
5	MAN	H	5	-	-	-	X
5	MAN	K	5	-	-	-	X
6	MAN	I	4	-	-	-	X
6	MAN	P	4	-	-	-	X

2 Entry composition i

There are 14 unique types of molecules in this entry. The entry contains 8163 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NPC intracellular sterol transporter 1-related protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	222	1734	1090	283	341	20	0	0	0
1	B	222	1734	1090	283	341	20	0	0	0
1	C	222	1734	1090	283	341	20	0	0	0
1	D	222	1734	1090	283	341	20	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	246	VAL	-	expression tag	UNP Q12200
A	247	PRO	-	expression tag	UNP Q12200
A	248	ARG	-	expression tag	UNP Q12200
B	246	VAL	-	expression tag	UNP Q12200
B	247	PRO	-	expression tag	UNP Q12200
B	248	ARG	-	expression tag	UNP Q12200
C	246	VAL	-	expression tag	UNP Q12200
C	247	PRO	-	expression tag	UNP Q12200
C	248	ARG	-	expression tag	UNP Q12200
D	246	VAL	-	expression tag	UNP Q12200
D	247	PRO	-	expression tag	UNP Q12200
D	248	ARG	-	expression tag	UNP Q12200

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	7	Total	C	N	O	0	0	0
			83	46	2	35			
2	N	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	4	Total	C	N	O	0	0	0
			50	28	2	20			
3	O	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	H	6	72	40	2	30	0	0	0
5	K	6	72	40	2	30	0	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	I	4	50	28	2	20	0	0	0
6	J	4	50	28	2	20	0	0	0
6	P	4	50	28	2	20	0	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	L	5	61	34	2	25	0	0	0

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
8	M	3	39	22	2	15	0	0	0

- Molecule 9 is ERGOSTEROL (three-letter code: ERG) (formula: $C_{28}H_{44}O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
9	A	1	29	28	1	0	0
9	B	1	29	28	1	0	0
9	C	1	29	28	1	0	0
9	D	1	29	28	1	0	0

- Molecule 10 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	B	1	Total	O	S	0	0
			5	4	1		
10	B	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		
10	D	1	Total	O	S	0	0
			5	4	1		
10	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 11 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	5	Total	Zn	0	0
			5	5		
11	B	6	Total	Zn	0	0
			6	6		
11	C	10	Total	Zn	0	0
			10	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	D	8	Total	Zn	0	0
			8	8		

- Molecule 12 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			7	4	3		
12	A	1	Total	C	O	0	0
			7	4	3		
12	A	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	C	1	Total	C	O	0	0
			7	4	3		
12	C	1	Total	C	O	0	0
			7	4	3		
12	C	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	C	1	Total C O 7 4 3	0	0
12	D	1	Total C O 7 4 3	0	0

- Molecule 13 is ACETONITRILE (three-letter code: CCN) (formula: C₂H₃N).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	A	1	Total C N 3 2 1	0	0
13	A	1	Total C N 3 2 1	0	0
13	A	1	Total C N 3 2 1	0	0
13	B	1	Total C N 3 2 1	0	0
13	B	1	Total C N 3 2 1	0	0
13	C	1	Total C N 3 2 1	0	0
13	C	1	Total C N 3 2 1	0	0
13	C	1	Total C N 3 2 1	0	0
13	D	1	Total C N 3 2 1	0	0


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	52	Total 52	O 52	0	0
14	B	47	Total 47	O 47	0	0
14	C	55	Total 55	O 55	0	0
14	D	40	Total 40	O 40	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NPC intracellular sterol transporter 1-related protein 1




- Molecule 1: NPC intracellular sterol transporter 1-related protein 1



- Molecule 1: NPC intracellular sterol transporter 1-related protein 1



- Molecule 1: NPC intracellular sterol transporter 1-related protein 1



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  14% 71% 14%




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  14% 71% 14%



- Molecule 3: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  75% 25%



- Molecule 3: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 25% 25%




- Molecule 4: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%



- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  33% 50% 17%



- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  17% 67% 17%



- Molecule 6: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  75% 25%



- Molecule 6: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%




- Molecule 6: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  75% 25%



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  20% 80%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  33% 67%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	92.76Å 109.58Å 151.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.05 – 2.44 46.38 – 2.44	Depositor EDS
% Data completeness (in resolution range)	99.7 (45.05-2.44) 91.1 (46.38-2.44)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.78 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.214 , 0.257 0.215 , 0.259	Depositor DCC
R_{free} test set	2100 reflections (3.61%)	wwPDB-VP
Wilson B-factor (Å ²)	63.0	Xtrriage
Anisotropy	0.332	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 62.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8163	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.32 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5525e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, CCN, SO4, ERG, PEG, ZN, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/1773	0.45	0/2395
1	B	0.27	0/1773	0.46	0/2395
1	C	0.27	0/1773	0.46	0/2395
1	D	0.25	0/1773	0.45	0/2395
All	All	0.26	0/7092	0.45	0/9580

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1734	0	1628	7	0
1	B	1734	0	1628	13	0
1	C	1734	0	1628	7	0
1	D	1734	0	1627	10	0
2	E	83	0	70	2	0
2	N	83	0	70	4	0
3	F	50	0	43	0	0
3	O	50	0	43	1	0
4	G	72	0	61	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	72	0	61	1	0
5	K	72	0	60	2	0
6	I	50	0	43	0	0
6	J	50	0	43	1	0
6	P	50	0	43	0	0
7	L	61	0	52	0	0
8	M	39	0	34	0	0
9	A	29	0	44	1	0
9	B	29	0	44	1	0
9	C	29	0	44	1	0
9	D	29	0	44	0	0
10	A	15	0	0	0	0
10	B	10	0	0	0	0
10	C	10	0	0	0	0
10	D	10	0	0	0	0
11	A	5	0	0	0	0
11	B	6	0	0	0	0
11	C	10	0	0	0	0
11	D	8	0	0	0	0
12	A	21	0	30	1	0
12	B	28	0	40	0	0
12	C	28	0	40	0	0
12	D	7	0	10	0	0
13	A	9	0	9	0	0
13	B	6	0	6	0	0
13	C	9	0	9	0	0
13	D	3	0	3	0	0
14	A	52	0	0	0	0
14	B	47	0	0	1	0
14	C	55	0	0	0	0
14	D	40	0	0	0	0
All	All	8163	0	7457	40	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (40) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:21:ALA:HB1	1:D:49:PRO:HD2	1.62	0.82
1:C:39:LEU:HD12	1:C:136:ILE:HD12	1.70	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:LEU:HD12	1:B:136:ILE:HD12	1.73	0.70
1:A:39:LEU:HD12	1:A:136:ILE:HD12	1.73	0.69
1:D:20:THR:HA	5:K:6:MAN:H5	1.79	0.63
1:D:39:LEU:HD12	1:D:136:ILE:HD12	1.81	0.63
1:B:120:ARG:HE	2:E:2:NAG:H82	1.64	0.63
1:C:186:LEU:HD23	9:C:301:ERG:H282	1.82	0.62
1:A:20:THR:HA	5:H:6:MAN:H3	1.83	0.60
1:A:32:LYS:NZ	1:A:128:GLU:OE2	2.26	0.57
1:A:176:ALA:HA	12:A:307:PEG:H21	1.85	0.57
1:C:20:THR:HA	2:N:6:MAN:H3	1.87	0.56
1:B:20:THR:OG1	2:E:6:MAN:O4	2.20	0.53
1:B:158:ASN:OD1	1:B:160:LYS:NZ	2.37	0.52
1:D:52:LEU:HD21	1:D:74:ALA:HB3	1.94	0.49
1:D:145:ASN:OD1	1:D:147:SER:HB3	2.13	0.48
1:C:45:ARG:HD2	2:N:2:NAG:H81	1.95	0.47
1:B:66:GLU:OE1	1:B:69:LYS:HE2	2.15	0.46
1:A:160:LYS:HD3	1:A:233:SER:O	2.16	0.46
1:C:190:LYS:HB2	1:C:195:GLY:HA3	1.96	0.46
1:B:185:PHE:O	1:B:190:LYS:NZ	2.39	0.46
3:O:3:BMA:H62	3:O:4:MAN:H2	1.71	0.45
1:B:67:GLU:HG3	1:B:68:TRP:CD1	2.52	0.44
1:D:32:LYS:NZ	1:D:128:GLU:OE2	2.28	0.44
1:B:190:LYS:HB3	1:B:193:LEU:HB2	2.00	0.44
1:C:120:ARG:HD3	2:N:2:NAG:H82	2.00	0.44
1:D:120:ARG:HH11	5:K:2:NAG:H82	1.83	0.44
1:B:120:ARG:NH2	14:B:402:HOH:O	2.50	0.43
6:J:3:BMA:H3	6:J:4:MAN:H2	1.43	0.43
1:A:183:LEU:HB3	1:A:202:TYR:CD2	2.54	0.43
1:C:190:LYS:HB3	1:C:193:LEU:HB2	2.00	0.43
1:B:27:GLY:O	1:B:40:PRO:HA	2.19	0.43
1:B:195:GLY:HA2	9:B:301:ERG:H25	2.00	0.43
1:D:145:ASN:HA	1:D:215:GLU:OE1	2.21	0.41
1:A:67:GLU:HG3	1:A:68:TRP:CD1	2.55	0.41
1:B:130:SER:HB3	1:B:136:ILE:HD13	2.02	0.41
9:A:301:ERG:H22	9:A:301:ERG:H162	1.85	0.41
1:B:70:GLU:OE1	2:N:6:MAN:H4	2.22	0.40
1:D:27:GLY:O	1:D:40:PRO:HA	2.21	0.40
1:D:190:LYS:HB3	1:D:193:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/248 (89%)	215 (98%)	5 (2%)	0	100	100
1	B	220/248 (89%)	215 (98%)	5 (2%)	0	100	100
1	C	220/248 (89%)	217 (99%)	3 (1%)	0	100	100
1	D	220/248 (89%)	213 (97%)	7 (3%)	0	100	100
All	All	880/992 (89%)	860 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/215 (89%)	190 (99%)	2 (1%)	76	84
1	B	192/215 (89%)	190 (99%)	2 (1%)	76	84
1	C	192/215 (89%)	191 (100%)	1 (0%)	88	93
1	D	192/215 (89%)	190 (99%)	2 (1%)	76	84
All	All	768/860 (89%)	761 (99%)	7 (1%)	78	87

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	THR
1	A	232	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	160	LYS
1	B	232	CYS
1	C	72	ARG
1	D	72	ARG
1	D	160	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

60 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.33	0	17,19,21	0.46	0
2	NAG	E	2	2	14,14,15	0.27	0	17,19,21	0.40	0
2	BMA	E	3	2	11,11,12	0.66	0	15,15,17	1.26	2 (13%)
2	MAN	E	4	2	11,11,12	0.78	0	15,15,17	0.91	2 (13%)
2	MAN	E	5	2	11,11,12	0.86	0	15,15,17	0.97	1 (6%)
2	MAN	E	6	2	11,11,12	0.73	0	15,15,17	1.09	2 (13%)
2	MAN	E	7	2	11,11,12	0.78	0	15,15,17	2.37	3 (20%)
3	NAG	F	1	1,3	14,14,15	0.23	0	17,19,21	0.50	0
3	NAG	F	2	3	14,14,15	0.25	0	17,19,21	0.54	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BMA	F	3	3	11,11,12	0.58	0	15,15,17	0.77	0
3	MAN	F	4	3	11,11,12	0.62	0	15,15,17	1.05	2 (13%)
4	NAG	G	1	1,4	14,14,15	0.39	0	17,19,21	0.43	0
4	NAG	G	2	4	14,14,15	0.24	0	17,19,21	0.47	0
4	BMA	G	3	4	11,11,12	0.58	0	15,15,17	0.81	0
4	MAN	G	4	4	11,11,12	0.65	0	15,15,17	1.12	2 (13%)
4	MAN	G	5	4	11,11,12	0.71	0	15,15,17	0.95	2 (13%)
4	MAN	G	6	4	11,11,12	0.70	0	15,15,17	1.10	2 (13%)
5	NAG	H	1	5,1	14,14,15	0.26	0	17,19,21	0.45	0
5	NAG	H	2	5	14,14,15	0.18	0	17,19,21	0.40	0
5	BMA	H	3	5	11,11,12	0.61	0	15,15,17	1.00	1 (6%)
5	MAN	H	4	5	11,11,12	0.84	0	15,15,17	2.34	3 (20%)
5	MAN	H	5	5	11,11,12	0.88	0	15,15,17	1.12	1 (6%)
5	MAN	H	6	5	11,11,12	0.83	0	15,15,17	1.45	2 (13%)
6	NAG	I	1	1,6	14,14,15	0.23	0	17,19,21	0.44	0
6	NAG	I	2	6	14,14,15	0.22	0	17,19,21	0.46	0
6	BMA	I	3	6	11,11,12	0.57	0	15,15,17	0.78	0
6	MAN	I	4	6	11,11,12	0.71	0	15,15,17	0.88	1 (6%)
6	NAG	J	1	1,6	14,14,15	0.42	0	17,19,21	0.50	0
6	NAG	J	2	6	14,14,15	0.41	0	17,19,21	0.73	0
6	BMA	J	3	6	11,11,12	1.17	1 (9%)	15,15,17	2.29	3 (20%)
6	MAN	J	4	6	11,11,12	1.03	1 (9%)	15,15,17	0.94	1 (6%)
5	NAG	K	1	5,1	14,14,15	0.34	0	17,19,21	0.39	0
5	NAG	K	2	5	14,14,15	0.24	0	17,19,21	0.43	0
5	BMA	K	3	5	11,11,12	0.54	0	15,15,17	0.99	1 (6%)
5	MAN	K	4	5	11,11,12	1.07	1 (9%)	15,15,17	2.69	6 (40%)
5	MAN	K	5	5	11,11,12	0.70	0	15,15,17	1.07	1 (6%)
5	MAN	K	6	5	11,11,12	1.25	1 (9%)	15,15,17	2.24	5 (33%)
7	NAG	L	1	7,1	14,14,15	0.22	0	17,19,21	0.56	0
7	NAG	L	2	7	14,14,15	0.23	0	17,19,21	0.71	1 (5%)
7	BMA	L	3	7	11,11,12	0.60	0	15,15,17	1.27	2 (13%)
7	MAN	L	4	7	11,11,12	0.71	0	15,15,17	0.91	1 (6%)
7	MAN	L	5	7	11,11,12	0.85	1 (9%)	15,15,17	1.35	2 (13%)
8	NAG	M	1	1,8	14,14,15	0.25	0	17,19,21	0.47	0
8	NAG	M	2	8	14,14,15	0.53	0	17,19,21	0.94	1 (5%)
8	BMA	M	3	8	11,11,12	0.54	0	15,15,17	0.94	1 (6%)
2	NAG	N	1	1,2	14,14,15	0.36	0	17,19,21	0.44	0
2	NAG	N	2	2	14,14,15	0.26	0	17,19,21	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BMA	N	3	2	11,11,12	0.64	0	15,15,17	1.24	2 (13%)
2	MAN	N	4	2	11,11,12	0.76	0	15,15,17	0.91	2 (13%)
2	MAN	N	5	2	11,11,12	0.83	0	15,15,17	1.03	2 (13%)
2	MAN	N	6	2	11,11,12	1.05	2 (18%)	15,15,17	1.16	2 (13%)
2	MAN	N	7	2	11,11,12	0.84	0	15,15,17	2.34	3 (20%)
3	NAG	O	1	1,3	14,14,15	0.24	0	17,19,21	0.36	0
3	NAG	O	2	3	14,14,15	0.20	0	17,19,21	0.42	0
3	BMA	O	3	3	11,11,12	0.51	0	15,15,17	0.86	0
3	MAN	O	4	3	11,11,12	0.69	0	15,15,17	0.90	1 (6%)
6	NAG	P	1	1,6	14,14,15	0.45	0	17,19,21	0.49	0
6	NAG	P	2	6	14,14,15	0.21	0	17,19,21	0.47	0
6	BMA	P	3	6	11,11,12	0.58	0	15,15,17	0.87	0
6	MAN	P	4	6	11,11,12	0.64	0	15,15,17	0.92	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
2	MAN	E	4	2	-	0/2/19/22	0/1/1/1
2	MAN	E	5	2	-	2/2/19/22	1/1/1/1
2	MAN	E	6	2	-	2/2/19/22	1/1/1/1
2	MAN	E	7	2	-	0/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	BMA	G	3	4	-	2/2/19/22	0/1/1/1
4	MAN	G	4	4	-	2/2/19/22	1/1/1/1
4	MAN	G	5	4	-	0/2/19/22	0/1/1/1
4	MAN	G	6	4	-	1/2/19/22	0/1/1/1
5	NAG	H	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BMA	H	3	5	-	0/2/19/22	0/1/1/1
5	MAN	H	4	5	-	0/2/19/22	0/1/1/1
5	MAN	H	5	5	-	2/2/19/22	0/1/1/1
5	MAN	H	6	5	-	1/2/19/22	1/1/1/1
6	NAG	I	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	I	2	6	-	4/6/23/26	0/1/1/1
6	BMA	I	3	6	-	1/2/19/22	0/1/1/1
6	MAN	I	4	6	-	2/2/19/22	0/1/1/1
6	NAG	J	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	J	2	6	-	0/6/23/26	0/1/1/1
6	BMA	J	3	6	-	1/2/19/22	0/1/1/1
6	MAN	J	4	6	-	0/2/19/22	0/1/1/1
5	NAG	K	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	4/6/23/26	0/1/1/1
5	BMA	K	3	5	-	0/2/19/22	0/1/1/1
5	MAN	K	4	5	-	0/2/19/22	0/1/1/1
5	MAN	K	5	5	-	0/2/19/22	0/1/1/1
5	MAN	K	6	5	-	2/2/19/22	0/1/1/1
7	NAG	L	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	L	2	7	-	2/6/23/26	0/1/1/1
7	BMA	L	3	7	-	2/2/19/22	0/1/1/1
7	MAN	L	4	7	-	0/2/19/22	0/1/1/1
7	MAN	L	5	7	-	1/2/19/22	0/1/1/1
8	NAG	M	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	M	2	8	-	2/6/23/26	0/1/1/1
8	BMA	M	3	8	-	1/2/19/22	0/1/1/1
2	NAG	N	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	BMA	N	3	2	-	0/2/19/22	0/1/1/1
2	MAN	N	4	2	-	2/2/19/22	0/1/1/1
2	MAN	N	5	2	-	2/2/19/22	1/1/1/1
2	MAN	N	6	2	-	2/2/19/22	0/1/1/1
2	MAN	N	7	2	-	1/2/19/22	0/1/1/1
3	NAG	O	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	O	2	3	-	1/6/23/26	0/1/1/1
3	BMA	O	3	3	-	2/2/19/22	0/1/1/1
3	MAN	O	4	3	-	0/2/19/22	0/1/1/1
6	NAG	P	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	P	2	6	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BMA	P	3	6	-	0/2/19/22	0/1/1/1
6	MAN	P	4	6	-	1/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	K	6	MAN	C1-C2	2.99	1.59	1.52
6	J	3	BMA	C4-C5	2.59	1.58	1.53
6	J	4	MAN	C1-C2	2.52	1.57	1.52
5	K	4	MAN	C1-C2	2.19	1.57	1.52
2	N	6	MAN	C4-C5	2.06	1.57	1.53
7	L	5	MAN	C1-C2	2.02	1.56	1.52
2	N	6	MAN	C4-C3	2.01	1.57	1.52

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	7	MAN	C1-O5-C5	7.52	122.38	112.19
5	K	4	MAN	C1-O5-C5	7.46	122.30	112.19
6	J	3	BMA	C1-C2-C3	-7.34	100.64	109.67
5	H	4	MAN	C1-O5-C5	7.31	122.10	112.19
2	N	7	MAN	C1-O5-C5	7.27	122.05	112.19
5	K	6	MAN	C1-O5-C5	5.55	119.71	112.19
5	H	6	MAN	C1-O5-C5	4.15	117.82	112.19
2	N	7	MAN	O5-C1-C2	4.07	117.06	110.77
5	K	6	MAN	O5-C1-C2	4.01	116.96	110.77
7	L	5	MAN	C1-O5-C5	3.98	117.58	112.19
2	E	7	MAN	O5-C1-C2	3.94	116.85	110.77
5	H	4	MAN	O5-C1-C2	3.87	116.75	110.77
5	K	4	MAN	O5-C1-C2	3.62	116.36	110.77
5	K	4	MAN	C1-C2-C3	3.42	113.87	109.67
5	K	6	MAN	C1-C2-C3	3.25	113.66	109.67
4	G	4	MAN	C1-O5-C5	3.21	116.54	112.19
2	E	3	BMA	C1-O5-C5	2.97	116.22	112.19
2	E	6	MAN	C1-O5-C5	2.89	116.10	112.19
3	F	4	MAN	C1-O5-C5	2.83	116.02	112.19
5	H	5	MAN	C1-O5-C5	2.79	115.97	112.19
4	G	6	MAN	C1-O5-C5	2.78	115.96	112.19
7	L	3	BMA	O5-C5-C6	2.74	111.50	107.20
6	J	3	BMA	O5-C1-C2	-2.73	106.55	110.77
8	M	2	NAG	C1-O5-C5	2.71	115.86	112.19
5	K	5	MAN	C1-O5-C5	2.70	115.85	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	K	4	MAN	O3-C3-C2	-2.65	104.91	109.99
2	N	3	BMA	O6-C6-C5	-2.59	102.40	111.29
2	E	5	MAN	C1-O5-C5	2.57	115.67	112.19
5	H	3	BMA	C1-O5-C5	2.56	115.67	112.19
2	N	5	MAN	C1-O5-C5	2.52	115.61	112.19
5	K	4	MAN	O3-C3-C4	2.52	116.17	110.35
5	K	6	MAN	C3-C4-C5	-2.50	105.77	110.24
2	N	3	BMA	C1-O5-C5	2.49	115.56	112.19
5	K	6	MAN	O2-C2-C3	-2.45	105.23	110.14
5	K	3	BMA	C1-O5-C5	2.44	115.50	112.19
5	K	4	MAN	O2-C2-C3	-2.40	105.32	110.14
7	L	2	NAG	C1-O5-C5	2.36	115.39	112.19
8	M	3	BMA	C1-O5-C5	2.33	115.35	112.19
5	H	6	MAN	O2-C2-C3	-2.32	105.48	110.14
2	N	5	MAN	O2-C2-C3	-2.31	105.51	110.14
7	L	3	BMA	C1-C2-C3	2.24	112.42	109.67
7	L	4	MAN	O2-C2-C3	-2.23	105.66	110.14
6	P	4	MAN	O2-C2-C3	-2.23	105.67	110.14
5	H	4	MAN	O2-C2-C3	-2.23	105.67	110.14
6	I	4	MAN	O2-C2-C3	-2.23	105.67	110.14
2	E	7	MAN	O2-C2-C3	-2.22	105.70	110.14
2	N	6	MAN	C3-C4-C5	2.20	114.17	110.24
3	F	4	MAN	O2-C2-C3	-2.19	105.74	110.14
3	O	4	MAN	O2-C2-C3	-2.17	105.80	110.14
4	G	4	MAN	O2-C2-C3	-2.17	105.80	110.14
2	E	4	MAN	C1-O5-C5	2.15	115.10	112.19
2	N	4	MAN	O2-C2-C3	-2.15	105.83	110.14
2	N	7	MAN	O2-C2-C3	-2.12	105.88	110.14
7	L	5	MAN	O2-C2-C3	-2.12	105.89	110.14
4	G	6	MAN	O2-C2-C3	-2.12	105.90	110.14
6	J	3	BMA	C1-O5-C5	-2.11	109.33	112.19
4	G	5	MAN	C1-O5-C5	2.11	115.05	112.19
4	G	5	MAN	O2-C2-C3	-2.11	105.91	110.14
6	J	4	MAN	O2-C2-C3	-2.07	105.99	110.14
2	E	4	MAN	O2-C2-C3	-2.04	106.05	110.14
2	E	6	MAN	O2-C2-C3	-2.04	106.05	110.14
2	E	3	BMA	O6-C6-C5	-2.02	104.36	111.29
2	N	4	MAN	C1-O5-C5	2.01	114.92	112.19
2	N	6	MAN	O2-C2-C3	-2.00	106.13	110.14

There are no chirality outliers.

All (58) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	5	MAN	C4-C5-C6-O6
6	I	4	MAN	C4-C5-C6-O6
8	M	2	NAG	O5-C5-C6-O6
2	E	5	MAN	O5-C5-C6-O6
2	N	5	MAN	C4-C5-C6-O6
6	I	4	MAN	O5-C5-C6-O6
2	N	6	MAN	O5-C5-C6-O6
3	O	3	BMA	O5-C5-C6-O6
2	N	5	MAN	O5-C5-C6-O6
5	K	2	NAG	O5-C5-C6-O6
7	L	2	NAG	O5-C5-C6-O6
8	M	2	NAG	C4-C5-C6-O6
2	E	6	MAN	C4-C5-C6-O6
5	K	6	MAN	O5-C5-C6-O6
4	G	3	BMA	O5-C5-C6-O6
4	G	4	MAN	C4-C5-C6-O6
5	K	6	MAN	C4-C5-C6-O6
5	H	2	NAG	O5-C5-C6-O6
2	N	6	MAN	C4-C5-C6-O6
2	E	1	NAG	C8-C7-N2-C2
2	E	1	NAG	O7-C7-N2-C2
2	E	2	NAG	C8-C7-N2-C2
2	E	2	NAG	O7-C7-N2-C2
2	N	2	NAG	C8-C7-N2-C2
2	N	2	NAG	O7-C7-N2-C2
5	H	1	NAG	C8-C7-N2-C2
5	H	1	NAG	O7-C7-N2-C2
5	K	2	NAG	C8-C7-N2-C2
5	K	2	NAG	O7-C7-N2-C2
6	I	2	NAG	C8-C7-N2-C2
6	I	2	NAG	O7-C7-N2-C2
4	G	3	BMA	C4-C5-C6-O6
5	K	2	NAG	C4-C5-C6-O6
6	I	2	NAG	O5-C5-C6-O6
7	L	2	NAG	C4-C5-C6-O6
5	H	5	MAN	O5-C5-C6-O6
5	H	6	MAN	O5-C5-C6-O6
6	I	3	BMA	O5-C5-C6-O6
7	L	1	NAG	O5-C5-C6-O6
6	I	2	NAG	C4-C5-C6-O6
7	L	3	BMA	O5-C5-C6-O6
5	H	2	NAG	C4-C5-C6-O6
4	G	4	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	6	MAN	O5-C5-C6-O6
8	M	3	BMA	O5-C5-C6-O6
2	N	4	MAN	O5-C5-C6-O6
3	O	3	BMA	C4-C5-C6-O6
4	G	6	MAN	O5-C5-C6-O6
6	P	4	MAN	O5-C5-C6-O6
7	L	5	MAN	O5-C5-C6-O6
6	J	3	BMA	O5-C5-C6-O6
7	L	3	BMA	C4-C5-C6-O6
2	N	7	MAN	O5-C5-C6-O6
5	H	5	MAN	C4-C5-C6-O6
6	I	1	NAG	O5-C5-C6-O6
7	L	1	NAG	C4-C5-C6-O6
2	N	4	MAN	C4-C5-C6-O6
3	O	2	NAG	C4-C5-C6-O6


All (5) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	6	MAN	C1-C2-C3-C4-C5-O5
2	E	5	MAN	C1-C2-C3-C4-C5-O5
5	H	6	MAN	C1-C2-C3-C4-C5-O5
4	G	4	MAN	C1-C2-C3-C4-C5-O5
2	N	5	MAN	C1-C2-C3-C4-C5-O5



11 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	O	4	MAN	1	0
5	H	6	MAN	1	0
5	K	2	NAG	1	0
5	K	6	MAN	1	0
2	E	2	NAG	1	0
6	J	3	BMA	1	0
3	O	3	BMA	1	0
6	J	4	MAN	1	0
2	N	2	NAG	2	0
2	E	6	MAN	1	0
2	N	6	MAN	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























5.6 Ligand geometry [i](#)

Of 63 ligands modelled in this entry, 29 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	CCN	A	308	-	2,2,2	0.27	0	1,1,1	0.62	0
10	SO4	A	315	-	4,4,4	0.14	0	6,6,6	0.05	0
13	CCN	A	309	-	2,2,2	0.26	0	1,1,1	0.64	0
12	PEG	A	310	-	6,6,6	0.09	0	5,5,5	0.11	0
12	PEG	B	310	-	6,6,6	0.10	0	5,5,5	0.11	0
12	PEG	C	309	-	6,6,6	0.09	0	5,5,5	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	CCN	B	312	-	2,2,2	0.26	0	1,1,1	0.62	0
13	CCN	C	312	-	2,2,2	0.29	0	1,1,1	0.59	0
9	ERG	D	301	-	31,32,32	0.17	0	47,50,50	0.51	1 (2%)
13	CCN	C	311	-	2,2,2	0.28	0	1,1,1	0.62	0
12	PEG	D	306	-	6,6,6	0.08	0	5,5,5	0.12	0
12	PEG	A	307	-	6,6,6	0.09	0	5,5,5	0.12	0
13	CCN	C	313	-	2,2,2	0.26	0	1,1,1	0.63	0
10	SO4	A	303	-	4,4,4	0.15	0	6,6,6	0.04	0
9	ERG	C	301	-	31,32,32	0.19	0	47,50,50	0.57	1 (2%)
10	SO4	D	312	-	4,4,4	0.14	0	6,6,6	0.06	0
12	PEG	B	307	-	6,6,6	0.11	0	5,5,5	0.10	0
12	PEG	A	314	-	6,6,6	0.11	0	5,5,5	0.11	0
12	PEG	C	307	-	6,6,6	0.08	0	5,5,5	0.12	0
12	PEG	C	308	-	6,6,6	0.08	0	5,5,5	0.14	0
13	CCN	B	311	-	2,2,2	0.26	0	1,1,1	0.64	0
10	SO4	A	302	11	4,4,4	0.13	0	6,6,6	0.10	0
9	ERG	A	301	-	31,32,32	0.18	0	47,50,50	0.53	1 (2%)
12	PEG	C	310	-	6,6,6	0.09	0	5,5,5	0.11	0
10	SO4	C	302	11	4,4,4	0.16	0	6,6,6	0.09	0
10	SO4	C	319	-	4,4,4	0.14	0	6,6,6	0.06	0
9	ERG	B	301	-	31,32,32	0.21	0	47,50,50	0.62	1 (2%)
13	CCN	D	307	-	2,2,2	0.26	0	1,1,1	0.62	0
10	SO4	D	302	11	4,4,4	0.14	0	6,6,6	0.13	0
10	SO4	B	315	-	4,4,4	0.14	0	6,6,6	0.04	0
13	CCN	A	311	-	2,2,2	0.26	0	1,1,1	0.62	0
10	SO4	B	302	11	4,4,4	0.16	0	6,6,6	0.15	0
12	PEG	B	308	-	6,6,6	0.10	0	5,5,5	0.11	0
12	PEG	B	309	-	6,6,6	0.08	0	5,5,5	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	ERG	C	301	-	-	9/13/71/71	0/4/4/4
12	PEG	C	309	-	-	2/4/4/4	-
12	PEG	B	307	-	-	2/4/4/4	-
12	PEG	A	314	-	-	2/4/4/4	-
12	PEG	C	307	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	ERG	D	301	-	-	6/13/71/71	0/4/4/4
9	ERG	B	301	-	-	7/13/71/71	0/4/4/4
12	PEG	A	310	-	-	0/4/4/4	-
12	PEG	C	308	-	-	2/4/4/4	-
12	PEG	D	306	-	-	1/4/4/4	-
12	PEG	A	307	-	-	3/4/4/4	-
9	ERG	A	301	-	-	6/13/71/71	0/4/4/4
12	PEG	B	310	-	-	2/4/4/4	-
12	PEG	B	308	-	-	2/4/4/4	-
12	PEG	B	309	-	-	4/4/4/4	-
12	PEG	C	310	-	-	2/4/4/4	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	301	ERG	C7-C6-C5	-2.57	118.68	123.20
9	C	301	ERG	C7-C6-C5	-2.46	118.89	123.20
9	A	301	ERG	C7-C6-C5	-2.41	118.97	123.20
9	D	301	ERG	C7-C6-C5	-2.34	119.10	123.20

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	301	ERG	C13-C17-C20-C21
9	A	301	ERG	C13-C17-C20-C22
9	A	301	ERG	C16-C17-C20-C21
9	A	301	ERG	C16-C17-C20-C22
9	B	301	ERG	C13-C17-C20-C21
9	B	301	ERG	C13-C17-C20-C22
9	B	301	ERG	C16-C17-C20-C21
9	B	301	ERG	C16-C17-C20-C22
9	B	301	ERG	C22-C23-C24-C25
9	C	301	ERG	C13-C17-C20-C21
9	C	301	ERG	C13-C17-C20-C22
9	C	301	ERG	C16-C17-C20-C21
9	C	301	ERG	C16-C17-C20-C22
9	D	301	ERG	C13-C17-C20-C21

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
9	D	301	ERG	C13-C17-C20-C22
9	D	301	ERG	C16-C17-C20-C21
9	D	301	ERG	C16-C17-C20-C22
12	A	314	PEG	O1-C1-C2-O2
12	B	307	PEG	O1-C1-C2-O2
12	B	308	PEG	O2-C3-C4-O4
12	B	309	PEG	O1-C1-C2-O2
12	B	309	PEG	O2-C3-C4-O4
12	B	310	PEG	O2-C3-C4-O4
12	C	309	PEG	O2-C3-C4-O4
12	A	307	PEG	O2-C3-C4-O4
12	C	307	PEG	O1-C1-C2-O2
12	C	307	PEG	O2-C3-C4-O4
12	C	310	PEG	O2-C3-C4-O4
12	C	308	PEG	O1-C1-C2-O2
12	D	306	PEG	O1-C1-C2-O2
9	C	301	ERG	C22-C23-C24-C25
12	A	307	PEG	O1-C1-C2-O2
12	A	314	PEG	O2-C3-C4-O4
12	B	310	PEG	O1-C1-C2-O2
9	B	301	ERG	C22-C23-C24-C28
12	B	308	PEG	O1-C1-C2-O2
12	C	310	PEG	O1-C1-C2-O2
12	C	309	PEG	C1-C2-O2-C3
12	B	309	PEG	C4-C3-O2-C2
12	C	307	PEG	C4-C3-O2-C2
12	B	307	PEG	O2-C3-C4-O4
12	C	308	PEG	C4-C3-O2-C2
9	C	301	ERG	C23-C24-C25-C27
12	A	307	PEG	C1-C2-O2-C3
9	A	301	ERG	C22-C23-C24-C28
9	C	301	ERG	C22-C23-C24-C28
9	A	301	ERG	C21-C20-C22-C23
9	D	301	ERG	C21-C20-C22-C23
9	D	301	ERG	C22-C23-C24-C28
9	B	301	ERG	C21-C20-C22-C23
12	B	309	PEG	C1-C2-O2-C3
9	C	301	ERG	C21-C20-C22-C23
9	C	301	ERG	C28-C24-C25-C27


There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	A	307	PEG	1	0
9	C	301	ERG	1	0
9	A	301	ERG	1	0
9	B	301	ERG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	222/248 (89%)	0.35	9 (4%) 37 34	53, 71, 112, 170	0
1	B	222/248 (89%)	0.38	10 (4%) 33 30	55, 78, 117, 175	0
1	C	222/248 (89%)	0.37	8 (3%) 42 39	51, 69, 115, 157	0
1	D	222/248 (89%)	0.54	16 (7%) 15 12	56, 82, 135, 183	0
All	All	888/992 (89%)	0.41	43 (4%) 30 28	51, 76, 121, 183	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	20	THR	7.5
1	D	166	GLY	6.6
1	B	164	THR	6.4
1	D	165	ASN	6.2
1	A	165	ASN	5.2
1	D	35	PHE	4.9
1	D	162	SER	4.3
1	D	164	THR	4.1
1	C	165	ASN	4.1
1	C	164	THR	4.1
1	C	162	SER	3.9
1	C	163	ALA	3.7
1	D	163	ALA	3.7
1	C	161	PHE	3.7
1	A	35	PHE	3.6
1	A	161	PHE	3.5
1	B	165	ASN	3.5
1	D	161	PHE	3.4
1	A	166	GLY	3.4
1	D	228	TYR	3.3
1	A	162	SER	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	35	PHE	3.1
1	D	70	GLU	2.9
1	A	163	ALA	2.9
1	A	20	THR	2.7
1	A	192	MET	2.6
1	B	220	VAL	2.5
1	C	20	THR	2.5
1	D	211	LYS	2.5
1	B	59	LEU	2.4
1	B	163	ALA	2.4
1	C	166	GLY	2.3
1	D	186	LEU	2.3
1	D	167	TYR	2.3
1	B	161	PHE	2.2
1	D	221	TYR	2.2
1	B	167	TYR	2.1
1	B	41	CYS	2.1
1	B	35	PHE	2.1
1	D	32	LYS	2.1
1	B	155	SER	2.0
1	A	164	THR	2.0
1	D	241	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MAN	K	5	11/12	-0.02	0.51	140,174,184,187	0
5	MAN	H	5	11/12	0.21	0.45	179,196,208,212	0
6	MAN	P	4	11/12	0.25	0.50	133,170,176,177	0
6	MAN	J	4	11/12	0.38	0.39	173,196,208,209	0
2	MAN	E	6	11/12	0.46	0.63	133,176,185,187	0
2	MAN	N	5	11/12	0.48	0.32	133,159,167,170	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MAN	G	5	11/12	0.49	0.49	111,129,153,166	0
5	MAN	H	6	11/12	0.50	0.34	126,161,182,189	0
2	MAN	N	4	11/12	0.50	0.27	129,149,162,167	0
2	MAN	E	5	11/12	0.52	0.39	135,155,163,169	0
3	BMA	O	3	11/12	0.53	0.33	181,185,195,204	0
5	MAN	K	6	11/12	0.54	0.23	137,155,170,171	0
2	MAN	N	6	11/12	0.55	0.35	135,150,171,172	0
7	MAN	L	5	11/12	0.55	0.34	145,158,176,178	0
7	MAN	L	4	11/12	0.60	0.39	164,180,188,195	0
7	BMA	L	3	11/12	0.61	0.34	143,148,169,176	0
6	BMA	I	3	11/12	0.65	0.28	164,191,204,214	0
3	BMA	F	3	11/12	0.65	0.44	148,160,165,166	0
6	BMA	J	3	11/12	0.68	0.35	154,173,189,198	0
6	MAN	I	4	11/12	0.69	0.41	158,177,185,186	0
8	BMA	M	3	11/12	0.69	0.25	153,167,174,177	0
3	MAN	O	4	11/12	0.71	0.30	146,160,165,167	0
2	MAN	E	4	11/12	0.73	0.20	122,142,150,152	0
4	MAN	G	4	11/12	0.74	0.30	148,156,164,171	0
6	BMA	P	3	11/12	0.79	0.29	144,157,164,175	0
2	MAN	N	7	11/12	0.79	0.32	161,170,184,185	0
3	NAG	O	2	14/15	0.79	0.28	101,130,150,166	0
4	MAN	G	6	11/12	0.80	0.36	99,120,126,129	0
5	MAN	K	4	11/12	0.80	0.31	159,181,199,205	0
2	BMA	E	3	11/12	0.82	0.16	104,122,132,138	0
7	NAG	L	2	14/15	0.82	0.21	87,109,138,155	0
2	MAN	E	7	11/12	0.83	0.18	139,160,165,175	0
3	NAG	F	2	14/15	0.85	0.29	81,111,130,151	0
3	MAN	F	4	11/12	0.87	0.32	143,150,153,154	0
2	BMA	N	3	11/12	0.87	0.13	95,117,126,136	0
6	NAG	J	2	14/15	0.87	0.23	108,121,149,152	0
6	NAG	I	1	14/15	0.87	0.20	102,114,126,129	0
4	BMA	G	3	11/12	0.89	0.29	105,117,129,137	0
3	NAG	O	1	14/15	0.89	0.18	76,99,111,115	0
6	NAG	I	2	14/15	0.89	0.25	113,134,148,165	0
5	BMA	H	3	11/12	0.90	0.16	93,108,116,128	0
5	MAN	H	4	11/12	0.90	0.25	138,154,165,171	0
7	NAG	L	1	14/15	0.90	0.21	79,96,113,114	0
8	NAG	M	2	14/15	0.90	0.19	93,111,132,148	0
6	NAG	P	2	14/15	0.90	0.18	111,127,148,159	0
5	BMA	K	3	11/12	0.91	0.14	107,119,129,145	0
4	NAG	G	2	14/15	0.92	0.14	83,92,112,112	0
3	NAG	F	1	14/15	0.93	0.17	73,91,101,102	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NAG	G	1	14/15	0.94	0.19	57,66,79,81	0
5	NAG	H	1	14/15	0.94	0.15	60,67,77,89	0
5	NAG	K	2	14/15	0.94	0.16	77,83,94,110	0
2	NAG	E	2	14/15	0.95	0.12	58,74,80,90	0
6	NAG	P	1	14/15	0.95	0.18	68,85,97,108	0
5	NAG	H	2	14/15	0.96	0.14	66,77,95,105	0
5	NAG	K	1	14/15	0.97	0.13	57,64,68,80	0
6	NAG	J	1	14/15	0.97	0.15	66,77,96,106	0
8	NAG	M	1	14/15	0.97	0.19	56,66,80,89	0
2	NAG	N	2	14/15	0.97	0.12	66,72,78,98	0
2	NAG	E	1	14/15	0.97	0.16	53,66,73,90	0
2	NAG	N	1	14/15	0.98	0.14	57,65,71,87	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain P:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
13	CCN	B	312	3/3	0.33	0.44	112,112,115,117	0
13	CCN	C	311	3/3	0.58	0.36	78,78,80,95	0
11	ZN	D	313	1/1	0.59	0.20	198,198,198,198	0
13	CCN	A	308	3/3	0.59	0.34	77,77,99,101	0
11	ZN	D	310	1/1	0.62	0.17	168,168,168,168	0
12	PEG	D	306	7/7	0.64	0.19	115,129,131,133	0
12	PEG	A	310	7/7	0.70	0.25	85,91,104,115	0
12	PEG	B	310	7/7	0.74	0.28	78,82,88,103	0
11	ZN	D	311	1/1	0.76	0.06	191,191,191,191	0
13	CCN	C	312	3/3	0.77	0.26	69,69,74,92	0
12	PEG	A	314	7/7	0.78	0.21	101,108,119,123	0
12	PEG	A	307	7/7	0.79	0.24	78,84,93,105	0
12	PEG	B	309	7/7	0.80	0.25	83,96,114,117	0
11	ZN	A	313	1/1	0.80	0.19	110,110,110,110	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
13	CCN	A	311	3/3	0.80	0.20	99,99,101,110	0
11	ZN	C	320	1/1	0.81	0.14	155,155,155,155	0
12	PEG	B	307	7/7	0.81	0.26	83,85,97,102	0
11	ZN	A	312	1/1	0.81	0.09	113,113,113,113	0
13	CCN	A	309	3/3	0.81	0.47	86,86,103,107	0
11	ZN	C	317	1/1	0.82	0.15	120,120,120,120	0
11	ZN	C	314	1/1	0.82	0.14	105,105,105,105	0
12	PEG	B	308	7/7	0.83	0.19	100,101,114,115	0
10	SO4	A	315	5/5	0.84	0.27	144,149,163,196	0
11	ZN	D	304	1/1	0.84	0.16	115,115,115,115	0
13	CCN	B	311	3/3	0.84	0.49	90,90,97,101	0
13	CCN	D	307	3/3	0.84	0.43	99,99,101,103	0
12	PEG	C	308	7/7	0.85	0.16	68,73,85,90	0
12	PEG	C	309	7/7	0.86	0.23	78,87,98,105	0
10	SO4	C	319	5/5	0.86	0.16	109,113,131,143	0
12	PEG	C	307	7/7	0.87	0.30	84,86,105,112	0
10	SO4	D	312	5/5	0.87	0.30	135,140,163,182	0
11	ZN	B	313	1/1	0.88	0.17	108,108,108,108	0
12	PEG	C	310	7/7	0.90	0.16	78,86,98,104	0
11	ZN	D	308	1/1	0.90	0.04	120,120,120,120	0
9	ERG	C	301	29/29	0.91	0.38	68,82,104,112	0
11	ZN	C	305	1/1	0.91	0.19	89,89,89,89	0
9	ERG	B	301	29/29	0.92	0.31	75,86,102,106	0
10	SO4	B	315	5/5	0.92	0.18	110,122,134,137	0
9	ERG	D	301	29/29	0.92	0.28	71,90,103,108	0
9	ERG	A	301	29/29	0.93	0.22	71,79,87,95	0
13	CCN	C	313	3/3	0.94	0.26	94,94,96,105	0
11	ZN	B	306	1/1	0.95	0.07	100,100,100,100	0
11	ZN	B	303	1/1	0.95	0.16	87,87,87,87	0
11	ZN	D	309	1/1	0.96	0.20	133,133,133,133	0
11	ZN	C	318	1/1	0.96	0.13	115,115,115,115	0
11	ZN	C	315	1/1	0.96	0.13	67,67,67,67	0
11	ZN	C	316	1/1	0.96	0.17	100,100,100,100	0
11	ZN	B	305	1/1	0.96	0.12	106,106,106,106	0
10	SO4	B	302	5/5	0.97	0.19	65,71,74,82	0
11	ZN	B	314	1/1	0.97	0.23	114,114,114,114	0
10	SO4	A	302	5/5	0.98	0.19	58,68,73,82	0
10	SO4	C	302	5/5	0.98	0.20	72,73,79,88	0
11	ZN	D	303	1/1	0.98	0.15	86,86,86,86	0
10	SO4	A	303	5/5	0.98	0.13	115,118,119,119	5
10	SO4	D	302	5/5	0.98	0.11	79,90,96,99	0
11	ZN	C	303	1/1	0.98	0.16	75,75,75,75	0


Continued on next page...


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
11	ZN	B	304	1/1	0.99	0.16	74,74,74,74	0
11	ZN	D	305	1/1	0.99	0.12	91,91,91,91	0
11	ZN	A	304	1/1	0.99	0.16	74,74,74,74	0
11	ZN	C	304	1/1	0.99	0.15	76,76,76,76	0
11	ZN	A	305	1/1	0.99	0.17	70,70,70,70	0
11	ZN	C	306	1/1	0.99	0.19	72,72,72,72	0
11	ZN	A	306	1/1	0.99	0.12	70,70,70,70	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [i](#)

There are no such residues in this entry.