



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 01:39 am BST

PDB ID : 4F92
Title : Brr2 Helicase Region S1087L
Authors : Santos, K.F.; Jovin, S.M.; Weber, G.; Pena, V.; Luehrmann, R.; Wahl, M.C.
Deposited on : 2012-05-18
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	1724	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 14019 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called U5 small nuclear ribonucleoprotein 200 kDa helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	1723	13866	8863	2373	2558	72	0	1	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1087	LEU	SER	ENGINEERED MUTATION	UNP O75643

- Molecule 2 is SULFANILAMIDE (three-letter code: SAN) (formula: C₆H₈N₂O₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	B	1	22	12	4	4	2	0	1


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	131	Total 131	O 131	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: U5 small nuclear ribonucleoprotein 200 kDa helicase





4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	146.15Å 149.54Å 141.32Å 90.00° 120.33° 90.00°	Depositor
Resolution (Å)	35.32 – 2.66 46.36 – 2.66	Depositor EDS
% Data completeness (in resolution range)	99.2 (35.32-2.66) 88.2 (46.36-2.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 2.65Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.212 , 0.259 0.207 , 0.254	Depositor DCC
R_{free} test set	3747 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	51.5	Xtrriage
Anisotropy	0.559	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 68.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.014 for k,h,-1/2*h-1/2*k-l 0.000 for -k,-h,-1/2*h+1/2*k-l 0.010 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14019	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.30	0/14161	0.51	1/19188 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	969	LEU	CA-CB-CG	5.48	127.91	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	13866	0	14008	210	0
2	B	22	0	16	0	0
3	B	131	0	0	8	0
All	All	14019	0	14024	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1351:PRO:HG3	1:B:1516:PRO:HA	1.64	0.80
1:B:600:GLY:N	3:B:2315:HOH:O	2.17	0.72
1:B:1049:LYS:O	1:B:1051:SER:N	2.24	0.71
1:B:501:LEU:HD13	1:B:509:LYS:HG2	1.74	0.68
1:B:564:ILE:HG12	1:B:584:GLN:HG3	1.75	0.68
1:B:753:ARG:NH1	1:B:779:PRO:O	2.27	0.68
1:B:1051:SER:HB3	1:B:1057:ALA:HB2	1.76	0.67
1:B:1855:TYR:HB3	1:B:1891:THR:HG21	1.76	0.67
1:B:997:THR:OG1	1:B:1023:GLU:OE1	2.12	0.65
1:B:771:ASN:HB3	1:B:772:LEU:HD13	1.79	0.64
1:B:447:VAL:HG13	1:B:687:GLN:HG3	1.81	0.62
1:B:1973:ARG:HB2	1:B:1997:LEU:HD11	1.82	0.62
1:B:626:PRO:HG2	1:B:896:LYS:HG3	1.80	0.61
1:B:1768:PRO:HG3	1:B:1776:ILE:HG22	1.82	0.61
1:B:882:LEU:HG	1:B:887:LEU:HD12	1.83	0.60
1:B:1434:ILE:HD13	1:B:1823:TYR:HB2	1.81	0.60
1:B:1604:LEU:HD21	1:B:1631:LEU:HD22	1.83	0.60
1:B:1819:ALA:HB2	1:B:1829:ILE:HG12	1.84	0.59
1:B:967:ASN:ND2	1:B:995:ASN:OD1	2.35	0.59
1:B:524:HIS:HB3	1:B:532:ASN:HB2	1.84	0.58
1:B:1456:VAL:HG23	1:B:1491:SER:HB2	1.85	0.58
1:B:758:SER:HB2	1:B:762:LEU:HB2	1.85	0.58
1:B:2068:ILE:HD11	1:B:2092:LEU:HD13	1.86	0.57
1:B:761:VAL:HA	1:B:764:THR:HG22	1.86	0.57
1:B:971:LYS:HB2	1:B:980:GLN:HB2	1.85	0.57
1:B:743:LEU:HA	1:B:747:THR:HA	1.87	0.57
1:B:715:HIS:HB3	1:B:719:ASN:HB3	1.86	0.57
1:B:949:LEU:O	1:B:953:ARG:HG3	2.05	0.56
1:B:690:VAL:HG21	1:B:707:ILE:HD13	1.87	0.56
1:B:1049:LYS:C	1:B:1051:SER:H	2.09	0.56
1:B:603:ARG:O	1:B:607:GLN:HB2	2.05	0.56
1:B:1945:LEU:HA	1:B:1948:MET:HG2	1.87	0.56
1:B:603:ARG:HB3	1:B:1540:LEU:HD13	1.88	0.56
1:B:736:ARG:HH21	1:B:773:GLU:HG2	1.71	0.55
1:B:1157:ASN:HB3	1:B:1160:GLU:OE1	2.07	0.55
1:B:512:VAL:HA	1:B:515:MET:HE2	1.89	0.54
1:B:787:ALA:O	1:B:789:MET:N	2.36	0.54
1:B:1228:VAL:HG11	1:B:1264:PRO:HD2	1.89	0.54
1:B:543:PRO:HD2	1:B:547:LEU:HD12	1.89	0.54
1:B:1329:ASN:O	1:B:1333:THR:HG23	2.07	0.54
1:B:858:ARG:HD2	1:B:861:TYR:HB2	1.90	0.53
1:B:617:ILE:HD12	1:B:628:LEU:HD13	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:692:ILE:HG13	1:B:872:SER:HA	1.90	0.53
1:B:1307:LEU:HB2	1:B:1333:THR:HB	1.90	0.53
1:B:1604:LEU:HD13	1:B:1609:LEU:HD13	1.91	0.53
1:B:513:ALA:HB1	1:B:613:ILE:HD13	1.91	0.53
1:B:606:THR:HA	1:B:609:VAL:HG23	1.91	0.53
1:B:1606:ASP:OD1	1:B:1609:LEU:N	2.41	0.53
1:B:725:VAL:HG11	1:B:730:GLU:HG2	1.91	0.53
1:B:1559:VAL:HG22	1:B:1660:LEU:HB3	1.90	0.53
1:B:1739:GLU:HG3	1:B:1744:THR:HB	1.90	0.53
1:B:1201:GLU:HB3	1:B:1251:LEU:HD11	1.92	0.52
1:B:1560:ILE:HG13	1:B:1658:ALA:HB2	1.91	0.52
1:B:1307:LEU:H	1:B:1333:THR:HG21	1.74	0.52
1:B:2059:LYS:HD2	1:B:2059:LYS:H	1.74	0.52
1:B:617:ILE:HG22	1:B:651:LEU:O	2.10	0.52
1:B:853:LEU:HD22	1:B:883:LEU:HD22	1.92	0.52
1:B:1909:GLN:HG3	3:B:2396:HOH:O	2.10	0.51
1:B:425:ASN:HB2	1:B:888:PRO:HD3	1.92	0.51
1:B:1093:ARG:NH1	1:B:1273:ASP:OD2	2.43	0.51
1:B:565:THR:HB	1:B:583:THR:HA	1.94	0.50
1:B:709:TYR:O	1:B:713:MET:HG2	2.10	0.50
1:B:1716:LYS:NZ	3:B:2382:HOH:O	2.30	0.50
1:B:692:ILE:HD11	1:B:700:ARG:NH1	2.27	0.50
1:B:896:LYS:O	1:B:900:MET:HG2	2.12	0.50
1:B:753:ARG:HD3	1:B:780:TYR:HA	1.94	0.49
1:B:735:ALA:HB2	1:B:810:VAL:HG11	1.94	0.49
1:B:684:PRO:HB2	1:B:864:LYS:HD2	1.94	0.49
1:B:1845:LEU:O	1:B:1849:ILE:HG22	2.13	0.49
1:B:1438:ARG:O	1:B:1442:ARG:HG2	2.13	0.49
1:B:1360:ALA:HB2	1:B:1490:LEU:HD11	1.95	0.49
1:B:1099:VAL:HG21	1:B:1107:LEU:HD23	1.95	0.49
1:B:1481:ILE:HD13	1:B:1483:ARG:HD2	1.94	0.49
1:B:1502[B]:HIS:CE1	1:B:1762:ARG:HE	2.31	0.49
1:B:1566:ARG:O	1:B:1569:THR:HG22	2.13	0.48
1:B:758:SER:HA	1:B:761:VAL:HB	1.95	0.48
1:B:709:TYR:HE1	1:B:748:LEU:HD22	1.78	0.48
1:B:1986:MET:SD	1:B:2011:CYS:HB3	2.53	0.48
1:B:1994:ASN:HB2	1:B:1999:LEU:HD13	1.95	0.48
1:B:692:ILE:HD13	1:B:700:ARG:HG3	1.95	0.48
1:B:1526:HIS:HB2	1:B:1703:VAL:HG22	1.95	0.48
1:B:1099:VAL:HG22	1:B:1104:TRP:HB2	1.94	0.48
1:B:1169:LYS:H	1:B:1169:LYS:HD2	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1519:ARG:NH2	1:B:1692:ASN:HB2	2.29	0.48
1:B:484:ILE:HD11	1:B:680:PHE:HB3	1.96	0.48
1:B:709:TYR:CE1	1:B:748:LEU:HD22	2.49	0.47
1:B:736:ARG:HH21	1:B:773:GLU:CG	2.27	0.47
1:B:1796:LEU:HB3	1:B:1802:ILE:HG12	1.94	0.47
1:B:793:ASP:O	1:B:797:VAL:HG23	2.14	0.47
1:B:930:LEU:HD23	1:B:949:LEU:HD22	1.95	0.47
1:B:542:ALA:O	1:B:589:THR:HA	2.14	0.47
1:B:1007:PRO:HG3	1:B:1104:TRP:CE2	2.49	0.47
1:B:509:LYS:NZ	3:B:2307:HOH:O	2.37	0.47
1:B:1430:GLU:CD	1:B:1430:GLU:H	2.18	0.47
1:B:1080:ASP:O	1:B:1084:VAL:HG13	2.15	0.47
1:B:1148:PHE:CZ	1:B:1152:ARG:HD2	2.50	0.47
1:B:1636:PHE:CE1	1:B:1644:VAL:HG22	2.49	0.47
1:B:1112:LEU:HG	1:B:1116:LYS:HE2	1.96	0.47
1:B:1939:ALA:O	1:B:1943:MET:HG3	2.15	0.47
1:B:877:GLN:HB2	1:B:880:LEU:HD12	1.97	0.47
1:B:1245:TYR:O	1:B:1248:ASP:HB2	2.14	0.47
1:B:2029:ILE:HG12	1:B:2035:VAL:HG22	1.96	0.47
1:B:694:GLU:HB3	3:B:2428:HOH:O	2.14	0.47
1:B:1011:GLU:OE2	3:B:2398:HOH:O	2.19	0.46
1:B:482:ASN:OD1	1:B:483:ARG:N	2.48	0.46
1:B:420:SER:HB2	1:B:622:ASP:HA	1.97	0.46
1:B:569:LEU:O	1:B:592:LYS:HG2	2.15	0.46
1:B:593:TRP:HD1	1:B:631:LEU:HD22	1.79	0.46
1:B:1839:LYS:O	1:B:1841:LYS:HE3	2.16	0.46
1:B:2039:VAL:HG21	1:B:2066:VAL:HG11	1.98	0.46
1:B:905:ILE:HG22	1:B:981:VAL:HG22	1.96	0.46
1:B:753:ARG:C	1:B:755:GLY:H	2.19	0.46
1:B:1328:PHE:HB2	1:B:1333:THR:HG22	1.97	0.46
1:B:1338:THR:O	1:B:1342:SER:HB2	2.15	0.46
1:B:1102:ARG:NH1	3:B:2392:HOH:O	2.43	0.45
1:B:1182:PRO:HB2	1:B:1278:CYS:SG	2.56	0.45
1:B:1585:GLN:O	1:B:1588:ARG:HB3	2.16	0.45
1:B:411:LEU:HD13	1:B:959:THR:HG21	1.98	0.45
1:B:1165:ILE:O	1:B:1166:ARG:HG3	2.17	0.45
1:B:424:ALA:HB1	1:B:935:LEU:HD11	1.97	0.45
1:B:1135:LEU:HD13	1:B:1136:PRO:HD2	1.98	0.45
1:B:450:LEU:H	1:B:450:LEU:HD22	1.82	0.45
1:B:449:ALA:H	1:B:686:GLU:HG2	1.81	0.45
1:B:1062:LEU:HA	1:B:1062:LEU:HD12	1.73	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1595:LYS:HA	1:B:1598:ILE:HD12	1.98	0.44
1:B:687:GLN:HG3	1:B:689:TYR:HE1	1.81	0.44
1:B:1190:LEU:HD11	1:B:1198:LEU:HD13	1.99	0.44
1:B:1302:LEU:O	1:B:1304:LEU:N	2.51	0.44
1:B:1887:PRO:O	1:B:1891:THR:HG23	2.18	0.44
1:B:996:ASP:N	1:B:996:ASP:OD1	2.50	0.44
1:B:1375:ARG:HH11	1:B:1375:ARG:HB2	1.82	0.44
1:B:463:PRO:HA	1:B:480:THR:HA	1.99	0.44
1:B:2067:VAL:HG22	1:B:2079:ILE:HG13	1.99	0.44
1:B:531:ILE:HD12	1:B:533:VAL:HG23	1.99	0.44
1:B:2017:ILE:HG23	1:B:2043:ARG:HB3	1.98	0.44
1:B:467:LEU:HB2	1:B:468:PRO:HD2	2.00	0.44
1:B:542:ALA:HB1	1:B:547:LEU:HD13	2.00	0.43
1:B:848:ASP:O	1:B:852:MET:HG2	2.18	0.43
1:B:719:ASN:HA	1:B:719:ASN:HD22	1.51	0.43
1:B:1048:VAL:HG12	1:B:1051:SER:HB2	2.00	0.43
1:B:1165:ILE:HD13	1:B:1165:ILE:HA	1.84	0.43
1:B:1195:ARG:NH1	1:B:1260:GLU:OE1	2.51	0.43
1:B:1299:THR:CG2	1:B:1513:ASN:H	2.31	0.43
1:B:2042:GLU:HG3	1:B:2087:LYS:HB3	2.01	0.43
1:B:532:ASN:HB3	1:B:535:ASP:OD2	2.19	0.43
1:B:1127:CYS:SG	1:B:1129:LEU:HB2	2.58	0.43
1:B:753:ARG:HD2	1:B:761:VAL:HG22	2.00	0.43
1:B:1223:ILE:O	1:B:1236:HIS:HA	2.18	0.43
1:B:1442:ARG:H	1:B:1442:ARG:HG2	1.72	0.43
1:B:785:HIS:CD2	1:B:794:ARG:HB2	2.54	0.43
1:B:874:GLY:HA2	3:B:2323:HOH:O	2.18	0.43
1:B:603:ARG:NH2	1:B:1575:ASP:OD1	2.52	0.43
1:B:1625:SER:HB2	1:B:1628:GLU:HG3	2.01	0.43
1:B:2013:ARG:HD3	1:B:2052:ILE:HD13	2.01	0.43
1:B:2043:ARG:HD3	1:B:2085:GLN:O	2.19	0.43
1:B:425:ASN:HD21	1:B:886:GLN:HB3	1.83	0.43
1:B:917:VAL:HG23	1:B:953:ARG:NH2	2.34	0.43
1:B:2096:ALA:HA	1:B:2097:PRO:HD3	1.85	0.43
1:B:727:SER:HB2	1:B:730:GLU:HB2	2.01	0.43
1:B:1448:ILE:HD11	1:B:1451:PHE:HB2	2.00	0.43
1:B:580:ILE:HA	1:B:583:THR:HG23	2.01	0.43
1:B:1661:VAL:O	1:B:1702:CYS:HA	2.19	0.42
1:B:426:LYS:HG2	1:B:427:ARG:HG3	2.00	0.42
1:B:548:VAL:HG13	1:B:587:VAL:HG12	2.00	0.42
1:B:1589:PHE:HD2	1:B:1642:GLN:OE1	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:666:ARG:HD2	1:B:666:ARG:HA	1.89	0.42
1:B:707:ILE:O	1:B:711:LYS:HD3	2.19	0.42
1:B:1515:HIS:ND1	1:B:1517:ASN:OD1	2.52	0.42
1:B:1883:LYS:HD3	1:B:1883:LYS:HA	1.78	0.42
1:B:1093:ARG:HD2	1:B:1115:CYS:SG	2.60	0.42
1:B:1997:LEU:HB3	1:B:1998:GLN:H	1.71	0.42
1:B:1398:GLN:O	1:B:1402:ASN:HA	2.20	0.42
1:B:1577:LEU:HA	1:B:1577:LEU:HD12	1.84	0.42
1:B:482:ASN:HB3	1:B:485:GLN:CD	2.40	0.42
1:B:724:PHE:CE2	1:B:852:MET:HB2	2.54	0.42
1:B:1950:THR:OG1	1:B:2060:ARG:NH2	2.38	0.42
1:B:1800:LYS:HB3	1:B:1815:LEU:HD23	2.00	0.42
1:B:1648:ARG:HB2	1:B:1687:MET:HE2	2.01	0.42
1:B:1309:VAL:HG23	1:B:1326:PRO:O	2.20	0.42
1:B:554:SER:O	1:B:558:ARG:HG2	2.20	0.42
1:B:1433:ASP:OD2	1:B:1473:ARG:NH2	2.53	0.41
1:B:1567:LYS:HE3	1:B:1567:LYS:HB3	1.81	0.41
1:B:726:HIS:CD2	1:B:844:LEU:HD13	2.56	0.41
1:B:1088:ALA:HB1	1:B:1118:ILE:HD13	2.02	0.41
1:B:1886:ASP:HA	1:B:1887:PRO:HD2	1.90	0.41
1:B:2014:TYR:HA	1:B:2015:PRO:HD3	1.85	0.41
1:B:821:LEU:HD12	1:B:821:LEU:O	2.19	0.41
1:B:1502[B]:HIS:CE1	1:B:1762:ARG:HH11	2.39	0.41
1:B:1923:ILE:HG21	1:B:1946:ALA:HB2	2.02	0.41
1:B:1092:MET:HB3	1:B:1115:CYS:SG	2.60	0.41
1:B:1982:VAL:O	1:B:1985:ILE:HG13	2.20	0.41
1:B:631:LEU:HA	1:B:631:LEU:HD23	1.76	0.41
1:B:838:LYS:O	1:B:840:ARG:HG2	2.20	0.41
1:B:824:HIS:ND1	1:B:862:ASP:OD2	2.50	0.41
1:B:1693:ARG:CZ	1:B:1696:GLN:HG3	2.51	0.41
1:B:1134:LYS:HD3	1:B:1134:LYS:HA	1.84	0.41
1:B:1895:LEU:HD12	1:B:1895:LEU:HA	1.89	0.41
1:B:2047:VAL:HG21	1:B:2085:GLN:HA	2.04	0.40
1:B:2051:VAL:HG13	1:B:2113:TYR:CZ	2.56	0.40
1:B:2056:PHE:HA	1:B:2057:PRO:HD3	1.84	0.40
1:B:451:LYS:HG3	1:B:451:LYS:H	1.40	0.40
1:B:531:ILE:O	1:B:533:VAL:N	2.52	0.40
1:B:1057:ALA:O	1:B:1061:VAL:HG13	2.22	0.40
1:B:1066:PHE:CG	1:B:1085:THR:HG21	2.57	0.40
1:B:1569:THR:HG21	1:B:1621:HIS:HB3	2.02	0.40
1:B:1755:LEU:HD13	1:B:1785:LEU:HD12	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1136:PRO:HB2	1:B:1139:VAL:HG23	2.03	0.40
1:B:1307:LEU:H	1:B:1333:THR:CG2	2.35	0.40
1:B:1456:VAL:CG2	1:B:1491:SER:HB2	2.49	0.40
1:B:2053:ALA:HA	1:B:2054:PRO:HD2	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	1722/1724 (100%)	1632 (95%)	79 (5%)	11 (1%)	25 37

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1050	GLU
1	B	1584	ILE
1	B	788	GLY
1	B	431	PRO
1	B	772	LEU
1	B	804	LYS
1	B	875	GLU
1	B	530	THR
1	B	532	ASN
1	B	1053	GLU
1	B	1303	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	1543/1542 (100%)	1349 (87%)	194 (13%)	4 6

All (194) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	418	GLN
1	B	437	ARG
1	B	438	GLN
1	B	440	LYS
1	B	447	VAL
1	B	451	LYS
1	B	453	LYS
1	B	459	GLU
1	B	460	GLN
1	B	483	ARG
1	B	488	LEU
1	B	495	THR
1	B	500	LEU
1	B	501	LEU
1	B	523	LYS
1	B	533	VAL
1	B	546	SER
1	B	547	LEU
1	B	550	GLU
1	B	564	ILE
1	B	576	CYS
1	B	583	THR
1	B	584	GLN
1	B	591	GLU
1	B	599	LYS
1	B	602	GLU
1	B	603	ARG
1	B	612	ILE
1	B	620	LEU
1	B	643	GLN
1	B	659	GLU
1	B	673	LEU
1	B	679	SER
1	B	690	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	695	LYS
1	B	709	TYR
1	B	719	ASN
1	B	725	VAL
1	B	728	ARG
1	B	733	LYS
1	B	743	LEU
1	B	748	LEU
1	B	753	ARG
1	B	760	GLU
1	B	762	LEU
1	B	772	LEU
1	B	775	LYS
1	B	780	TYR
1	B	784	ILE
1	B	790	THR
1	B	792	VAL
1	B	804	LYS
1	B	810	VAL
1	B	827	ILE
1	B	840	ARG
1	B	844	LEU
1	B	847	LEU
1	B	853	LEU
1	B	855	ARG
1	B	863	THR
1	B	866	GLU
1	B	881	SER
1	B	882	LEU
1	B	887	LEU
1	B	893	MET
1	B	896	LYS
1	B	897	LEU
1	B	901	LEU
1	B	917	VAL
1	B	920	LEU
1	B	925	LEU
1	B	931	ARG
1	B	934	THR
1	B	935	LEU
1	B	949	LEU
1	B	954	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	956	LEU
1	B	969	LEU
1	B	984	LEU
1	B	992	TYR
1	B	996	ASP
1	B	999	GLN
1	B	1009	LEU
1	B	1011	GLU
1	B	1016	ARG
1	B	1020	LEU
1	B	1029	VAL
1	B	1034	LYS
1	B	1035	LEU
1	B	1039	LYS
1	B	1053	GLU
1	B	1061	VAL
1	B	1062	LEU
1	B	1063	LEU
1	B	1070	LEU
1	B	1092	MET
1	B	1099	VAL
1	B	1102	ARG
1	B	1120	LYS
1	B	1129	LEU
1	B	1133	ARG
1	B	1134	LYS
1	B	1135	LEU
1	B	1142	LYS
1	B	1143	ILE
1	B	1145	LYS
1	B	1153	LEU
1	B	1166	ARG
1	B	1170	MET
1	B	1197	THR
1	B	1225	VAL
1	B	1228	VAL
1	B	1234	LEU
1	B	1240	LEU
1	B	1241	LEU
1	B	1248	ASP
1	B	1279	GLU
1	B	1293	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1294	LYS
1	B	1295	TYR
1	B	1299	THR
1	B	1300	GLU
1	B	1303	ASP
1	B	1312	LEU
1	B	1320	LEU
1	B	1335	VAL
1	B	1352	THR
1	B	1358	ILE
1	B	1366	ARG
1	B	1368	LEU
1	B	1375	ARG
1	B	1380	THR
1	B	1400	ARG
1	B	1404	LYS
1	B	1408	LEU
1	B	1421	LYS
1	B	1442	ARG
1	B	1448	ILE
1	B	1453	VAL
1	B	1456	VAL
1	B	1458	LEU
1	B	1474	MET
1	B	1481	ILE
1	B	1482	GLU
1	B	1483	ARG
1	B	1492	SER
1	B	1494	LEU
1	B	1518	VAL
1	B	1539	LEU
1	B	1566	ARG
1	B	1567	LYS
1	B	1569	THR
1	B	1577	LEU
1	B	1585	GLN
1	B	1587	GLN
1	B	1588	ARG
1	B	1590	LEU
1	B	1609	LEU
1	B	1611	GLU
1	B	1614	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1644	VAL
1	B	1656	VAL
1	B	1696	GLN
1	B	1728	LEU
1	B	1739	GLU
1	B	1765	THR
1	B	1774	GLN
1	B	1776	ILE
1	B	1785	LEU
1	B	1796	LEU
1	B	1807	GLU
1	B	1815	LEU
1	B	1831	LEU
1	B	1849	ILE
1	B	1854	GLU
1	B	1862	HIS
1	B	1871	LEU
1	B	1895	LEU
1	B	1905	SER
1	B	1967	THR
1	B	1974	CYS
1	B	1986	MET
1	B	1996	LEU
1	B	1997	LEU
1	B	2017	ILE
1	B	2026	LYS
1	B	2029	ILE
1	B	2052	ILE
1	B	2058	GLN
1	B	2082	LEU
1	B	2085	GLN
1	B	2086	GLN
1	B	2091	LYS
1	B	2092	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	425	ASN
1	B	719	ASN
1	B	990	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAN	B	2201[B]	-	11,11,11	3.29	1 (9%)	16,16,16	1.98	3 (18%)
2	SAN	B	2201[A]	-	11,11,11	3.04	1 (9%)	16,16,16	2.12	3 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAN	B	2201[B]	-	-	4/6/6/6	0/1/1/1
2	SAN	B	2201[A]	-	-	4/6/6/6	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2201[B]	SAN	C4-S	-10.83	1.60	1.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2201[A]	SAN	C4-S	-10.01	1.61	1.77

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2201[A]	SAN	O2-S-O1	-6.45	108.16	118.76
2	B	2201[B]	SAN	O2-S-O1	-6.24	108.50	118.76
2	B	2201[B]	SAN	O2-S-C4	3.21	110.94	107.35
2	B	2201[A]	SAN	O1-S-C4	3.06	110.77	107.35
2	B	2201[A]	SAN	O2-S-C4	2.78	110.46	107.35
2	B	2201[B]	SAN	O1-S-N2	2.33	110.82	107.36

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2201[A]	SAN	C5-C4-S-O1
2	B	2201[B]	SAN	C5-C4-S-N2
2	B	2201[B]	SAN	C3-C4-S-N2
2	B	2201[A]	SAN	C3-C4-S-O1
2	B	2201[A]	SAN	C5-C4-S-N2
2	B	2201[A]	SAN	C3-C4-S-N2
2	B	2201[B]	SAN	C5-C4-S-O2
2	B	2201[B]	SAN	C3-C4-S-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	1723/1724 (99%)	0.40	150 (8%) 10 8	38, 83, 156, 206	0

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1993	ARG	6.4
1	B	2047	VAL	6.0
1	B	746	ASP	6.0
1	B	571	GLY	5.8
1	B	1977	LYS	5.7
1	B	2124	VAL	5.7
1	B	575	LEU	5.5
1	B	527	MET	5.3
1	B	1985	ILE	5.2
1	B	572	ASP	5.1
1	B	763	ARG	5.1
1	B	743	LEU	5.0
1	B	742	CYS	5.0
1	B	2043	ARG	4.9
1	B	2016	ASN	4.8
1	B	573	HIS	4.8
1	B	1999	LEU	4.8
1	B	2004	ILE	4.7
1	B	1973	ARG	4.6
1	B	1979	VAL	4.6
1	B	770	LYS	4.4
1	B	709	TYR	4.4
1	B	528	ASP	4.4
1	B	774	LEU	4.3
1	B	2038	LEU	4.3
1	B	530	THR	4.3
1	B	1966	PHE	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	435	PHE	4.2
1	B	1991	GLU	4.2
1	B	695	LYS	4.2
1	B	1996	LEU	4.2
1	B	784	ILE	4.1
1	B	747	THR	4.0
1	B	738	ILE	3.9
1	B	574	GLN	3.9
1	B	470	TYR	3.8
1	B	768	GLN	3.8
1	B	758	SER	3.7
1	B	1988	MET	3.7
1	B	2086	GLN	3.6
1	B	1987	GLU	3.6
1	B	1989	GLU	3.6
1	B	1050	GLU	3.6
1	B	2084	LEU	3.6
1	B	2001	ASP	3.6
1	B	427	ARG	3.5
1	B	526	ASN	3.6
1	B	759	THR	3.5
1	B	1963	LEU	3.5
1	B	434	SER	3.5
1	B	436	ARG	3.5
1	B	469	LYS	3.5
1	B	783	ALA	3.4
1	B	2046	GLU	3.4
1	B	2010	PHE	3.3
1	B	426	LYS	3.2
1	B	2044	GLU	3.2
1	B	767	GLU	3.2
1	B	446	HIS	3.2
1	B	1976	ASP	3.2
1	B	2019	LEU	3.2
1	B	2048	THR	3.2
1	B	1997	LEU	3.2
1	B	441	GLY	3.1
1	B	690	VAL	3.1
1	B	1960	LEU	3.1
1	B	2120	TYR	3.1
1	B	780	TYR	3.0
1	B	1793	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	692	ILE	3.0
1	B	1135	LEU	3.0
1	B	1990	ASP	3.0
1	B	789	MET	3.0
1	B	1400	ARG	3.0
1	B	2042	GLU	3.0
1	B	1998	GLN	2.9
1	B	2022	GLU	2.9
1	B	1992	GLU	2.9
1	B	2041	LEU	2.9
1	B	2087	LYS	2.9
1	B	762	LEU	2.9
1	B	1147	ASN	2.9
1	B	2089	LYS	2.8
1	B	778	LEU	2.8
1	B	429	GLN	2.8
1	B	740	ASP	2.8
1	B	2024	VAL	2.8
1	B	445	VAL	2.8
1	B	694	GLU	2.8
1	B	467	LEU	2.8
1	B	525	ILE	2.8
1	B	532	ASN	2.7
1	B	2018	GLU	2.7
1	B	757	ALA	2.7
1	B	2013	ARG	2.7
1	B	2106	LEU	2.7
1	B	1165	ILE	2.7
1	B	432	ASP	2.7
1	B	576	CYS	2.7
1	B	821	LEU	2.7
1	B	744	GLU	2.7
1	B	1777	SER	2.6
1	B	722	LEU	2.6
1	B	1983	PHE	2.6
1	B	1969	GLU	2.6
1	B	739	ARG	2.6
1	B	1410	GLY	2.5
1	B	2005	ALA	2.5
1	B	775	LYS	2.5
1	B	782	PHE	2.5
1	B	1978	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	2015	PRO	2.5
1	B	2012	ASN	2.5
1	B	458	GLU	2.4
1	B	476	GLU	2.4
1	B	760	GLU	2.4
1	B	1169	LYS	2.4
1	B	466	LYS	2.4
1	B	2098	ALA	2.4
1	B	753	ARG	2.4
1	B	589	THR	2.4
1	B	1482	GLU	2.4
1	B	2045	GLU	2.4
1	B	689	TYR	2.4
1	B	2017	ILE	2.4
1	B	2052	ILE	2.4
1	B	1965	HIS	2.3
1	B	1156	LEU	2.3
1	B	975	LYS	2.3
1	B	701	PHE	2.3
1	B	708	VAL	2.3
1	B	729	LYS	2.3
1	B	1975	THR	2.3
1	B	754	GLU	2.2
1	B	1411	GLU	2.2
1	B	1148	PHE	2.2
1	B	827	ILE	2.2
1	B	809	LEU	2.2
1	B	2102	HIS	2.2
1	B	697	ALA	2.2
1	B	1878	LYS	2.1
1	B	732	GLY	2.1
1	B	752	LEU	2.1
1	B	442	TYR	2.1
1	B	2104	TYR	2.1
1	B	2034	PRO	2.1
1	B	2059	LYS	2.0
1	B	736	ARG	2.0
1	B	460	GLN	2.0
1	B	562	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SAN	B	2201[B]	11/11	0.98	0.22	18,25,49,54	11
2	SAN	B	2201[A]	11/11	0.98	0.22	28,37,50,52	11

6.5 Other polymers [i](#)

There are no such residues in this entry.