



# Full wwPDB X-ray Structure Validation Report

May 20, 2024 – 06:04 PM EDT

PDB ID : 8F9R  
Title : Rabbit sialic acid esterase (SIAE)  
Authors : Ide, D.; Gorelik, A.; Illes, K.; Nagar, B.  
Deposited on : 2022-11-24  
Resolution : 2.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2754 (3.00-2.96)
Clashscore	141614	3103 (3.00-2.96)
Ramachandran outliers	138981	2993 (3.00-2.96)
Sidechain outliers	138945	2996 (3.00-2.96)
RSRZ outliers	127900	2644 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	501	 8% 75% 23%
1	B	501	 7% 77% 21%
2	C	5	 40% 60%
2	E	5	 60% 40%
2	F	5	 40% 60%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	H	5	
2	J	5	
2	K	5	
3	D	4	
3	I	4	
4	G	2	
5	L	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	C	5	-	-	-	X
2	MAN	E	4	-	-	-	X
2	MAN	H	5	-	-	-	X
2	MAN	J	4	-	-	-	X
3	BMA	D	3	-	-	-	X
4	NAG	G	1	-	-	-	X
4	NAG	G	2	-	-	-	X
5	BMA	L	3	-	-	-	X

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 16432 atoms, of which 8026 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Sialic acid acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	490	7701	2516	3782	668	708	27	0	0	0
1	B	490	7701	2516	3782	668	708	27	0	0	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	14	ASP	-	expression tag	UNP A0A5F9D0N0
A	15	ARG	-	expression tag	UNP A0A5F9D0N0
A	16	HIS	-	expression tag	UNP A0A5F9D0N0
A	17	HIS	-	expression tag	UNP A0A5F9D0N0
A	18	HIS	-	expression tag	UNP A0A5F9D0N0
A	19	HIS	-	expression tag	UNP A0A5F9D0N0
A	20	HIS	-	expression tag	UNP A0A5F9D0N0
A	21	HIS	-	expression tag	UNP A0A5F9D0N0
A	22	LYS	-	expression tag	UNP A0A5F9D0N0
A	23	LEU	-	expression tag	UNP A0A5F9D0N0
B	14	ASP	-	expression tag	UNP A0A5F9D0N0
B	15	ARG	-	expression tag	UNP A0A5F9D0N0
B	16	HIS	-	expression tag	UNP A0A5F9D0N0
B	17	HIS	-	expression tag	UNP A0A5F9D0N0
B	18	HIS	-	expression tag	UNP A0A5F9D0N0
B	19	HIS	-	expression tag	UNP A0A5F9D0N0
B	20	HIS	-	expression tag	UNP A0A5F9D0N0
B	21	HIS	-	expression tag	UNP A0A5F9D0N0
B	22	LYS	-	expression tag	UNP A0A5F9D0N0
B	23	LEU	-	expression tag	UNP A0A5F9D0N0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	E	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	F	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	H	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	J	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	K	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	4	Total	C	H	N	O	0	0	0
			82	28	33	2	19			
3	I	4	Total	C	H	N	O	0	0	0
			82	28	33	2	19			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	2	Total	C	H	N	O	0	0	0
			52	16	24	2	10			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	H	N	O			
5	L	3	73	22	34	2	15	0	0	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
6	A	1	27	8	13	1	5	0	0
6	B	1	27	8	13	1	5	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	4	Total O 4 4	0	0
7	B	5	Total O 5 5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sialic acid acetyltransferase



- Molecule 1: Sialic acid acetyltransferase




- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 




- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 





- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.07Å 152.69Å 81.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.97 50.12 – 2.97	Depositor EDS
% Data completeness (in resolution range)	60.5 (50.00-2.97) 73.4 (50.12-2.97)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.42 (at 2.96Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.206 , 0.242 0.211 , 0.247	Depositor DCC
$R_{free}$ test set	2000 reflections (8.66%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	59.2	Xtrriage
Anisotropy	0.130	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 42.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	16432	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, FUC, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/4038	0.52	0/5504
1	B	0.27	0/4038	0.52	0/5504
All	All	0.27	0/8076	0.52	0/11008

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3919	3782	3806	77	2
1	B	3919	3782	3806	61	2
2	C	61	52	52	0	0
2	E	61	52	52	3	0
2	F	61	52	52	0	0
2	H	61	52	52	2	0
2	J	61	52	52	2	0
2	K	61	52	52	0	0
3	D	49	33	43	0	0
3	I	49	33	43	0	0
4	G	28	24	25	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	L	39	34	34	0	0
6	A	14	13	13	0	0
6	B	14	13	13	0	0
7	A	4	0	0	1	0
7	B	5	0	0	0	0
All	All	8406	8026	8095	143	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:LEU:HD11	1:A:389:LEU:HD13	1.52	0.92
1:B:275:LEU:HD11	1:B:389:LEU:HD13	1.52	0.91
1:B:131:LYS:HD2	1:B:218:VAL:HG13	1.60	0.82
1:A:131:LYS:HD2	1:A:218:VAL:HG13	1.61	0.81
1:A:409:LEU:HD13	1:A:505:PRO:HG2	1.64	0.79
1:B:409:LEU:HD13	1:B:505:PRO:HG2	1.64	0.77
1:A:249:VAL:HG12	1:A:281:SER:HB3	1.68	0.76
1:A:32:ILE:HG23	1:A:36:MET:HE1	1.70	0.74
1:B:151:GLN:O	1:B:154:ARG:NH1	2.21	0.73
1:B:249:VAL:HG12	1:B:281:SER:HB3	1.72	0.70
1:A:445:CYS:O	1:A:475:SER:OG	2.09	0.69
1:B:32:ILE:HG23	1:B:36:MET:HE1	1.74	0.69
1:A:128:SER:OG	7:A:701:HOH:O	2.09	0.69
1:B:222:THR:HG22	1:B:252:PRO:HD2	1.75	0.68
1:A:228:SER:OG	1:A:297:LEU:HD12	1.94	0.67
1:A:151:GLN:O	1:A:154:ARG:NH1	2.28	0.66
1:A:170:LEU:HD11	1:A:266:LEU:HD11	1.79	0.65
1:A:127:GLN:NE2	1:A:281:SER:OG	2.28	0.65
2:E:1:NAG:O6	2:E:2:NAG:N2	2.29	0.65
1:B:228:SER:OG	1:B:297:LEU:HD12	1.97	0.64
1:A:222:THR:HG22	1:A:252:PRO:HD2	1.81	0.62
1:B:170:LEU:HD11	1:B:266:LEU:HD11	1.83	0.61
1:A:231:ARG:HH21	2:E:2:NAG:H81	1.67	0.59
1:A:271:LEU:H	1:A:313:THR:HG22	1.67	0.59
1:A:275:LEU:HD11	1:A:389:LEU:CD1	2.31	0.58
1:A:335:GLU:OE1	1:A:485:SER:OG	2.11	0.57
1:B:328:LEU:HD11	1:B:370:ARG:HG3	1.87	0.57
1:A:298:ILE:HG22	1:A:319:PHE:CZ	2.41	0.56

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:GLU:N	1:A:225:GLU:OE1	2.39	0.55
1:B:275:LEU:HD11	1:B:389:LEU:CD1	2.31	0.55
1:B:271:LEU:H	1:B:313:THR:HG22	1.71	0.55
1:A:143:GLU:OE1	1:A:202:ARG:NH1	2.38	0.54
1:A:328:LEU:HD11	1:A:370:ARG:HG3	1.89	0.54
2:H:2:NAG:O7	2:H:2:NAG:O3	2.19	0.54
1:B:63:ARG:HE	1:B:68:ILE:HD11	1.73	0.53
1:B:410:PRO:HA	1:B:426:TYR:HA	1.89	0.53
1:A:73:THR:HG22	1:A:74:GLN:N	2.23	0.53
1:A:201:GLY:HA3	1:A:214:LEU:HD11	1.92	0.51
1:B:298:ILE:HG22	1:B:319:PHE:CZ	2.45	0.51
1:B:370:ARG:NH2	1:B:489:GLU:OE2	2.43	0.51
1:A:291:ASN:OD1	1:A:291:ASN:N	2.43	0.51
1:A:233:LEU:HD22	1:A:238:VAL:HG21	1.92	0.51
1:A:410:PRO:HA	1:A:426:TYR:HA	1.93	0.50
1:B:61:LEU:HD21	1:B:96:PHE:CD2	2.47	0.50
1:B:153:VAL:HG22	1:B:212:VAL:HG12	1.92	0.50
1:B:73:THR:HG22	1:B:74:GLN:N	2.27	0.50
1:B:44:GLY:O	1:B:270:THR:HG21	2.11	0.50
1:A:244:ILE:HD13	1:A:253:ARG:O	2.11	0.50
1:B:201:GLY:HA3	1:B:214:LEU:HD11	1.93	0.50
1:A:44:GLY:O	1:A:270:THR:HG21	2.12	0.49
1:B:246:GLU:HG2	1:B:253:ARG:HH21	1.77	0.49
1:A:153:VAL:HG22	1:A:212:VAL:HG12	1.95	0.49
1:B:225:GLU:OE1	1:B:225:GLU:N	2.43	0.49
1:A:33:SER:H	1:A:36:MET:HE2	1.77	0.48
1:B:233:LEU:HD22	1:B:238:VAL:HG21	1.95	0.48
1:A:30:SER:OG	1:A:170:LEU:HB2	2.14	0.48
2:J:2:NAG:O7	2:J:2:NAG:O3	2.29	0.48
1:A:231:ARG:NH1	1:A:300:ASP:OD1	2.47	0.48
1:B:27:ARG:HA	1:B:111:LEU:HD11	1.96	0.48
1:A:478:ALA:HB2	1:A:510:PHE:CD1	2.49	0.47
1:A:327:TYR:CE2	1:A:329:ALA:HB2	2.49	0.47
1:A:472:CYS:O	1:A:472:CYS:SG	2.72	0.47
1:B:62:TYR:HA	1:B:66:GLU:O	2.14	0.47
1:B:153:VAL:HG13	1:B:212:VAL:CG1	2.45	0.47
1:B:346:ALA:HB2	1:B:356:MET:HE3	1.95	0.47
1:A:73:THR:CG2	1:A:74:GLN:N	2.77	0.47
1:A:270:THR:HA	1:A:313:THR:HG23	1.97	0.47
1:A:61:LEU:HD21	1:A:96:PHE:CD2	2.50	0.47
1:B:155:ILE:HD11	1:B:184:ASN:ND2	2.30	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:SER:OG	1:B:170:LEU:HB2	2.15	0.46
1:A:370:ARG:NH2	1:A:489:GLU:OE2	2.48	0.46
1:A:246:GLU:HG2	1:A:253:ARG:HH21	1.80	0.46
1:B:478:ALA:HB2	1:B:510:PHE:CD1	2.51	0.46
2:H:2:NAG:HO3	2:H:2:NAG:C7	2.24	0.46
1:A:298:ILE:HG22	1:A:319:PHE:CE1	2.51	0.46
1:A:37:VAL:HG23	1:A:154:ARG:HB2	1.98	0.45
1:A:38:LEU:HD22	1:A:45:ALA:HB1	1.98	0.45
1:B:472:CYS:SG	1:B:472:CYS:O	2.73	0.45
1:A:153:VAL:HG13	1:A:212:VAL:CG1	2.46	0.45
1:A:346:ALA:HB2	1:A:356:MET:HE3	1.99	0.45
1:B:52:ILE:H	1:B:102:GLN:HE22	1.64	0.45
1:B:153:VAL:HG13	1:B:212:VAL:HG13	1.99	0.45
1:B:306:HIS:CE1	1:B:311:GLY:HA2	2.51	0.45
1:A:121:VAL:O	1:A:272:LYS:N	2.49	0.45
1:A:459:THR:HG1	1:A:466:THR:CB	2.25	0.45
1:B:33:SER:H	1:B:36:MET:HE2	1.81	0.45
1:B:73:THR:CG2	1:B:74:GLN:N	2.79	0.45
1:A:75:VAL:HG22	1:A:83:TRP:HB3	1.98	0.45
1:A:153:VAL:HG13	1:A:212:VAL:HG13	1.99	0.45
1:A:27:ARG:HA	1:A:111:LEU:HD11	1.98	0.44
1:A:63:ARG:HB2	1:A:68:ILE:HG13	2.00	0.44
1:A:81:ASN:O	1:A:81:ASN:CG	2.55	0.44
1:A:439:ILE:HD13	1:A:494:PRO:HG2	1.98	0.44
1:B:81:ASN:O	1:B:81:ASN:CG	2.55	0.44
1:B:291:ASN:N	1:B:291:ASN:OD1	2.50	0.44
1:A:137:ILE:HD13	1:A:195:ALA:HB1	2.00	0.44
1:B:137:ILE:HD13	1:B:195:ALA:HB1	2.00	0.44
1:A:32:ILE:HA	1:A:36:MET:CE	2.48	0.44
1:A:294:PHE:HB3	1:A:295:PRO:HD3	2.00	0.44
1:A:469:THR:O	1:A:469:THR:HG22	2.18	0.44
1:B:244:ILE:HD13	1:B:253:ARG:O	2.18	0.44
1:A:63:ARG:HE	1:A:68:ILE:HD11	1.82	0.44
1:B:121:VAL:O	1:B:272:LYS:N	2.49	0.43
1:B:270:THR:HA	1:B:313:THR:HG23	1.99	0.43
1:B:469:THR:HG22	1:B:469:THR:O	2.18	0.43
1:B:91:LYS:HG2	1:B:92:PRO:HD2	2.01	0.43
1:A:323:GLN:OE1	1:A:363:VAL:HG13	2.19	0.43
1:B:37:VAL:HG23	1:B:154:ARG:HB2	2.00	0.43
1:B:294:PHE:HB3	1:B:295:PRO:HD3	2.00	0.43
1:A:80:SER:O	1:A:81:ASN:HB3	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:LEU:HD23	1:A:219:TRP:CE2	2.54	0.43
1:B:160:LEU:HD23	1:B:219:TRP:CE2	2.53	0.43
1:B:302:ARG:HA	1:B:317:PHE:CE2	2.53	0.43
2:J:1:NAG:O6	2:J:2:NAG:N2	2.51	0.43
1:A:52:ILE:H	1:A:102:GLN:HE22	1.65	0.43
1:B:80:SER:O	1:B:81:ASN:HB3	2.19	0.43
1:A:73:THR:OG1	1:A:85:VAL:HG12	2.19	0.42
1:A:155:ILE:HD11	1:A:184:ASN:ND2	2.34	0.42
1:A:244:ILE:HG12	1:A:285:TYR:CE2	2.54	0.42
1:B:32:ILE:HA	1:B:36:MET:CE	2.49	0.42
1:B:439:ILE:HD13	1:B:494:PRO:HG2	2.01	0.42
1:A:91:LYS:HG2	1:A:92:PRO:HD2	2.02	0.42
1:B:147:ILE:HD11	1:B:182:PRO:HD3	2.01	0.42
1:A:208:LEU:HD11	1:A:398:TYR:CZ	2.55	0.42
1:B:410:PRO:HB2	1:B:413:ILE:HD11	2.02	0.42
1:B:75:VAL:HG22	1:B:83:TRP:HB3	2.00	0.42
1:A:28:PHE:HB3	1:A:32:ILE:HB	2.02	0.42
1:A:459:THR:OG1	1:A:466:THR:OG1	2.06	0.42
1:A:481:TYR:HB3	1:A:507:PHE:CE1	2.55	0.42
1:A:219:TRP:HB3	1:A:222:THR:HG21	2.02	0.42
1:A:275:LEU:CD1	1:A:389:LEU:HD13	2.38	0.42
1:B:38:LEU:HD22	1:B:45:ALA:HB1	2.02	0.42
1:A:32:ILE:HA	1:A:36:MET:HE2	2.01	0.41
1:B:61:LEU:HD21	1:B:96:PHE:HD2	1.83	0.41
1:B:73:THR:OG1	1:B:85:VAL:HG12	2.20	0.41
1:B:275:LEU:CD1	1:B:389:LEU:HD13	2.38	0.41
1:A:128:SER:N	1:A:220:GLY:HA2	2.35	0.41
1:A:244:ILE:HG13	1:A:285:TYR:CZ	2.55	0.41
1:A:445:CYS:HA	1:A:450:CYS:HA	2.02	0.41
1:A:187:HIS:HB3	1:A:192:TYR:HB2	2.04	0.40
1:A:231:ARG:NH2	2:E:2:NAG:H81	2.35	0.40
1:B:369:ASP:OD2	1:B:380:ARG:NE	2.45	0.40
1:B:429:GLN:HA	1:B:463:ARG:HG2	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:ILE:O	1:B:66:GLU:OE2[4_455]	2.15	0.05
1:A:246:GLU:OE2	1:B:65:GLN:H[4_455]	1.59	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	488/501 (97%)	465 (95%)	23 (5%)	0	100	100
1	B	488/501 (97%)	469 (96%)	19 (4%)	0	100	100
All	All	976/1002 (97%)	934 (96%)	42 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	429/439 (98%)	419 (98%)	10 (2%)	50	79
1	B	429/439 (98%)	420 (98%)	9 (2%)	53	80
All	All	858/878 (98%)	839 (98%)	19 (2%)	52	80

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	SER
1	A	129	ASN
1	A	133	THR
1	A	277	TYR
1	A	372	SER
1	A	376	SER
1	A	390	HIS
1	A	444	CYS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	474	ASP
1	A	493	CYS
1	B	129	ASN
1	B	133	THR
1	B	277	TYR
1	B	372	SER
1	B	376	SER
1	B	390	HIS
1	B	444	CYS
1	B	474	ASP
1	B	493	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	ASN
1	A	102	GLN
1	B	81	ASN
1	B	102	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

43 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	C	1	2,1	14,14,15	0.42	0	17,19,21	0.61	0
2	NAG	C	2	2	14,14,15	0.18	0	17,19,21	0.58	0
2	BMA	C	3	2	11,11,12	0.66	0	15,15,17	1.15	1 (6%)
2	MAN	C	4	2	11,11,12	1.51	3 (27%)	15,15,17	1.96	4 (26%)
2	MAN	C	5	2	11,11,12	0.79	0	15,15,17	1.06	1 (6%)
3	NAG	D	1	3,1	14,14,15	0.60	1 (7%)	17,19,21	0.75	1 (5%)
3	NAG	D	2	3	14,14,15	0.29	0	17,19,21	0.52	0
3	BMA	D	3	3	11,11,12	0.64	0	15,15,17	0.85	0
3	FUC	D	4	3	10,10,11	0.45	0	14,14,16	0.81	0
2	NAG	E	1	2,1	14,14,15	0.75	1 (7%)	17,19,21	0.76	0
2	NAG	E	2	2	14,14,15	0.20	0	17,19,21	0.85	1 (5%)
2	BMA	E	3	2	11,11,12	0.94	1 (9%)	15,15,17	1.20	2 (13%)
2	MAN	E	4	2	11,11,12	1.74	2 (18%)	15,15,17	2.60	4 (26%)
2	MAN	E	5	2	11,11,12	0.67	0	15,15,17	1.03	2 (13%)
2	NAG	F	1	2,1	14,14,15	0.26	0	17,19,21	0.50	0
2	NAG	F	2	2	14,14,15	0.35	0	17,19,21	0.60	0
2	BMA	F	3	2	11,11,12	0.86	1 (9%)	15,15,17	0.90	0
2	MAN	F	4	2	11,11,12	0.95	1 (9%)	15,15,17	0.98	1 (6%)
2	MAN	F	5	2	11,11,12	0.80	1 (9%)	15,15,17	1.03	2 (13%)
4	NAG	G	1	4,1	14,14,15	0.19	0	17,19,21	0.51	0
4	NAG	G	2	4	14,14,15	0.33	0	17,19,21	0.54	0
2	NAG	H	1	2,1	14,14,15	0.46	0	17,19,21	0.48	0
2	NAG	H	2	2	14,14,15	0.34	0	17,19,21	0.51	0
2	BMA	H	3	2	11,11,12	0.59	0	15,15,17	1.18	1 (6%)
2	MAN	H	4	2	11,11,12	1.01	1 (9%)	15,15,17	2.12	3 (20%)
2	MAN	H	5	2	11,11,12	1.05	1 (9%)	15,15,17	1.14	1 (6%)
3	NAG	I	1	3,1	14,14,15	0.57	0	17,19,21	0.75	1 (5%)
3	NAG	I	2	3	14,14,15	0.28	0	17,19,21	0.53	0
3	BMA	I	3	3	11,11,12	0.64	0	15,15,17	0.76	0
3	FUC	I	4	3	10,10,11	0.50	0	14,14,16	0.83	0
2	NAG	J	1	2,1	14,14,15	0.74	1 (7%)	17,19,21	0.69	0
2	NAG	J	2	2	14,14,15	0.25	0	17,19,21	0.56	0
2	BMA	J	3	2	11,11,12	0.69	0	15,15,17	0.84	0
2	MAN	J	4	2	11,11,12	0.73	0	15,15,17	2.48	4 (26%)
2	MAN	J	5	2	11,11,12	0.80	1 (9%)	15,15,17	1.08	2 (13%)
2	NAG	K	1	2,1	14,14,15	0.30	0	17,19,21	0.45	0
2	NAG	K	2	2	14,14,15	0.23	0	17,19,21	0.55	0
2	BMA	K	3	2	11,11,12	0.89	0	15,15,17	0.96	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	MAN	K	4	2	11,11,12	0.67	0	15,15,17	0.96	1 (6%)
2	MAN	K	5	2	11,11,12	0.84	1 (9%)	15,15,17	1.04	2 (13%)
5	NAG	L	1	5,1	14,14,15	0.18	0	17,19,21	0.56	0
5	NAG	L	2	5	14,14,15	0.40	0	17,19,21	0.50	0
5	BMA	L	3	5	11,11,12	0.91	0	15,15,17	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	1/6/23/26	0/1/1/1
2	BMA	C	3	2	-	2/2/19/22	0/1/1/1
2	MAN	C	4	2	-	0/2/19/22	0/1/1/1
2	MAN	C	5	2	-	0/2/19/22	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	BMA	D	3	3	-	2/2/19/22	0/1/1/1
3	FUC	D	4	3	-	-	0/1/1/1
2	NAG	E	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	E	2	2	-	3/6/23/26	0/1/1/1
2	BMA	E	3	2	-	2/2/19/22	0/1/1/1
2	MAN	E	4	2	-	2/2/19/22	0/1/1/1
2	MAN	E	5	2	-	2/2/19/22	0/1/1/1
2	NAG	F	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	1/6/23/26	0/1/1/1
2	BMA	F	3	2	-	2/2/19/22	0/1/1/1
2	MAN	F	4	2	-	1/2/19/22	0/1/1/1
2	MAN	F	5	2	-	2/2/19/22	0/1/1/1
4	NAG	G	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	1/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	4/6/23/26	0/1/1/1
2	BMA	H	3	2	-	2/2/19/22	0/1/1/1
2	MAN	H	4	2	-	0/2/19/22	0/1/1/1
2	MAN	H	5	2	-	0/2/19/22	0/1/1/1
3	NAG	I	1	3,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
3	BMA	I	3	3	-	1/2/19/22	0/1/1/1
3	FUC	I	4	3	-	-	0/1/1/1
2	NAG	J	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	J	2	2	-	4/6/23/26	0/1/1/1
2	BMA	J	3	2	-	2/2/19/22	0/1/1/1
2	MAN	J	4	2	-	0/2/19/22	0/1/1/1
2	MAN	J	5	2	-	0/2/19/22	0/1/1/1
2	NAG	K	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
2	BMA	K	3	2	-	2/2/19/22	0/1/1/1
2	MAN	K	4	2	-	0/2/19/22	0/1/1/1
2	MAN	K	5	2	-	2/2/19/22	0/1/1/1
5	NAG	L	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	L	2	5	-	1/6/23/26	0/1/1/1
5	BMA	L	3	5	-	0/2/19/22	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	4	MAN	O5-C1	4.08	1.50	1.43
2	E	4	MAN	C1-C2	3.91	1.61	1.52
2	C	4	MAN	O5-C5	3.41	1.50	1.43
2	H	5	MAN	C1-C2	2.91	1.58	1.52
2	E	1	NAG	O5-C1	-2.64	1.39	1.43
2	J	1	NAG	O5-C1	-2.61	1.39	1.43
2	C	4	MAN	O5-C1	2.47	1.47	1.43
2	H	4	MAN	C1-C2	2.37	1.57	1.52
2	E	3	BMA	C2-C3	-2.37	1.49	1.52
2	C	4	MAN	C1-C2	2.36	1.57	1.52
2	F	3	BMA	O5-C1	-2.30	1.40	1.43
2	K	5	MAN	C1-C2	2.21	1.57	1.52
2	J	5	MAN	C1-C2	2.20	1.57	1.52
2	F	4	MAN	O5-C1	-2.17	1.40	1.43
3	D	1	NAG	C1-C2	2.08	1.55	1.52
2	F	5	MAN	C1-C2	2.07	1.56	1.52

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	4	MAN	C1-O5-C5	8.34	123.49	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	4	MAN	C1-O5-C5	6.70	121.26	112.19
2	J	4	MAN	C1-O5-C5	6.56	121.08	112.19
2	C	4	MAN	C1-O5-C5	5.73	119.96	112.19
2	J	4	MAN	O5-C1-C2	5.65	119.50	110.77
2	C	3	BMA	C1-O5-C5	3.46	116.89	112.19
2	H	3	BMA	C1-O5-C5	3.38	116.77	112.19
2	H	4	MAN	O5-C1-C2	3.24	115.77	110.77
2	E	4	MAN	C1-C2-C3	3.22	113.62	109.67
2	E	4	MAN	O5-C1-C2	3.00	115.39	110.77
2	J	4	MAN	O2-C2-C3	-2.98	104.17	110.14
2	C	4	MAN	O5-C1-C2	2.96	115.34	110.77
2	E	5	MAN	C1-O5-C5	2.80	115.98	112.19
2	C	4	MAN	C1-C2-C3	2.71	113.00	109.67
2	J	5	MAN	C1-O5-C5	2.64	115.77	112.19
2	F	5	MAN	C1-O5-C5	2.64	115.76	112.19
3	I	1	NAG	C1-O5-C5	2.59	115.69	112.19
2	E	3	BMA	O5-C5-C6	2.56	111.21	107.20
2	K	5	MAN	C1-O5-C5	2.50	115.59	112.19
3	D	1	NAG	C1-O5-C5	2.48	115.55	112.19
2	E	2	NAG	O4-C4-C3	-2.43	104.73	110.35
2	J	5	MAN	O2-C2-C3	-2.41	105.32	110.14
2	E	4	MAN	O5-C5-C6	-2.36	103.50	107.20
2	C	5	MAN	O2-C2-C3	-2.34	105.44	110.14
2	F	4	MAN	O2-C2-C3	-2.33	105.47	110.14
2	K	4	MAN	O2-C2-C3	-2.32	105.49	110.14
2	K	5	MAN	O2-C2-C3	-2.30	105.53	110.14
2	C	4	MAN	O2-C2-C3	-2.22	105.68	110.14
2	H	4	MAN	O2-C2-C3	-2.22	105.70	110.14
2	K	3	BMA	C1-C2-C3	-2.21	106.95	109.67
2	F	5	MAN	O2-C2-C3	-2.20	105.73	110.14
2	J	4	MAN	C1-C2-C3	2.19	112.35	109.67
2	H	5	MAN	O2-C2-C3	-2.16	105.82	110.14
2	E	5	MAN	O2-C2-C3	-2.03	106.06	110.14
2	E	3	BMA	C3-C4-C5	-2.03	106.62	110.24

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	3	BMA	O5-C5-C6-O6
2	F	5	MAN	O5-C5-C6-O6
2	E	4	MAN	O5-C5-C6-O6

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	H	3	BMA	O5-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	E	4	MAN	C4-C5-C6-O6
2	F	5	MAN	C4-C5-C6-O6
3	D	3	BMA	O5-C5-C6-O6
2	C	3	BMA	C4-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
2	H	2	NAG	C1-C2-N2-C7
2	E	5	MAN	O5-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
3	D	3	BMA	C4-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	H	3	BMA	C4-C5-C6-O6
2	E	5	MAN	C4-C5-C6-O6
2	F	3	BMA	O5-C5-C6-O6
2	K	3	BMA	O5-C5-C6-O6
2	J	2	NAG	C1-C2-N2-C7
2	F	4	MAN	O5-C5-C6-O6
2	J	3	BMA	O5-C5-C6-O6
2	J	3	BMA	C4-C5-C6-O6
2	E	3	BMA	C4-C5-C6-O6
2	E	3	BMA	O5-C5-C6-O6
2	F	3	BMA	C4-C5-C6-O6
2	K	5	MAN	C4-C5-C6-O6
2	J	1	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
5	L	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C1-C2-N2-C7
2	F	2	NAG	C3-C2-N2-C7
3	I	3	BMA	O5-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
2	K	3	BMA	C4-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
2	K	5	MAN	O5-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	E	2	NAG	C1-C2-N2-C7
3	I	2	NAG	C4-C5-C6-O6
2	H	2	NAG	C3-C2-N2-C7
2	F	1	NAG	C4-C5-C6-O6

*Continued on next page...*

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	H	2	NAG	O5-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	J	2	NAG	C3-C2-N2-C7
5	L	1	NAG	C4-C5-C6-O6


There are no ring outliers.

5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	NAG	1	0
2	J	2	NAG	2	0
2	H	2	NAG	2	0
2	J	1	NAG	1	0
2	E	2	NAG	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


























## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	NAG	A	601	1	14,14,15	0.39	0	17,19,21	0.60	0
6	NAG	B	601	1	14,14,15	0.45	0	17,19,21	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	601	1	-	4/6/23/26	0/1/1/1
6	NAG	B	601	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	601	NAG	C8-C7-N2-C2
6	A	601	NAG	O7-C7-N2-C2
6	B	601	NAG	C8-C7-N2-C2
6	B	601	NAG	O7-C7-N2-C2
6	A	601	NAG	C4-C5-C6-O6
6	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	490/501 (97%)	0.65	39 (7%) <b>12</b> <b>6</b>	31, 57, 103, 135	0
1	B	490/501 (97%)	0.53	35 (7%) <b>16</b> <b>8</b>	33, 56, 101, 137	0
All	All	980/1002 (97%)	0.59	74 (7%) <b>13</b> <b>6</b>	31, 56, 103, 137	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	243	TYR	13.6
1	B	243	TYR	11.3
1	A	244	ILE	9.8
1	B	244	ILE	8.4
1	A	242	GLY	7.5
1	B	474	ASP	7.4
1	B	242	GLY	5.4
1	A	241	HIS	5.1
1	A	248	SER	5.0
1	A	418	ARG	4.7
1	A	474	ASP	4.7
1	B	418	ARG	4.3
1	A	419	GLN	4.2
1	A	476	VAL	3.9
1	A	511	ILE	3.9
1	A	460	PHE	3.9
1	B	419	GLN	3.7
1	A	447	ASN	3.7
1	B	473	ARG	3.6
1	B	476	VAL	3.5
1	A	164	GLU	3.4
1	A	479	VAL	3.3
1	A	473	ARG	3.3
1	B	61	LEU	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	415	LEU	3.1
1	B	63	ARG	3.1
1	A	60	ILE	3.0
1	B	416	LEU	3.0
1	A	331	PRO	2.9
1	A	333	PRO	2.9
1	A	106	ARG	2.9
1	B	472	CYS	2.9
1	B	425	THR	2.9
1	A	448	HIS	2.8
1	B	248	SER	2.8
1	B	467	LEU	2.8
1	B	420	GLU	2.8
1	A	472	CYS	2.7
1	A	99	MET	2.7
1	B	110	THR	2.7
1	A	63	ARG	2.7
1	B	448	HIS	2.7
1	A	112	ARG	2.6
1	A	209	ARG	2.5
1	B	414	GLU	2.5
1	B	507	PHE	2.5
1	A	415	LEU	2.5
1	B	240	ASP	2.5
1	A	412	LYS	2.5
1	B	478	ALA	2.5
1	B	246	GLU	2.4
1	B	413	ILE	2.4
1	B	421	LEU	2.4
1	B	106	ARG	2.4
1	B	422	ILE	2.3
1	A	98	VAL	2.3
1	A	246	GLU	2.3
1	A	495	ILE	2.3
1	A	307	ARG	2.3
1	A	107	MET	2.3
1	A	245	PRO	2.2
1	B	68	ILE	2.2
1	A	421	LEU	2.2
1	B	443	SER	2.1
1	A	453	LEU	2.1
1	B	249	VAL	2.1

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	424	ILE	2.1
1	B	241	HIS	2.1
1	A	442	ILE	2.1
1	A	103	THR	2.1
1	B	192	TYR	2.1
1	B	296	ALA	2.0
1	A	192	TYR	2.0
1	A	47	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MAN	K	5	11/12	0.38	0.33	108,134,162,163	0
2	MAN	H	5	11/12	0.47	0.49	109,135,163,176	0
2	MAN	C	5	11/12	0.54	0.53	102,127,153,175	0
4	NAG	G	2	14/15	0.57	0.64	110,140,170,174	0
3	BMA	I	3	11/12	0.59	0.36	93,112,128,136	0
2	MAN	E	4	11/12	0.62	0.56	99,136,164,172	0
5	BMA	L	3	11/12	0.64	0.45	122,147,175,182	0
3	BMA	D	3	11/12	0.65	0.46	101,115,127,131	0
2	MAN	E	5	11/12	0.68	0.33	95,117,140,146	0
2	BMA	H	3	11/12	0.69	0.18	105,120,147,147	0
2	MAN	F	4	11/12	0.70	0.23	82,118,149,160	0
2	BMA	E	3	11/12	0.73	0.24	92,116,141,142	0
2	MAN	C	4	11/12	0.74	0.29	91,117,142,155	0
2	MAN	J	4	11/12	0.75	0.41	108,133,158,164	0
4	NAG	G	1	14/15	0.78	0.43	103,126,153,156	0
2	MAN	K	4	11/12	0.78	0.17	100,123,141,149	0
2	MAN	J	5	11/12	0.78	0.28	101,123,148,153	0
3	NAG	D	2	14/15	0.79	0.27	66,99,130,149	0
2	NAG	C	1	14/15	0.79	0.33	57,76,94,113	0
2	BMA	K	3	11/12	0.79	0.17	107,129,153,153	0

Continued on next page...




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	NAG	L	2	14/15	0.80	0.36	96,120,152,162	0
2	MAN	H	4	11/12	0.80	0.23	109,128,154,159	0
2	MAN	F	5	11/12	0.81	0.21	94,119,144,150	0
2	BMA	J	3	11/12	0.81	0.16	100,122,150,153	0
2	BMA	C	3	11/12	0.82	0.15	98,111,142,142	0
3	NAG	I	2	14/15	0.84	0.27	69,96,125,136	0
2	NAG	H	2	14/15	0.84	0.29	78,114,138,154	0
2	NAG	C	2	14/15	0.85	0.29	58,84,104,119	0
2	BMA	F	3	11/12	0.85	0.14	91,113,130,144	0
2	NAG	K	2	14/15	0.86	0.12	86,104,127,137	0
2	NAG	F	2	14/15	0.86	0.14	87,105,124,134	0
2	NAG	K	1	14/15	0.88	0.16	73,94,114,118	0
2	NAG	H	1	14/15	0.89	0.22	62,84,97,109	0
3	NAG	D	1	14/15	0.90	0.19	49,74,95,116	0
3	FUC	D	4	10/11	0.90	0.21	50,73,98,111	0
3	NAG	I	1	14/15	0.90	0.17	45,65,87,95	0
2	NAG	E	1	14/15	0.91	0.20	50,63,75,89	0
2	NAG	F	1	14/15	0.91	0.17	80,96,113,118	0
5	NAG	L	1	14/15	0.92	0.30	84,105,127,134	0
2	NAG	J	2	14/15	0.93	0.16	60,81,116,134	0
2	NAG	J	1	14/15	0.94	0.16	47,59,67,81	0
2	NAG	E	2	14/15	0.95	0.14	52,71,100,109	0
3	FUC	I	4	10/11	0.96	0.15	47,63,82,83	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain C:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain F:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around Chain H:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain K:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain D:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	NAG	A	601	14/15	0.73	0.35	63,85,110,114	0
6	NAG	B	601	14/15	0.84	0.19	54,76,99,110	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.