



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 3, 2024 – 02:24 PM EDT

PDB ID : 8F9R
Title : Rabbit sialic acid esterase (SIAE)
Authors : Ide, D.; Gorelik, A.; Illes, K.; Nagar, B.
Deposited on : 2022-11-24
Resolution : 2.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3360 (3.00-2.96)
Clashscore	180529	3751 (3.00-2.96)
Ramachandran outliers	177936	3628 (3.00-2.96)
Sidechain outliers	177891	3631 (3.00-2.96)
RSRZ outliers	164620	3372 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	501	 6% 76% 21%
1	B	501	 3% 77% 20%
2	C	5	 40% 60%
2	E	5	 60% 40%
2	F	5	 40% 60%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	5	 40% 60%
2	J	5	 20% 40% 40%
2	K	5	 20% 80%
3	D	4	 75% 25%
3	I	4	 75% 25%
4	G	2	 100%
4	L	2	 100%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 16411 atoms, of which 8016 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sialic acid acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	490	7701	2516	3782	668	708	27	0	0	0
1	B	490	7701	2516	3782	668	708	27	0	0	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	14	ASP	-	expression tag	UNP A0A5F9D0N0
A	15	ARG	-	expression tag	UNP A0A5F9D0N0
A	16	HIS	-	expression tag	UNP A0A5F9D0N0
A	17	HIS	-	expression tag	UNP A0A5F9D0N0
A	18	HIS	-	expression tag	UNP A0A5F9D0N0
A	19	HIS	-	expression tag	UNP A0A5F9D0N0
A	20	HIS	-	expression tag	UNP A0A5F9D0N0
A	21	HIS	-	expression tag	UNP A0A5F9D0N0
A	22	LYS	-	expression tag	UNP A0A5F9D0N0
A	23	LEU	-	expression tag	UNP A0A5F9D0N0
B	14	ASP	-	expression tag	UNP A0A5F9D0N0
B	15	ARG	-	expression tag	UNP A0A5F9D0N0
B	16	HIS	-	expression tag	UNP A0A5F9D0N0
B	17	HIS	-	expression tag	UNP A0A5F9D0N0
B	18	HIS	-	expression tag	UNP A0A5F9D0N0
B	19	HIS	-	expression tag	UNP A0A5F9D0N0
B	20	HIS	-	expression tag	UNP A0A5F9D0N0
B	21	HIS	-	expression tag	UNP A0A5F9D0N0
B	22	LYS	-	expression tag	UNP A0A5F9D0N0
B	23	LEU	-	expression tag	UNP A0A5F9D0N0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	E	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	F	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	H	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	J	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
2	K	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	4	Total	C	H	N	O	0	0	0
			82	28	33	2	19			
3	I	4	Total	C	H	N	O	0	0	0
			82	28	33	2	19			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	2	Total	C	H	N	O	0	0	0
			52	16	24	2	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
			Total	C	H	N				O
4	L	2	52	16	24	2	10	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	H	N			O
5	A	1	27	8	13	1	5	0	0
5	B	1	27	8	13	1	5	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	4	4	4	0	0
6	B	5	5	5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sialic acid acetyltransferase



- Molecule 1: Sialic acid acetyltransferase




- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyra

nose

Chain C: 

MAG1
MAG2
BMA3
MAN4
MAN5

• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 

MAG1
MAG2
BMA3
MAN4
MAN5

• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 


MAG1
MAG2
BMA3
MAN4
MAN5

• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 

MAG1
MAG2
BMA3
MAN4
MAN5

• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 

MAG1
MAG2
BMA3
MAN4
MAN5

• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 

MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  75% 25%

MAG1
MAG2
BMA3
FUC4

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  75% 25%

MAG1
MAG2
BMA3
FUC4

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.07Å 152.69Å 81.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.97 50.00 – 2.97	Depositor EDS
% Data completeness (in resolution range)	60.5 (50.00-2.97) 73.3 (50.00-2.97)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 2.96Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.207 , 0.242 0.207 , 0.242	Depositor DCC
R_{free} test set	28067 reflections (8.61%)	wwPDB-VP
Wilson B-factor (Å ²)	59.2	Xtrriage
Anisotropy	0.130	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	16411	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FUC, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/4038	0.52	0/5504
1	B	0.26	0/4038	0.52	0/5504
All	All	0.26	0/8076	0.52	0/11008

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3919	3782	3804	69	3
1	B	3919	3782	3804	63	3
2	C	61	52	52	0	0
2	E	61	52	52	2	0
2	F	61	52	52	0	0
2	H	61	52	52	0	0
2	J	61	52	52	2	0
2	K	61	52	52	1	0
3	D	49	33	43	0	0
3	I	49	33	43	0	0
4	G	28	24	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	L	28	24	25	0	0
5	A	14	13	13	0	0
5	B	14	13	13	0	0
6	A	4	0	0	1	0
6	B	5	0	0	1	0
All	All	8395	8016	8082	135	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:LEU:HD11	1:A:389:LEU:HD13	1.51	0.92
1:B:275:LEU:HD11	1:B:389:LEU:HD13	1.52	0.90
1:A:459:THR:HG1	1:A:466:THR:HG1	1.08	0.86
1:B:409:LEU:HD13	1:B:505:PRO:HG2	1.65	0.79
1:B:131:LYS:HD2	1:B:218:VAL:HG13	1.64	0.78
1:B:370:ARG:NH2	1:B:489:GLU:OE2	2.17	0.78
1:A:131:LYS:HD2	1:A:218:VAL:HG13	1.64	0.77
1:A:409:LEU:HD13	1:A:505:PRO:HG2	1.65	0.77
1:A:370:ARG:NH2	1:A:489:GLU:OE2	2.16	0.77
1:A:249:VAL:HG12	1:A:281:SER:HB3	1.68	0.75
1:B:249:VAL:HG12	1:B:281:SER:HB3	1.68	0.74
1:A:32:ILE:HG23	1:A:36:MET:HE1	1.70	0.73
1:B:32:ILE:HG23	1:B:36:MET:HE1	1.71	0.72
1:B:445:CYS:O	1:B:475:SER:OG	2.07	0.71
1:A:445:CYS:O	1:A:475:SER:OG	2.08	0.70
2:E:1:NAG:O6	2:E:2:NAG:N2	2.26	0.67
1:B:151:GLN:O	1:B:154:ARG:NH1	2.27	0.67
2:J:1:NAG:O6	2:J:2:NAG:N2	2.27	0.67
1:A:128:SER:OG	6:A:701:HOH:O	2.12	0.67
1:A:170:LEU:HD11	1:A:266:LEU:HD11	1.78	0.66
1:A:228:SER:OG	1:A:297:LEU:HD12	1.96	0.65
1:A:151:GLN:O	1:A:154:ARG:NH1	2.29	0.65
1:B:170:LEU:HD11	1:B:266:LEU:HD11	1.79	0.64
1:B:228:SER:OG	1:B:297:LEU:HD12	1.98	0.63
1:B:128:SER:OG	6:B:701:HOH:O	2.04	0.62
1:A:127:GLN:NE2	1:A:281:SER:OG	2.31	0.62
1:B:222:THR:HG22	1:B:252:PRO:HD2	1.82	0.61
1:A:222:THR:HG22	1:A:252:PRO:HD2	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:ARG:HH21	2:E:2:NAG:H81	1.68	0.59
1:A:271:LEU:H	1:A:313:THR:HG22	1.68	0.58
1:B:127:GLN:NE2	1:B:281:SER:OG	2.36	0.58
1:B:271:LEU:H	1:B:313:THR:HG22	1.69	0.57
1:B:231:ARG:HH21	2:J:2:NAG:H81	1.69	0.56
1:A:143:GLU:OE1	1:A:202:ARG:NH1	2.36	0.56
1:A:225:GLU:N	1:A:225:GLU:OE1	2.39	0.55
1:A:335:GLU:OE1	1:A:485:SER:OG	2.13	0.54
1:B:328:LEU:HD11	1:B:370:ARG:HG3	1.89	0.54
1:A:328:LEU:HD11	1:A:370:ARG:HG3	1.90	0.53
1:A:298:ILE:HG22	1:A:319:PHE:CZ	2.44	0.53
1:A:73:THR:HG22	1:A:74:GLN:N	2.24	0.51
1:A:275:LEU:HD11	1:A:389:LEU:CD1	2.32	0.51
1:A:201:GLY:HA3	1:A:214:LEU:HD11	1.93	0.51
1:A:291:ASN:OD1	1:A:291:ASN:N	2.43	0.51
1:B:143:GLU:OE1	1:B:202:ARG:NH1	2.39	0.51
1:B:335:GLU:OE1	1:B:485:SER:OG	2.13	0.51
1:B:73:THR:HG22	1:B:74:GLN:N	2.27	0.50
1:B:298:ILE:HG22	1:B:319:PHE:CZ	2.46	0.50
1:B:410:PRO:HA	1:B:426:TYR:HA	1.92	0.50
1:B:291:ASN:OD1	1:B:291:ASN:N	2.44	0.50
1:B:201:GLY:HA3	1:B:214:LEU:HD11	1.93	0.50
1:B:225:GLU:N	1:B:225:GLU:OE1	2.43	0.49
1:A:244:ILE:HD13	1:A:253:ARG:O	2.11	0.49
1:A:44:GLY:O	1:A:270:THR:HG21	2.12	0.49
1:A:233:LEU:HD22	1:A:238:VAL:HG21	1.94	0.49
1:B:44:GLY:O	1:B:270:THR:HG21	2.12	0.49
1:A:410:PRO:HA	1:A:426:TYR:HA	1.95	0.48
1:B:244:ILE:HD13	1:B:253:ARG:O	2.13	0.48
1:B:153:VAL:HG22	1:B:212:VAL:HG12	1.95	0.48
1:A:472:CYS:O	1:A:472:CYS:SG	2.72	0.48
1:A:231:ARG:NH1	1:A:300:ASP:OD1	2.46	0.48
1:B:63:ARG:HE	1:B:68:ILE:HD11	1.78	0.48
1:B:275:LEU:HD11	1:B:389:LEU:CD1	2.33	0.48
1:A:327:TYR:CE2	1:A:329:ALA:HB2	2.49	0.48
1:A:153:VAL:HG22	1:A:212:VAL:HG12	1.96	0.47
1:B:233:LEU:HD22	1:B:238:VAL:HG21	1.95	0.47
1:A:73:THR:CG2	1:A:74:GLN:N	2.77	0.47
1:A:478:ALA:HB2	1:A:510:PHE:CD1	2.50	0.47
1:B:472:CYS:SG	1:B:472:CYS:O	2.72	0.47
1:B:478:ALA:HB2	1:B:510:PHE:CD1	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:SER:OG	1:A:170:LEU:HB2	2.15	0.47
1:B:33:SER:H	1:B:36:MET:HE2	1.79	0.47
1:A:33:SER:H	1:A:36:MET:HE2	1.80	0.46
1:B:61:LEU:HD21	1:B:96:PHE:CD2	2.50	0.46
1:A:75:VAL:HG22	1:A:83:TRP:HB3	1.96	0.46
1:B:30:SER:OG	1:B:170:LEU:HB2	2.15	0.46
1:A:37:VAL:HG23	1:A:154:ARG:HB2	1.98	0.46
1:B:246:GLU:HG2	1:B:253:ARG:HH21	1.79	0.46
1:B:75:VAL:HG22	1:B:83:TRP:HB3	1.97	0.46
1:A:121:VAL:O	1:A:272:LYS:N	2.48	0.46
1:A:61:LEU:HD21	1:A:96:PHE:CD2	2.52	0.45
1:B:73:THR:CG2	1:B:74:GLN:N	2.79	0.45
1:B:153:VAL:HG13	1:B:212:VAL:CG1	2.47	0.45
1:A:469:THR:O	1:A:469:THR:HG22	2.17	0.45
1:B:37:VAL:HG23	1:B:154:ARG:HB2	1.98	0.45
1:B:346:ALA:HB2	1:B:356:MET:HE3	1.98	0.45
1:A:270:THR:HA	1:A:313:THR:HG23	1.99	0.45
1:B:469:THR:HG22	1:B:469:THR:O	2.16	0.45
1:A:63:ARG:HB2	1:A:68:ILE:HG13	1.99	0.44
1:A:153:VAL:HG13	1:A:212:VAL:HG13	2.00	0.44
1:B:27:ARG:HA	1:B:111:LEU:HD11	1.99	0.44
1:A:153:VAL:HG13	1:A:212:VAL:CG1	2.47	0.44
1:B:52:ILE:H	1:B:102:GLN:HE22	1.66	0.44
1:A:246:GLU:HG2	1:A:253:ARG:HH21	1.82	0.44
1:B:121:VAL:O	1:B:272:LYS:N	2.48	0.44
1:A:38:LEU:HD22	1:A:45:ALA:HB1	1.99	0.44
1:B:81:ASN:O	1:B:81:ASN:CG	2.56	0.44
1:B:231:ARG:NH1	1:B:300:ASP:OD1	2.50	0.44
1:A:346:ALA:HB2	1:A:356:MET:HE3	2.00	0.44
1:B:270:THR:HA	1:B:313:THR:HG23	2.00	0.44
1:A:294:PHE:HB3	1:A:295:PRO:HD3	2.00	0.44
1:A:298:ILE:HG22	1:A:319:PHE:CE1	2.53	0.44
1:B:38:LEU:HD22	1:B:45:ALA:HB1	2.00	0.44
1:B:153:VAL:HG13	1:B:212:VAL:HG13	2.00	0.44
1:A:81:ASN:O	1:A:81:ASN:CG	2.56	0.43
1:A:137:ILE:HD13	1:A:195:ALA:HB1	2.01	0.43
1:A:63:ARG:HE	1:A:68:ILE:HD11	1.83	0.43
1:B:137:ILE:HD13	1:B:195:ALA:HB1	2.01	0.43
1:A:208:LEU:HD11	1:A:398:TYR:CZ	2.54	0.42
1:A:244:ILE:HG12	1:A:285:TYR:CE2	2.54	0.42
1:A:323:GLN:OE1	1:A:363:VAL:HG13	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:327:TYR:CE2	1:B:329:ALA:HB2	2.54	0.42
1:A:80:SER:O	1:A:81:ASN:HB3	2.20	0.42
1:A:32:ILE:HA	1:A:36:MET:CE	2.50	0.42
1:A:27:ARG:HA	1:A:111:LEU:HD11	2.00	0.42
1:A:445:CYS:HA	1:A:450:CYS:HA	2.01	0.42
1:B:80:SER:O	1:B:81:ASN:HB3	2.20	0.42
1:B:294:PHE:HB3	1:B:295:PRO:HD3	2.01	0.42
1:B:433:GLN:HG3	1:B:433:GLN:O	2.19	0.41
1:A:219:TRP:HB3	1:A:222:THR:HG21	2.02	0.41
1:A:481:TYR:HB3	1:A:507:PHE:CE1	2.55	0.41
1:B:32:ILE:HA	1:B:36:MET:CE	2.50	0.41
1:A:28:PHE:HB3	1:A:32:ILE:HB	2.03	0.41
1:B:208:LEU:HD11	1:B:398:TYR:CZ	2.56	0.41
1:B:445:CYS:HA	1:B:450:CYS:HA	2.02	0.41
1:A:52:ILE:H	1:A:102:GLN:HE22	1.67	0.41
1:B:298:ILE:HG22	1:B:319:PHE:CE1	2.56	0.41
1:A:32:ILE:HA	1:A:36:MET:HE2	2.02	0.41
1:B:63:ARG:HB2	1:B:68:ILE:HG13	2.03	0.41
1:A:490:TYR:O	1:A:492:GLN:HG2	2.20	0.41
1:B:91:LYS:HG2	1:B:92:PRO:HD2	2.03	0.41
2:K:2:NAG:O7	2:K:2:NAG:H3	2.21	0.41
1:B:28:PHE:HB3	1:B:32:ILE:HB	2.03	0.41
1:A:244:ILE:HG13	1:A:285:TYR:CZ	2.56	0.40
1:B:490:TYR:O	1:B:492:GLN:HG2	2.22	0.40
1:A:187:HIS:ND1	1:A:187:HIS:O	2.55	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:ILE:O	1:B:66:GLU:OE2[4_455]	2.05	0.15
1:A:246:GLU:OE2	1:B:65:GLN:H[4_455]	1.58	0.02
1:A:246:GLU:OE2	1:B:65:GLN:N[4_455]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	488/501 (97%)	466 (96%)	22 (4%)	0	100	100
1	B	488/501 (97%)	466 (96%)	22 (4%)	0	100	100
All	All	976/1002 (97%)	932 (96%)	44 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	429/439 (98%)	419 (98%)	10 (2%)	45	73
1	B	429/439 (98%)	419 (98%)	10 (2%)	45	73
All	All	858/878 (98%)	838 (98%)	20 (2%)	45	73

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	SER
1	A	129	ASN
1	A	133	THR
1	A	277	TYR
1	A	372	SER
1	A	376	SER
1	A	390	HIS
1	A	444	CYS
1	A	474	ASP
1	A	493	CYS
1	B	128	SER
1	B	129	ASN
1	B	133	THR
1	B	277	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	372	SER
1	B	376	SER
1	B	390	HIS
1	B	444	CYS
1	B	474	ASP
1	B	493	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	ASN
1	A	102	GLN
1	B	81	ASN
1	B	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

42 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.42	0	17,19,21	0.57	0
2	NAG	C	2	2	14,14,15	0.18	0	17,19,21	0.51	0
2	BMA	C	3	2	11,11,12	0.55	0	15,15,17	1.09	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	C	4	2	11,11,12	1.42	3 (27%)	15,15,17	1.78	3 (20%)
2	MAN	C	5	2	11,11,12	0.83	0	15,15,17	0.97	2 (13%)
3	NAG	D	1	1,3	14,14,15	0.58	1 (7%)	17,19,21	0.70	1 (5%)
3	NAG	D	2	3	14,14,15	0.36	0	17,19,21	0.55	0
3	BMA	D	3	3	11,11,12	0.63	0	15,15,17	0.78	0
3	FUC	D	4	3	10,10,11	0.50	0	14,14,16	0.79	0
2	NAG	E	1	2,1	14,14,15	0.77	1 (7%)	17,19,21	0.77	0
2	NAG	E	2	2	14,14,15	0.21	0	17,19,21	0.79	1 (5%)
2	BMA	E	3	2	11,11,12	0.60	0	15,15,17	1.03	1 (6%)
2	MAN	E	4	2	11,11,12	1.18	2 (18%)	15,15,17	2.37	4 (26%)
2	MAN	E	5	2	11,11,12	0.67	0	15,15,17	0.99	2 (13%)
2	NAG	F	1	2,1	14,14,15	0.25	0	17,19,21	0.51	0
2	NAG	F	2	2	14,14,15	0.31	0	17,19,21	0.58	0
2	BMA	F	3	2	11,11,12	0.72	0	15,15,17	0.86	1 (6%)
2	MAN	F	4	2	11,11,12	0.86	0	15,15,17	0.93	1 (6%)
2	MAN	F	5	2	11,11,12	0.75	1 (9%)	15,15,17	1.01	2 (13%)
4	NAG	G	1	1,4	14,14,15	0.20	0	17,19,21	0.50	0
4	NAG	G	2	4	14,14,15	0.26	0	17,19,21	0.56	0
2	NAG	H	1	2,1	14,14,15	0.46	0	17,19,21	0.56	0
2	NAG	H	2	2	14,14,15	0.17	0	17,19,21	0.49	0
2	BMA	H	3	2	11,11,12	0.54	0	15,15,17	1.11	1 (6%)
2	MAN	H	4	2	11,11,12	1.37	3 (27%)	15,15,17	1.80	3 (20%)
2	MAN	H	5	2	11,11,12	0.77	0	15,15,17	0.98	2 (13%)
3	NAG	I	1	1,3	14,14,15	0.57	0	17,19,21	0.69	1 (5%)
3	NAG	I	2	3	14,14,15	0.34	0	17,19,21	0.55	0
3	BMA	I	3	3	11,11,12	0.58	0	15,15,17	0.76	0
3	FUC	I	4	3	10,10,11	0.47	0	14,14,16	0.78	0
2	NAG	J	1	2,1	14,14,15	0.78	1 (7%)	17,19,21	0.76	0
2	NAG	J	2	2	14,14,15	0.22	0	17,19,21	0.80	1 (5%)
2	BMA	J	3	2	11,11,12	0.60	0	15,15,17	1.00	0
2	MAN	J	4	2	11,11,12	1.17	2 (18%)	15,15,17	2.38	4 (26%)
2	MAN	J	5	2	11,11,12	0.66	0	15,15,17	0.99	2 (13%)
2	NAG	K	1	2,1	14,14,15	0.25	0	17,19,21	0.51	0
2	NAG	K	2	2	14,14,15	0.32	0	17,19,21	0.58	0
2	BMA	K	3	2	11,11,12	0.77	1 (9%)	15,15,17	0.89	1 (6%)
2	MAN	K	4	2	11,11,12	0.78	0	15,15,17	0.95	1 (6%)
2	MAN	K	5	2	11,11,12	0.72	0	15,15,17	1.00	2 (13%)
4	NAG	L	1	1,4	14,14,15	0.17	0	17,19,21	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	L	2	4	14,14,15	0.27	0	17,19,21	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	1/6/23/26	0/1/1/1
2	BMA	C	3	2	-	2/2/19/22	0/1/1/1
2	MAN	C	4	2	-	0/2/19/22	0/1/1/1
2	MAN	C	5	2	-	0/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	BMA	D	3	3	-	2/2/19/22	0/1/1/1
3	FUC	D	4	3	-	-	0/1/1/1
2	NAG	E	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	BMA	E	3	2	-	2/2/19/22	0/1/1/1
2	MAN	E	4	2	-	2/2/19/22	0/1/1/1
2	MAN	E	5	2	-	2/2/19/22	0/1/1/1
2	NAG	F	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	1/6/23/26	0/1/1/1
2	BMA	F	3	2	-	2/2/19/22	0/1/1/1
2	MAN	F	4	2	-	1/2/19/22	0/1/1/1
2	MAN	F	5	2	-	2/2/19/22	0/1/1/1
4	NAG	G	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	1/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	1/6/23/26	0/1/1/1
2	BMA	H	3	2	-	2/2/19/22	0/1/1/1
2	MAN	H	4	2	-	0/2/19/22	0/1/1/1
2	MAN	H	5	2	-	0/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
3	BMA	I	3	3	-	2/2/19/22	0/1/1/1
3	FUC	I	4	3	-	-	0/1/1/1
2	NAG	J	1	2,1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	J	2	2	-	3/6/23/26	0/1/1/1
2	BMA	J	3	2	-	2/2/19/22	0/1/1/1
2	MAN	J	4	2	-	2/2/19/22	0/1/1/1
2	MAN	J	5	2	-	2/2/19/22	0/1/1/1
2	NAG	K	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	K	2	2	-	1/6/23/26	0/1/1/1
2	BMA	K	3	2	-	2/2/19/22	0/1/1/1
2	MAN	K	4	2	-	1/2/19/22	0/1/1/1
2	MAN	K	5	2	-	2/2/19/22	0/1/1/1
4	NAG	L	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	L	2	4	-	1/6/23/26	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	4	MAN	C1-C2	3.17	1.59	1.52
2	E	4	MAN	C1-C2	3.11	1.59	1.52
2	C	4	MAN	O5-C5	3.09	1.49	1.43
2	H	4	MAN	O5-C5	3.08	1.49	1.43
2	J	1	NAG	O5-C1	-2.73	1.39	1.43
2	E	1	NAG	O5-C1	-2.63	1.39	1.43
2	C	4	MAN	C1-C2	2.48	1.58	1.52
2	H	4	MAN	C1-C2	2.33	1.57	1.52
2	C	4	MAN	O5-C1	2.31	1.47	1.43
2	H	4	MAN	O5-C1	2.17	1.47	1.43
2	E	4	MAN	O5-C1	2.14	1.47	1.43
2	J	4	MAN	O5-C1	2.07	1.47	1.43
2	F	5	MAN	C1-C2	2.06	1.57	1.52
2	K	3	BMA	O5-C1	-2.05	1.40	1.43
3	D	1	NAG	C1-C2	2.04	1.55	1.52

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	4	MAN	C1-O5-C5	7.68	122.48	112.19
2	J	4	MAN	C1-O5-C5	7.66	122.45	112.19
2	H	4	MAN	C1-O5-C5	5.78	119.93	112.19
2	C	4	MAN	C1-O5-C5	5.68	119.79	112.19
2	H	3	BMA	C1-O5-C5	3.23	116.52	112.19
2	C	3	BMA	C1-O5-C5	3.16	116.42	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	4	MAN	C1-C2-C3	2.68	113.55	109.64
2	E	5	MAN	C1-O5-C5	2.67	115.77	112.19
2	J	5	MAN	C1-O5-C5	2.66	115.75	112.19
2	F	5	MAN	C1-O5-C5	2.66	115.75	112.19
2	K	5	MAN	C1-O5-C5	2.64	115.73	112.19
2	E	4	MAN	C1-C2-C3	2.58	113.40	109.64
2	E	4	MAN	O5-C1-C2	2.56	116.89	110.79
2	J	4	MAN	O5-C1-C2	2.50	116.76	110.79
3	I	1	NAG	C1-O5-C5	2.27	115.23	112.19
2	K	4	MAN	O2-C2-C3	-2.27	105.45	110.15
2	F	4	MAN	O2-C2-C3	-2.22	105.54	110.15
3	D	1	NAG	C1-O5-C5	2.22	115.16	112.19
2	H	4	MAN	O2-C2-C3	-2.22	105.56	110.15
2	C	4	MAN	O2-C2-C3	-2.21	105.58	110.15
2	F	5	MAN	O2-C2-C3	-2.16	105.69	110.15
2	K	5	MAN	O2-C2-C3	-2.12	105.75	110.15
2	J	4	MAN	O2-C2-C3	-2.12	105.76	110.15
2	H	5	MAN	O2-C2-C3	-2.12	105.77	110.15
2	K	3	BMA	O2-C2-C3	-2.12	105.77	110.15
2	C	5	MAN	C1-O5-C5	2.11	115.02	112.19
2	H	5	MAN	C1-O5-C5	2.10	115.00	112.19
2	J	5	MAN	O2-C2-C3	-2.09	105.82	110.15
2	H	4	MAN	C1-C2-C3	2.07	112.66	109.64
2	C	5	MAN	O2-C2-C3	-2.07	105.87	110.15
2	J	2	NAG	O4-C4-C3	-2.07	105.51	110.38
2	E	3	BMA	C3-C4-C5	-2.04	106.53	110.23
2	E	5	MAN	O2-C2-C3	-2.04	105.93	110.15
2	E	2	NAG	O4-C4-C3	-2.02	105.60	110.38
2	C	4	MAN	C1-C2-C3	2.01	112.58	109.64
2	F	3	BMA	O2-C2-C3	-2.01	105.98	110.15
2	E	4	MAN	O2-C2-C3	-2.01	105.99	110.15

There are no chirality outliers.

All (54) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	2	NAG	C1-C2-N2-C7
2	H	2	NAG	C1-C2-N2-C7
2	C	3	BMA	O5-C5-C6-O6
2	F	5	MAN	O5-C5-C6-O6
2	H	3	BMA	O5-C5-C6-O6
2	K	5	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	4	MAN	O5-C5-C6-O6
2	J	4	MAN	O5-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
2	E	4	MAN	C4-C5-C6-O6
2	F	5	MAN	C4-C5-C6-O6
2	J	4	MAN	C4-C5-C6-O6
2	K	5	MAN	C4-C5-C6-O6
3	D	3	BMA	O5-C5-C6-O6
3	I	3	BMA	O5-C5-C6-O6
2	C	3	BMA	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
2	H	3	BMA	C4-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	E	5	MAN	O5-C5-C6-O6
2	J	5	MAN	O5-C5-C6-O6
3	I	3	BMA	C4-C5-C6-O6
3	D	3	BMA	C4-C5-C6-O6
2	K	3	BMA	O5-C5-C6-O6
2	F	3	BMA	O5-C5-C6-O6
2	E	5	MAN	C4-C5-C6-O6
2	J	5	MAN	C4-C5-C6-O6
2	K	4	MAN	O5-C5-C6-O6
2	F	4	MAN	O5-C5-C6-O6
2	K	3	BMA	C4-C5-C6-O6
2	F	3	BMA	C4-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
2	J	3	BMA	C4-C5-C6-O6
2	J	3	BMA	O5-C5-C6-O6
2	E	3	BMA	C4-C5-C6-O6
2	E	3	BMA	O5-C5-C6-O6
4	L	2	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	J	1	NAG	O5-C5-C6-O6
2	F	2	NAG	C3-C2-N2-C7
2	K	2	NAG	C3-C2-N2-C7
4	L	1	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	G	1	NAG	O5-C5-C6-O6
4	L	1	NAG	O5-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	K	1	NAG	C4-C5-C6-O6
2	J	2	NAG	C3-C2-N2-C7
2	F	1	NAG	O5-C5-C6-O6


There are no ring outliers.


5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	1	NAG	1	0
2	J	2	NAG	2	0
2	K	2	NAG	1	0
2	E	1	NAG	1	0
2	E	2	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	B	601	1	14,14,15	0.34	0	17,19,21	0.62	0
5	NAG	A	601	1	14,14,15	0.31	0	17,19,21	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	601	1	-	4/6/23/26	0/1/1/1
5	NAG	A	601	1	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	601	NAG	C8-C7-N2-C2
5	A	601	NAG	O7-C7-N2-C2
5	B	601	NAG	C8-C7-N2-C2
5	B	601	NAG	O7-C7-N2-C2
5	B	601	NAG	C4-C5-C6-O6
5	B	601	NAG	O5-C5-C6-O6
5	A	601	NAG	C4-C5-C6-O6
5	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	490/501 (97%)	0.56	28 (5%) 30 20	34, 63, 112, 145	0
1	B	490/501 (97%)	0.39	17 (3%) 47 32	35, 60, 111, 155	0
All	All	980/1002 (97%)	0.47	45 (4%) 38 25	34, 61, 112, 155	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	248	SER	7.5
1	A	244	ILE	6.6
1	A	243	TYR	5.6
1	B	248	SER	5.4
1	B	244	ILE	5.4
1	A	242	GLY	5.0
1	A	460	PHE	4.9
1	A	245	PRO	4.2
1	A	209	ARG	4.2
1	B	243	TYR	4.1
1	B	245	PRO	3.7
1	A	164	GLU	3.7
1	B	242	GLY	3.5
1	A	165	GLU	3.4
1	A	241	HIS	3.2
1	B	473	ARG	3.2
1	B	192	TYR	3.1
1	B	63	ARG	3.0
1	A	495	ILE	3.0
1	A	432	LEU	3.0
1	A	474	ASP	2.9
1	B	322	VAL	2.9
1	A	247	GLU	2.7
1	A	462	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	511	ILE	2.7
1	B	507	PHE	2.7
1	A	473	ARG	2.6
1	B	296	ALA	2.6
1	A	476	VAL	2.6
1	A	99	MET	2.6
1	B	474	ASP	2.6
1	B	511	ILE	2.5
1	B	68	ILE	2.5
1	B	310	GLN	2.4
1	A	499	SER	2.4
1	A	434	ARG	2.4
1	B	241	HIS	2.3
1	A	193	MET	2.3
1	A	412	LYS	2.3
1	A	31	TYR	2.0
1	A	192	TYR	2.0
1	A	167	LEU	2.0
1	B	448	HIS	2.0
1	A	435	GLN	2.0
1	A	415	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	K	5	11/12	-0.07	0.19	117,153,180,185	0
2	MAN	H	5	11/12	0.16	0.17	115,139,167,181	0
3	BMA	I	3	11/12	0.22	0.16	98,117,141,148	0
2	BMA	K	3	11/12	0.23	0.16	138,147,175,175	0
2	MAN	J	5	11/12	0.29	0.17	114,137,166,172	0
2	MAN	K	4	11/12	0.30	0.17	118,158,191,207	0
2	BMA	J	3	11/12	0.33	0.17	105,133,168,171	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MAN	C	4	11/12	0.39	0.14	87,114,138,152	0
2	MAN	J	4	11/12	0.40	0.16	111,134,158,159	0
2	MAN	F	5	11/12	0.40	0.13	98,121,140,147	0
2	MAN	E	5	11/12	0.42	0.14	95,117,139,142	0
3	BMA	D	3	11/12	0.47	0.12	93,109,124,127	0
2	MAN	E	4	11/12	0.48	0.17	93,130,160,168	0
2	MAN	H	4	11/12	0.50	0.13	93,121,147,155	0
2	MAN	C	5	11/12	0.50	0.15	99,125,148,168	0
2	BMA	H	3	11/12	0.51	0.12	98,119,150,150	0
2	BMA	E	3	11/12	0.62	0.13	92,115,139,147	0
3	NAG	D	2	14/15	0.65	0.13	61,97,128,143	0
2	NAG	K	2	14/15	0.65	0.14	86,111,136,141	0
2	NAG	F	2	14/15	0.65	0.12	84,103,121,134	0
4	NAG	G	2	14/15	0.65	0.18	110,137,167,173	0
2	MAN	F	4	11/12	0.66	0.12	83,115,145,154	0
2	BMA	C	3	11/12	0.69	0.12	95,106,136,136	0
2	NAG	C	1	14/15	0.73	0.15	54,73,96,110	0
4	NAG	G	1	14/15	0.74	0.15	101,124,148,151	0
2	NAG	H	2	14/15	0.75	0.13	71,94,118,129	0
2	BMA	F	3	11/12	0.75	0.10	86,114,136,139	0
3	NAG	I	2	14/15	0.79	0.11	66,93,124,137	0
4	NAG	L	2	14/15	0.79	0.12	104,123,147,151	0
2	NAG	C	2	14/15	0.80	0.12	56,81,101,104	0
3	FUC	I	4	10/11	0.81	0.11	45,61,81,86	0
4	NAG	L	1	14/15	0.82	0.13	87,106,136,149	0
2	NAG	H	1	14/15	0.82	0.14	58,80,96,103	0
2	NAG	K	1	14/15	0.83	0.13	78,96,112,117	0
2	NAG	F	1	14/15	0.84	0.12	77,94,112,119	0
3	FUC	D	4	10/11	0.86	0.10	46,72,95,99	0
2	NAG	E	2	14/15	0.86	0.10	49,69,96,100	0
3	NAG	I	1	14/15	0.87	0.10	45,62,84,94	0
2	NAG	J	2	14/15	0.88	0.11	58,78,108,137	0
3	NAG	D	1	14/15	0.92	0.10	46,73,96,113	0
2	NAG	E	1	14/15	0.92	0.12	45,59,78,92	0
2	NAG	J	1	14/15	0.93	0.09	47,58,67,81	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain L:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	A	601	14/15	0.64	0.13	63,87,109,113	0
5	NAG	B	601	14/15	0.74	0.12	58,74,85,89	0

6.5 Other polymers [i](#)

There are no such residues in this entry.