



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2024 – 03:10 PM EDT

PDB ID : 1FAI  
Title : THREE-DIMENSIONAL STRUCTURE OF TWO CRYSTAL FORMS OF  
FAB R19.9, FROM A MONOCLONAL ANTI-ARSONATE ANTIBODY  
Authors : Lascombe, M.B.; Alzari, P.M.; Poljak, R.J.; Nisonoff, A.  
Deposited on : 1992-05-27  
Resolution : 2.70 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	214	
2	H	221	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3320 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IGG2B-KAPPA R19.9 FAB (LIGHT CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	214	1663	1027	284	345	7	0	0	0

- Molecule 2 is a protein called IGG2B-KAPPA R19.9 FAB (HEAVY CHAIN).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	221	1657	1047	270	332	8	0	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: IGG2B-KAPPA R19.9 FAB (LIGHT CHAIN)



- Molecule 2: IGG2B-KAPPA R19.9 FAB (HEAVY CHAIN)



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	42.00Å 80.60Å 75.20Å 90.00° 90.20° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.70	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.70)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.189 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3320	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	L	0.80	0/1697	1.79	28/2301 (1.2%)
2	H	0.83	1/1699 (0.1%)	1.76	37/2316 (1.6%)
All	All	0.81	1/3396 (0.0%)	1.78	65/4617 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	165	TRP	CG-CD2	-5.68	1.33	1.43

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	53	ARG	NE-CZ-NH1	14.84	127.72	120.30
2	H	74	ARG	NE-CZ-NH1	11.22	125.91	120.30
1	L	212	ASN	CA-C-N	-10.69	93.69	117.20
1	L	108	ARG	NE-CZ-NH1	10.27	125.44	120.30
2	H	47	TRP	CD1-CG-CD2	10.17	114.44	106.30
2	H	109	TYR	CB-CG-CD2	-9.15	115.51	121.00
1	L	35	TRP	CD1-CG-CD2	9.14	113.61	106.30
1	L	53	ARG	NE-CZ-NH2	-9.13	115.73	120.30
2	H	165	TRP	CD1-CG-CD2	9.06	113.55	106.30
1	L	24	ARG	NE-CZ-NH2	-8.59	116.01	120.30
1	L	96	ARG	NE-CZ-NH1	8.45	124.53	120.30
2	H	109	TYR	CB-CG-CD1	8.37	126.02	121.00
1	L	211	ARG	NE-CZ-NH1	8.25	124.43	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	84	ARG	NE-CZ-NH1	8.17	124.39	120.30
2	H	74	ARG	NE-CZ-NH2	-7.91	116.34	120.30
2	H	47	TRP	CE2-CD2-CG	-7.86	101.01	107.30
2	H	199	TRP	CD1-CG-CD2	7.70	112.46	106.30
2	H	199	TRP	CE2-CD2-CG	-7.56	101.25	107.30
1	L	163	TRP	CD1-CG-CD2	7.38	112.20	106.30
1	L	35	TRP	CE2-CD2-CG	-7.26	101.49	107.30
2	H	141	ASP	CA-C-N	-7.16	101.44	117.20
2	H	36	TRP	CE2-CD2-CG	-7.11	101.61	107.30
1	L	148	TRP	CD1-CG-CD2	7.08	111.97	106.30
1	L	163	TRP	CE2-CD2-CG	-6.89	101.79	107.30
1	L	148	TRP	CE2-CD2-CG	-6.78	101.88	107.30
2	H	47	TRP	CG-CD2-CE3	6.73	139.96	133.90
2	H	13	ARG	NE-CZ-NH1	6.70	123.65	120.30
2	H	165	TRP	CE2-CD2-CG	-6.66	101.97	107.30
1	L	212	ASN	O-C-N	6.59	133.25	122.70
1	L	8	THR	CA-CB-CG2	-6.41	103.43	112.40
2	H	114	TRP	CD1-CG-CD2	6.40	111.42	106.30
2	H	106	LEU	CA-CB-CG	6.39	130.01	115.30
1	L	24	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	L	211	ARG	CA-CB-CG	6.33	127.32	113.40
1	L	35	TRP	CG-CD1-NE1	-6.27	103.83	110.10
1	L	61	ARG	NE-CZ-NH2	-6.23	117.18	120.30
1	L	188	ARG	NE-CZ-NH2	-6.22	117.19	120.30
2	H	139	CYS	CA-CB-SG	6.21	125.19	114.00
1	L	23	CYS	CA-CB-SG	6.19	125.14	114.00
2	H	47	TRP	CB-CG-CD1	-6.16	119.00	127.00
2	H	165	TRP	CG-CD1-NE1	-6.04	104.06	110.10
2	H	114	TRP	CE2-CD2-CG	-6.02	102.48	107.30
1	L	18	ARG	NE-CZ-NH1	5.98	123.29	120.30
2	H	199	TRP	CB-CG-CD1	-5.98	119.23	127.00
2	H	36	TRP	CG-CD2-CE3	5.90	139.21	133.90
1	L	41	ASP	CA-C-N	-5.80	104.59	116.20
2	H	47	TRP	CG-CD1-NE1	-5.72	104.38	110.10
1	L	50	TYR	CB-CG-CD2	-5.70	117.58	121.00
1	L	15	LEU	CA-C-N	5.69	127.58	116.20
2	H	101	TYR	CA-C-N	-5.65	104.90	116.20
2	H	20	MET	CA-CB-CG	-5.62	103.75	113.30
2	H	36	TRP	CD1-CG-CD2	5.59	110.77	106.30
2	H	52	ASN	N-CA-CB	-5.56	100.60	110.60
2	H	90	ASP	CB-CG-OD1	5.51	123.26	118.30
2	H	199	TRP	CG-CD1-NE1	-5.46	104.64	110.10

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	155	ARG	NE-CZ-NH1	5.42	123.01	120.30
2	H	206	CYS	N-CA-CB	-5.34	100.99	110.60
2	H	180	LEU	CA-CB-CG	5.32	127.52	115.30
2	H	22	CYS	CA-CB-SG	5.30	123.54	114.00
1	L	173	TYR	CB-CG-CD1	-5.22	117.87	121.00
2	H	199	TRP	CG-CD2-CE3	5.20	138.58	133.90
2	H	13	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	L	141	PRO	N-CA-C	5.09	125.34	112.10
2	H	36	TRP	CB-CG-CD1	-5.08	120.40	127.00
2	H	51	ILE	CA-CB-CG1	-5.03	101.44	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	203	SER	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1663	0	1589	46	0
2	H	1657	0	1610	44	0
All	All	3320	0	3199	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:149:LEU:HD13	2:H:204:VAL:HG11	1.54	0.89
1:L:53:ARG:HG2	1:L:53:ARG:HH11	1.42	0.83
1:L:190:ASN:HA	1:L:211:ARG:HB3	1.64	0.80
1:L:47:LEU:HA	1:L:58:VAL:HG21	1.63	0.79

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:12:VAL:HG11	2:H:86:LEU:HD23	1.70	0.72
1:L:107:LYS:HA	1:L:140:TYR:OH	1.94	0.67
2:H:146:SER:HA	2:H:195:PRO:HA	1.81	0.63
2:H:132:VAL:HB	2:H:217:VAL:HG11	1.82	0.61
1:L:137:ASN:HD21	2:H:177:PHE:HZ	1.48	0.61
2:H:18:VAL:HG22	2:H:86:LEU:HD21	1.82	0.61
1:L:183:LYS:O	1:L:187:GLU:HB2	2.00	0.60
1:L:34:ASN:ND2	2:H:110:TYR:HB3	2.17	0.59
2:H:116:GLN:H	2:H:116:GLN:NE2	2.00	0.59
2:H:51:ILE:HG13	2:H:58:LEU:HG	1.84	0.59
2:H:137:PRO:HD3	2:H:149:LEU:HD23	1.85	0.58
1:L:179:LEU:HD11	1:L:181:LEU:HD13	1.88	0.56
2:H:198:THR:O	2:H:202:GLN:HB2	2.06	0.56
1:L:59:PRO:HD2	1:L:62:PHE:CE2	2.42	0.55
2:H:20:MET:O	2:H:80:TYR:HA	2.07	0.54
1:L:2:ILE:HD13	1:L:29:ILE:HG22	1.90	0.54
1:L:96:ARG:HH21	2:H:109:TYR:HE1	1.56	0.54
1:L:205:ILE:HD12	1:L:205:ILE:H	1.72	0.54
1:L:33:LEU:HD22	1:L:71:TYR:HB3	1.90	0.53
2:H:32:TYR:CE2	2:H:101:TYR:HB2	2.44	0.53
1:L:145:ASN:HB3	1:L:197:THR:OG1	2.08	0.53
2:H:55:LYS:NZ	2:H:55:LYS:HA	2.23	0.53
1:L:155:ARG:HG2	1:L:157:ASN:HB3	1.90	0.53
2:H:175:HIS:O	2:H:190:SER:HA	2.10	0.52
1:L:159:VAL:HA	1:L:178:THR:O	2.10	0.52
1:L:19:VAL:HG23	1:L:75:ILE:HB	1.91	0.51
2:H:6:GLN:H	2:H:116:GLN:NE2	2.08	0.51
1:L:31:ASN:HD21	1:L:67:SER:HA	1.76	0.51
1:L:80:HIS:CE1	1:L:83:ILE:HD11	2.47	0.50
2:H:183:SER:O	2:H:185:LEU:HD23	2.12	0.49
1:L:28:ASP:OD1	1:L:68:GLY:HA2	2.11	0.49
2:H:33:GLY:HA3	2:H:50:TYR:CE1	2.47	0.49
1:L:53:ARG:HG2	1:L:53:ARG:NH1	2.17	0.48
2:H:19:LYS:HG2	2:H:80:TYR:HB3	1.95	0.48
2:H:136:ALA:HB2	2:H:221:LEU:HD23	1.96	0.48
1:L:108:ARG:HD3	1:L:109:ALA:O	2.14	0.48
1:L:89:GLN:HE21	1:L:89:GLN:HB2	1.55	0.48
2:H:148:THR:HG22	2:H:193:THR:OG1	2.12	0.48
1:L:181:LEU:HG	1:L:185:GLU:HB3	1.95	0.48
2:H:162:THR:O	2:H:208:VAL:HA	2.13	0.48
1:L:150:ILE:HG13	1:L:192:TYR:CE2	2.48	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:149:LEU:HB2	2:H:192:VAL:HG12	1.97	0.46
2:H:32:TYR:CD2	2:H:98:ARG:HD3	2.51	0.46
1:L:49:TYR:O	1:L:53:ARG:HB2	2.16	0.46
2:H:55:LYS:HA	2:H:55:LYS:HZ3	1.81	0.45
2:H:52:ASN:HD22	2:H:54:GLY:H	1.65	0.45
2:H:137:PRO:HD3	2:H:149:LEU:CD2	2.46	0.45
1:L:11:LEU:O	1:L:104:LEU:HA	2.17	0.45
1:L:175:MET:N	2:H:177:PHE:HE2	2.14	0.45
1:L:4:MET:SD	1:L:90:GLN:HB3	2.57	0.45
1:L:27:GLN:NE2	1:L:28:ASP:O	2.50	0.45
1:L:186:TYR:HA	1:L:192:TYR:OH	2.16	0.45
2:H:35:ASN:ND2	2:H:35:ASN:N	2.65	0.45
2:H:32:TYR:CZ	2:H:101:TYR:HB2	2.53	0.44
2:H:48:ILE:HD13	2:H:81:MET:HE1	1.97	0.44
1:L:59:PRO:HD2	1:L:62:PHE:CD2	2.53	0.44
1:L:4:MET:SD	1:L:25:ALA:HB2	2.57	0.44
1:L:108:ARG:NH1	1:L:111:ALA:HB2	2.33	0.44
1:L:155:ARG:NH1	1:L:157:ASN:HD22	2.16	0.44
2:H:7:SER:HB3	2:H:21:SER:H	1.83	0.43
2:H:132:VAL:HG21	2:H:217:VAL:HB	1.99	0.43
2:H:5:GLN:HB2	2:H:23:LYS:HB3	2.00	0.43
1:L:179:LEU:CD1	1:L:181:LEU:HD13	2.47	0.43
2:H:161:VAL:HG22	2:H:210:HIS:HB2	2.01	0.43
2:H:18:VAL:HG22	2:H:86:LEU:CD2	2.49	0.43
1:L:115:VAL:HG23	1:L:136:LEU:HD13	1.99	0.43
1:L:32:TYR:O	1:L:90:GLN:HA	2.19	0.43
2:H:12:VAL:HG12	2:H:122:VAL:HG22	2.00	0.43
2:H:55:LYS:HB3	2:H:57:TYR:HD1	1.84	0.43
1:L:45:LYS:HZ1	1:L:46:LEU:H	1.68	0.42
1:L:33:LEU:HD22	1:L:71:TYR:CB	2.50	0.42
2:H:135:LEU:HD11	2:H:152:LEU:HB2	2.00	0.42
1:L:20:THR:HA	1:L:73:LEU:O	2.20	0.42
1:L:45:LYS:NZ	1:L:46:LEU:H	2.18	0.41
1:L:90:GLN:HE21	1:L:97:THR:H	1.67	0.41
1:L:192:TYR:O	1:L:208:SER:HA	2.20	0.41
2:H:116:GLN:H	2:H:116:GLN:HE21	1.67	0.41
1:L:193:THR:HA	1:L:207:LYS:O	2.20	0.41
2:H:35:ASN:N	2:H:35:ASN:HD22	2.19	0.41
1:L:48:ILE:HD12	1:L:54:LEU:CD1	2.52	0.40
2:H:169:SER:OG	2:H:170:LEU:HG	2.21	0.40
2:H:179:ALA:HA	2:H:187:THR:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	212/214 (99%)	180 (85%)	27 (13%)	5 (2%)	6	15
2	H	219/221 (99%)	176 (80%)	31 (14%)	12 (6%)	2	3
All	All	431/435 (99%)	356 (83%)	58 (14%)	17 (4%)	3	6

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	30	SER
2	H	142	THR
2	H	155	GLY
2	H	213	SER
1	L	16	GLY
1	L	42	GLY
2	H	2	VAL
2	H	169	SER
2	H	105	ASP
2	H	108	VAL
2	H	143	THR
2	H	182	GLN
1	L	204	PRO
1	L	138	ASN
2	H	92	ALA
2	H	107	ALA
2	H	137	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	192/192 (100%)	163 (85%)	29 (15%)	3	7
2	H	187/187 (100%)	154 (82%)	33 (18%)	2	4
All	All	379/379 (100%)	317 (84%)	62 (16%)	2	6

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1	ASP
1	L	8	THR
1	L	19	VAL
1	L	20	THR
1	L	22	SER
1	L	33	LEU
1	L	34	ASN
1	L	40	PRO
1	L	45	LYS
1	L	53	ARG
1	L	76	SER
1	L	79	GLU
1	L	89	GLN
1	L	96	ARG
1	L	97	THR
1	L	107	LYS
1	L	108	ARG
1	L	116	SER
1	L	137	ASN
1	L	145	ASN
1	L	151	ASP
1	L	163	TRP
1	L	164	THR
1	L	180	THR
1	L	187	GLU
1	L	188	ARG
1	L	204	PRO
1	L	211	ARG
1	L	212	ASN
2	H	5	GLN
2	H	10	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	H	12	VAL
2	H	18	VAL
2	H	35	ASN
2	H	48	ILE
2	H	52	ASN
2	H	67	LYS
2	H	70	LEU
2	H	71	THR
2	H	72	VAL
2	H	86	LEU
2	H	87	THR
2	H	89	GLU
2	H	101	TYR
2	H	106	LEU
2	H	109	TYR
2	H	113	SER
2	H	116	GLN
2	H	119	THR
2	H	120	LEU
2	H	123	SER
2	H	126	LYS
2	H	142	THR
2	H	159	GLU
2	H	160	SER
2	H	164	THR
2	H	180	LEU
2	H	185	LEU
2	H	188	MET
2	H	190	SER
2	H	220	LYS
2	H	221	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	27	GLN
1	L	31	ASN
1	L	37	GLN
1	L	89	GLN
1	L	137	ASN
1	L	138	ASN
1	L	157	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	H	52	ASN
2	H	116	GLN
2	H	182	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.