



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 6, 2023 – 01:19 AM EDT

PDB ID : 8FG9
Title : Structure of rat neuronal nitric oxide synthase heme domain in complex with 6-(5-(2-(dimethylamino)ethyl)-2,3-difluorophenethyl)pyridin-2-amine
Authors : Li, H.; Poulos, T.L.
Deposited on : 2022-12-12
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	 20% 85% 12% ..
1	B	422	 10% 87% 11% .

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 7162 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, brain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	414	Total 3380	C 2160	N 582	O 616	S 22	0	2	0
1	B	416	Total 3396	C 2169	N 585	O 620	S 22	0	3	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 6-(2-{5-[2-(dimethylamino)ethyl]-2,3-difluorophenyl}ethyl)pyridin-2-amine (three-letter code: XVO) (formula: C₁₇H₂₁F₂N₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	F	N	0	0
			22	17	2	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	F	N		
4	B	1	22	17	2	3	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	A	1	4	2	2	0	0
5	B	1	4	2	2	0	0

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
6	A	1	1	1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	85	85	85	0	0
7	B	128	128	128	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, brain



- Molecule 1: Nitric oxide synthase, brain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.04Å 111.98Å 164.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.21 – 1.95 39.20 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.3 (39.21-1.95) 99.3 (39.20-1.95)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.21 (at 1.95Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.198 , 0.245 0.199 , 0.244	Depositor DCC
R_{free} test set	3498 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	38.0	Xtrriage
Anisotropy	1.049	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 60.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7162	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, H4B, XVO, HEM, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3480	0.49	0/4720
1	B	0.39	0/3500	0.52	0/4744
All	All	0.37	0/6980	0.51	0/9464

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3380	0	3293	26	0
1	B	3396	0	3310	27	0
2	A	43	0	30	2	0
2	B	43	0	30	3	0
3	A	17	0	15	0	0
3	B	17	0	15	0	0
4	A	22	0	0	1	0
4	B	22	0	0	1	0
5	A	4	0	3	0	0
5	B	4	0	3	0	0
6	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	85	0	0	0	0
7	B	128	0	0	1	0
All	All	7162	0	6699	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.65	0.77
1:A:631:VAL:HG11	1:B:628:GLN:HG3	1.68	0.74
1:B:706:TYR:OH	2:B:801:HEM:O2D	2.07	0.68
1:B:652:HIS:ND1	7:B:902:HOH:O	2.27	0.67
2:B:801:HEM:HMC2	2:B:801:HEM:HBC2	1.77	0.67
2:A:801:HEM:HBB2	2:A:801:HEM:HHC	1.78	0.65
1:A:330:ILE:HD11	1:B:696:LEU:HD22	1.81	0.61
1:B:478:GLN:HB2	1:B:481:ARG:HG3	1.82	0.60
1:B:322:LEU:HD13	1:B:699:ARG:HH12	1.68	0.58
1:B:607:LEU:HD13	1:B:626:LYS:HG2	1.84	0.58
1:B:322:LEU:HD13	1:B:699:ARG:NH1	2.20	0.57
1:A:348:VAL:HG22	1:A:349:ARG:H	1.71	0.54
2:A:801:HEM:HMC2	2:A:801:HEM:HBC2	1.89	0.53
1:B:342:THR:HG22	1:B:343:ARG:H	1.74	0.52
1:B:667:ARG:HG3	1:B:667:ARG:HH11	1.75	0.52
1:A:351:LYS:HE2	1:A:392:SER:HB3	1.92	0.52
1:A:322:LEU:HB3	1:A:699:ARG:HH21	1.75	0.51
2:B:801:HEM:HBB2	2:B:801:HEM:HHC	1.91	0.51
1:A:567:VAL:HG21	4:A:803:XVO:C11	2.42	0.49
1:A:419:ILE:HB	1:A:661:HIS:HB2	1.97	0.46
1:B:386:LYS:HA	1:B:389:GLU:HG2	1.98	0.46
1:B:667:ARG:HG3	1:B:667:ARG:NH1	2.31	0.46
1:A:674:ALA:HB3	1:A:695:MET:HB3	1.98	0.46
1:B:525:GLN:HE21	1:B:528:GLY:HA2	1.81	0.46
1:A:475:TRP:HB2	1:A:523:LEU:HB3	1.97	0.45
1:A:525:GLN:HG3	1:A:529:ASN:O	2.16	0.45
1:A:686:SER:HA	1:A:691:PHE:CG	2.52	0.45
1:A:485:TYR:CZ	1:A:514:ARG:HA	2.53	0.44
1:A:475:TRP:CH2	1:A:716:TRP:HZ3	2.35	0.44
1:B:548:HIS:CG	1:B:549:PRO:HD2	2.53	0.44
1:B:351:LYS:HB3	1:B:351:LYS:HE2	1.80	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:HIS:CE1	1:B:410:ARG:HH11	2.35	0.44
1:B:607:LEU:HD23	1:B:607:LEU:HA	1.84	0.44
1:B:485:TYR:CZ	1:B:514:ARG:HA	2.53	0.43
1:A:391:THR:O	1:A:392:SER:OG	2.31	0.43
1:A:478:GLN:HB2	1:A:481:ARG:HG3	2.00	0.43
1:B:608:GLU:H	1:B:608:GLU:HG2	1.38	0.43
1:A:625:TRP:CZ3	1:A:626:LYS:HG2	2.54	0.43
1:B:482:TYR:O	1:B:498:ASN:ND2	2.43	0.43
1:A:553:TRP:CE3	1:A:613:LYS:HD3	2.54	0.42
1:A:684:SER:HB3	1:A:687:ILE:HD11	2.01	0.42
1:A:496:PRO:HA	1:A:499:VAL:HG23	2.02	0.41
1:A:551:PHE:HB3	1:A:553:TRP:NE1	2.35	0.41
1:B:572:LEU:HB3	1:B:579:PHE:HB2	2.01	0.41
1:B:409:TRP:CE3	1:B:421:TRP:HA	2.55	0.41
1:B:567:VAL:HG21	4:B:803:XVO:C11	2.50	0.41
1:A:328:GLU:O	1:B:324:THR:N	2.44	0.41
1:A:595:VAL:O	1:A:599:CYS:HB2	2.21	0.41
1:B:595:VAL:O	1:B:599:CYS:HB2	2.20	0.41
1:B:610:VAL:O	1:B:614:MET:HG3	2.21	0.41
1:A:336:MET:HG2	1:A:678:TRP:HZ2	1.86	0.40
1:B:522:LEU:HD23	1:B:522:LEU:HA	1.93	0.40
1:A:355:PHE:N	1:A:356:PRO:HD2	2.36	0.40
1:A:645:LYS:HA	1:A:645:LYS:HD3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	412/422 (98%)	396 (96%)	16 (4%)	0	100 100
1	B	415/422 (98%)	399 (96%)	15 (4%)	1 (0%)	47 38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	827/844 (98%)	795 (96%)	31 (4%)	1 (0%)	51 43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	333	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	372/377 (99%)	357 (96%)	15 (4%)	31 19
1	B	374/377 (99%)	363 (97%)	11 (3%)	42 31
All	All	746/754 (99%)	720 (96%)	26 (4%)	36 24

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	299	ARG
1	A	328	GLU
1	A	336	MET
1	A	341	HIS
1	A	352	ASP
1	A	353	GLN
1	A	516	ARG
1	A	523	LEU
1	A	527	ASN
1	A	547	ARG
1	A	555	LYS
1	A	608	GLU
1	A	609	GLU
1	A	645	LYS
1	A	715	VAL
1	B	332	MET
1	B	341	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	392	SER
1	B	423	LYS
1	B	457	SER
1	B	476	ASN
1	B	540	LEU
1	B	547	ARG
1	B	608	GLU
1	B	645	LYS
1	B	667	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	407	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	B	801	1	41,50,50	1.48	5 (12%)	45,82,82	1.69	8 (17%)
5	ACT	A	804	-	3,3,3	0.74	0	3,3,3	0.77	0
4	XVO	A	803	-	23,23,23	0.41	0	30,31,31	1.65	7 (23%)
3	H4B	A	802	-	16,18,18	0.90	0	11,26,26	2.52	6 (54%)
2	HEM	A	801	1	41,50,50	1.48	6 (14%)	45,82,82	1.64	10 (22%)
5	ACT	B	804	-	3,3,3	0.76	0	3,3,3	0.87	0
3	H4B	B	802	-	16,18,18	0.85	0	11,26,26	2.50	5 (45%)
4	XVO	B	803	-	23,23,23	0.46	0	30,31,31	1.75	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	801	1	-	1/12/54/54	-
4	XVO	A	803	-	-	0/10/10/10	0/2/2/2
3	H4B	A	802	-	-	0/8/17/17	0/2/2/2
2	HEM	A	801	1	-	6/12/54/54	-
3	H4B	B	802	-	-	0/8/17/17	0/2/2/2
4	XVO	B	803	-	-	4/10/10/10	0/2/2/2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	C3C-C2C	-4.04	1.34	1.40
2	B	801	HEM	C3C-C2C	-3.63	1.35	1.40
2	B	801	HEM	C3C-CAC	3.22	1.54	1.47
2	A	801	HEM	CAB-C3B	3.17	1.56	1.47
2	A	801	HEM	C3C-CAC	3.08	1.54	1.47
2	B	801	HEM	CAB-C3B	2.81	1.55	1.47
2	B	801	HEM	CMB-C2B	2.35	1.55	1.50
2	A	801	HEM	FE-NB	2.31	2.08	1.96
2	A	801	HEM	CMD-C2D	2.19	1.55	1.50
2	B	801	HEM	C2C-C1C	2.13	1.47	1.42
2	A	801	HEM	CMB-C2B	2.13	1.55	1.50

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	802	H4B	C8A-C4A-C4	5.27	119.25	114.57
3	A	802	H4B	C8A-C4A-C4	4.97	118.98	114.57
4	B	803	XVO	C15-C16-C11	4.74	121.10	116.76
2	B	801	HEM	C4B-CHC-C1C	4.64	128.68	122.56
4	A	803	XVO	C02-N01-C06	4.01	121.14	118.10
4	A	803	XVO	C15-C16-C11	3.90	120.33	116.76
2	B	801	HEM	CBA-CAA-C2A	-3.86	106.04	112.62
2	B	801	HEM	CHD-C1D-ND	3.84	128.60	124.43
4	B	803	XVO	C07-C08-C16	-3.67	106.87	112.81
4	B	803	XVO	C08-C07-C06	-3.61	104.89	112.99
2	A	801	HEM	CAD-CBD-CGD	-3.46	106.15	113.60
3	B	802	H4B	C4-C4A-N5	3.38	121.96	119.12
3	A	802	H4B	C2-N3-C4	3.32	121.20	115.93
3	A	802	H4B	N1-C2-N3	-3.28	120.28	125.42
4	B	803	XVO	F11-C11-C16	3.26	121.29	117.85
2	A	801	HEM	C4B-CHC-C1C	3.20	126.79	122.56
2	B	801	HEM	C4C-CHD-C1D	3.06	126.59	122.56
4	A	803	XVO	F11-C11-C16	3.06	121.08	117.85
2	A	801	HEM	CMC-C2C-C3C	2.99	130.28	124.68
4	A	803	XVO	C08-C07-C06	-2.95	106.39	112.99
2	A	801	HEM	CBD-CAD-C3D	2.94	120.80	112.63
3	B	802	H4B	C2-N3-C4	2.77	120.34	115.93
3	B	802	H4B	N1-C2-N3	-2.64	121.28	125.42
2	A	801	HEM	C3B-C2B-C1B	2.61	108.42	106.49
2	B	801	HEM	CAD-CBD-CGD	-2.56	108.08	113.60
3	A	802	H4B	C2-N1-C8A	2.54	120.24	114.54
2	A	801	HEM	CHD-C1D-ND	2.54	127.19	124.43
4	B	803	XVO	C02-N01-C06	2.44	119.95	118.10
3	A	802	H4B	C4-C4A-N5	2.44	121.17	119.12
3	B	802	H4B	C2-N1-C8A	2.44	120.00	114.54
4	A	803	XVO	C07-C08-C16	-2.41	108.90	112.81
3	A	802	H4B	N2-C2-N3	2.27	120.79	117.25
4	A	803	XVO	C07-C06-N01	2.26	119.32	115.95
4	A	803	XVO	N02-C02-N01	2.25	120.04	116.49
2	A	801	HEM	C1B-NB-C4B	2.23	107.38	105.07
2	B	801	HEM	C1B-NB-C4B	2.21	107.36	105.07
2	A	801	HEM	C4C-CHD-C1D	2.18	125.44	122.56
2	B	801	HEM	C3B-C2B-C1B	2.14	108.07	106.49
2	A	801	HEM	CHA-C4D-ND	2.12	127.00	124.38
2	A	801	HEM	CMA-C3A-C4A	-2.09	125.26	128.46
2	B	801	HEM	C4D-ND-C1D	2.01	107.15	105.07

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	HEM	C2A-CAA-CBA-CGA
2	B	801	HEM	C2A-CAA-CBA-CGA
2	A	801	HEM	C4D-C3D-CAD-CBD
4	B	803	XVO	C17-C18-N19-C21
2	A	801	HEM	C2D-C3D-CAD-CBD
2	A	801	HEM	C4B-C3B-CAB-CBB
4	B	803	XVO	C13-C14-C17-C18
4	B	803	XVO	C15-C14-C17-C18
2	A	801	HEM	CAD-CBD-CGD-O2D
2	A	801	HEM	CAD-CBD-CGD-O1D
4	B	803	XVO	C07-C08-C16-C11


There are no ring outliers.


4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	801	HEM	3	0
4	A	803	XVO	1	0
2	A	801	HEM	2	0
4	B	803	XVO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	414/422 (98%)	1.13	86 (20%) 1 1	39, 70, 126, 155	0
1	B	416/422 (98%)	0.60	42 (10%) 7 11	37, 61, 103, 126	0
All	All	830/844 (98%)	0.86	128 (15%) 2 3	37, 65, 118, 155	0

All (128) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	348	VAL	10.8
1	B	300	PHE	8.1
1	A	715	VAL	7.8
1	A	341	HIS	7.8
1	A	349	ARG	7.4
1	A	716	TRP	7.3
1	B	348	VAL	6.7
1	B	342	THR	6.2
1	A	343	ARG	5.4
1	A	678	TRP	5.3
1	B	718	GLY	5.2
1	B	677	VAL	5.1
1	A	340	GLN	4.7
1	A	679	ILE	4.6
1	A	677	VAL	4.6
1	A	551	PHE	4.5
1	B	617	ASP	4.4
1	A	685	GLY	4.4
1	A	342	THR	4.4
1	B	619	ARG	4.3
1	A	351	LYS	4.2
1	B	350	THR	4.2
1	A	300	PHE	4.1
1	A	488	PRO	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	299	ARG	4.1
1	A	676	TRP	4.1
1	A	712	ASN	4.0
1	A	711	TRP	4.0
1	A	713	THR	4.0
1	A	339	SER	4.0
1	A	506	ILE	4.0
1	B	678	TRP	4.0
1	A	355	PHE	4.0
1	A	567	VAL	3.9
1	A	470	HIS	3.9
1	A	350	THR	3.8
1	A	566	ALA	3.8
1	A	389	GLU	3.8
1	A	593	ILE	3.7
1	A	415	CYS	3.6
1	B	715	VAL	3.6
1	A	352	ASP	3.6
1	B	343	ARG	3.6
1	A	490	GLY	3.6
1	B	680	VAL	3.6
1	A	388	ILE	3.6
1	A	299	ARG	3.5
1	A	553	TRP	3.5
1	A	681	PRO	3.4
1	A	507	GLN	3.4
1	A	393	THR	3.4
1	B	341	HIS	3.4
1	A	667	ARG	3.4
1	B	676	TRP	3.4
1	B	562	TYR	3.3
1	A	486	LYS	3.3
1	A	584	PHE	3.2
1	A	588	TYR	3.2
1	B	620	LYS	3.2
1	B	561	TRP	3.1
1	A	390	SER	3.1
1	A	714	HIS	3.1
1	A	466	THR	3.0
1	A	318	LEU	3.0
1	A	480	ILE	3.0
1	A	643	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	394	TYR	3.0
1	B	352	ASP	2.9
1	A	469	LYS	2.9
1	A	354	LEU	2.9
1	A	554	PHE	2.8
1	A	704	PHE	2.8
1	A	680	VAL	2.8
1	B	679	ILE	2.8
1	B	301	LEU	2.7
1	B	608	GLU	2.7
1	A	479	LEU	2.7
1	A	493	LEU	2.7
1	A	491	SER	2.7
1	B	566	ALA	2.7
1	B	302	LYS	2.7
1	A	481	ARG	2.6
1	B	351	LYS	2.6
1	B	588	TYR	2.6
1	A	508	GLN	2.6
1	B	310	VAL	2.6
1	A	386	LYS	2.5
1	A	591	THR	2.5
1	A	682	PRO	2.5
1	B	615	ASP	2.5
1	B	349	ARG	2.5
1	B	591	THR	2.5
1	B	616	LEU	2.5
1	A	619	ARG	2.5
1	B	691	PHE	2.4
1	A	616	LEU	2.4
1	B	309	ASP	2.4
1	A	302	LYS	2.4
1	A	392	SER	2.4
1	A	691	PHE	2.4
1	A	478	GLN	2.4
1	A	416	VAL	2.4
1	A	391	THR	2.3
1	A	467	ASP	2.3
1	A	409	TRP	2.3
1	B	567	VAL	2.3
1	A	414	ARG	2.3
1	B	681	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	682	PRO	2.2
1	B	717	LYS	2.2
1	A	561	TRP	2.2
1	A	489	ASP	2.2
1	A	353	GLN	2.2
1	A	592	GLU	2.2
1	B	322	LEU	2.1
1	A	373	GLY	2.1
1	B	667	ARG	2.1
1	A	487	GLN	2.1
1	A	674	ALA	2.1
1	A	370	LYS	2.1
1	A	582	CYS	2.1
1	B	593	ILE	2.1
1	A	503	GLU	2.0
1	B	565	PRO	2.0
1	A	609	GLU	2.0
1	A	683	MET	2.0
1	A	322	LEU	2.0
1	B	618	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	XVO	B	803	22/22	0.90	0.26	45,79,103,105	0
4	XVO	A	803	22/22	0.91	0.29	47,64,99,101	0
5	ACT	B	804	4/4	0.94	0.15	77,87,89,95	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	ACT	A	804	4/4	0.95	0.14	73,84,87,89	0
3	H4B	A	802	17/17	0.95	0.22	49,54,64,64	0
3	H4B	B	802	17/17	0.96	0.23	46,53,61,64	0
2	HEM	A	801	43/43	0.97	0.23	39,48,66,78	0
2	HEM	B	801	43/43	0.98	0.22	35,48,74,89	0
6	ZN	A	805	1/1	0.99	0.08	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around XVO A 803:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.