



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 29, 2024 – 02:08 pm GMT

PDB ID : 9FIV
Title : Structure-guided discovery of selective USP7 inhibitors with in vivo activity
Authors : Baker, L.M.; Murray, J.; Hubbard, R.E.; Whitehead, N.
Deposited on : 2024-05-29
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3333 (2.70-2.70)
Clashscore	180529	3684 (2.70-2.70)
Ramachandran outliers	177936	3633 (2.70-2.70)
Sidechain outliers	177891	3633 (2.70-2.70)
RSRZ outliers	164620	3333 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	355	 % 72% 15% • 8%
1	B	355	 7% 70% 17% • 9%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 10597 atoms, of which 5188 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ubiquitin carboxyl-terminal hydrolase 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	326	5200	1660	2577	444	503	16	78	0	0
1	B	324	5122	1638	2535	438	495	16	87	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	206	GLY	-	expression tag	UNP Q93009
A	409	ALA	PHE	engineered mutation	UNP Q93009
B	206	GLY	-	expression tag	UNP Q93009
B	409	ALA	PHE	engineered mutation	UNP Q93009

- Molecule 2 is 7-methyl-3-[[4-oxidanyl-1-[(3 {R},4 {R})-3-phenyl-1-[(5-pyridin-4-yl-1,3-thiazol-2-yl)methyl]piperidin-4-yl]carbonyl-piperidin-4-yl]methyl]pyrrolo[2,3-d]pyrimidin-4-one (three-letter code: A1ICO) (formula: C₃₄H₃₇N₇O₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	H	N	O	S	4	0
			83	34	38	7	3	1		
2	B	1	Total	C	H	N	O	S	4	0
			83	34	38	7	3	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	71	Total	O	0	0
			71	71		
3	B	38	Total	O	0	0
			38	38		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.61Å 67.83Å 78.64Å 90.00° 91.26° 90.00°	Depositor
Resolution (Å)	21.65 – 2.70 21.65 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.4 (21.65-2.70) 99.4 (21.65-2.70)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 2.71Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.269 , 0.330 0.269 , 0.330	Depositor DCC
R_{free} test set	1114 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	44.4	Xtrriage
Anisotropy	0.026	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 31.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtrriage
Estimated twinning fraction	0.000 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	10597	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1ICO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/2675	0.91	3/3608 (0.1%)
1	B	0.37	0/2638	0.83	1/3562 (0.0%)
All	All	0.39	0/5313	0.87	4/7170 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	549	ARG	NE-CZ-NH1	-9.27	115.66	120.30
1	A	549	ARG	NE-CZ-NH2	7.86	124.23	120.30
1	B	227	SER	CB-CA-C	5.75	121.02	110.10
1	A	402	LEU	CB-CG-CD2	5.09	119.65	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	301	ARG	Sidechain
1	A	343	ARG	Sidechain
1	A	344	ARG	Sidechain
1	A	549	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2623	2577	2558	39	0
1	B	2587	2535	2505	43	0
2	A	45	38	0	1	0
2	B	45	38	0	1	0
3	A	71	0	0	0	0
3	B	38	0	0	2	0
All	All	5409	5188	5063	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:308:GLU:OE1	1:B:320:ILE:CG2	2.21	0.88
1:B:455:VAL:CG1	1:B:511:THR:HB	2.18	0.73
1:A:301:ARG:O	1:A:305:ASP:HB2	1.89	0.72
1:B:308:GLU:OE1	1:B:320:ILE:HG21	1.89	0.72
1:A:304:LEU:HA	1:A:307:VAL:HG22	1.73	0.71
1:A:410:MET:N	1:A:419:ILE:HG21	2.07	0.70
1:B:426:GLU:HG3	1:B:498:TYR:CE2	2.27	0.70
1:A:410:MET:H	1:A:419:ILE:CG2	2.05	0.69
1:B:353:SER:O	1:B:363:SER:OG	2.10	0.69
1:A:231:THR:HG21	1:A:454:LEU:HD21	1.75	0.68
1:A:410:MET:C	1:A:419:ILE:HG21	2.15	0.67
1:A:353:SER:O	1:A:363:SER:OG	2.11	0.67
1:B:512:ASN:HD22	1:B:512:ASN:C	2.00	0.64
1:B:308:GLU:OE1	1:B:320:ILE:HB	1.99	0.63
1:A:420:LYS:HE2	1:A:512:ASN:HD21	1.63	0.62
1:B:307:VAL:CG1	1:B:320:ILE:HD11	2.29	0.61
1:A:410:MET:N	1:A:419:ILE:CG2	2.63	0.61
1:B:308:GLU:CD	1:B:321:PRO:HD3	2.23	0.59
1:B:454:LEU:HD22	1:B:467:VAL:HG23	1.83	0.59
1:B:308:GLU:OE1	1:B:320:ILE:CB	2.51	0.59
1:B:455:VAL:HG13	1:B:511:THR:HB	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:GLU:HG3	1:A:498:TYR:CE2	2.37	0.58
1:A:410:MET:CA	1:A:419:ILE:HG21	2.36	0.55
1:A:256:VAL:HB	1:A:257:PRO:HD3	1.88	0.55
1:B:481:ASP:OD1	3:B:701:HOH:O	2.19	0.54
1:B:307:VAL:HG12	1:B:320:ILE:HG13	1.90	0.53
1:A:476:LYS:HB3	1:A:487:ARG:HH22	1.73	0.53
1:A:227:SER:O	1:A:231:THR:HG23	2.09	0.52
1:A:551:GLU:O	1:A:552:ALA:C	2.48	0.52
1:A:454:LEU:HD22	1:A:467:VAL:HG23	1.91	0.52
1:B:337:VAL:HG23	1:B:387:GLN:OE1	2.11	0.51
1:A:227:SER:HB3	1:A:467:VAL:HB	1.92	0.51
1:B:465:TYR:OH	2:B:601:A1ICO:O33	2.21	0.51
2:A:601:A1ICO:C26	2:A:601:A1ICO:O16	2.60	0.50
1:B:231:THR:CG2	1:B:517:VAL:HG21	2.41	0.50
1:B:289:ASP:HB3	1:B:293:GLN:HB2	1.94	0.49
1:A:426:GLU:HG3	1:A:498:TYR:CD2	2.48	0.49
1:B:307:VAL:HG11	1:B:320:ILE:HD11	1.94	0.48
1:A:410:MET:H	1:A:419:ILE:HG21	1.70	0.48
1:B:231:THR:HG21	1:B:517:VAL:HG21	1.95	0.48
1:B:547:GLU:HA	1:B:550:ILE:HD12	1.95	0.48
1:B:333:GLN:O	1:B:389:ALA:HB1	2.14	0.47
1:A:374:ASP:N	1:A:377:ASN:O	2.48	0.47
1:B:308:GLU:OE1	1:B:320:ILE:HG22	2.12	0.46
1:A:548:LYS:O	1:A:551:GLU:HB2	2.15	0.46
1:B:253:SER:HB3	1:B:281:LYS:HD2	1.96	0.46
1:A:279:LEU:HD22	1:A:283:PHE:HE2	1.80	0.46
1:A:331:TYR:HA	1:A:341:SER:O	2.15	0.46
1:A:492:GLU:HA	1:A:496:HIS:HD2	1.80	0.46
1:A:403:HIS:CD2	1:A:517:VAL:HG22	2.51	0.46
1:B:393:VAL:HG21	3:B:730:HOH:O	2.15	0.45
1:A:248:GLU:H	1:A:248:GLU:HG3	1.32	0.45
1:A:219:GLN:NE2	1:A:277:LYS:HD2	2.31	0.45
1:B:426:GLU:HG3	1:B:498:TYR:CD2	2.50	0.45
1:B:454:LEU:N	1:B:454:LEU:CD2	2.79	0.45
1:A:410:MET:H	1:A:419:ILE:HG22	1.81	0.45
1:B:333:GLN:OE1	1:B:340:ARG:NH1	2.44	0.45
1:B:400:PRO:HB3	1:B:523:LYS:HD3	1.98	0.45
1:B:279:LEU:HD22	1:B:283:PHE:HE1	1.82	0.45
1:A:476:LYS:HD3	1:A:487:ARG:HH12	1.82	0.45
1:B:548:LYS:HE3	1:B:548:LYS:HB2	1.73	0.44
1:A:320:ILE:HB	1:A:321:PRO:CD	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:331:TYR:HA	1:B:341:SER:O	2.18	0.44
1:B:448:TYR:HB3	1:B:518:TYR:HB3	1.98	0.44
1:A:476:LYS:HB3	1:A:487:ARG:NH2	2.33	0.44
1:A:457:SER:HB3	1:A:511:THR:HB	1.99	0.44
1:A:234:PHE:CD1	1:A:471:PRO:HB3	2.52	0.44
1:A:228:LEU:O	1:A:232:LEU:HG	2.17	0.43
1:B:540:LEU:HD22	1:B:544:LEU:HD11	2.01	0.43
1:A:454:LEU:N	1:A:454:LEU:CD2	2.82	0.43
1:B:265:TYR:HE2	1:B:548:LYS:HZ3	1.67	0.43
1:B:422:ASN:ND2	1:B:512:ASN:OD1	2.47	0.42
1:B:512:ASN:C	1:B:512:ASN:ND2	2.71	0.42
1:A:420:LYS:HE3	1:A:456:HIS:ND1	2.34	0.42
1:B:329:VAL:CG2	1:B:396:LEU:HD11	2.50	0.42
1:B:467:VAL:HG13	1:B:480:PHE:HB2	2.00	0.42
1:A:260:LEU:HD23	1:A:260:LEU:HA	1.81	0.42
1:B:240:LYS:HE3	1:B:240:LYS:HB3	1.74	0.42
1:B:457:SER:HB3	1:B:511:THR:HA	2.01	0.41
1:A:524:LEU:HD22	1:A:528:LEU:HD12	2.02	0.41
1:B:429:GLU:OE2	1:B:490:LYS:HD3	2.21	0.40
1:A:238:LEU:CD1	1:A:320:ILE:CD1	3.00	0.40
1:B:321:PRO:HA	1:B:325:ARG:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/355 (90%)	300 (94%)	18 (6%)	2 (1%)	22	45
1	B	316/355 (89%)	295 (93%)	20 (6%)	1 (0%)	37	61
All	All	636/710 (90%)	595 (94%)	38 (6%)	3 (0%)	25	49

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	552	ALA
1	B	290	SER
1	A	220	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	289/320 (90%)	262 (91%)	27 (9%)	7 18
1	B	283/320 (88%)	248 (88%)	35 (12%)	4 9
All	All	572/640 (89%)	510 (89%)	62 (11%)	5 13

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	222	THR
1	A	224	TYR
1	A	248	GLU
1	A	258	LEU
1	A	279	LEU
1	A	299	LEU
1	A	305	ASP
1	A	316	VAL
1	A	325	ARG
1	A	327	LYS
1	A	343	ARG
1	A	344	ARG
1	A	358	LYS
1	A	363	SER
1	A	391	LYS
1	A	402	LEU
1	A	410	MET
1	A	440	THR
1	A	454	LEU
1	A	495	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	511	THR
1	A	512	ASN
1	A	523	LYS
1	A	524	LEU
1	A	540	LEU
1	A	542	GLU
1	A	553	GLN
1	B	217	LYS
1	B	252	SER
1	B	258	LEU
1	B	279	LEU
1	B	286	GLU
1	B	289	ASP
1	B	290	SER
1	B	292	MET
1	B	293	GLN
1	B	299	LEU
1	B	305	ASP
1	B	307	VAL
1	B	308	GLU
1	B	327	LYS
1	B	343	ARG
1	B	344	ARG
1	B	363	SER
1	B	374	ASP
1	B	402	LEU
1	B	410	MET
1	B	419	ILE
1	B	430	GLN
1	B	454	LEU
1	B	461	HIS
1	B	469	LEU
1	B	476	LYS
1	B	487	ARG
1	B	495	GLU
1	B	512	ASN
1	B	523	LYS
1	B	524	LEU
1	B	538	GLN
1	B	540	LEU
1	B	547	GLU
1	B	548	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	218	ASN
1	A	372	GLN
1	A	403	HIS
1	A	422	ASN
1	A	447	ASN
1	A	496	HIS
1	A	512	ASN
1	B	218	ASN
1	B	372	GLN
1	B	403	HIS
1	B	464	HIS
1	B	496	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1ICO	B	601	-	47,51,51	2.73	15 (31%)	49,74,74	2.49	12 (24%)
2	A1ICO	A	601	-	47,51,51	2.25	12 (25%)	49,74,74	2.17	15 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1ICO	B	601	-	-	1/24/50/50	0/7/7/7
2	A1ICO	A	601	-	-	1/24/50/50	0/7/7/7

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	A1ICO	C11-C36	-8.71	1.38	1.51
2	A	601	A1ICO	C11-C36	-8.06	1.39	1.51
2	B	601	A1ICO	C42-S43	-6.92	1.52	1.73
2	B	601	A1ICO	C23-C18	-6.29	1.34	1.47
2	B	601	A1ICO	C26-N25	6.17	1.36	1.29
2	A	601	A1ICO	C23-C18	-5.50	1.36	1.47
2	A	601	A1ICO	C18-N27	-4.78	1.33	1.39
2	A	601	A1ICO	C23-C24	-4.43	1.34	1.41
2	A	601	A1ICO	C15-C29	4.10	1.56	1.52
2	B	601	A1ICO	C18-N27	-4.05	1.34	1.39
2	B	601	A1ICO	C35-C36	3.98	1.60	1.55
2	B	601	A1ICO	C23-C24	-3.96	1.35	1.41
2	B	601	A1ICO	C40-N41	-3.56	1.31	1.36
2	B	601	A1ICO	C04-N03	3.51	1.44	1.33
2	B	601	A1ICO	C30-C29	3.20	1.55	1.52
2	A	601	A1ICO	C26-N25	3.18	1.32	1.29
2	B	601	A1ICO	C40-C44	-3.16	1.32	1.37
2	B	601	A1ICO	C35-C34	2.90	1.57	1.51
2	A	601	A1ICO	C04-N03	2.71	1.41	1.33
2	A	601	A1ICO	C42-S43	-2.66	1.65	1.73
2	A	601	A1ICO	C02-N03	2.65	1.41	1.33
2	A	601	A1ICO	C40-C44	-2.60	1.33	1.37
2	B	601	A1ICO	C02-N03	2.45	1.41	1.33
2	B	601	A1ICO	C01-C45	2.39	1.44	1.39
2	A	601	A1ICO	C31-N32	2.38	1.51	1.47
2	B	601	A1ICO	C21-N20	-2.11	1.34	1.37
2	A	601	A1ICO	C28-C29	-2.01	1.51	1.54

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	A1ICO	C42-C39-N38	-9.05	100.58	113.48
2	B	601	A1ICO	C23-C18-N27	7.83	118.37	113.80
2	B	601	A1ICO	N27-C26-N25	-7.04	120.22	126.34
2	A	601	A1ICO	C23-C18-N27	6.97	117.87	113.80
2	A	601	A1ICO	N27-C26-N25	-5.17	121.84	126.34
2	A	601	A1ICO	C19-N20-C21	4.85	134.12	124.89
2	A	601	A1ICO	C21-C22-C23	4.00	110.58	105.71
2	B	601	A1ICO	C13-C35-C36	3.84	113.85	109.58
2	A	601	A1ICO	C29-C28-N27	-3.83	106.51	114.00
2	B	601	A1ICO	C01-C02-N03	-3.56	117.42	123.62
2	A	601	A1ICO	C12-C13-C35	-3.38	105.91	111.59
2	A	601	A1ICO	C05-C04-N03	-2.94	118.51	123.62
2	B	601	A1ICO	C29-C28-N27	-2.85	108.44	114.00
2	B	601	A1ICO	C12-C13-C35	-2.82	106.85	111.59
2	B	601	A1ICO	C36-C37-N38	-2.77	106.29	110.63
2	A	601	A1ICO	O33-C34-N32	2.73	124.86	121.67
2	B	601	A1ICO	C21-C22-C23	2.58	108.85	105.71
2	A	601	A1ICO	C30-C29-C15	2.58	112.86	109.85
2	A	601	A1ICO	C42-C39-N38	-2.58	109.81	113.48
2	A	601	A1ICO	C28-N27-C26	-2.48	115.87	119.30
2	B	601	A1ICO	C02-C01-C45	2.32	123.02	119.57
2	B	601	A1ICO	C31-N32-C14	2.30	117.05	112.62
2	B	601	A1ICO	C28-N27-C26	-2.29	116.14	119.30
2	A	601	A1ICO	C26-N27-C18	-2.27	120.13	121.90
2	A	601	A1ICO	C01-C02-N03	-2.23	119.74	123.62
2	A	601	A1ICO	O17-C18-N27	-2.18	118.02	120.78
2	A	601	A1ICO	O33-C34-C35	-2.06	118.26	121.88

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	601	A1ICO	N38-C39-C42-N41
2	A	601	A1ICO	C40-C44-C45-C05


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	A1ICO	1	0
2	A	601	A1ICO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	326/355 (91%)	0.49	5 (1%) 71 71	19, 43, 77, 98	0
1	B	324/355 (91%)	0.74	25 (7%) 21 19	25, 53, 88, 117	0
All	All	650/710 (91%)	0.62	30 (4%) 38 36	19, 48, 85, 117	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	552	ALA	4.7
1	B	337	VAL	3.7
1	B	334	CYS	3.2
1	B	461	HIS	3.1
1	B	288	LEU	3.0
1	A	545	GLN	2.9
1	A	337	VAL	2.8
1	B	384	HIS	2.7
1	B	388	GLU	2.7
1	B	252	SER	2.6
1	B	342	ASP	2.5
1	B	382	GLY	2.5
1	A	552	ALA	2.4
1	B	383	GLU	2.4
1	B	546	GLU	2.4
1	B	531	VAL	2.4
1	B	289	ASP	2.4
1	B	308	GLU	2.4
1	B	510	CYS	2.3
1	B	358	LYS	2.2
1	B	373	LEU	2.2
1	B	356	GLY	2.2
1	B	387	GLN	2.2
1	A	540	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	462	GLY	2.1
1	B	212	GLY	2.1
1	B	211	THR	2.1
1	B	283	PHE	2.1
1	B	269	HIS	2.1
1	B	332	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1ICO	A	601	45/45	0.90	0.10	17,29,50,53	4
2	A1ICO	B	601	45/45	0.91	0.10	24,36,43,44	4




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1ICO A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1ICO B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.