



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2024 – 07:02 PM EDT

PDB ID : 1FPC
Title : ACTIVE SITE MIMETIC INHIBITION OF THROMBIN
Authors : Tulinsky, A.; Mathews, I.I.
Deposited on : 1994-10-16
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	36	
2	H	259	
3	I	12	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 2527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called thrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	26	212	135	32	44	1	0	0	0

- Molecule 2 is a protein called thrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	248	1993	1270	353	356	14	0	0	0


- Molecule 3 is a protein called Hirudin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	I	10	86	54	10	21	1	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	53	ASN	ASP	conflict	UNP P28504

- Molecule 4 is amino{[(4S)-4-({[5-(dimethylamino)naphthalen-1-yl]sulfonyl}amino)-5-(4-ethylpiperidin-1-yl)-5-oxopentyl]amino}methaniminium (three-letter code: OZI) (formula: C₂₅H₃₉N₆O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	H	1	35	25	6	3	1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	L	19	Total	O	0	0
			19	19		
5	H	180	Total	O	0	0
			180	180		
5	I	2	Total	O	0	0
			2	2		

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	72.10Å 72.60Å 73.80Å 90.00° 101.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.147 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2527	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TYS, OZI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	1.18	0/214	1.95	7/285 (2.5%)
2	H	1.14	0/2044	2.27	72/2765 (2.6%)
3	I	0.98	0/70	1.71	1/91 (1.1%)
All	All	1.14	0/2328	2.23	80/3141 (2.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	H	0	3

There are no bond length outliers.

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	206	ARG	CD-NE-CZ	40.19	179.86	123.60
2	H	221(A)	ARG	NE-CZ-NH1	-20.32	110.14	120.30
2	H	35	ARG	NE-CZ-NH2	-15.10	112.75	120.30
2	H	187	ARG	NE-CZ-NH2	-13.65	113.48	120.30
2	H	101	ARG	NE-CZ-NH2	-13.49	113.56	120.30
2	H	60(A)	TYR	CB-CG-CD1	-12.77	113.34	121.00
2	H	233	ARG	NE-CZ-NH2	-12.65	113.97	120.30
2	H	187	ARG	NE-CZ-NH1	12.43	126.51	120.30
2	H	173	ARG	NE-CZ-NH1	11.98	126.29	120.30
2	H	50	ARG	NE-CZ-NH1	11.97	126.28	120.30
2	H	101	ARG	NE-CZ-NH1	11.85	126.22	120.30
2	H	67	ARG	NE-CZ-NH2	11.06	125.83	120.30
2	H	165	ARG	NE-CZ-NH2	-11.05	114.78	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	175	ARG	NE-CZ-NH1	-10.49	115.06	120.30
2	H	77(A)	ARG	CA-C-N	9.47	138.03	117.20
2	H	102	ASP	CB-CG-OD2	-9.14	110.07	118.30
2	H	77(A)	ARG	CA-C-O	-9.06	101.08	120.10
2	H	60(A)	TYR	CB-CG-CD2	8.73	126.24	121.00
2	H	125	ASP	CB-CG-OD1	-8.65	110.51	118.30
2	H	126	ARG	NE-CZ-NH2	8.64	124.62	120.30
2	H	77(A)	ARG	NE-CZ-NH1	-8.50	116.05	120.30
2	H	165	ARG	NE-CZ-NH1	8.26	124.43	120.30
2	H	49	ASP	CB-CG-OD2	8.13	125.62	118.30
2	H	221(A)	ARG	CD-NE-CZ	-7.94	112.49	123.60
2	H	233	ARG	NE-CZ-NH1	7.82	124.21	120.30
2	H	94	TYR	CB-CG-CD2	-7.80	116.32	121.00
2	H	208	TYR	CB-CG-CD1	-7.78	116.33	121.00
2	H	125	ASP	CB-CG-OD2	7.67	125.20	118.30
2	H	129(A)	ALA	N-CA-CB	7.28	120.29	110.10
2	H	116	ASP	CB-CG-OD1	7.26	124.83	118.30
2	H	77(A)	ARG	N-CA-CB	6.92	123.05	110.60
2	H	73	ARG	NE-CZ-NH2	6.83	123.71	120.30
2	H	192	GLU	CA-CB-CG	6.82	128.40	113.40
2	H	74	THR	N-CA-CB	-6.62	97.71	110.30
2	H	97	ARG	NE-CZ-NH1	-6.61	117.00	120.30
2	H	97	ARG	CD-NE-CZ	-6.57	114.41	123.60
2	H	35	ARG	NH1-CZ-NH2	6.49	126.54	119.40
2	H	173	ARG	CD-NE-CZ	6.45	132.63	123.60
2	H	221(A)	ARG	NE-CZ-NH2	6.42	123.51	120.30
2	H	176	ILE	CA-CB-CG2	6.35	123.59	110.90
2	H	21	ASP	CB-CG-OD1	6.31	123.98	118.30
2	H	221(A)	ARG	NH1-CZ-NH2	6.29	126.32	119.40
2	H	184(A)	TYR	CB-CG-CD2	-6.25	117.25	121.00
2	H	22	ALA	N-CA-CB	-6.19	101.43	110.10
1	L	4	ARG	CD-NE-CZ	6.09	132.13	123.60
2	H	221	ASP	CB-CG-OD1	5.97	123.68	118.30
2	H	127	GLU	CA-CB-CG	5.82	126.20	113.40
2	H	102	ASP	CB-CG-OD1	5.82	123.53	118.30
3	I	58	GLU	CB-CG-CD	5.82	129.90	114.20
2	H	67	ARG	NH1-CZ-NH2	-5.78	113.04	119.40
2	H	114	PHE	CB-CG-CD1	-5.78	116.76	120.80
1	L	14(A)	LYS	CA-CB-CG	5.76	126.08	113.40
2	H	211	GLY	C-N-CA	5.76	136.09	121.70
2	H	83	SER	O-C-N	5.76	131.91	122.70
2	H	119	HIS	N-CA-CB	-5.75	100.25	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	14(G)	LEU	CB-CA-C	5.75	121.12	110.20
2	H	170	ASP	CB-CG-OD2	-5.74	113.14	118.30
2	H	77(A)	ARG	C-N-CA	-5.55	107.82	121.70
1	L	14(C)	GLU	CG-CD-OE1	-5.50	107.31	118.30
2	H	178	ASP	CB-CG-OD2	-5.50	113.35	118.30
2	H	154	VAL	N-CA-CB	-5.49	99.43	111.50
1	L	10	LYS	CB-CG-CD	5.48	125.85	111.60
1	L	14(A)	LYS	N-CA-CB	5.47	120.44	110.60
2	H	179	ASN	CA-C-O	-5.46	108.64	120.10
1	L	13	GLU	CA-CB-CG	5.43	125.34	113.40
2	H	164	GLU	CB-CG-CD	5.42	128.83	114.20
2	H	170	ASP	O-C-N	5.40	131.34	122.70
2	H	48	SER	CA-C-O	-5.30	108.96	120.10
2	H	27	SER	CB-CA-C	5.27	120.11	110.10
2	H	233	ARG	CD-NE-CZ	5.27	130.97	123.60
2	H	204(B)	ASN	CB-CA-C	5.24	120.88	110.40
2	H	75	ARG	CB-CG-CD	5.21	125.14	111.60
2	H	94	TYR	CB-CG-CD1	5.20	124.12	121.00
2	H	76	TYR	CB-CG-CD2	-5.18	117.89	121.00
2	H	93	ARG	NE-CZ-NH1	-5.13	117.74	120.30
2	H	118	ILE	CG1-CB-CG2	5.10	122.63	111.40
2	H	154	VAL	CA-CB-CG1	5.09	118.54	110.90
2	H	42	CYS	CA-CB-SG	5.07	123.13	114.00
2	H	60(D)	TRP	CA-C-O	-5.06	109.47	120.10
2	H	119	HIS	CB-CA-C	5.03	120.45	110.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	165	ARG	Sidechain
2	H	233	ARG	Mainchain
2	H	94	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	212	0	211	11	0
2	H	1993	0	1952	119	0
3	I	86	0	64	2	0
4	H	35	0	38	6	0
5	H	180	0	0	16	0
5	I	2	0	0	0	0
5	L	19	0	0	2	0
All	All	2527	0	2265	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:1(A):ASP:HB3	5:L:506:HOH:O	1.51	1.09
2:H:187:ARG:HD3	2:H:221:ASP:OD2	1.55	1.04
2:H:236:LYS:HE2	2:H:239:GLN:HE22	1.28	0.97
2:H:18:GLU:HG3	2:H:187:ARG:HG3	1.44	0.96
1:L:14(J):TYR:O	1:L:14(K):ILE:HB	1.67	0.93
2:H:81:LYS:HB3	2:H:81:LYS:NZ	1.86	0.91
2:H:38:GLN:HB2	5:H:491:HOH:O	1.69	0.91
2:H:236:LYS:HE2	2:H:239:GLN:NE2	1.87	0.90
1:L:14(A):LYS:HG2	2:H:23:GLU:OE2	1.73	0.89
2:H:35:ARG:O	2:H:38:GLN:HA	1.75	0.87
2:H:205:ASN:HB3	5:H:499:HOH:O	1.76	0.85
2:H:50:ARG:NH1	2:H:107:LYS:HD3	1.92	0.84
2:H:208:TYR:HB2	5:H:461:HOH:O	1.78	0.83
2:H:70:LYS:HE3	2:H:72:SER:O	1.79	0.82
2:H:50:ARG:NH1	2:H:86:GLU:OE1	2.13	0.81
2:H:49:ASP:OD2	2:H:111:PRO:HB3	1.82	0.79
2:H:143:ASN:HA	2:H:150:GLY:O	1.86	0.74
2:H:204(B):ASN:HD21	2:H:206:ARG:HB2	1.52	0.74
2:H:81:LYS:HB3	2:H:81:LYS:HZ3	1.55	0.72
2:H:99:LEU:HD22	4:H:371:OZI:HM13	1.73	0.71
2:H:50:ARG:HH11	2:H:107:LYS:HD3	1.53	0.70
2:H:204(B):ASN:ND2	2:H:206:ARG:HB2	2.07	0.69
2:H:60(F):LYS:NZ	5:H:575:HOH:O	2.24	0.68
2:H:165:ARG:NH2	2:H:180:MET:O	2.27	0.68
2:H:126:ARG:NH2	2:H:127:GLU:OE2	2.27	0.67
2:H:32:MET:HG3	2:H:40:LEU:HD13	1.76	0.66
2:H:50:ARG:HD3	2:H:108:LEU:O	1.94	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:81:LYS:HB3	2:H:81:LYS:HZ2	1.62	0.65
2:H:97:ARG:NH1	5:H:571:HOH:O	2.30	0.65
1:L:14(A):LYS:HE2	2:H:23:GLU:OE1	1.97	0.65
2:H:185:LYS:HB2	2:H:186(A):ASP:OD1	1.98	0.64
2:H:74:THR:HG22	2:H:75:ARG:HG3	1.79	0.63
2:H:221(A):ARG:CG	2:H:221(A):ARG:HH11	2.05	0.62
2:H:66:VAL:CG2	2:H:85:LEU:HD21	2.29	0.62
2:H:20:SER:O	2:H:156:GLN:HA	2.00	0.61
1:L:14(A):LYS:HE2	2:H:23:GLU:CD	2.21	0.61
2:H:176:ILE:HD12	2:H:227:PHE:CE2	2.36	0.61
2:H:221(A):ARG:HG3	2:H:221(A):ARG:NH1	2.16	0.60
2:H:204(B):ASN:C	2:H:204(B):ASN:HD22	2.05	0.60
2:H:17:VAL:O	2:H:18:GLU:HB2	2.02	0.59
2:H:48:SER:OG	2:H:49:ASP:N	2.32	0.59
2:H:221(A):ARG:CG	2:H:221(A):ARG:NH1	2.60	0.58
2:H:236:LYS:HE3	2:H:236:LYS:HA	1.85	0.58
2:H:139:THR:HG22	2:H:157:VAL:HB	1.85	0.58
2:H:173:ARG:NH1	5:H:455:HOH:O	2.29	0.58
2:H:85:LEU:HD13	2:H:106:MET:HE2	1.85	0.58
2:H:17:VAL:O	2:H:188:GLY:HA2	2.05	0.57
2:H:81:LYS:HD3	5:H:516:HOH:O	2.06	0.55
2:H:127:GLU:HB2	5:H:597:HOH:O	2.06	0.55
2:H:204(B):ASN:ND2	2:H:206:ARG:H	2.05	0.55
2:H:20:SER:HB3	5:H:443:HOH:O	2.05	0.55
2:H:235:LYS:HB3	2:H:236:LYS:HZ2	1.72	0.55
2:H:146:GLU:OE1	2:H:221(A):ARG:NE	2.38	0.55
2:H:236:LYS:HE3	2:H:236:LYS:CA	2.37	0.55
2:H:50:ARG:HH12	2:H:86:GLU:CD	2.11	0.54
2:H:191:CYS:C	4:H:371:OZI:HD2	2.28	0.53
1:L:14(C):GLU:O	1:L:14(G):LEU:HD23	2.10	0.52
2:H:65:LEU:HG	2:H:82:ILE:HG22	1.91	0.52
2:H:91:HIS:CE1	2:H:101:ARG:HD3	2.44	0.52
1:L:14(J):TYR:O	1:L:14(K):ILE:CB	2.49	0.52
2:H:237:TRP:O	2:H:241:VAL:HG13	2.10	0.52
2:H:35:ARG:HB3	2:H:39:GLU:HG2	1.92	0.51
3:I:58:GLU:H	3:I:58:GLU:CD	2.12	0.51
2:H:173:ARG:HD2	5:H:455:HOH:O	2.11	0.51
2:H:191:CYS:HA	4:H:371:OZI:HD2	1.93	0.51
2:H:60(E):ASP:HA	5:H:496:HOH:O	2.09	0.51
2:H:176:ILE:HD12	2:H:227:PHE:HE2	1.74	0.51
2:H:66:VAL:HG21	2:H:85:LEU:HD21	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:87:LYS:NZ	5:H:568:HOH:O	2.44	0.50
1:L:14(G):LEU:HD22	1:L:14(G):LEU:N	2.26	0.50
2:H:66:VAL:HG23	2:H:85:LEU:HD21	1.94	0.50
2:H:35:ARG:HD3	2:H:39:GLU:OE2	2.12	0.49
2:H:81:LYS:HZ2	2:H:81:LYS:CB	2.22	0.49
2:H:16:ILE:O	2:H:144:LEU:HA	2.12	0.49
2:H:34:PHE:CZ	2:H:38:GLN:HB3	2.47	0.49
1:L:1(A):ASP:CB	5:L:506:HOH:O	2.28	0.49
2:H:165:ARG:N	2:H:166:PRO:HD2	2.27	0.48
2:H:144:LEU:HD21	2:H:152:PRO:HB3	1.95	0.48
2:H:87:LYS:HD3	2:H:88:ILE:H	1.79	0.48
2:H:109:LYS:HB2	5:H:536:HOH:O	2.14	0.47
2:H:114:PHE:CD1	2:H:114:PHE:N	2.77	0.47
2:H:236:LYS:HE3	2:H:236:LYS:N	2.29	0.47
2:H:211:GLY:HA2	2:H:229:THR:O	2.13	0.47
2:H:85:LEU:HD22	2:H:106:MET:HE2	1.96	0.47
2:H:204(B):ASN:HD22	2:H:205:ASN:N	2.12	0.47
2:H:50:ARG:CD	2:H:108:LEU:O	2.60	0.47
2:H:32:MET:HG3	2:H:40:LEU:CD1	2.44	0.47
1:L:14(G):LEU:N	1:L:14(G):LEU:CD2	2.78	0.47
2:H:235:LYS:HB3	2:H:236:LYS:NZ	2.30	0.47
2:H:236:LYS:HB2	5:H:530:HOH:O	2.14	0.46
2:H:34:PHE:CE2	2:H:38:GLN:HB3	2.50	0.46
2:H:21:ASP:HB3	2:H:154:VAL:CG1	2.45	0.46
2:H:94:TYR:HA	2:H:100:ASP:O	2.16	0.46
2:H:204(B):ASN:ND2	2:H:204(B):ASN:C	2.68	0.46
2:H:91:HIS:CG	2:H:92:PRO:HD2	2.52	0.45
2:H:236:LYS:CE	2:H:239:GLN:NE2	2.72	0.45
2:H:35:ARG:HB2	2:H:41:LEU:HD13	1.98	0.45
2:H:99:LEU:HD22	4:H:371:OZI:CM1	2.45	0.45
2:H:114:PHE:HB3	5:H:480:HOH:O	2.17	0.45
2:H:50:ARG:NH1	2:H:108:LEU:O	2.50	0.45
2:H:85:LEU:CD1	2:H:106:MET:HE2	2.47	0.44
2:H:94:TYR:HA	2:H:101:ARG:HB2	1.99	0.44
2:H:191:CYS:CA	4:H:371:OZI:HD2	2.47	0.44
2:H:70:LYS:CE	2:H:72:SER:O	2.58	0.44
2:H:36:LYS:HG2	2:H:65:LEU:HD22	1.99	0.43
2:H:60(B):PRO:N	2:H:60(C):PRO:CD	2.81	0.43
2:H:240:LYS:HB2	5:H:595:HOH:O	2.19	0.43
4:H:371:OZI:H62	4:H:371:OZI:HA	1.79	0.43
2:H:217:GLU:O	2:H:221(A):ARG:HG3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:18:GLU:HB2	2:H:188:GLY:HA2	1.99	0.43
2:H:176:ILE:CD1	2:H:227:PHE:CE2	3.01	0.43
2:H:186(A):ASP:CG	2:H:186(B):GLU:N	2.72	0.43
2:H:201:MET:SD	2:H:210:MET:HG3	2.59	0.43
2:H:185:LYS:CB	2:H:186(A):ASP:OD1	2.66	0.43
2:H:151:GLN:HA	2:H:152:PRO:HD3	1.82	0.42
2:H:82:ILE:HG13	3:I:63:TYS:CD2	2.49	0.42
2:H:29:TRP:O	2:H:31:VAL:HG23	2.18	0.42
2:H:60(B):PRO:N	2:H:60(C):PRO:HD2	2.35	0.42
2:H:50:ARG:NH1	2:H:107:LYS:CD	2.75	0.41
2:H:60(A):TYR:C	2:H:60(C):PRO:HD2	2.40	0.41
2:H:232:PHE:O	2:H:235:LYS:HB2	2.21	0.41
1:L:14:ASP:OD1	1:L:14:ASP:C	2.59	0.41
2:H:29:TRP:CD2	2:H:121:VAL:HB	2.56	0.41
2:H:90:ILE:O	2:H:91:HIS:C	2.58	0.41
2:H:130:LEU:HA	2:H:130:LEU:HD23	1.77	0.41
2:H:144:LEU:HD21	2:H:152:PRO:CB	2.51	0.41
2:H:100:ASP:CG	2:H:177:THR:HG21	2.41	0.40
2:H:85:LEU:CD2	2:H:106:MET:CE	2.98	0.40
2:H:228:TYR:CD1	2:H:228:TYR:N	2.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	24/36 (67%)	23 (96%)	1 (4%)	0	100	100
2	H	244/259 (94%)	227 (93%)	16 (7%)	1 (0%)	34	42
3	I	7/12 (58%)	7 (100%)	0	0	100	100
All	All	275/307 (90%)	257 (94%)	17 (6%)	1 (0%)	34	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	195	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	24/31 (77%)	18 (75%)	6 (25%)	0	0
2	H	213/225 (95%)	195 (92%)	18 (8%)	10	13
3	I	7/10 (70%)	6 (86%)	1 (14%)	3	3
All	All	244/266 (92%)	219 (90%)	25 (10%)	7	8

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1(A)	ASP
1	L	9	LYS
1	L	10	LYS
1	L	11	SER
1	L	14(F)	LEU
1	L	14(K)	ILE
2	H	20	SER
2	H	38	GLN
2	H	48	SER
2	H	50	ARG
2	H	62	ASN
2	H	65	LEU
2	H	74	THR
2	H	81	LYS
2	H	82	ILE
2	H	87	LYS
2	H	94	TYR
2	H	97	ARG
2	H	99	LEU
2	H	127	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	182	CYS
2	H	204(B)	ASN
2	H	235	LYS
2	H	236	LYS
3	I	58	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	38	GLN
2	H	156	GLN
2	H	204(B)	ASN
2	H	239	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TYS	I	63	-	15,16,17	2.03	2 (13%)	18,22,24	1.87	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	I	63	-	-	0/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	63	TYS	OH-S	6.91	1.68	1.58
3	I	63	TYS	OH-CZ	-3.01	1.37	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	63	TYS	CG-CB-CA	-4.09	105.81	114.10
3	I	63	TYS	OH-S-O2	-3.52	97.44	107.71
3	I	63	TYS	CB-CA-C	2.52	116.20	111.47
3	I	63	TYS	CB-CG-CD1	-2.34	116.26	120.91
3	I	63	TYS	O3-S-O2	2.05	115.63	108.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	63	TYS	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	0ZI	H	371	-	37,37,37	3.66	15 (40%)	50,52,52	3.00	16 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	0ZI	H	371	-	-	5/32/42/42	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	371	0ZI	C1-S	9.37	1.87	1.77
4	H	371	0ZI	S-N1	9.25	1.77	1.61
4	H	371	0ZI	CM2-N	7.20	1.62	1.45
4	H	371	0ZI	O2S-S	7.10	1.51	1.43
4	H	371	0ZI	C-N11	6.83	1.44	1.34
4	H	371	0ZI	C61-N11	5.64	1.57	1.47
4	H	371	0ZI	C21-N11	5.18	1.56	1.47
4	H	371	0ZI	O1S-S	4.81	1.49	1.43
4	H	371	0ZI	C2-C1	4.18	1.42	1.37
4	H	371	0ZI	C51-C41	3.91	1.63	1.52
4	H	371	0ZI	C31-C41	3.17	1.61	1.52
4	H	371	0ZI	C1-C8A	-3.01	1.38	1.43
4	H	371	0ZI	C5-C4A	-2.55	1.37	1.42
4	H	371	0ZI	C8-C8A	-2.31	1.37	1.42
4	H	371	0ZI	CG-CD	-2.24	1.42	1.51

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	371	0ZI	CG-CB-CA	11.47	149.32	113.92
4	H	371	0ZI	O2S-S-C1	10.02	125.77	108.08
4	H	371	0ZI	O2S-S-O1S	-6.96	110.99	119.55
4	H	371	0ZI	C61-N11-C21	5.36	122.94	112.62
4	H	371	0ZI	C51-C61-N11	-4.39	104.15	110.82
4	H	371	0ZI	O2S-S-N1	-4.17	99.33	106.88
4	H	371	0ZI	C1'-C41-C31	-3.59	100.79	112.75
4	H	371	0ZI	CM1-N-C5	3.58	124.78	114.12
4	H	371	0ZI	C21-N11-C	-3.50	110.28	123.28
4	H	371	0ZI	O-C-N11	-3.00	118.16	121.67
4	H	371	0ZI	C51-C41-C31	2.64	115.78	109.33
4	H	371	0ZI	O1S-S-C1	-2.17	104.25	108.08
4	H	371	0ZI	O-C-CA	2.10	123.46	119.66
4	H	371	0ZI	CM2-N-CM1	-2.08	109.42	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	371	0ZI	CA-C-N11	-2.05	115.77	118.87
4	H	371	0ZI	C8-C8A-C1	-2.03	120.94	123.60

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	H	371	0ZI	N1-CA-CB-CG
4	H	371	0ZI	NE-CD-CG-CB
4	H	371	0ZI	CA-C-N11-C61
4	H	371	0ZI	CG-CD-NE-CZ
4	H	371	0ZI	O-C-N11-C21

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	371	0ZI	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.