



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 10, 2023 – 09:06 PM EDT

PDB ID : 1FRS
Title : CRYSTAL STRUCTURE OF BACTERIOPHAGE FR CAPSIDS AT 3.5
ANGSTROMS RESOLUTION
Authors : Liljas, L.; Valegard, K.; Bundule, M.
Deposited on : 1994-08-16
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.32.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	129	 47% 33% 17% .
1	B	129	 50% 36% 11% .
1	C	129	 49% 36% 13% .

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2898 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BACTERIOPHAGE FR CAPSID.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	129	Total 966	606	166	190	4	0	0	0
1	B	129	Total 966	606	166	190	4	0	0	0
1	C	129	Total 966	606	166	190	4	0	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: BACTERIOPHAGE FR CAPSID

Chain A: 




- Molecule 1: BACTERIOPHAGE FR CAPSID

Chain B: 



- Molecule 1: BACTERIOPHAGE FR CAPSID

Chain C: 



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	422.90Å 305.90Å 274.80Å 90.00° 129.80° 90.00°	Depositor
Resolution (Å)	20.00 – 3.50 18.96 – 3.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-3.50) 31.5 (18.96-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 3.28Å)	Xtrriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.228 , 0.236 0.238 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	67.7	Xtrriage
Anisotropy	0.466	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.21 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.031 for -h-2*1,-k,l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	2898	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.66	11/983 (1.1%)	2.01	32/1337 (2.4%)
1	B	1.58	7/983 (0.7%)	2.10	42/1337 (3.1%)
1	C	1.60	7/983 (0.7%)	2.07	38/1337 (2.8%)
All	All	1.61	25/2949 (0.8%)	2.06	112/4011 (2.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	47	SER	CA-CB	-10.53	1.37	1.52
1	C	49	ARG	NE-CZ	8.56	1.44	1.33
1	A	49	ARG	CZ-NH2	8.07	1.43	1.33
1	A	49	ARG	NE-CZ	7.62	1.43	1.33
1	A	49	ARG	CZ-NH1	6.93	1.42	1.33
1	A	46	CYS	CA-CB	-6.70	1.39	1.53
1	C	49	ARG	CZ-NH2	6.29	1.41	1.33
1	A	89	GLU	CA-CB	-6.27	1.40	1.53
1	B	49	ARG	CZ-NH2	6.05	1.41	1.33
1	A	105	VAL	CA-CB	-6.03	1.42	1.54
1	B	49	ARG	CZ-NH1	5.95	1.40	1.33
1	B	105	VAL	CA-CB	-5.91	1.42	1.54
1	B	8	VAL	CA-CB	-5.86	1.42	1.54
1	C	62	VAL	CA-CB	-5.53	1.43	1.54
1	C	82	TRP	CG-CD2	-5.36	1.34	1.43
1	A	95	PHE	CA-CB	-5.30	1.42	1.53
1	A	57	LYS	CA-CB	-5.27	1.42	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	49	ARG	CG-CD	5.25	1.65	1.51
1	C	29	VAL	CA-CB	-5.19	1.43	1.54
1	A	32	TRP	CA-CB	-5.18	1.42	1.53
1	B	78	PRO	CA-CB	-5.17	1.43	1.53
1	B	49	ARG	NE-CZ	5.15	1.39	1.33
1	A	32	TRP	CG-CD2	-5.13	1.34	1.43
1	B	32	TRP	CG-CD2	-5.11	1.34	1.43
1	A	29	VAL	CA-CB	-5.07	1.44	1.54

All (112) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	56	ARG	NE-CZ-NH2	-12.99	113.81	120.30
1	B	56	ARG	NE-CZ-NH2	-10.94	114.83	120.30
1	C	12	ASN	CA-C-N	-10.60	95.00	116.20
1	A	56	ARG	NE-CZ-NH2	-10.09	115.25	120.30
1	C	32	TRP	CD1-CG-CD2	9.94	114.25	106.30
1	A	32	TRP	CD1-CG-CD2	9.85	114.18	106.30
1	B	32	TRP	CD1-CG-CD2	9.45	113.86	106.30
1	B	48	VAL	CB-CA-C	-9.22	93.89	111.40
1	A	32	TRP	CE2-CD2-CG	-8.74	100.31	107.30
1	C	32	TRP	CE2-CD2-CG	-8.56	100.45	107.30
1	A	101	CYS	CA-CB-SG	-8.33	99.01	114.00
1	A	48	VAL	CB-CA-C	-8.27	95.68	111.40
1	C	101	CYS	CA-CB-SG	-8.17	99.29	114.00
1	A	82	TRP	CD1-CG-CD2	8.14	112.81	106.30
1	B	32	TRP	CE2-CD2-CG	-7.95	100.94	107.30
1	A	82	TRP	CE2-CD2-CG	-7.87	101.00	107.30
1	B	10	VAL	CA-CB-CG2	-7.82	99.17	110.90
1	B	2	SER	N-CA-C	-7.57	90.56	111.00
1	B	94	VAL	CG1-CB-CG2	-7.28	99.26	110.90
1	A	46	CYS	CA-CB-SG	-7.08	101.26	114.00
1	A	2	SER	N-CA-C	-7.01	92.07	111.00
1	A	88	MET	CG-SD-CE	-6.97	89.04	100.20
1	C	82	TRP	CE2-CD2-CG	-6.97	101.72	107.30
1	B	82	TRP	CE2-CD2-CG	-6.97	101.73	107.30
1	B	18	VAL	CA-C-N	-6.93	101.95	117.20
1	B	82	TRP	CD1-CG-CD2	6.92	111.84	106.30
1	C	56	ARG	NE-CZ-NH1	6.91	123.75	120.30
1	A	32	TRP	CB-CG-CD1	-6.86	118.08	127.00
1	B	108	LEU	CB-CA-C	-6.72	97.43	110.20
1	C	32	TRP	CG-CD2-CE3	6.65	139.88	133.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	32	TRP	CB-CG-CD1	-6.60	118.42	127.00
1	B	66	LYS	N-CA-C	-6.54	93.35	111.00
1	C	87	ASN	N-CA-CB	-6.52	98.86	110.60
1	B	15	THR	N-CA-CB	-6.46	98.03	110.30
1	B	101	CYS	CA-CB-SG	-6.41	102.47	114.00
1	A	44	VAL	CA-CB-CG2	-6.32	101.42	110.90
1	A	20	VAL	N-CA-CB	-6.30	97.64	111.50
1	B	62	VAL	CA-CB-CG1	-6.28	101.48	110.90
1	C	36	ASN	CA-CB-CG	-6.28	99.59	113.40
1	A	16	GLY	CA-C-N	-6.23	103.49	117.20
1	C	82	TRP	CD1-CG-CD2	6.23	111.28	106.30
1	A	44	VAL	CG1-CB-CG2	-6.22	100.95	110.90
1	B	29	VAL	CA-CB-CG2	-6.19	101.61	110.90
1	C	18	VAL	CA-CB-CG1	-6.19	101.61	110.90
1	A	1	ALA	CA-C-N	-6.17	103.61	117.20
1	C	18	VAL	CA-C-N	-6.17	103.62	117.20
1	C	8	VAL	CB-CA-C	-6.13	99.75	111.40
1	C	50	GLN	CA-C-N	6.13	130.68	117.20
1	B	5	GLU	CB-CA-C	-6.12	98.17	110.40
1	A	32	TRP	CG-CD2-CE3	6.08	139.38	133.90
1	A	1	ALA	O-C-N	6.08	132.43	122.70
1	C	32	TRP	CG-CD1-NE1	-6.06	104.04	110.10
1	A	82	TRP	CB-CG-CD1	-6.05	119.14	127.00
1	C	12	ASN	O-C-N	6.00	133.40	123.20
1	C	20	VAL	CA-CB-CG2	-5.99	101.92	110.90
1	C	2	SER	CA-C-N	-5.94	104.14	117.20
1	A	94	VAL	CG1-CB-CG2	-5.91	101.44	110.90
1	C	17	ASP	CB-CG-OD2	-5.88	113.01	118.30
1	B	78	PRO	N-CD-CG	-5.86	94.42	103.20
1	A	15	THR	CA-CB-CG2	-5.82	104.26	112.40
1	B	20	VAL	N-CA-CB	-5.82	98.71	111.50
1	B	75	VAL	N-CA-C	-5.82	95.30	111.00
1	A	111	THR	CA-C-N	-5.80	104.43	117.20
1	B	83	ARG	NE-CZ-NH2	-5.77	117.41	120.30
1	C	94	VAL	N-CA-CB	-5.77	98.80	111.50
1	B	32	TRP	CB-CG-CD1	-5.74	119.53	127.00
1	B	32	TRP	CG-CD1-NE1	-5.69	104.41	110.10
1	C	86	MET	CA-C-N	-5.66	104.75	117.20
1	B	126	SER	O-C-N	5.63	132.77	123.20
1	B	10	VAL	CA-CB-CG1	5.63	119.34	110.90
1	C	20	VAL	N-CA-CB	-5.60	99.17	111.50
1	B	32	TRP	CG-CD2-CE3	5.60	138.94	133.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	118	ILE	CA-C-N	-5.60	104.88	117.20
1	A	32	TRP	CG-CD1-NE1	-5.59	104.51	110.10
1	C	49	ARG	NE-CZ-NH2	5.59	123.10	120.30
1	C	86	MET	N-CA-C	-5.58	95.94	111.00
1	C	129	TYR	CB-CG-CD1	-5.56	117.66	121.00
1	A	118	ILE	CA-C-N	-5.54	105.01	117.20
1	B	96	ALA	CA-C-N	-5.51	105.07	117.20
1	A	38	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	A	20	VAL	CA-CB-CG2	-5.51	102.64	110.90
1	A	9	LEU	CB-CG-CD2	-5.49	101.67	111.00
1	A	87	ASN	N-CA-CB	-5.48	100.73	110.60
1	B	87	ASN	CA-CB-CG	-5.47	101.37	113.40
1	B	15	THR	OG1-CB-CG2	5.45	122.54	110.00
1	B	83	ARG	NE-CZ-NH1	5.45	123.03	120.30
1	B	74	GLY	CA-C-N	-5.44	105.23	117.20
1	C	37	SER	CA-C-N	-5.39	105.34	117.20
1	B	118	ILE	CA-C-N	-5.37	105.39	117.20
1	C	11	ASP	CA-C-N	-5.35	105.43	117.20
1	B	48	VAL	N-CA-CB	5.32	123.21	111.50
1	C	71	VAL	CA-CB-CG1	-5.32	102.92	110.90
1	B	38	ARG	CA-CB-CG	-5.29	101.77	113.40
1	A	51	SER	N-CA-C	5.27	125.23	111.00
1	B	43	LYS	CA-CB-CG	5.26	124.98	113.40
1	B	6	GLU	N-CA-CB	-5.25	101.15	110.60
1	B	108	LEU	N-CA-CB	5.21	120.83	110.40
1	C	58	TYR	CB-CG-CD1	-5.21	117.87	121.00
1	C	12	ASN	N-CA-C	-5.19	96.99	111.00
1	B	71	VAL	CA-CB-CG1	-5.18	103.12	110.90
1	C	49	ARG	CA-CB-CG	5.18	124.80	113.40
1	A	82	TRP	CG-CD2-CE3	5.17	138.56	133.90
1	B	82	TRP	CA-C-N	5.17	128.57	117.20
1	C	94	VAL	CA-CB-CG2	-5.17	103.15	110.90
1	A	128	ILE	CA-CB-CG1	-5.14	101.23	111.00
1	B	37	SER	N-CA-C	-5.12	97.17	111.00
1	C	117	PRO	N-CD-CG	-5.09	95.57	103.20
1	B	8	VAL	O-C-N	5.08	130.84	122.70
1	C	112	PHE	CB-CG-CD2	-5.08	117.24	120.80
1	B	106	LYS	CG-CD-CE	5.06	127.08	111.90
1	C	109	GLN	CA-C-N	-5.04	106.13	116.20
1	A	67	VAL	CB-CA-C	-5.03	101.85	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	116	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	966	0	957	29	0
1	B	966	0	957	26	0
1	C	966	0	957	23	0
All	All	2898	0	2871	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:124:ALA:HB3	1:C:126:SER:HB2	1.64	0.79
1:B:20:VAL:HG13	1:B:32:TRP:HB3	1.65	0.78
1:A:23:SER:HB3	1:A:33:ILE:HD12	1.70	0.73
1:C:10:VAL:HB	1:C:18:VAL:HB	1.76	0.67
1:C:20:VAL:HG13	1:C:32:TRP:HB3	1.78	0.65
1:B:10:VAL:HB	1:B:18:VAL:CG2	2.28	0.64
1:A:95:PHE:HA	1:B:39:SER:OG	1.98	0.64
1:B:86:MET:SD	1:B:87:ASN:N	2.72	0.62
1:C:33:ILE:HG22	1:C:34:SER:O	1.99	0.62
1:A:86:MET:SD	1:A:87:ASN:N	2.74	0.61
1:B:107:ALA:O	1:B:111:THR:HG23	2.01	0.61
1:B:10:VAL:HB	1:B:18:VAL:HG22	1.82	0.60
1:C:107:ALA:O	1:C:111:THR:HG23	2.02	0.59
1:A:8:VAL:HA	1:A:19:LYS:HA	1.85	0.58
1:A:46:CYS:SG	1:A:47:SER:N	2.76	0.58
1:A:101:CYS:O	1:A:104:ILE:HB	2.03	0.58
1:A:57:LYS:HA	1:A:90:LEU:O	2.06	0.56
1:A:30:ALA:O	1:A:45:THR:HA	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:VAL:O	1:A:109:GLN:HG3	2.06	0.55
1:B:94:VAL:HG12	1:C:39:SER:HB3	1.88	0.55
1:A:10:VAL:HB	1:A:18:VAL:HB	1.88	0.54
1:A:62:VAL:HB	1:A:86:MET:HB3	1.90	0.53
1:C:13:GLY:O	1:C:15:THR:HG22	2.09	0.52
1:A:20:VAL:HG13	1:A:32:TRP:HB3	1.92	0.52
1:B:101:CYS:O	1:B:105:VAL:HG23	2.12	0.50
1:B:67:VAL:O	1:B:70:GLN:HB2	2.12	0.50
1:A:129:TYR:CD1	1:A:129:TYR:N	2.81	0.49
1:A:4:PHE:O	1:C:1:ALA:N	2.44	0.49
1:A:70:GLN:HG2	1:A:72:GLN:HG3	1.94	0.49
1:A:33:ILE:HG12	1:A:34:SER:O	2.12	0.48
1:A:71:VAL:HA	1:A:75:VAL:O	2.14	0.48
1:C:41:ALA:O	1:C:65:PRO:HG3	2.14	0.47
1:B:6:GLU:HA	1:B:20:VAL:O	2.15	0.47
1:B:98:ASN:OD1	1:C:36:ASN:HA	2.16	0.46
1:C:102:ALA:O	1:C:105:VAL:HB	2.15	0.46
1:C:10:VAL:HB	1:C:18:VAL:CB	2.45	0.46
1:A:92:ILE:HG22	1:A:93:PRO:O	2.15	0.46
1:C:66:LYS:HG3	1:C:82:TRP:CZ2	2.50	0.46
1:C:97:THR:O	1:C:100:ASP:HB2	2.16	0.46
1:B:124:ALA:O	1:B:125:ASN:HB2	2.17	0.45
1:C:62:VAL:HG12	1:C:63:GLU:N	2.31	0.45
1:B:26:ALA:O	1:B:27:ASN:HB2	2.17	0.45
1:B:3:ASN:O	1:B:5:GLU:N	2.50	0.44
1:C:46:CYS:HA	1:C:59:THR:O	2.17	0.44
1:A:22:PRO:HD3	1:A:32:TRP:CD1	2.53	0.44
1:A:95:PHE:HA	1:B:39:SER:HG	1.81	0.44
1:A:52:SER:HB3	1:A:55:ASN:OD1	2.18	0.44
1:A:94:VAL:HG13	1:B:38:ARG:HB3	2.00	0.44
1:B:105:VAL:O	1:B:109:GLN:HG3	2.19	0.43
1:C:70:GLN:O	1:C:76:GLU:HA	2.19	0.43
1:C:64:VAL:HA	1:C:65:PRO:HD3	1.83	0.43
1:B:112:PHE:O	1:B:119:ALA:HB2	2.19	0.43
1:B:57:LYS:HA	1:B:90:LEU:O	2.19	0.43
1:B:7:PHE:O	1:B:19:LYS:HA	2.20	0.42
1:C:86:MET:SD	1:C:87:ASN:N	2.92	0.42
1:C:101:CYS:O	1:C:105:VAL:HG23	2.18	0.42
1:A:48:VAL:HG13	1:A:58:TYR:CD2	2.55	0.42
1:B:101:CYS:O	1:B:104:ILE:HB	2.20	0.42
1:A:56:ARG:O	1:A:91:THR:HA	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:15:THR:HG23	1:C:16:GLY:H	1.85	0.42
1:A:45:THR:O	1:A:60:VAL:HA	2.20	0.41
1:A:64:VAL:HA	1:A:65:PRO:HD3	1.72	0.41
1:C:90:LEU:HD12	1:C:91:THR:H	1.85	0.41
1:B:117:PRO:HA	1:B:120:THR:OG1	2.20	0.41
1:A:26:ALA:O	1:A:29:VAL:HG22	2.20	0.41
1:C:57:LYS:HA	1:C:90:LEU:O	2.21	0.41
1:A:97:THR:O	1:A:100:ASP:HB2	2.21	0.41
1:B:48:VAL:HA	1:B:57:LYS:O	2.21	0.40
1:A:56:ARG:HH11	1:A:56:ARG:HD3	1.74	0.40
1:B:32:TRP:CE3	1:B:44:VAL:HG12	2.56	0.40
1:B:12:ASN:HB2	1:B:16:GLY:O	2.22	0.40
1:B:116:ASN:O	1:B:119:ALA:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	127/129 (98%)	111 (87%)	12 (9%)	4 (3%)	4	30
1	B	127/129 (98%)	116 (91%)	10 (8%)	1 (1%)	19	58
1	C	127/129 (98%)	113 (89%)	11 (9%)	3 (2%)	6	35
All	All	381/387 (98%)	340 (89%)	33 (9%)	8 (2%)	7	38

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	SER
1	B	2	SER
1	C	13	GLY
1	A	2	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	36	ASN
1	A	14	GLY
1	A	65	PRO
1	C	65	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	104/104 (100%)	86 (83%)	18 (17%)	2	11
1	B	104/104 (100%)	92 (88%)	12 (12%)	5	26
1	C	104/104 (100%)	86 (83%)	18 (17%)	2	11
All	All	312/312 (100%)	264 (85%)	48 (15%)	2	16

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	SER
1	A	4	PHE
1	A	8	VAL
1	A	15	THR
1	A	19	LYS
1	A	20	VAL
1	A	33	ILE
1	A	35	SER
1	A	48	VAL
1	A	55	ASN
1	A	59	THR
1	A	60	VAL
1	A	67	VAL
1	A	86	MET
1	A	88	MET
1	A	103	LEU
1	A	108	LEU
1	A	114	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	4	PHE
1	B	10	VAL
1	B	20	VAL
1	B	39	SER
1	B	48	VAL
1	B	59	THR
1	B	75	VAL
1	B	77	LEU
1	B	88	MET
1	B	93	PRO
1	B	120	THR
1	B	126	SER
1	C	8	VAL
1	C	12	ASN
1	C	20	VAL
1	C	22	PRO
1	C	24	ASN
1	C	37	SER
1	C	38	ARG
1	C	40	GLN
1	C	48	VAL
1	C	50	GLN
1	C	52	SER
1	C	59	THR
1	C	66	LYS
1	C	93	PRO
1	C	94	VAL
1	C	114	THR
1	C	120	THR
1	C	126	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	36	ASN
1	C	40	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	129/129 (100%)	-1.25	0 100 100	2, 21, 64, 88	0
1	B	129/129 (100%)	-1.21	0 100 100	3, 21, 55, 92	0
1	C	129/129 (100%)	-1.23	0 100 100	3, 21, 54, 83	0
All	All	387/387 (100%)	-1.23	0 100 100	2, 21, 61, 92	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.