



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 3, 2023 – 04:38 PM EDT

PDB ID : 7FRY
Title : Structure of liver pyruvate kinase in complex with allosteric modulator 6
Authors : Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2022-12-18
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.32.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	 8% 88% 6% 6%
1	B	447	 8% 91% 7% .
1	C	447	 2% 88% 7% . 5%
1	D	447	 % 89% 6% 5%
1	E	447	 8% 86% 7% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	F	602	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 28108 atoms, of which 76 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	422	3236	2034	585	597	20	0	6	0
1	B	436	3329	2090	604	615	20	0	4	0
1	C	425	3247	2040	585	603	19	0	4	0
1	D	425	3252	2042	590	601	19	0	6	0
1	E	419	3210	2018	579	593	20	0	5	0
1	F	432	3321	2090	597	614	20	0	7	0
1	G	421	3225	2027	581	598	19	0	5	0
1	H	425	3251	2040	594	598	19	0	4	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	1	MET	-	expression tag	UNP P30613
A	2	GLU	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	1	MET	-	expression tag	UNP P30613
B	2	GLU	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613
C	0	SER	-	expression tag	UNP P30613
C	1	MET	-	expression tag	UNP P30613
C	2	GLU	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	1	MET	-	expression tag	UNP P30613
D	2	GLU	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	1	MET	-	expression tag	UNP P30613
E	2	GLU	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	228	GLY	-	linker	UNP P30613
E	229	SER	-	linker	UNP P30613
E	230	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	1	MET	-	expression tag	UNP P30613
F	2	GLU	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	228	GLY	-	linker	UNP P30613
F	229	SER	-	linker	UNP P30613
F	230	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	1	MET	-	expression tag	UNP P30613
G	2	GLU	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	1	MET	-	expression tag	UNP P30613
H	2	GLU	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (three-letter code: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (three-letter code: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		


- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is N-{2-[4-(3,4-dihydroxybenzene-1-sulfonyl)phenyl]ethyl}-3,4-dihydroxybenzene-1-sulfonamide (three-letter code: YOT) (formula: C₂₀H₁₉NO₈S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
6	B	1	50	20	19	1	8	2	19	0
6	C	1	50	20	19	1	8	2	19	0
6	E	1	50	20	19	1	8	2	19	0
6	F	1	50	20	19	1	8	2	19	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	114	Total	O	0	0
			114	114		
7	B	144	Total	O	0	0
			144	144		
7	C	213	Total	O	0	0
			213	213		
7	D	278	Total	O	0	0
			278	278		
7	E	148	Total	O	0	0
			148	148		
7	F	160	Total	O	0	0
			160	160		
7	G	267	Total	O	0	0
			267	267		
7	H	289	Total	O	0	0
			289	289		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate kinase PKLR



- Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR










- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR



- Molecule 1: Pyruvate kinase PKLR

Chain H: 



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	209.39Å 113.89Å 189.79Å 90.00° 90.54° 90.00°	Depositor
Resolution (Å)	104.69 – 1.96 104.69 – 1.96	Depositor EDS
% Data completeness (in resolution range)	63.9 (104.69-1.96) 63.9 (104.69-1.96)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 1.95Å)	Xtrriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.201 , 0.223 0.190 , 0.212	Depositor DCC
R_{free} test set	10279 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	39.1	Xtrriage
Anisotropy	0.036	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.000 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.000 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.000 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.000 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.000 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	28108	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.25 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.9963e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Y0T, OXL, FBP, K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/3307	0.53	0/4469
1	B	0.40	0/3396	0.53	0/4592
1	C	0.46	0/3313	0.57	0/4479
1	D	0.47	0/3326	0.58	0/4497
1	E	0.37	0/3278	0.54	0/4430
1	F	0.40	0/3396	0.54	0/4591
1	G	0.47	0/3294	0.58	0/4453
1	H	0.48	0/3316	0.57	0/4483
All	All	0.43	0/26626	0.56	0/35994

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3236	0	3299	14	0
1	B	3329	0	3394	15	0
1	C	3247	0	3300	22	0
1	D	3252	0	3310	16	0
1	E	3210	0	3270	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3321	0	3394	14	0
1	G	3225	0	3279	22	0
1	H	3251	0	3307	18	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	B	31	19	0	0	0
6	C	31	19	0	0	0
6	E	31	19	0	0	0
6	F	31	19	0	0	0
7	A	114	0	0	0	0
7	B	144	0	0	1	0
7	C	213	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	278	0	0	0	0
7	E	148	0	0	1	0
7	F	160	0	0	0	0
7	G	267	0	0	1	0
7	H	289	0	0	0	0
All	All	28032	76	26633	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.60	0.82
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.67	0.76
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.67	0.75
1:A:272:PRO:HA	1:A:275:HIS:CE1	2.21	0.74
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.69	0.74
1:C:68:ARG:NH2	1:C:98:GLU:HB3	2.05	0.71
1:B:411:ARG:HG2	1:B:426:ILE:HD11	1.74	0.68
1:D:68:ARG:NH2	1:D:95:TYR:O	2.28	0.67
1:D:64:GLY:O	1:D:68:ARG:HG3	1.95	0.67
1:A:272:PRO:HA	1:A:275:HIS:NE2	2.10	0.66
1:E:418:ARG:HD3	1:F:16:LEU:HD11	1.76	0.66
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.78	0.65
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.80	0.64
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.80	0.63
1:C:68:ARG:HH22	1:C:98:GLU:HB3	1.65	0.61
1:E:539:VAL:HG22	1:F:420:PRO:HB3	1.83	0.60
1:E:235:GLU:O	1:E:239:ARG:HD3	2.01	0.59
1:G:271:GLY:O	1:G:275:HIS:CE1	2.55	0.59
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.85	0.59
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.73	0.57
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.87	0.56
1:C:411:ARG:HH12	1:D:411:ARG:NH2	2.04	0.56
1:H:411:ARG:HG3	1:H:426:ILE:HD11	1.88	0.56
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.88	0.55
1:G:411:ARG:NH2	1:H:411:ARG:HH22	2.04	0.55
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.89	0.55
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.89	0.55
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:267:ARG:HG2	1:G:279:ILE:CD1	2.39	0.52
1:F:68:ARG:NH2	1:F:98:GLU:HB3	2.25	0.52
1:G:486:TYR:CZ	1:G:488:GLU:HB2	2.45	0.52
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.40	0.52
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.93	0.51
1:A:421:THR:HG22	1:A:452:LEU:HD12	1.93	0.51
1:A:518:GLY:O	1:B:418:ARG:NH2	2.42	0.51
1:E:407:PHE:O	1:E:411:ARG:HB2	2.11	0.51
1:D:68:ARG:HH22	1:D:98:GLU:HB2	1.76	0.51
1:A:67:SER:HA	1:A:72:ARG:HG2	1.94	0.50
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.94	0.49
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.94	0.49
1:B:421:THR:HG22	1:B:452:LEU:HD12	1.95	0.49
1:C:486:TYR:CZ	1:C:488:GLU:HB2	2.47	0.49
1:D:421:THR:HG22	1:D:452:LEU:HD12	1.94	0.48
1:G:267:ARG:HG2	1:G:279:ILE:HD12	1.95	0.48
1:F:421:THR:HG22	1:F:452:LEU:HD12	1.96	0.47
1:H:411:ARG:CG	1:H:426:ILE:HD11	2.44	0.47
1:H:421:THR:HG22	1:H:452:LEU:HD12	1.97	0.47
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.96	0.47
1:C:67:SER:HA	1:C:72:ARG:HG2	1.97	0.47
1:A:55:ARG:HB2	1:A:395:ARG:HG3	1.96	0.47
1:G:421:THR:HG22	1:G:452:LEU:HD12	1.97	0.47
1:C:271:GLY:O	1:C:275:HIS:CE1	2.67	0.46
1:B:300:ASP:O	1:B:335:PRO:HD2	2.16	0.46
1:E:421:THR:HG22	1:E:452:LEU:HD12	1.96	0.46
1:C:411:ARG:CG	1:C:426:ILE:HD11	2.46	0.46
1:B:407:PHE:CE2	1:B:411:ARG:HD2	2.51	0.46
1:C:411:ARG:NH1	1:D:411:ARG:NH2	2.63	0.46
1:A:517:VAL:HG13	1:A:543:SER:HB3	1.98	0.45
1:B:407:PHE:CZ	1:B:411:ARG:HD2	2.51	0.45
1:D:242[A]:ARG:HE	1:D:242[A]:ARG:HA	1.81	0.45
1:E:55:ARG:HB2	1:E:395:ARG:HG3	1.98	0.45
1:B:317:LYS:NZ	7:B:706:HOH:O	2.45	0.45
1:H:55:ARG:HB2	1:H:395:ARG:HG3	1.98	0.45
1:B:28:GLN:HG3	1:B:30:LEU:HG	1.98	0.45
1:F:28:GLN:HG3	1:F:30:LEU:HG	1.99	0.45
1:D:272:PRO:HA	1:D:275[A]:HIS:CE1	2.51	0.44
1:E:408:GLU:HG2	7:E:710:HOH:O	2.17	0.44
1:D:55:ARG:HB2	1:D:395:ARG:HG3	1.98	0.44
1:G:419:ASP:OD2	1:G:448:ARG:NH2	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:SER:HA	1:B:72:ARG:HG2	2.00	0.44
1:D:300:ASP:O	1:D:335:PRO:HD2	2.17	0.44
1:H:272:PRO:HA	1:H:275[A]:HIS:CE1	2.53	0.44
1:D:419:ASP:OD2	1:D:448:ARG:NH2	2.51	0.43
1:G:300:ASP:O	1:G:335:PRO:HD2	2.17	0.43
1:H:419:ASP:OD2	1:H:448:ARG:NH2	2.48	0.43
1:D:335:PRO:HB3	1:D:477:LEU:O	2.18	0.43
1:H:300:ASP:O	1:H:335:PRO:HD2	2.18	0.43
1:A:28:GLN:HG3	1:A:30:LEU:HG	2.01	0.43
1:H:56:SER:HB2	1:H:480:GLY:CA	2.48	0.43
1:H:245:VAL:HG11	1:H:273:GLU:HG2	2.00	0.43
1:E:67:SER:HA	1:E:72:ARG:HG2	2.00	0.43
1:E:335:PRO:HB3	1:E:477:LEU:O	2.18	0.43
1:G:382:PHE:HB3	1:G:385:GLU:HB2	2.00	0.43
1:A:300:ASP:O	1:A:335:PRO:HD2	2.19	0.43
1:H:335:PRO:HB3	1:H:477:LEU:O	2.19	0.43
1:C:287:GLU:HG2	1:C:291:ARG:HD2	2.01	0.42
1:C:300:ASP:O	1:C:335:PRO:HD2	2.18	0.42
1:D:535:ASN:OD1	1:D:536:ILE:HG13	2.19	0.42
1:C:421:THR:HG22	1:C:452:LEU:HD12	2.00	0.42
1:G:56:SER:HB2	1:G:480:GLY:CA	2.49	0.42
1:H:535:ASN:OD1	1:H:536:ILE:HG13	2.19	0.42
1:B:382:PHE:HB3	1:B:385:GLU:HB2	2.02	0.42
1:F:55:ARG:HB2	1:F:395:ARG:HG3	2.01	0.42
1:E:535:ASN:OD1	1:E:536:ILE:HG13	2.20	0.42
1:G:411:ARG:HG2	1:G:426:ILE:HD11	2.02	0.41
1:B:56:SER:HB2	1:B:480:GLY:CA	2.49	0.41
1:E:28:GLN:HG3	1:E:30:LEU:HG	2.02	0.41
1:C:475:VAL:CG2	1:C:483:PRO:HB3	2.50	0.41
1:B:335:PRO:HB3	1:B:477:LEU:O	2.21	0.41
1:E:422:GLU:HG2	1:E:452:LEU:HD13	2.01	0.41
1:A:335:PRO:HB3	1:A:477:LEU:O	2.21	0.41
1:C:55:ARG:HB2	1:C:395:ARG:HG3	2.01	0.41
1:C:335:PRO:HB3	1:C:477:LEU:O	2.21	0.41
1:H:258:ARG:HD3	1:H:285:ASN:HD21	1.85	0.41
1:C:67:SER:HB2	1:C:76[B]:MET:SD	2.61	0.41
1:C:419:ASP:OD2	1:C:448:ARG:NH2	2.54	0.41
1:C:486:TYR:CE2	1:C:488:GLU:HB2	2.56	0.41
1:E:300:ASP:O	1:E:335:PRO:HD2	2.20	0.41
1:E:419:ASP:OD2	1:E:448:ARG:NH2	2.51	0.41
1:D:28:GLN:HG3	1:D:30:LEU:HG	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:68:ARG:NH2	1:G:98[B]:GLU:HB3	2.36	0.41
1:C:340:THR:HG22	1:C:341:GLN:HG3	2.03	0.41
1:E:416:LEU:HB3	1:F:16:LEU:HD22	2.02	0.41
1:F:56:SER:HB2	1:F:480:GLY:CA	2.51	0.41
1:F:335:PRO:HB3	1:F:477:LEU:O	2.21	0.41
1:G:28:GLN:HG3	1:G:30:LEU:HG	2.03	0.41
1:G:335:PRO:HB3	1:G:477:LEU:O	2.21	0.41
1:H:28:GLN:HG3	1:H:30:LEU:HG	2.03	0.41
1:G:127:LYS:NZ	7:G:702:HOH:O	2.38	0.41
1:H:284:GLU:HG2	1:H:305:ALA:HB3	2.03	0.41
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.56	0.40
1:F:300:ASP:O	1:F:335:PRO:HD2	2.20	0.40
1:A:535:ASN:OD1	1:A:536:ILE:HG13	2.21	0.40
1:G:340:THR:HG22	1:G:341:GLN:HG3	2.04	0.40
1:E:28:GLN:HB3	1:E:52:VAL:HG22	2.04	0.40
1:G:55:ARG:HB2	1:G:395:ARG:HG3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	424/447 (95%)	421 (99%)	2 (0%)	1 (0%)	47 38
1	B	438/447 (98%)	433 (99%)	4 (1%)	1 (0%)	47 38
1	C	425/447 (95%)	420 (99%)	4 (1%)	1 (0%)	47 38
1	D	429/447 (96%)	424 (99%)	4 (1%)	1 (0%)	47 38
1	E	420/447 (94%)	416 (99%)	3 (1%)	1 (0%)	47 38
1	F	435/447 (97%)	431 (99%)	3 (1%)	1 (0%)	47 38
1	G	422/447 (94%)	416 (99%)	5 (1%)	1 (0%)	47 38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	H	427/447 (96%)	422 (99%)	4 (1%)	1 (0%)	47 38
All	All	3420/3576 (96%)	3383 (99%)	29 (1%)	8 (0%)	47 38

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	D	340	THR
1	H	340	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	340/352 (97%)	334 (98%)	6 (2%)	59 53
1	B	349/352 (99%)	338 (97%)	11 (3%)	39 27
1	C	341/352 (97%)	335 (98%)	6 (2%)	59 53
1	D	342/352 (97%)	336 (98%)	6 (2%)	59 53
1	E	338/352 (96%)	331 (98%)	7 (2%)	53 46
1	F	350/352 (99%)	339 (97%)	11 (3%)	40 28
1	G	339/352 (96%)	331 (98%)	8 (2%)	49 40
1	H	340/352 (97%)	334 (98%)	6 (2%)	59 53
All	All	2739/2816 (97%)	2678 (98%)	61 (2%)	55 44

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	ARG
1	A	235	GLU
1	A	259	LYS
1	A	358	SER
1	A	531	SER
1	A	540	LEU
1	B	26	GLN
1	B	68	ARG
1	B	76[A]	MET
1	B	76[B]	MET
1	B	259	LYS
1	B	263	VAL
1	B	358	SER
1	B	379	LYS
1	B	412	ARG
1	B	537[A]	MET
1	B	537[B]	MET
1	C	51	PRO
1	C	68	ARG
1	C	76[A]	MET
1	C	76[B]	MET
1	C	259	LYS
1	C	358	SER
1	D	242[A]	ARG
1	D	242[B]	ARG
1	D	259	LYS
1	D	358	SER
1	D	521	VAL
1	D	537	MET
1	E	259	LYS
1	E	358	SER
1	E	411	ARG
1	E	412	ARG
1	E	436	CYS
1	E	537[A]	MET
1	E	537[B]	MET
1	F	26	GLN
1	F	76[A]	MET
1	F	76[B]	MET
1	F	242	ARG
1	F	259	LYS
1	F	358	SER
1	F	412	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	511	LEU
1	F	516	ARG
1	F	537[A]	MET
1	F	537[B]	MET
1	G	76[A]	MET
1	G	76[B]	MET
1	G	259	LYS
1	G	273	GLU
1	G	331	LEU
1	G	358	SER
1	G	412	ARG
1	G	487	ARG
1	H	259	LYS
1	H	273	GLU
1	H	358	SER
1	H	411	ARG
1	H	412	ARG
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	275	HIS
1	F	403	HIS
1	G	275	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FBP	A	601	-	18,20,20	0.65	0	23,32,32	0.93	2 (8%)
3	OXL	F	602	4	5,5,5	2.57	4 (80%)	6,6,6	1.76	2 (33%)
3	OXL	G	602	4	5,5,5	2.04	2 (40%)	6,6,6	1.17	1 (16%)
2	FBP	D	601	-	18,20,20	0.66	1 (5%)	23,32,32	0.86	2 (8%)
3	OXL	E	602	4	5,5,5	2.02	2 (40%)	6,6,6	1.02	0
2	FBP	C	602	-	18,20,20	0.95	1 (5%)	23,32,32	0.90	2 (8%)
2	FBP	G	601	-	18,20,20	0.58	0	23,32,32	0.72	0
3	OXL	H	602	4	5,5,5	1.79	2 (40%)	6,6,6	0.98	0
3	OXL	B	602	4	5,5,5	2.12	2 (40%)	6,6,6	0.80	0
3	OXL	A	602	4	5,5,5	1.99	2 (40%)	6,6,6	1.26	1 (16%)
6	Y0T	F	605	-	33,33,33	2.19	4 (12%)	49,49,49	1.66	11 (22%)
6	Y0T	E	605	-	33,33,33	1.96	4 (12%)	49,49,49	1.87	13 (26%)
6	Y0T	B	605	-	33,33,33	2.30	4 (12%)	49,49,49	1.78	14 (28%)
2	FBP	E	601	-	18,20,20	0.54	0	23,32,32	0.86	2 (8%)
3	OXL	C	603	4	5,5,5	1.90	2 (40%)	6,6,6	0.79	0
6	Y0T	C	601	-	33,33,33	2.24	6 (18%)	49,49,49	2.61	15 (30%)
2	FBP	F	601	-	18,20,20	0.44	0	23,32,32	0.72	0
2	FBP	H	601	-	18,20,20	0.92	0	23,32,32	0.92	1 (4%)
2	FBP	B	601	-	18,20,20	0.71	0	23,32,32	0.89	2 (8%)
3	OXL	D	602	4	5,5,5	2.23	2 (40%)	6,6,6	1.36	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
3	OXL	F	602	4	-	1/4/4/4	-
3	OXL	G	602	4	-	0/4/4/4	-
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
3	OXL	E	602	4	-	1/4/4/4	-
2	FBP	C	602	-	-	2/13/32/32	0/1/1/1
2	FBP	G	601	-	-	2/13/32/32	0/1/1/1
3	OXL	H	602	4	-	0/4/4/4	-
3	OXL	B	602	4	-	0/4/4/4	-
3	OXL	A	602	4	-	1/4/4/4	-
6	Y0T	F	605	-	-	2/25/25/25	0/3/3/3
6	Y0T	E	605	-	-	2/25/25/25	0/3/3/3
6	Y0T	B	605	-	-	2/25/25/25	0/3/3/3
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
3	OXL	C	603	4	-	0/4/4/4	-
6	Y0T	C	601	-	-	6/25/25/25	0/3/3/3
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	4	-	0/4/4/4	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	601	Y0T	C10-S1	-8.44	1.63	1.77
6	B	605	Y0T	C10-S1	-8.13	1.64	1.77
6	F	605	Y0T	C3-S	-7.37	1.65	1.76
6	F	605	Y0T	C10-S1	-7.33	1.65	1.77
6	E	605	Y0T	C10-S1	-6.91	1.66	1.77
6	B	605	Y0T	C3-S	-6.61	1.66	1.76
6	C	601	Y0T	C3-S	-6.20	1.66	1.76
6	B	605	Y0T	C9-S1	-6.09	1.67	1.77
6	E	605	Y0T	C3-S	-5.67	1.67	1.76
6	E	605	Y0T	C9-S1	-4.53	1.69	1.77
6	F	605	Y0T	C9-S1	-4.41	1.70	1.77
3	B	602	OXL	O2-C2	3.89	1.33	1.22
3	E	602	OXL	O1-C1	3.76	1.32	1.22
3	D	602	OXL	O2-C2	3.68	1.32	1.22
3	A	602	OXL	O2-C2	3.55	1.32	1.22
6	C	601	Y0T	C9-S1	-3.52	1.71	1.77
3	G	602	OXL	O1-C1	3.44	1.31	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	603	OXL	O1-C1	3.14	1.31	1.22
3	F	602	OXL	O2-C2	3.11	1.30	1.22
3	D	602	OXL	O4-C2	-2.99	1.21	1.30
3	F	602	OXL	O3-C1	-2.96	1.21	1.30
6	C	601	Y0T	C4-N	-2.96	1.39	1.47
3	G	602	OXL	O3-C1	-2.93	1.22	1.30
3	F	602	OXL	O1-C1	2.85	1.30	1.22
6	C	601	Y0T	S-N	2.83	1.66	1.61
3	H	602	OXL	O2-C2	2.77	1.30	1.22
2	C	602	FBP	P1-O3P	-2.76	1.44	1.54
3	H	602	OXL	O4-C2	-2.67	1.22	1.30
3	C	603	OXL	O3-C1	-2.62	1.22	1.30
3	B	602	OXL	O4-C2	-2.60	1.23	1.30
3	E	602	OXL	O3-C1	-2.45	1.23	1.30
6	C	601	Y0T	C2-C3	2.42	1.42	1.38
6	B	605	Y0T	C4-N	-2.39	1.40	1.47
3	F	602	OXL	O4-C2	-2.33	1.23	1.30
6	E	605	Y0T	C4-N	-2.33	1.40	1.47
3	A	602	OXL	O4-C2	-2.21	1.24	1.30
6	F	605	Y0T	C2-C3	2.10	1.42	1.38
2	D	601	FBP	P2-O5P	-2.06	1.46	1.54

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	601	Y0T	C3-S-N	-12.47	90.25	107.55
6	E	605	Y0T	O6-S-N	-5.66	98.21	107.04
6	C	601	Y0T	O1-S-N	5.40	115.47	107.04
6	B	605	Y0T	O1-S-N	-5.36	98.68	107.04
6	F	605	Y0T	C5-C4-N	-4.12	104.43	110.82
6	E	605	Y0T	O6-S-C3	3.96	112.84	107.97
6	E	605	Y0T	C5-C4-N	-3.93	104.73	110.82
6	C	601	Y0T	O1-S-C3	3.84	112.70	107.97
6	F	605	Y0T	O6-S-N	-3.82	101.08	107.04
6	E	605	Y0T	C10-S1-C9	-3.70	97.82	104.35
6	C	601	Y0T	C5-C4-N	3.70	116.55	110.82
6	F	605	Y0T	C8-C9-S1	3.57	124.06	119.52
6	B	605	Y0T	C5-C4-N	-3.57	105.29	110.82
6	F	605	Y0T	C17-C16-C9	3.34	122.91	119.45
6	C	601	Y0T	C10-S1-C9	-3.24	98.64	104.35
6	C	601	Y0T	C17-C16-C9	3.23	122.79	119.45
6	F	605	Y0T	C10-S1-C9	-3.14	98.81	104.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	605	Y0T	C8-C9-C16	-3.09	116.13	120.44
6	E	605	Y0T	C17-C16-C9	2.99	122.54	119.45
6	B	605	Y0T	O6-S-N	2.96	111.67	107.04
6	B	605	Y0T	C3-S-N	-2.94	103.47	107.55
6	B	605	Y0T	C17-C16-C9	2.93	122.48	119.45
2	D	601	FBP	O5P-P2-O6	2.87	114.37	106.73
3	F	602	OXL	O4-C2-C1	2.84	121.59	113.16
6	C	601	Y0T	C2-C3-S	2.81	122.82	119.77
6	C	601	Y0T	C1-C2-C3	2.70	122.24	119.45
6	C	601	Y0T	C8-C9-C16	-2.67	116.71	120.44
2	H	601	FBP	O5P-P2-O6	2.67	113.83	106.73
6	E	605	Y0T	O1-S-O6	2.66	122.82	119.55
2	E	601	FBP	O3P-P1-O2P	2.62	117.66	107.64
6	C	601	Y0T	C16-C9-S1	2.61	122.85	119.52
6	E	605	Y0T	C1-C2-C3	2.61	122.15	119.45
6	E	605	Y0T	C8-C9-C16	-2.61	116.81	120.44
6	F	605	Y0T	O5-S1-C10	2.58	110.88	107.97
6	C	601	Y0T	C2-C1-C	-2.57	117.86	120.50
6	F	605	Y0T	C7-C8-C9	2.55	122.09	119.45
6	C	601	Y0T	O6-S-N	-2.50	103.14	107.04
2	A	601	FBP	O3P-P1-O1P	2.49	120.43	110.68
6	B	605	Y0T	C11-C12-C13	-2.47	117.97	120.50
3	F	602	OXL	O3-C1-C2	2.44	120.40	113.16
3	A	602	OXL	O4-C2-C1	2.41	120.32	113.16
6	C	601	Y0T	C7-C8-C9	2.40	121.93	119.45
6	E	605	Y0T	C16-C9-S1	2.39	122.56	119.52
6	B	605	Y0T	O6-S-C3	2.35	110.86	107.97
6	B	605	Y0T	C15-C14-C13	2.34	121.94	119.86
6	B	605	Y0T	O1-S-C3	2.34	110.85	107.97
6	B	605	Y0T	C8-C9-C16	-2.33	117.19	120.44
6	E	605	Y0T	C12-C11-C10	2.32	121.85	119.45
6	B	605	Y0T	C12-C11-C10	2.31	121.84	119.45
2	B	601	FBP	O5P-P2-O6	2.31	112.87	106.73
6	E	605	Y0T	C7-C8-C9	2.29	121.82	119.45
6	C	601	Y0T	C12-C11-C10	2.29	121.81	119.45
6	F	605	Y0T	O1-S-O6	2.27	122.34	119.55
6	B	605	Y0T	O4-S1-C9	2.24	110.50	107.97
6	C	601	Y0T	C5-C6-C7	-2.19	115.68	121.23
2	B	601	FBP	O3P-P1-O2P	2.18	115.98	107.64
6	B	605	Y0T	C16-C9-S1	2.17	122.29	119.52
2	D	601	FBP	P1-O1-C1	2.17	124.27	118.30
6	E	605	Y0T	C3-S-N	-2.15	104.57	107.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	602	OXL	O3-C1-C2	2.08	119.34	113.16
2	C	602	FBP	O6P-P2-O4P	2.06	118.75	110.68
6	F	605	Y0T	O6-S-C3	2.06	110.50	107.97
2	E	601	FBP	P1-O1-C1	2.06	123.96	118.30
6	E	605	Y0T	O-C-C19	2.03	123.85	118.45
2	A	601	FBP	P1-O1-C1	2.03	123.88	118.30
3	G	602	OXL	O3-C1-C2	2.02	119.17	113.16
6	B	605	Y0T	O-C-C19	2.02	123.82	118.45
2	C	602	FBP	O6P-P2-O6	-2.01	101.40	106.73
6	F	605	Y0T	C3-S-N	-2.00	104.78	107.55

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
6	C	601	Y0T	N-C4-C5-C6
6	C	601	Y0T	C4-N-S-O6
2	D	601	FBP	C4-C5-C6-O6
6	C	601	Y0T	C4-N-S-C3
2	C	602	FBP	C4-C5-C6-O6
2	G	601	FBP	C4-C5-C6-O6
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	C	602	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
2	G	601	FBP	O5-C5-C6-O6
6	B	605	Y0T	C4-C5-C6-C17
6	E	605	Y0T	C4-C5-C6-C7
6	E	605	Y0T	C4-C5-C6-C17
6	F	605	Y0T	C4-C5-C6-C7
6	B	605	Y0T	C4-C5-C6-C7
6	C	601	Y0T	C4-N-S-O1
6	F	605	Y0T	C4-C5-C6-C17
6	C	601	Y0T	C4-C5-C6-C7

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	C	601	Y0T	C4-C5-C6-C17
3	A	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O4


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	422/447 (94%)	0.75	35 (8%) 11 17	38, 58, 92, 110	0
1	B	436/447 (97%)	0.68	34 (7%) 13 20	32, 52, 84, 103	0
1	C	425/447 (95%)	0.46	11 (2%) 56 65	25, 44, 70, 113	0
1	D	425/447 (95%)	0.42	5 (1%) 79 84	26, 35, 59, 104	0
1	E	419/447 (93%)	0.69	34 (8%) 12 18	36, 57, 89, 108	0
1	F	432/447 (96%)	0.54	26 (6%) 21 30	31, 48, 77, 95	0
1	G	421/447 (94%)	0.33	5 (1%) 79 84	25, 38, 57, 83	1 (0%)
1	H	425/447 (95%)	0.38	7 (1%) 72 79	23, 34, 59, 91	0
All	All	3405/3576 (95%)	0.53	157 (4%) 32 42	23, 46, 81, 113	1 (0%)

All (157) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	22	THR	15.1
1	A	25	PHE	13.9
1	E	25	PHE	10.5
1	B	115	LEU	7.9
1	C	21	GLY	7.5
1	G	25	PHE	7.5
1	A	24	PHE	7.2
1	B	10	ARG	6.9
1	F	115	LEU	6.8
1	A	543	SER	6.4
1	H	21	GLY	6.3
1	B	540[A]	LEU	6.3
1	D	25	PHE	6.2
1	C	25	PHE	6.1
1	B	543	SER	6.0
1	F	511	LEU	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	130	GLY	5.5
1	D	22	THR	5.3
1	E	270	LEU	5.3
1	A	30	LEU	5.2
1	E	277	ILE	4.8
1	C	271	GLY	4.7
1	A	482	PHE	4.7
1	B	511	LEU	4.6
1	B	13	VAL	4.6
1	E	114	PRO	4.6
1	H	25	PHE	4.2
1	E	266	VAL	4.2
1	C	20	LEU	4.1
1	A	114	PRO	4.1
1	E	274	GLY	4.0
1	B	114	PRO	4.0
1	A	273	GLU	4.0
1	H	22	THR	4.0
1	G	271	GLY	3.9
1	E	540	LEU	3.9
1	F	540[A]	LEU	3.9
1	C	19	GLU	3.9
1	E	24	PHE	3.9
1	B	416	LEU	3.8
1	F	116	SER	3.8
1	A	241	LEU	3.7
1	D	21	GLY	3.7
1	B	12	ASP	3.5
1	A	63	ILE	3.5
1	B	251	ILE	3.5
1	A	253	PHE	3.4
1	E	543	SER	3.4
1	A	540	LEU	3.4
1	A	113	SER	3.4
1	E	514	PHE	3.3
1	E	249	VAL	3.3
1	F	453	LEU	3.3
1	A	233	LEU	3.3
1	B	256	PHE	3.2
1	A	252	VAL	3.2
1	B	512	ARG	3.2
1	E	515	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	238	VAL	3.1
1	A	475	VAL	3.0
1	B	266	VAL	3.0
1	B	507	GLU	3.0
1	B	236	GLN	3.0
1	F	543	SER	2.9
1	A	266	VAL	2.9
1	A	26	GLN	2.9
1	B	116	SER	2.9
1	B	418	ARG	2.8
1	F	233	LEU	2.8
1	E	477	LEU	2.8
1	B	118	ARG	2.8
1	F	493	ILE	2.8
1	H	516	ARG	2.8
1	A	52	VAL	2.7
1	H	416	LEU	2.7
1	B	122	ILE	2.7
1	F	516	ARG	2.7
1	E	30	LEU	2.7
1	A	84	ALA	2.6
1	A	280	ILE	2.6
1	E	23	ALA	2.6
1	E	502	VAL	2.6
1	E	484	LEU	2.6
1	B	242	ARG	2.6
1	F	114	PRO	2.6
1	B	450	ALA	2.6
1	F	12	ASP	2.6
1	H	514	PHE	2.6
1	A	33	ALA	2.6
1	A	283	ILE	2.6
1	E	26	GLN	2.6
1	F	124	LEU	2.5
1	E	542	ILE	2.5
1	F	11	ALA	2.5
1	E	115	LEU	2.5
1	F	507	GLU	2.5
1	A	499[A]	ASP	2.5
1	C	117	TYR	2.5
1	A	124	LEU	2.5
1	E	243	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	263	VAL	2.5
1	F	416	LEU	2.5
1	F	514	PHE	2.5
1	A	272	PRO	2.4
1	A	88	PHE	2.4
1	G	540	LEU	2.4
1	E	124	LEU	2.4
1	G	514	PHE	2.4
1	E	464	ALA	2.4
1	A	122	ILE	2.4
1	B	517	VAL	2.4
1	E	253	PHE	2.4
1	E	232	GLY	2.4
1	C	26	GLN	2.4
1	B	514	PHE	2.3
1	F	117	TYR	2.3
1	E	273	GLU	2.3
1	G	272	PRO	2.3
1	F	512	ARG	2.3
1	D	540	LEU	2.3
1	F	484	LEU	2.3
1	F	527	TRP	2.3
1	D	543	SER	2.2
1	A	71	GLU	2.2
1	B	88	PHE	2.2
1	E	412	ARG	2.2
1	F	118	ARG	2.2
1	H	543	SER	2.2
1	F	232	GLY	2.2
1	A	477	LEU	2.2
1	B	233	LEU	2.2
1	E	103	VAL	2.2
1	B	463	ILE	2.2
1	F	496	ASP	2.2
1	B	492	ALA	2.2
1	F	351	ARG	2.2
1	A	251	ILE	2.2
1	B	63	ILE	2.1
1	E	459	ARG	2.1
1	A	514	PHE	2.1
1	A	452	LEU	2.1
1	C	487	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	24	PHE	2.1
1	B	252	VAL	2.1
1	B	277	ILE	2.1
1	A	460	ALA	2.1
1	B	520	LEU	2.1
1	F	241	LEU	2.1
1	B	274	GLY	2.1
1	C	103	VAL	2.1
1	A	411	ARG	2.1
1	A	511	LEU	2.1
1	E	487	ARG	2.1
1	B	433	PHE	2.1
1	E	504	PHE	2.1
1	E	251	ILE	2.0
1	E	309	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	K	E	604	1/1	0.40	0.32	124,124,124,124	0
5	K	A	604	1/1	0.65	0.22	109,109,109,109	0
3	OXL	A	602	6/6	0.74	0.36	84,84,85,85	0
5	K	F	604	1/1	0.84	0.12	86,86,86,86	0
5	K	C	605	1/1	0.89	0.11	78,78,78,78	0
3	OXL	F	602	6/6	0.90	0.15	74,75,75,76	0
3	OXL	E	602	6/6	0.91	0.22	81,81,81,81	0
3	OXL	C	603	6/6	0.91	0.16	57,57,57,57	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	OXL	D	602	6/6	0.91	0.24	49,50,50,51	0
3	OXL	H	602	6/6	0.92	0.22	44,45,45,46	0
4	MG	A	603	1/1	0.92	0.15	49,49,49,49	0
5	K	B	604	1/1	0.93	0.10	98,98,98,98	0
3	OXL	B	602	6/6	0.93	0.14	63,64,65,66	0
4	MG	E	603	1/1	0.94	0.15	42,42,42,42	0
5	K	G	604	1/1	0.95	0.08	73,73,73,73	0
6	Y0T	B	605	31/31	0.95	0.14	39,44,46,48	19
6	Y0T	C	601	31/31	0.95	0.14	46,49,52,53	19
4	MG	B	603	1/1	0.96	0.17	35,35,35,35	0
2	FBP	A	601	20/20	0.96	0.12	43,46,48,49	0
6	Y0T	E	605	31/31	0.96	0.13	43,52,53,54	19
2	FBP	E	601	20/20	0.97	0.12	45,48,49,50	0
5	K	H	604	1/1	0.97	0.08	56,56,56,56	0
2	FBP	F	601	20/20	0.97	0.11	45,48,51,52	0
3	OXL	G	602	6/6	0.97	0.13	52,53,53,53	0
2	FBP	B	601	20/20	0.97	0.12	47,50,56,56	0
6	Y0T	F	605	31/31	0.97	0.12	37,39,43,44	19
4	MG	F	603	1/1	0.98	0.18	35,35,35,35	0
2	FBP	C	602	20/20	0.99	0.14	25,27,31,32	0
2	FBP	D	601	20/20	0.99	0.16	27,28,32,33	0
4	MG	C	604	1/1	0.99	0.18	30,30,30,30	0
5	K	D	604	1/1	0.99	0.07	51,51,51,51	0
2	FBP	G	601	20/20	0.99	0.13	23,26,27,28	0
2	FBP	H	601	20/20	0.99	0.14	24,27,30,30	0
4	MG	D	603	1/1	1.00	0.15	22,22,22,22	0
4	MG	G	603	1/1	1.00	0.16	23,23,23,23	0
4	MG	H	603	1/1	1.00	0.16	21,21,21,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Y0T B 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Y0T C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Y0T E 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP F 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Y0T F 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.