

# Full wwPDB X-ray Structure Validation Report (i)

#### Apr 3, 2023 – 04:09 PM EDT

:	7FRZ
:	Structure of liver pyruvate kinase in complex with allosteric modulator 7
:	Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
:	2022-12-18
:	2.08  Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.32.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
$R_{free}$	130704	6189 (2.10-2.06)		
Clashscore	141614	6738 (2.10-2.06)		
Ramachandran outliers	138981	6663 (2.10-2.06)		
Sidechain outliers	138945	6664 (2.10-2.06)		
RSRZ outliers	127900	6057 (2.10-2.06)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	447	8%	6% 6%
1	В	447	<u>6%</u> 91%	6% ••
1	С	447	4%	6% 5%
1	D	447	2% 91%	• 5%
1	Е	447	<u>6%</u> 87%	6% • 6%



Mol	Chain	Length	Quality of chain		
1	F	447	3% 	7% • •	
1	G	447	86%	8% 6%	)
1	Н	447	% <b>8</b> 9%	5% 5%	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	F	602	-	Х	-	-



# 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 27856 atoms, of which 68 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	499	Total	С	Ν	0	S	0	6	0
1	A	422	3236	2034	585	597	20	0	0	0
1	В	436	Total	С	Ν	0	S	0	1	0
	D	430	3329	2090	604	615	20	0	4	0
1	С	495	Total	С	Ν	0	S	0	1	0
1	U	420	3247	2040	585	603	19	0	Т	0
1	П	495	Total	С	Ν	0	S	0	6	0
1	D	420	3252	2042	590	601	19	0	0	0
1	F	410	Total	С	Ν	0	S	0	5	0
1	Ľ	419	3210	2018	579	593	20	0	5	
1	Б	429	Total	С	Ν	Ο	S	0	7	0
1	Г	432	3321	2090	597	614	20	0	1	0
1	C	491	Total	С	Ν	0	S	0	6	0
1	G	421	3231	2031	581	600	19	0	0	0
1	Ц	425	Total	С	Ν	0	S	0	1	0
	11	420	3251	2040	594	598	19	0	4	U

• Molecule 1 is a protein called Pyruvate kinase PKLR.

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-1	GLY	-	expression tag	UNP P30613
А	0	SER	-	expression tag	UNP P30613
А	1	MET	-	expression tag	UNP P30613
А	2	GLU	-	expression tag	UNP P30613
А	12	ASP	SER	conflict	UNP P30613
А	130	GLY	-	linker	UNP P30613
А	131	SER	-	linker	UNP P30613
А	132	GLY	-	linker	UNP P30613
В	-1	GLY	-	expression tag	UNP P30613
В	0	SER	-	expression tag	UNP P30613
В	1	MET	-	expression tag	UNP P30613
В	2	GLU	-	expression tag	UNP P30613
В	12	ASP	SER	conflict	UNP P30613



Continued from previous page								
	Chain	Residue	Modelled	Actual	Comment	Reference		
	В	130	GLY	-	linker	UNP P30613		
	В	131	SER	-	linker	UNP P30613		
	В	132	GLY	-	linker	UNP P30613		
	С	-1	GLY	-	expression tag	UNP P30613		
	С	0	SER	-	expression tag	UNP P30613		
	С	1	MET	-	expression tag	UNP P30613		
	С	2	GLU	-	expression tag	UNP P30613		
	С	12	ASP	SER	conflict	UNP P30613		
	С	130	GLY	-	linker	UNP P30613		
	С	131	SER	-	linker	UNP P30613		
	С	132	GLY	-	linker	UNP P30613		
	D	-1	GLY	-	expression tag	UNP P30613		
	D	0	SER	-	expression tag	UNP P30613		
	D	1	MET	-	expression tag	UNP P30613		
	D	2	GLU	-	expression tag	UNP P30613		
	D	12	ASP	SER	conflict	UNP P30613		
	D	130	GLY	-	linker	UNP P30613		
	D	131	SER	-	linker	UNP P30613		
	D	132	GLY	-	linker	UNP P30613		
	Е	-1	GLY	-	expression tag	UNP P30613		
	Е	0	SER	-	expression tag	UNP P30613		
	Е	1	MET	-	expression tag	UNP P30613		
	Е	2	GLU	-	expression tag	UNP P30613		
	Е	12	ASP	SER	conflict	UNP P30613		
	Е	228	GLY	-	linker	UNP P30613		
	Е	229	SER	-	linker	UNP P30613		
	Е	230	GLY	-	linker	UNP P30613		
	F	-1	GLY	-	expression tag	UNP P30613		
	F	0	SER	-	expression tag	UNP P30613		
	F	1	MET	_	expression tag	UNP P30613		
	F	2	GLU	_	expression tag	UNP P30613		
	F	12	ASP	SER	conflict	UNP P30613		
	F	228	GLY	_	linker	UNP P30613		
	F	229	SER	-	linker	UNP P30613		
	F	230	GLY	-	linker	UNP P30613		
	G	-1	GLY	-	expression tag	UNP P30613		
	G	0	SER	-	expression tag	UNP P30613		
	G	1	MET	-	expression tag	UNP P30613		
	G	2	GLU	-	expression tag	UNP P30613		
	G	12	ASP	SER	conflict	UNP P30613		
	G	130	GLY	-	linker	UNP P30613		
	G	131	SER	-	linker	UNP P30613		
	1	1	1	1	1	1		



Contentia	Continuation provide page								
Chain	Residue	Modelled	led Actual Comment		Reference				
G	132	GLY	-	linker	UNP P30613				
Н	-1	GLY	-	expression tag	UNP P30613				
Н	0	SER	-	expression tag	UNP P30613				
Н	1	MET	-	expression tag	UNP P30613				
Н	2	GLU	-	expression tag	UNP P30613				
Н	12	ASP	SER	conflict	UNP P30613				
Н	130	GLY	-	linker	UNP P30613				
Н	131	SER	-	linker	UNP P30613				
Н	132	GLY	-	linker	UNP P30613				

• Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (three-letter code: FBP) (formula:  $C_6H_{14}O_{12}P_2$ ).



Mol	Chain	Residues	A	Ator	ns		ZeroOcc	AltConf
9	Λ	1	Total	С	Ο	Р	0	0
	Л	I	20	6	12	2	0	0
2	В	1	Total	С	Ο	Р	0	0
	D	T	20	6	12	2	0	0
2	С	1	Total	С	Ο	Р	0	0
2	U	1	20	6	12	2	0	0
9	Л	1	Total	С	Ο	Р	0	0
	D	1	20	6	12	2	0	0
2	F	1	Total	С	Ο	Р	0	0
2	Ľ	T	20	6	12	2	0	0
2	F	1	Total	С	Ō	Р	0	0
	Ľ	I	20	6	12	2	0	U



$\alpha \cdot \cdot \cdot \cdot$	C		
Continued	trom	previous	page
	5	1	1 0

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
0	С	1	Total	С	Ο	Р	0	0
	2 G	L	20	6	12	2	0	0
0	п	1	Total	С	Ο	Р	0	0
		L	20	6	12	2	0	0

• Molecule 3 is OXALATE ION (three-letter code: OXL) (formula:  $C_2O_4$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 2 & 4 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  2  4 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  2  4 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  2  4 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  2  4 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 2 & 4 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 2 & 4 \end{array}$	0	0
3	Н	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 2 & 4 \end{array}$	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



$7 \mathrm{FRZ}$
------------------

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Mg 1 1	0	0
4	В	1	Total Mg 1 1	0	0
4	С	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	Ε	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	Н	1	Total Mg 1 1	0	0

• Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total K 1 1	0	0
5	В	1	Total K 1 1	0	0
5	С	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	Е	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	Н	1	Total K 1 1	0	0

• Molecule 6 is 3,4-dihydroxy-N-{[4-(3-hydroxybenzene-1-sulfonyl)phenyl]methyl}benze ne-1-sulfonamide (three-letter code: O99) (formula:  $C_{19}H_{17}NO_7S_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
6	Λ	1	Total	С	Η	Ν	0	S	17	0	
0	A	1	46	19	17	1	7	2	11		
6	Л	1	Total	С	Η	Ν	0	S	17	0	
0	0 D	1	46	19	17	1	7	2			
6	6 E	F	1	Total	С	Η	Ν	0	$\mathbf{S}$	17	0
0		1	46	19	17	1	7	2	11	0	
6 F	1	Total	С	Η	Ν	0	S	17	0		
	Ľ		46	19	17	1	7	2	11	0	

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	85	Total O 85 85	0	0
7	В	117	Total O 117 117	0	0
7	С	171	Total O 171 171	0	0
7	D	237	Total         O           237         237	0	0
7	Е	112	Total O 112 112	0	0
7	F	178	Total O 178 178	0	0
7	G	218	Total         O           218         218	0	0
7	Н	253	Total         O           253         253	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Pyruvate kinase PKLR

 $\bullet$  Molecule 1: Pyruvate kinase PKLR







#### 





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	207.18Å 112.98Å 187.82Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $92.26^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	187.67 - 2.08	Depositor
Resolution (A)	$187.67 \ - \ 2.09$	EDS
% Data completeness	65.9 (187.67-2.08)	Depositor
(in resolution range)	$66.0 \ (187.67-2.09)$	EDS
R <sub>merge</sub>	0.14	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.61 (at 2.09 \text{\AA})$	Xtriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
D D.	0.212 , $0.241$	Depositor
$\Pi, \Pi_{free}$	0.202 , $0.227$	DCC
$R_{free}$ test set	8150 reflections $(4.80%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	39.7	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.35 , $52.3$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	27856	wwPDB-VP
Average B, all atoms $(Å^2)$	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 63.96 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.9152e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: K, O99, FBP, OXL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
	Ullaili	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.35	0/3307	0.54	0/4469
1	В	0.37	0/3396	0.52	0/4592
1	С	0.42	0/3313	0.55	0/4479
1	D	0.43	0/3326	0.56	0/4497
1	Е	0.36	0/3278	0.53	0/4430
1	F	0.41	0/3396	0.54	0/4591
1	G	0.43	0/3303	0.55	0/4465
1	H	0.46	0/3316	0.58	0/4483
All	All	0.40	0/26635	0.55	0/36006

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3236	0	3299	14	0
1	В	3329	0	3394	14	0
1	С	3247	0	3299	19	0
1	D	3252	0	3310	9	0
1	Е	3210	0	3270	17	0



	nuea jron	<i>previous</i>		TT(addad)	Clasher	Commence Classica
		1NOn-H	H(model)	H(added)	Clasnes	Symm-Clasnes
	F C	3321	0	3393	21	0
	G	3231	0	3284	29	0
	H	3251	0	3306	10	0
2	A	20	0	10	1	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	1	0
2	F G	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	Н	6	0	0	0	0
4	A	1	0	0	0	0
4	В	1	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	Н	1	0	0	0	0
5	А	1	0	0	0	0
5	В	1	0	0	0	0
5	С	1	0	0	0	0
5	D	1	0	0	0	0
5	Ε	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	Н	1	0	0	0	0
6	A	29	17	0	1	0
6	D	29	17	0	0	0
6	Е	29	17	0	0	0
6	F	29	17	0	1	0
7	А	85	0	0	1	0
7	В	117	0	0	0	0
7	С	171	0	0	3	0

Continu d fr \_\_\_\_\_



	J	1	1 . 5			
$\mathbf{Mol}$	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	237	0	0	0	0
7	Е	112	0	0	1	0
7	F	178	0	0	1	0
7	G	218	0	0	3	0
7	Н	253	0	0	1	0
All	All	27788	68	26635	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:408:GLU:OE2	1:B:411:ARG:NH2	1.92	1.02
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.44	0.99
1:B:411:ARG:HG3	1:B:426:ILE:HD11	1.52	0.91
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.63	0.81
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.66	0.78
1:C:528:ARG:HH22	1:G:233:LEU:HB3	1.52	0.74
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.72	0.70
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.73	0.70
1:E:408:GLU:OE2	1:F:411:ARG:NH2	2.24	0.70
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.72	0.70
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.63	0.67
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.79	0.64
1:E:235:GLU:O	1:E:239:ARG:HD3	2.00	0.61
1:G:340:THR:HG22	1:G:341:GLN:HG3	1.83	0.61
1:H:245:VAL:HG11	1:H:273:GLU:HG2	1.81	0.61
1:D:521:VAL:HG12	1:D:540:LEU:HB3	1.84	0.60
1:C:340:THR:HG22	1:C:341:GLN:HG3	1.85	0.59
1:A:340:THR:HG22	1:A:341:GLN:HG3	1.85	0.58
1:E:340:THR:HG22	1:E:341:GLN:HG3	1.86	0.58
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.86	0.57
1:D:340:THR:HG22	1:D:341:GLN:HG3	1.86	0.57
1:A:517:VAL:HG13	1:A:543:SER:HB3	1.88	0.56
1:B:340:THR:HG22	1:B:341:GLN:HG3	1.88	0.56
1:H:411:ARG:HB3	1:H:426:ILE:HD11	1.88	0.55
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.86	0.55
1:F:115:LEU:O	1:F:116:SER:HB3	2.07	0.54
1:E:407:PHE:O	1:E:411:ARG:HB2	2.07	0.54
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.88	0.54



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:C:235:GLU:HG3	1:G:529:PRO:HG3	1.90	0.53	
1:H:340:THR:HG22	1:H:341:GLN:HG3	1.89	0.53	
1:F:411:ARG:HG2	1:F:426:ILE:HD11	1.90	0.53	
1:B:411:ARG:CG	1:B:426:ILE:HD11	2.34	0.53	
1:F:340:THR:HG22	1:F:341:GLN:HG3	1.90	0.53	
1:D:30:LEU:O	1:D:34:MET:HG3	2.10	0.52	
1:F:411:ARG:CG	1:F:426:ILE:HD11	2.40	0.52	
1:G:245:VAL:CG1	1:G:273:GLU:HG2	2.40	0.52	
1:E:539:VAL:HG13	1:F:535:ASN:HB2	1.91	0.51	
1:F:114:PRO:HA	7:F:769:HOH:O	2.10	0.51	
1:E:30:LEU:O	1:E:34:MET:HG3	2.10	0.51	
1:C:486:TYR:CZ	1:C:488:GLU:HB2	2.46	0.50	
1:G:411:ARG:CG	1:G:426:ILE:HD11	2.42	0.50	
1:C:382:PHE:HB3	1:C:385:GLU:HB2	1.95	0.49	
1:F:382:PHE:HB3	1:F:385:GLU:HB2	1.93	0.49	
1:B:30:LEU:O	1:B:34:MET:HG2	2.14	0.48	
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.94	0.48	
1:H:30:LEU:O	1:H:34:MET:HG2	2.13	0.48	
1:C:538:ARG:HD3	7:C:765:HOH:O	2.13	0.48	
1:A:382:PHE:HB3	1:A:385:GLU:HB2	1.96	0.48	
1:B:258:ARG:HD3	1:B:285:ASN:HD21	1.78	0.48	
1:D:382:PHE:HB3	1:D:385:GLU:HB2	1.95	0.48	
1:F:30:LEU:O	1:F:34:MET:HG2	2.14	0.48	
1:B:382:PHE:HB3	1:B:385:GLU:HB2	1.96	0.47	
1:B:421:THR:HG22	1:B:452:LEU:HD12	1.97	0.47	
1:C:30:LEU:O	1:C:34:MET:HG2	2.15	0.47	
1:C:411:ARG:CG	1:C:426:ILE:HD11	2.30	0.47	
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.97	0.46	
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.97	0.46	
1:E:382:PHE:HB3	1:E:385:GLU:HB2	1.97	0.46	
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.98	0.46	
1:F:407:PHE:CD2	1:F:411:ARG:NH1	2.84	0.46	
1:G:30:LEU:O	1:G:34:MET:HG2	2.15	0.46	
1:C:421:THR:HG22	1:C:452:LEU:HD12	1.96	0.46	
1:A:56:SER:HB3	1:A:480:GLY:HA2	1.98	0.46	
1:E:501:ARG:NH1	2:E:601:FBP:O1P	2.43	0.46	
1:E:421:THR:HG22	1:E:452:LEU:HD12	1.97	0.45	
1:G:269:ALA:C	1:G:271:GLY:H	2.18	0.45	
1:A:421:THR:HG22	1:A:452:LEU:HD12	1.99	0.45	
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.97	0.45	
1:G:412:ARG:NH2	1:H:404:ARG:HH11	2.15	0.45	



Atom_1	Atom_2	Interatomic	Clash
	Atom-2	distance (Å)	overlap (Å)
1:C:232:GLY:HA3	7:C:793:HOH:O	2.17	0.45
1:D:421:THR:HG22	1:D:452:LEU:HD12	1.99	0.45
1:G:382:PHE:HB3	1:G:385:GLU:HB2	1.98	0.45
1:B:28:GLN:HG3	1:B:30:LEU:HG	1.99	0.45
1:E:418:ARG:HD3	1:F:16:LEU:HD11	1.99	0.45
1:F:421:THR:HG22	1:F:452:LEU:HD12	1.99	0.45
1:G:272:PRO:HD2	1:G:273:GLU:OE1	2.17	0.45
1:A:30:LEU:O	1:A:34:MET:HG2	2.17	0.44
1:F:28:GLN:HG3	1:F:30:LEU:HG	1.99	0.44
1:H:421:THR:HG22	1:H:452:LEU:HD12	2.00	0.44
1:H:475:VAL:CG2	1:H:483:PRO:HB3	2.48	0.44
6:A:605:O99:O	1:C:39:LEU:HB2	2.17	0.44
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.99	0.44
1:G:278:LYS:NZ	7:G:706:HOH:O	2.44	0.44
1:F:405:GLN:HB3	6:F:605:O99:O6	2.18	0.43
1:H:28:GLN:HG3	1:H:30:LEU:HG	2.00	0.43
1:C:404:ARG:HD3	1:D:412:ARG:NH2	2.33	0.43
1:G:412:ARG:CZ	1:H:404:ARG:HD3	2.49	0.43
1:G:411:ARG:HG2	1:G:426:ILE:HD11	2.00	0.43
1:H:382:PHE:HB3	1:H:385:GLU:HB2	2.01	0.43
1:G:470:GLN:NE2	7:G:703:HOH:O	2.41	0.42
1:D:28:GLN:HG3	1:D:30:LEU:HG	2.01	0.42
1:F:445:THR:HB	1:F:531:SER:OG	2.19	0.42
1:G:421:THR:HG22	1:G:452:LEU:HD12	2.01	0.42
1:A:381:ASN:ND2	7:A:703:HOH:O	2.52	0.42
1:B:65:PRO:HG2	1:B:379:LYS:HG2	2.00	0.42
1:C:28:GLN:HG3	1:C:30:LEU:HG	2.01	0.42
1:A:28:GLN:HG3	1:A:30:LEU:HG	2.01	0.42
1:G:411:ARG:HG3	1:G:426:ILE:HD11	2.00	0.42
1:G:412:ARG:NH2	1:H:404:ARG:HD3	2.34	0.42
1:A:501:ARG:NH1	2:A:601:FBP:O2P	2.37	0.42
1:A:28:GLN:HB3	1:A:52:VAL:HG22	2.02	0.41
1:G:28:GLN:HG3	1:G:30:LEU:HG	2.01	0.41
1:G:317:LYS:NZ	7:G:714:HOH:O	2.52	0.41
1:C:448:ARG:HD3	7:C:754:HOH:O	2.19	0.41
1:C:528:ARG:NH2	1:G:233:LEU:HB3	2.25	0.41
1:F:521:VAL:HG12	1:F:540[B]:LEU:HB3	2.02	0.41
1:G:245:VAL:HG11	1:G:273:GLU:HG2	2.03	0.41
1:E:317:LYS:NZ	7:E:706:HOH:O	2.52	0.41
1:G:56:SER:HB2	1:G:480:GLY:CA	2.50	0.41
1:E:28:GLN:HG3	1:E:30:LEU:HG	2.01	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:486:TYR:CZ	1:G:488:GLU:HB2	2.56	0.41
1:G:352:PRO:HG3	1:G:389:MET:HG2	2.01	0.41
1:A:272:PRO:HA	1:A:275:HIS:NE2	2.35	0.41
1:E:28:GLN:HB3	1:E:52:VAL:HG22	2.03	0.41
1:E:337:VAL:HG22	1:E:370:CYS:HB2	2.03	0.41
1:H:337:VAL:HG22	1:H:370:CYS:HB2	2.03	0.41
1:B:76[A]:MET:HG2	1:B:384:VAL:HG22	2.03	0.41
1:E:56:SER:HB2	1:E:480:GLY:HA2	2.02	0.41
1:F:337:VAL:HG22	1:F:370:CYS:HB2	2.03	0.41
1:G:491:GLU:HB2	1:G:497:ASP:HB2	2.03	0.40
1:H:75:GLU:HG3	7:H:933:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentile	$\mathbf{es}$
1	А	424/447~(95%)	420 (99%)	3 (1%)	1 (0%)	47 47	
1	В	438/447~(98%)	434 (99%)	3 (1%)	1 (0%)	47 47	
1	С	425/447~(95%)	418 (98%)	6 (1%)	1 (0%)	47 47	
1	D	429/447~(96%)	425 (99%)	3~(1%)	1 (0%)	47 47	
1	E	420/447~(94%)	416 (99%)	3 (1%)	1 (0%)	47 47	
1	F	435/447~(97%)	429 (99%)	4 (1%)	2(0%)	29 25	
1	G	423/447~(95%)	415 (98%)	6 (1%)	2(0%)	29 25	
1	Н	427/447~(96%)	421 (99%)	5 (1%)	1 (0%)	47 47	
All	All	3421/3576~(96%)	3378 (99%)	33 (1%)	10 (0%)	41 39	

All (10) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	F	116	SER
1	G	271	GLY
1	А	340	THR
1	В	340	THR
1	С	340	THR
1	D	340	THR
1	Е	340	THR
1	F	340	THR
1	G	340	THR
1	Н	340	THR

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	340/352~(97%)	330~(97%)	10 (3%)	42 44
1	В	349/352~(99%)	338~(97%)	11 (3%)	39 40
1	С	341/352~(97%)	336~(98%)	5 (2%)	65 69
1	D	342/352~(97%)	337~(98%)	5 (2%)	65 69
1	Ε	338/352~(96%)	328~(97%)	10 (3%)	41 43
1	F	350/352~(99%)	339~(97%)	11 (3%)	40 41
1	G	340/352~(97%)	335~(98%)	5 (2%)	65 69
1	Н	340/352~(97%)	336 (99%)	4 (1%)	71 76
All	All	2740/2816~(97%)	2679 (98%)	61 (2%)	55 55

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	69	SER
1	А	86	LEU
1	А	235	GLU
1	А	258	ARG
1	А	358	SER
1	А	408	GLU



Mol	Chain	Res	Type
1	А	531	SER
1	А	537[A]	MET
1	А	537[B]	MET
1	А	540	LEU
1	В	10	ARG
1	В	68	ARG
1	В	69	SER
1	В	76[A]	MET
1	В	76[B]	MET
1	В	263	VAL
1	В	379	LYS
1	В	412	ARG
1	В	521	VAL
1	В	537[A]	MET
1	В	537[B]	MET
1	С	68	ARG
1	С	69	SER
1	С	76[A]	MET
1	С	76[B]	MET
1	С	358	SER
1	D	68	ARG
1	D	69	SER
1	D	118	ARG
1	D	521	VAL
1	D	537	MET
1	Е	68	ARG
1	Е	69	SER
1	Е	358	SER
1	Е	408	GLU
1	E	411	ARG
1	Е	412	ARG
1	E	422	GLU
1	Е	537[A]	MET
1	E	537[B]	MET
1	E	539	VAL
1	F	68	ARG
1	F	69	SER
1	F	76[A]	MET
1	F	76[B]	MET
1	F	118	ARG
1	F	242	ARG
1	F	408	GLU



Mol	Chain	Res	Type
1	F	411	ARG
1	F	521	VAL
1	F	537[A]	MET
1	F	537[B]	MET
1	G	68	ARG
1	G	76[A]	MET
1	G	76[B]	MET
1	G	331	LEU
1	G	540	LEU
1	Н	69	SER
1	Н	242	ARG
1	Н	411	ARG
1	Н	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	С	275	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



Mal	Trune	Chain	Dec	Tinle	Bo	ond leng	ths	Bond angles			
IVIOI	Type	Chain	Res	LINK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2	
6	O99	D	605	-	31,31,31	0.22	0	$45,\!46,\!46$	0.44	0	
6	O99	F	605	-	31,31,31	0.31	0	$45,\!46,\!46$	0.63	0	
3	OXL	А	602	4	$5,\!5,\!5$	1.88	2 (40%)	$6,\!6,\!6$	1.33	1 (16%)	
3	OXL	В	602	4	$5,\!5,\!5$	2.13	2 (40%)	$6,\!6,\!6$	1.05	0	
3	OXL	С	602	4	$5,\!5,\!5$	1.98	2 (40%)	$6,\!6,\!6$	1.20	1 (16%)	
3	OXL	F	602	4	5,5,5	2.61	4 (80%)	6,6,6	1.82	2 (33%)	
2	FBP	F	601	-	18,20,20	0.50	0	23,32,32	0.81	2 (8%)	
2	FBP	А	601	-	18,20,20	0.64	1 (5%)	23,32,32	0.86	1 (4%)	
2	FBP	G	601	-	18,20,20	0.66	1 (5%)	23,32,32	0.90	2 (8%)	
6	O99	Е	605	-	31,31,31	0.21	0	45,46,46	0.56	0	
2	FBP	Е	601	-	18,20,20	0.55	0	23,32,32	0.85	2 (8%)	
3	OXL	Н	602	4	$5,\!5,\!5$	1.88	2 (40%)	$6,\!6,\!6$	0.84	0	
2	FBP	С	601	-	18,20,20	0.68	1 (5%)	23,32,32	1.01	2 (8%)	
2	FBP	D	601	-	18,20,20	0.68	0	23,32,32	1.07	2 (8%)	
6	O99	А	605	-	31,31,31	0.18	0	45,46,46	0.76	1 (2%)	
2	FBP	В	601	-	18,20,20	0.64	0	23,32,32	0.94	2 (8%)	
2	FBP	Н	601	-	18,20,20	0.85	1 (5%)	23,32,32	1.09	3 (13%)	
3	OXL	D	602	4	5,5,5	2.21	3 (60%)	6,6,6	1.54	2(33%)	
3	OXL	G	602	4	5,5,5	2.13	2(40%)	6,6,6	1.20	0	
3	OXL	Е	602	4	5,5,5	2.15	2 (40%)	6,6,6	0.89	0	

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	$\operatorname{Res}$	Link	Chirals	Torsions	Rings
6	O99	D	605	-	-	0/24/24/24	0/3/3/3
6	O99	F	605	-	-	3/24/24/24	0/3/3/3
3	OXL	А	602	4	-	1/4/4/4	-
3	OXL	В	602	4	-	0/4/4/4	-
3	OXL	С	602	4	-	0/4/4/4	-
3	OXL	F	602	4	-	1/4/4/4	-
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	А	601	-	-	6/13/32/32	0/1/1/1
2	FBP	G	601	-	-	2/13/32/32	0/1/1/1
6	O99	Е	605	-	-	0/24/24/24	0/3/3/3
2	FBP	Е	601	-	-	2/13/32/32	0/1/1/1
3	OXL	Н	602	4	-	0/4/4/4	-
2	FBP	С	601	-	-	2/13/32/32	0/1/1/1
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
6	O99	А	605	-	-	4/24/24/24	0/3/3/3
2	FBP	В	601	-	-	2/13/32/32	0/1/1/1
2	FBP	Н	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	4	-	0/4/4/4	-
3	OXL	G	602	4	-	0/4/4/4	-
3	OXL	Ē	602	4	-	0/4/4/4	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Е	602	OXL	O1-C1	3.96	1.33	1.22
3	В	602	OXL	O2-C2	3.93	1.33	1.22
3	G	602	OXL	O1-C1	3.77	1.32	1.22
3	D	602	OXL	O2-C2	3.47	1.31	1.22
3	А	602	OXL	O2-C2	3.46	1.31	1.22
3	С	602	OXL	O1-C1	3.41	1.31	1.22
3	F	602	OXL	O2-C2	3.32	1.31	1.22
3	F	602	OXL	O3-C1	-3.24	1.21	1.30
3	Н	602	OXL	O2-C2	3.09	1.30	1.22
3	D	602	OXL	O4-C2	-2.69	1.22	1.30
3	G	602	OXL	O3-C1	-2.64	1.22	1.30
3	F	602	OXL	O1-C1	2.63	1.29	1.22
3	Н	602	OXL	O4-C2	-2.53	1.23	1.30
3	В	602	OXL	O4-C2	-2.44	1.23	1.30
3	Е	602	OXL	O3-C1	-2.37	1.23	1.30
3	А	602	OXL	O4-C2	-2.31	1.23	1.30
3	F	602	OXL	O4-C2	-2.30	1.23	1.30
3	С	602	OXL	O3-C1	-2.28	1.23	1.30
2	С	601	FBP	P1-O3P	-2.25	1.46	1.54
2	Н	601	FBP	P1-01	-2.16	1.53	1.60
2	А	601	FBP	P2-O6P	-2.08	1.46	1.54
2	G	601	FBP	P2-O6P	-2.06	1.46	1.54
3	D	602	OXL	C2-C1	2.01	1.59	1.54



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	А	605	O99	C8-C9-N	3.37	119.22	111.96
2	D	601	FBP	O5P-P2-O6	3.29	115.49	106.73
2	С	601	FBP	P1-O1-C1	3.10	126.83	118.30
2	Н	601	FBP	O5P-P2-O6	2.80	114.19	106.73
2	А	601	FBP	P1-O1-C1	2.74	125.83	118.30
3	F	602	OXL	O4-C2-C1	2.70	121.19	113.16
3	F	602	OXL	O3-C1-C2	2.68	121.12	113.16
2	В	601	FBP	O3P-P1-O2P	2.43	116.91	107.64
3	D	602	OXL	O3-C1-C2	2.39	120.25	113.16
3	А	602	OXL	O4-C2-C1	2.38	120.22	113.16
3	D	602	OXL	O4-C2-C1	2.34	120.10	113.16
2	D	601	FBP	P1-O1-C1	2.32	124.70	118.30
3	С	602	OXL	O3-C1-C2	2.30	120.00	113.16
2	Е	601	FBP	O3P-P1-O2P	2.30	116.43	107.64
2	Н	601	FBP	P1-O1-C1	2.28	124.58	118.30
2	В	601	FBP	P1-O1-C1	2.20	124.36	118.30
2	Е	601	FBP	P1-O1-C1	2.18	124.30	118.30
2	G	601	FBP	O3P-P1-O2P	2.14	115.82	107.64
2	F	601	FBP	P1-O1-C1	2.13	124.15	118.30
2	F	601	FBP	O3P-P1-O1P	2.07	118.78	110.68
2	С	601	FBP	O6-P2-O4P	2.05	112.22	106.47
2	G	601	FBP	P1-O1-C1	2.03	123.89	118.30
2	Н	601	FBP	O2P-P1-O1	2.02	112.11	106.73

All (23) bond angle outliers are listed below:

There are no chirality outliers.

All	(29)	) torsion	outliers	are	listed	below:
-----	------	-----------	----------	-----	--------	--------

Mol	Chain	$\mathbf{Res}$	Type	Atoms
2	А	601	FBP	O1-C1-C2-C3
2	А	601	FBP	O1-C1-C2-O5
2	А	601	FBP	C4-C5-C6-O6
2	В	601	FBP	C4-C5-C6-O6
2	С	601	FBP	C4-C5-C6-O6
2	Е	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	Н	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	G	601	FBP	C4-C5-C6-O6
2	А	601	FBP	O5-C5-C6-O6
6	А	605	O99	C9-N-S1-O1
6	A	605	O99	C9-N-S1-O4



Mol	Chain	Res	Type	Atoms
2	С	601	FBP	O5-C5-C6-O6
6	А	605	O99	C9-N-S1-C10
2	В	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	Е	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	Н	601	FBP	O5-C5-C6-O6
2	G	601	FBP	O5-C5-C6-O6
6	F	605	O99	C9-N-S1-O1
6	F	605	O99	C9-N-S1-O4
2	А	601	FBP	O1-C1-C2-O2
6	F	605	O99	C9-N-S1-C10
2	А	601	FBP	C1-O1-P1-O2P
6	A	605	O99	C17-C5-S-O6
3	А	602	OXL	O3-C1-C2-O4
3	F	602	OXL	O3-C1-C2-O4

Continued from previous page...

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	605	O99	1	0
2	А	601	FBP	1	0
2	Е	601	FBP	1	0
6	А	605	O99	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













































## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	422/447~(94%)	0.65	37 (8%) 10 12	42, 65, 100, 117	0
1	В	436/447~(97%)	0.46	29 (6%) 17 21	33, 55, 93, 101	0
1	С	425/447~(95%)	0.28	18 (4%) 36 41	26, 49, 76, 112	0
1	D	425/447~(95%)	0.16	7 (1%) 72 75	23, 35, 62, 103	0
1	Е	419/447~(93%)	0.38	27 (6%) 19 23	37, 58, 91, 107	0
1	F	432/447~(96%)	0.14	13 (3%) 50 55	29, 46, 72, 94	0
1	G	421/447~(94%)	0.04	6 (1%) 75 78	26, 41, 61, 84	1 (0%)
1	Н	425/447~(95%)	0.11	6 (1%) 75 78	20, 32, 54, 94	0
All	All	3405/3576~(95%)	0.28	143 (4%) 36 41	20, 48, 86, 117	1 (0%)

All (143) RSRZ outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type	RSRZ
1	А	25	PHE	12.6
1	А	543	SER	8.3
1	А	115	LEU	7.6
1	Н	21	GLY	7.2
1	D	24	PHE	7.0
1	В	115	LEU	6.8
1	А	114	PRO	6.6
1	Е	115	LEU	6.4
1	B 511 LEU		LEU	6.3
1	D	22	THR	6.0
1	С	22	THR	6.0
1	D	25	PHE	6.0
1	А	30	LEU	5.7
1	А	34	MET	5.6
1	С	21	GLY	5.6
1	А	24	PHE	5.4



Mol	Chain	Res	Type	RSRZ
1	Е	25	PHE	5.4
1	Е	114	PRO	5.3
1	В	543	SER	5.2
1	А	112	GLY	4.9
1	В	130	GLY	4.9
1	В	527	TRP	4.8
1	F	115	LEU	4.8
1	F	114	PRO	4.8
1	D	21	GLY	4.7
1	В	489	PRO	4.3
1	С	25	PHE	4.2
1	А	63	ILE	4.2
1	А	113	SER	4.2
1	В	114	PRO	4.2
1	С	20	LEU	4.1
1	В	507	GLU	3.9
1	В	10	ARG	3.8
1	Е	113	SER	3.8
1	В	517	VAL	3.6
1	А	273	GLU	3.5
1	Е	543	SER	3.5
1	Н	22	THR	3.5
1	Е	487 ARG		3.4
1	Н	24 PHE		3.4
1	В	504	504 PHE	
1	А	33	ALA	3.3
1	С	103	VAL	3.3
1	В	91	GLY	3.3
1	А	241	LEU	3.3
1	Е	540	LEU	3.3
1	Е	489	PRO	3.2
1	Н	25	PHE	3.2
1	В	540[A]	LEU	3.2
1	А	263	VAL	3.2
1	A	124	LEU	3.1
1	С	231	PRO	3.1
1	Е	24	PHE	3.1
1	С	116	SER	3.1
1	В	118	ARG	3.1
1	А	489	PRO	3.0
1	В	90	HIS	3.0
1	С	115	LEU	3.0



Mol	Chain	Res	Type	RSRZ	
1	С	412	ARG	3.0	
1	А	131	SER	3.0	
1	В	542	ILE	2.9	
1	А	404	ARG	2.9	
1	В	13	VAL	2.9	
1	G	25	PHE	2.9	
1	G	412	ARG	2.9	
1	G	24	PHE	2.9	
1	В	508	SER	2.9	
1	А	127	LYS	2.9	
1	С	232	GLY	2.8	
1	D	26	GLN	2.8	
1	F	527	TRP	2.8	
1	Е	117	TYR	2.8	
1	G	34	MET	2.8	
1	Е	122	ILE	2.8	
1	А	383	PRO	2.8	
1	В	271	GLY	2.7	
1	А	108	GLU	2.7	
1	Е	103	VAL	2.7	
1	Е	118	ARG	2.7	
1	С	80	GLY	2.7	
1	Е	112	GLY	2.6	
1	А	412	ARG	2.6	
1	С	32	ALA	2.6	
1	С	34	MET	2.6	
1	А	84	ALA	2.6	
1	D	23	ALA	2.6	
1	А	351	ARG	2.6	
1	F	543	SER	2.5	
1	A	117	TYR	2.5	
1	В	132	GLY	2.5	
1	G	271	GLY	2.5	
1	D	412	ARG	2.5	
1	F	516	ARG	2.5	
1	С	63	ILE	2.5	
1	Н	516	ARG	2.5	
1	A	496	ASP	2.5	
1	E	95	TYR	2.5	
1	A	86	LEU	2.5	
1	F	512	ARG	2.5	
1	А	540	LEU	2.4	



Mol	Chain	Res	Type	RSRZ
1	С	75	GLU	2.4
1	В	236	GLN	2.4
1	Н	412	ARG	2.4
1	А	350	PRO	2.4
1	F	412	ARG	2.4
1	Е	90	HIS	2.4
1	В	272	PRO	2.4
1	В	112	GLY	2.4
1	Е	514	PHE	2.3
1	Е	248	GLY	2.3
1	Е	30	LEU	2.3
1	Е	490	PRO	2.3
1	А	357	THR	2.3
1	В	512	ARG	2.3
1	В	490	PRO	2.3
1	С	386	ALA	2.3
1	G	33	ALA	2.3
1	F	499	ASP	2.2
1	А	88	PHE	2.2
1	В	249	VAL	2.2
1	F	116	SER	2.2
1	F	489	PRO	2.2
1	A	122	ILE	2.2
1	А	475	VAL	2.2
1	A	75	GLU	2.2
1	E	71	GLU	2.2
1	E	270	LEU	2.2
1	F	533	TYR	2.2
1	С	71	GLU	2.2
1	В	411	ARG	2.1
1	Е	492	ALA	2.1
1	В	506	ILE	2.1
1	A	378	ALA	2.1
1	E	412	ARG	2.1
1	E	23	ALA	2.1
1	С	69	SER	2.1
1	А	237	ASP	2.1
1	В	95	TYR	2.1
1	A	128	GLY	2.0
1	E	124	LEU	2.0
1	F	232	GLY	2.0
1	F	408	GLU	2.0



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type	RSRZ	
1	Ε	249	VAL	2.0	

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
5	K	А	604	1/1	0.72	0.10	104,104,104,104	0
3	OXL	Е	602	6/6	0.81	0.16	74,75,75,75	0
5	K	Е	604	1/1	0.86	0.23	115,115,115,115	0
5	K	С	604	1/1	0.87	0.07	75, 75, 75, 75, 75	0
3	OXL	С	602	6/6	0.87	0.12	69,70,70,70	0
3	OXL	F	602	6/6	0.90	0.19	$68,\!69,\!69,\!69$	0
3	OXL	D	602	6/6	0.90	0.18	$55,\!56,\!56,\!56$	0
3	OXL	G	602	6/6	0.91	0.12	$51,\!52,\!53,\!54$	0
3	OXL	А	602	6/6	0.92	0.19	81,81,81,81	0
3	OXL	В	602	6/6	0.92	0.08	$63,\!63,\!65,\!65$	0
2	FBP	Е	601	20/20	0.94	0.12	$53,\!56,\!60,\!60$	0
3	OXL	Н	602	6/6	0.94	0.14	$49,\!50,\!50,\!51$	0
4	MG	В	603	1/1	0.94	0.15	$45,\!45,\!45,\!45$	0
5	K	G	604	1/1	0.94	0.06	$66,\!66,\!66,\!66$	0
6	O99	F	605	29/29	0.94	0.17	40,41,42,42	17
2	FBP	А	601	20/20	0.95	0.14	$61,\!64,\!66,\!66$	0
2	FBP	F	601	20/20	0.95	0.11	$45,\!52,\!57,\!57$	0
4	MG	С	603	1/1	0.95	0.21	38,38,38,38	0
6	O99	A	605	29/29	0.95	0.15	49,53,55,56	17
6	O99	D	605	29/29	0.95	0.15	39,42,44,45	17
6	O99	Е	605	29/29	0.95	0.16	42,45,47,47	17
2	FBP	В	601	20/20	0.95	0.12	$52,\!53,\!56,\!56$	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	MG	А	603	1/1	0.96	0.14	52,52,52,52	0
5	K	D	604	1/1	0.97	0.06	$51,\!51,\!51,\!51$	0
5	K	В	604	1/1	0.97	0.09	$69,\!69,\!69,\!69$	0
5	K	F	604	1/1	0.97	0.05	85,85,85,85	0
4	MG	Е	603	1/1	0.97	0.15	49,49,49,49	0
4	MG	F	603	1/1	0.98	0.21	32,32,32,32	0
4	MG	D	603	1/1	0.98	0.23	28,28,28,28	0
4	MG	Н	603	1/1	0.99	0.16	22,22,22,22	0
2	FBP	G	601	20/20	0.99	0.12	28,30,32,33	0
2	FBP	Н	601	20/20	0.99	0.15	21,24,27,28	0
2	FBP	С	601	20/20	0.99	0.13	29,30,35,36	0
2	FBP	D	601	20/20	0.99	0.15	25,26,29,30	0
4	MG	G	603	1/1	0.99	0.17	23,23,23,23	0
5	К	Н	604	1/1	1.00	0.06	$51,\!51,\!51,\!51$	0

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

























## 6.5 Other polymers (i)

There are no such residues in this entry.

